




Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N




Radial grating (Siemens-star) N-Z



Radial grating (Siemens-star) W-Z


Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS oper.: 000n\*lin 1.0 exp setcmykcolor



Landolt-rings W-N


code: background-ring

Picture C4: Landolt-rings W-N; PS operator: 000n\*lin 1.0 exp setcmykcolor




line raster diameter in lpi

Picture C5: Line raster under 45° (or 135°); PS operator: 000n\*lin 1.0 exp setcmykcolor




Picture C2: 5 visual equidistant  $L^*$ -grey steps +  $N_0$  +  $W_1$ ; PS operator: 000n\*lin 1.0 exp setcmykcolor



line raster diameter in lpi

Picture C6: Line raster under 90° (or 0°); PS operator: 000n\*lin 1.0 exp setcmykcolor



Picture C3: 16 visual equidistant  $L^*$ -grey steps; PS operator: 000n\*lin 1.0 exp setcmykcolor

ISO/IEC-test chart no. 3A according to ISO/IEC 15775 and DIS ISO/IEC 19839-X; input: 000n\*lin 1.0 exp setcmykcolor  
 output: cmy0\*/000n\*setcmykcolor

