


See for similar files: <http://www.ps.bam.de/IE88/>  
 Information and Order: <http://www.ps.bam.de>


Version 2.0, io=2,7; iLRS; oLRS, CIEXYZ

BAM registration: 20031201-IE88/10D/D88E17FP.PS/.PDF  
 Full page: application for monitors, Yr=7,5, XYZ


BAM material: code=tha4ta




Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS oper.: *nnn0\*lin 1.0 exp setcmykcolor*




Picture C4: Landolt-rings W-N; PS operator: *nnn0\*lin 1.0 exp setcmykcolor*




Picture C5: Line raster under 45° (or 135°); PS operator: *nnn0\*lin 1.0 exp setcmykcolor*



Picture C2: 5 visual equidistant  $L^*$ -grey steps +  $N_0$  +  $W_1$ ; PS operator: *nnn0\*lin 1.0 exp setcmykcolor*



Picture C6: Line raster under 90° (or 0°); PS operator: *nnn0\*lin 1.0 exp setcmykcolor*



Picture C3: 16 visual equidistant  $L^*$ -grey steps; PS operator: *nnn0\*lin 1.0 exp setcmykcolor*



ISO/IEC test chart no. 3D according to ISO/IEC 15775 and DIS ISO/IEC 19839-X; input: *nnn0\*lin 1.0 exp setcmykcolor* output: *w\* setgray*