




See for similar files: <http://www.ps.bam.de/LE20/LE20.HTM>  
Information and Order: <http://www.ps.bam.de> Version 2.0, io=0,0

BAM registration: 20030101-LE20/10Q/Q20E00NP.PS/.PDF BAM material: code=tha4ta  
application for measurement of monitor (Yr=2.5) and printer output




16 equidistant CIELAB steps: C-W, C-N, M-W, M-N, Y-W, Y-N, O-W, O-N, L-W, L-N, V-W, V-N, N-W (cmy0\*), W-N (000n\*) and 14 CIE-test colours (left)


Test chart LE20: 16 CIELAB steps of ISO/IEC 15775 input(ORS18): cmy\* setcmykcolor  
Chromatic-White, Chromatic-Black, Black-White output(ORS18): no change compared to input




See for similar files: <http://www.ps.bam.de/LE20/LE20.HTM>  
 Information and Order: <http://www.ps.bam.de>  
 Version 2.0, io=0,0




Picture B4w: 16 equidistant steps W-C, W-M, W-Y and W-N; PS operator *cmY0\* setcmykcolor* (only)




Picture B5w: Script and Landolt-rings N, M, C and Y; PS operator *cmY0\* setcmykcolor* (only)




Picture B6w: Landolt-rings W-C and W-M; PS operator *cmY0\* setcmykcolor* (only)




Picture B7w: Landolt-rings W-Y and W-N; PS operator *cmY0\* setcmykcolor* (only)




Picture D4w: 16 equidistant steps W-O, W-L, W-V and W-N; PS operator *cmY0\*/000n\* setcmykcolor*



Picture D5w: Script and Landolt-rings N, O, L and V; PS operator *cmY0\*/000n\* setcmykcolor*




Picture D6w: Landolt-rings W-O and W-L; PS operator *cmY0\*/000n\* setcmykcolor*



Picture D7w: Landolt-rings W-V and W-N; PS operator *cmY0\*/000n\* setcmykcolor*

BAM registration: 20030101-LE20/10Q/Q20E10NP.PS.PDF  
 application for measurement of monitor (Yr=2.5) and printer output  
 BAM material: code=th4ta


www.ps.bam.de/LE20/10Q/Q20E20NP.PS/.PDF; start output  
 N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)




Picture B4n: 16 equidistant steps *N-C*, *N-M*, *N-Y* and *N-W*; PS operator  $cm\dot{y}0^*/000n^*$  setcmykcolor




Picture B5n: Script and Landolt-rings *W*, *M*, *C* and *Y*; PS operator  $cm\dot{y}0^*/000n^*$  setcmykcolor



Picture B6n: Landolt-rings *N-C* and *N-M*; Use of PS operator  $cm\dot{y}0^*/000n^*$  setcmykcolor



Picture B7n: Landolt-rings *N-Y* and *N-W*; PS operator  $cm\dot{y}0^*/000n^*$  setcmykcolor




Test chart LE20: 16 CIELAB steps of ISO/IEC 15775  
 Chromatic-White, Chromatic-Black, Black-White




Picture D4n: 16 equidistant steps *N-O*, *N-L*, *N-V* and *N-W*; PS operator  $cm\dot{y}0^*$  setcmykcolor (only)



Picture D5n: Script and Landolt-rings *W*, *O*, *L* and *V*; PS operator  $cm\dot{y}0^*$  setcmykcolor (only)



Picture D6n: Landolt-rings *N-O* and *N-L*; Use of PS operator  $cm\dot{y}0^*$  setcmykcolor(only)



Picture D7n: Landolt-rings *N-V* and *N-W*; PS operator  $cm\dot{y}0^*$  setcmykcolor (only)

input(ORS18):  $cm\dot{y}n^*$  setcmykcolor  
 output(ORS18): no change compared to input


See for similar files: <http://www.ps.bam.de/LE20/LE20.HTM>  
 Information and Order: <http://www.ps.bam.de>  
 Version 2.0, io=0,0

BAM registration: 20030101-LE20/10Q/Q20E20NP.PS.PDF  
 application for measurement of monitor (Yr=2.5) and printer output  
 BAM material: code=th4t4




See for similar files: <http://www.ps.bam.de/LE20/LE20.HTM>  
 Information and Order: <http://www.ps.bam.de>  
 Version 2.0, io=0,0


BAM registration: 20030101-LE20/10Q/Q20E30NP.PS/.PDF BAM material: code=th4t4  
 application for measurement of monitor (Yr=2.5) and printer output




Picture B4n: 16 equidistant steps N-C, N-M, N-Y and N-W; PS operator  $cmy0^*/000n^*$  setcmykcolor





Picture B5n: Script and Landolt-rings W, M, C and Y; PS operator  $cmy0^*/000n^*$  setcmykcolor




Picture B6n: Landolt-rings N-C and N-M; Use of PS operator  $cmy0^*/000n^*$  setcmykcolor




Picture B7n: Landolt-rings N-Y and N-W; PS operator  $cmy0^*/000n^*$  setcmykcolor




Picture B4w: 16 equidistant steps W-C, W-M, W-Y and W-N; PS operator  $cmy0^*$  setcmykcolor (only)






Picture B5w: Script and Landolt-rings N, M, C and Y; PS operator  $cmy0^*$  setcmykcolor (only)




Picture B6w: Landolt-rings W-C and W-M; PS operator  $cmy0^*$  setcmykcolor (only)



Picture B7w: Landolt-rings W-Y and W-N; PS operator  $cmy0^*$  setcmykcolor (only)




www.ps.bam.de/LE20/10Q/Q20E40NP.PS/.PDF; start output  
 N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)




Picture D4n: 16 equidistant steps N-O, N-L, N-V and N-W; PS operator *cmY0\* setcmykcolor* (only)




Picture D5n: Script and Landolt-rings W, O, L and V; PS operator *cmY0\* setcmykcolor* (only)




Picture D6n: Landolt-rings N-O and N-L; Use of PS operator *cmY0\* setcmykcolor* (only)




Picture D7n: Landolt-rings N-V and N-W; PS operator *cmY0\* setcmykcolor* (only)




Test chart LE20: 16 CIELAB steps of ISO/IEC 15775  
 Chromatic-White, Chromatic-Black, Black-White




Picture D4w: 16 equidistant steps W-O, W-L, W-V and W-N; PS operator *cmY0\*/000n\* setcmykcolor*




Picture D5w: Script and Landolt-rings N, O, L and V; PS operator *cmY0\*/000n\* setcmykcolor*



Picture D6w: Landolt-rings W-O and W-L; PS operator *cmY0\*/000n\* setcmykcolor*



Picture D7w: Landolt-rings W-V and W-N; PS operator *cmY0\*/000n\* setcmykcolor*



input(ORS18): *cmYn\* setcmykcolor*  
 output(ORS18): no change compared to input

BAM registration: 20030101-LE20/10Q/Q20E40NP.PS/.PDF  
 application for measurement of monitor (Yr=2.5) and printer output  
 BAM material: code=th4ta

See for similar files: <http://www.ps.bam.de/LE20/LE20.HTM>  
 Information and Order: <http://www.ps.bam.de>  
 Version 2.0, io=0,0