

(olv3* = 0.0, 13*, v3*)


(olv3* = 0.0, 0, 1)

a01

a02

a03

(olv3* = 0.0, 1, 0)



See for similar files: <http://www.ps.bam.de/LE35/>
Technical information: <http://www.ps.bam.de>

Version 2.1, io=1,1; iORS; oORS, CIELAB

BAM registration: 20050501-LE35/10Q/Q35E00FP.PS/.PDF
application for measurement of printer systems

BAM material: code=rh4ta

/LE35/ Form: 1/3, Serie: 1/1, Page: 1 Page count: 1

($olv3^* = 0.5, 13^*, v3^*$)

($olv3^* = 0.5, 0, 1$)

b01

b02

b03

($olv3^* = 0.5, 1, 0$)

BAM registration: 20050501-LE35/10Q/Q35E01FP.PS/.PDF
application for measurement of printer systems

BAM material: code=rh4ta

/LE35/ Form: 2/3, Serie: 1/1, Page: 2 Page count: 2

See for similar files: <http://www.ps.bam.de/LE35/>
Technical information: <http://www.ps.bam.de>

Version 2.1, io=1,1; iORS; oORS, CIELAB

LE350-7, Test chart file with 3x3x3 (=27) colours; Device dependent colour coordinates $olv3^*$ of ISO/IEC 15775:1999 as input; $r3^* = o3^* = 0.5 = \text{const.}$

BAM-test chart no. LE35; Systems ORS18 and TLS00
3x3x3 = 27 colours of ISO/IEC 15775:1999

input: $olv3^*$ setrgbcolor
output: olv^* setrgbcolor / w^* setgray



($olv3^* = 1.0, 13^*, v3^*$)


($olv3^* = 1.0, 0, 1$)

c01

c02

c03

($olv3^* = 1.0, 1, 0$)



See for similar files: <http://www.ps.bam.de/LE35/>
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1; iORS; oORS, CIELAB

BAM registration: 20050501-LE35/10Q/Q35E02FP.PS/.PDF
application for measurement of printer systems

BAM material: code=rh4ta
/LE35/ Form: 3/3, Serie: 1/1, Page: 3 Page count: 3