



See for similar files: <http://www.ps.bam.de/LE74/10S/S74E02FP.PS/.PDF>
 Information and Order: <http://www.ps.bam.de/LE74/10S/S74E02FP.PS/.PDF>
 Version 2.0, io=0&1,2; iTLS; oTLS, CIELAB

BAM registration: 20030101-LE74/10S/S74E02FP.PS/.PDF
 application for measurement of monitor (Yr=2.5) and printer output
 BAM material: code=tha4ta

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	used coordinate	surround center
01																		V	1m00* 0l1*
02																		M	c100* o01*
03																		O	01y0* 10v*
04																		Y	0m10* 1l0*
05																		L	c010* o10*
06																		C	10y0* 01v*
07																		Mw	xm00* xl1*
08																		Yw	cx00* ox1*
09																		Cw	0xy0* 1xv*
10																		Mn	1mx0* xl0*
11																		Yn	c1x0* ox0*
12																		Cn	x1y0* 0xv*
13																		W	cmy0* olv*
14																		N	000n* w*

16 equidistant CIELAB steps in $cmy0^*(TLS00)$, $olv^*(TLS00)$ for colour series C-V, V-M, M-O, O-Y, Y-L, L-C, N-W, W-N, Cw-Mw, Mw-Yw, Yw-Cw, Cn-Mn, Mn-Yn, Yn-Cn and 14 CIE-test colours (left)

Test chart LE74: 16 CIELAB steps in $cmy0^*$, olv^* input, TLS00: $cmy0^*/olv^* set(cmy/rgb)color$
 Maximum and half (47%) chroma, CIE-test colours output, TLS00: $cmy0^*/nnn0^* setcmykcolor$

