






Siehe ähnliche Dateien: <http://www.ps.bam.de/LG51/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1


























LG510-3, Bild C1: Radialgitter (Siemenssterne) N-W, W-N, N-Z und W-Z; PS-Operator w^* setgray




LG510-5, Bild C2: 5 visuell gleichabständige L^* -Graustufen + N_0 + W_1 ; Benutzung des PS-Operators w^* setgray




LG510-7, Bild C3: 16 visuell gleichabständige L^* -Graustufen; Benutzung des PS-Operators w^* setgray



LG511-1, Bild C4: Landoltringe W-N; Benutzung des PS-Operators w^* setgray



LG511-3, Bild C5: Linienraster unter 45° (oder 135°); Benutzung des PS-Operators w^* setgray



LG511-5, Bild C6: Linienraster unter 90° (oder 0°); Benutzung des PS-Operators w^* setgray


Grey Page

Siehe ähnliche Dateien: <http://www.ps.bam.de/LG51/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1

Black Page

White Page

Siehe ähnliche Dateien: <http://www.ps.bam.de/LG51/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1



BAM-Registrierung: 20040501-LG51/10L/L51G06NP.PS/.PDF BAM-Material: Code=rhadt
Anwendung für Eigenschaften von monochromen Druckern
/LG51/ Form: 7/9, Seite: 1/2, Seite: 13 Seiten: 13

Siehe ähnliche Dateien: <http://www.ps.bam.de/LG51/>
Technische Information: [http://www.ps.bam.de/Version 2.1, io=1,1](http://www.ps.bam.de/Version%201,1,io=1,1)

BAM-Registrierung: 20040501-LG51/10L/L51G07NP.PS/.PDF BAM-Material: Code=rh4t4a
Anwendung für Eigenschaften von monochromen Druckern

/LG51/ Form: 89, Seite: 1/2, Seite: 14, Seitenzahl: 14

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text.

This is text. This is text. This is text.

This is text. This is text. This is text.

This is text. This is text. This is text.

This is text. This is text. This is text.

This is text. This is text.

This is text. This is text.

This is text. This is text.

This is text.

This is text.

This is text.

This is text.

t.

text.

s is text.

This is text.

xt. This is text.

s text. This is text.

is is text. This is text.

. This is text. This is text.

text. This is text. This is text.

s is text. This is text. This is text.

This is text. This is text. This is text.

xt. This is text. This is text. This is text.

s text. This is text. This is text. This is text.

is is text. This is text. This is text. This is text.


. This is text. This is text. This is text. This is text.

text. This is text. This is text. This is text. This is text.


s is text. This is text. This is text. This is text. This is text.


This is text. This is text. This is text. This is text. This is text.


Siehe ähnliche Dateien: <http://www.ps.bam.de/LG51/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1





BAM-Registrierung: 20040501-LG51/10L/L51G08NP.PS/.PDF BAM-Material: Code=rhdata
Anwendung für Eigenschaften von monochromen Druckern
/LG51/ Form: 9/9, Seite: 1/2, Seite: 15 Seiten: 1/15


























LG510-3, Bild C1: Radialgitter (Siemenssterne) N-W, W-N, N-Z und W-Z; PS-Operator $w^* \text{ setgray}$




LG510-5, Bild C2: 5 visuell gleichabständige L^* -Graustufen + N_0 + W_1 ; Benutzung des PS-Operators $w^* \text{ setgray}$




LG510-7, Bild C3: 16 visuell gleichabständige L^* -Graustufen; Benutzung des PS-Operators $w^* \text{ setgray}$



LG511-1, Bild C4: Landoltringe W-N; Benutzung des PS-Operators $w^* \text{ setgray}$



LG511-3, Bild C5: Linienraster unter 45° (oder 135°); Benutzung des PS-Operators $w^* \text{ setgray}$



LG511-5, Bild C6: Linienraster unter 90° (oder 0°); Benutzung des PS-Operators $w^* \text{ setgray}$

Grey Page


Siehe ähnliche Dateien: <http://www.ps.bam.de/LG51/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1

Black Page

Siehe ähnliche Dateien: <http://www.ps.bam.de/LG51/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1

White Page

Siehe ähnliche Dateien: <http://www.ps.bam.de/LG51/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1



BAM-Registrierung: 20040501-LG51/10L/L51G06NP.PS/.PDF BAM-Material: Code=rhadt
Anwendung für Eigenschaften von monochromen Druckern
/LG51/ Form: 7/9, Seite: 2/2, Seite: 13 Seiten: 28

Siehe ähnliche Dateien: <http://www.ps.bam.de/LG51/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1, 1

BAM-Registrierung: 20040501-LG51/10L/L51G07NP.PS/.PDF BAM-Material: Code=rh4t4
Anwendung für Eigenschaften von monochromen Druckern

/LG51/ Form: 8,9, Seite: 2,2, Seite: 14, Seitenzahl: 29

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text. This is text. This is text.

This is text. This is text. This is text.

This is text. This is text. This is text.

This is text. This is text. This is text.

This is text. This is text. This is text.

This is text. This is text.

This is text. This is text.

This is text. This is text.

This is text.


This is text.

This

T

t.
text.
s is text.
This is text.
xt. This is text.
s text. This is text.
nis is text. This is text.
. This is text. This is text.
text. This is text. This is text.
s is text. This is text. This is text.
This is text. This is text. This is text.
xt. This is text. This is text. This is text.
s text. This is text. This is text. This is text.
nis is text. This is text. This is text. This is text.
. This is text. This is text. This is text. This is text.
text. This is text. This is text. This is text. This is text.
s is text. This is text. This is text. This is text. This is text.
This is text. This is text. This is text. This is text. This is text.

Siehe ähnliche Dateien: <http://www.ps.bam.de/LG51/>
Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1



BAM-Registrierung: 20040501-LG51/10L/L51G08NP.PS/.PDF BAM-Material: Code=rhdata
Anwendung für Eigenschaften von monochromen Druckern
/LG51/ Form: 9/9, Seite: 2/2, Seite: 15 Seitenanzahl: 30