

Input: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 38/360 = 0.105$


$lab^*tch$  and  $lab^*nch$

D65: hue O

LCH\*Ma: 48 83 38

olv\*Ma: 1.0 0.0 0.0

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	47.94	65.39	50.52	82.63	38
Y <sub>Ma</sub>	90.37	-10.26	91.75	92.32	96
L <sub>Ma</sub>	50.9	-62.83	34.96	71.91	151
C <sub>Ma</sub>	58.62	-30.34	-45.01	54.3	236
V <sub>Ma</sub>	25.72	31.1	-44.4	54.22	305
M <sub>Ma</sub>	48.13	75.28	-8.36	75.74	354
N <sub>Ma</sub>	18.01	0.0	0.0	0.0	0
W <sub>Ma</sub>	95.41	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.66	26.98	64.57	25
J <sub>CIE</sub>	81.26	-2.16	67.76	67.79	92
G <sub>CIE</sub>	52.23	-42.25	11.76	43.87	164
B <sub>CIE</sub>	30.57	1.15	-46.84	46.86	271

Output: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 38/360 = 0.105$


$lab^*tch$  and  $lab^*nch$

D65: hue O

LCH\*Ma: 48 83 38

olv\*Ma: 1.0 0.0 0.0

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R	48.0	68.58	31.54	75.48	25
R25J	50.11	61.52	52.63	80.96	41
R50J	62.87	38.77	65.02	75.71	59
R75J	74.87	17.37	76.69	78.63	77
J	86.19	-2.8	87.69	87.73	92
J25G	84.01	-18.73	82.6	84.7	103
J50G	71.17	-35.83	64.13	73.46	119
J75G	56.99	-54.71	43.72	70.05	141
G	52.8	-54.82	15.26	56.92	164
G25B	54.69	-46.87	-4.31	47.08	185
G50B	57.25	-36.1	-30.82	47.48	220
G75B	49.61	-13.51	-44.85	46.85	253
B	41.78	1.1	-44.7	44.72	271
B25R	29.34	24.33	-44.47	50.7	299
B50R	40.78	60.78	-20.18	64.05	342
B75R	48.06	71.56	13.77	72.87	411



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



ZE720-7F, 9 step scales for constant CIELAB hue 38/360 = 0.105 (left)

ZE720-7F, 16 step scales for constant CIELAB hue 38/360 = 0.105 (right)

BAM registration: 20071001-ZE72/10L/L72E00FP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/ZE72/>; [www.ps.bam.de/ZE.HTM](http://www.ps.bam.de/ZE.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

Input: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 96/360 = 0.268$


$lab^*tch$  and  $lab^*nch$

D65: hue Y

LCH\*Ma: 90 92 96

olv\*Ma: 1.0 1.0 0.0

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	47.94	65.39	50.52	82.63	38
YMa	90.37	-10.26	91.75	92.32	96
LMa	50.9	-62.83	34.96	71.91	151
CMa	58.62	-30.34	-45.01	54.3	236
VMa	25.72	31.1	-44.4	54.22	305
MMa	48.13	75.28	-8.36	75.74	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.57	25
JCIE	81.26	-2.16	67.76	67.79	92
GCIE	52.23	-42.25	11.76	43.87	164
BCIE	30.57	1.15	-46.84	46.86	271

Output: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 96/360 = 0.268$


$lab^*tch$  and  $lab^*nch$

D65: hue Y

LCH\*Ma: 90 92 96

olv\*Ma: 1.0 1.0 0.0

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R	48.0	68.58	31.54	75.48	25
R25J	50.11	61.52	52.63	80.96	41
R50J	62.87	38.77	65.02	75.71	59
R75J	74.87	17.37	76.69	78.63	77
J	86.19	-2.8	87.69	87.73	92
J25G	84.01	-18.73	82.6	84.7	103
J50G	71.17	-35.83	64.13	73.46	119
J75G	56.99	-54.71	43.72	70.05	141
G	52.8	-54.82	15.26	56.92	164
G25B	54.69	-46.87	-4.31	47.08	185
G50B	57.25	-36.1	-30.82	47.48	220
G75B	49.61	-13.51	-44.85	46.85	253
B	41.78	1.1	-44.7	44.72	271
B25R	29.34	24.33	-44.47	50.7	299
B50R	40.78	60.78	-20.18	64.05	342
B75R	48.06	71.56	13.77	72.87	411



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



ZE720-7F, 9 step scales for constant CIELAB hue 96/360 = 0.268 (left)

ZE720-7F, 16 step scales for constant CIELAB hue 96/360 = 0.268 (right)

Input: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 151/360 = 0.419$


$lab^*tch$  and  $lab^*nch$

D65: hue L

LCH\*Ma: 51 72 151

olv\*Ma: 0.0 1.0 0.0

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	47.94	65.39	50.52	82.63	38
Y <sub>Ma</sub>	90.37	-10.26	91.75	92.32	96
L <sub>Ma</sub>	50.9	-62.83	34.96	71.91	151
C <sub>Ma</sub>	58.62	-30.34	-45.01	54.3	236
V <sub>Ma</sub>	25.72	31.1	-44.4	54.22	305
M <sub>Ma</sub>	48.13	75.28	-8.36	75.74	354
N <sub>Ma</sub>	18.01	0.0	0.0	0.0	0
W <sub>Ma</sub>	95.41	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.66	26.98	64.57	25
J <sub>CIE</sub>	81.26	-2.16	67.76	67.79	92
G <sub>CIE</sub>	52.23	-42.25	11.76	43.87	164
B <sub>CIE</sub>	30.57	1.15	-46.84	46.86	271

Output: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 151/360 = 0.419$


$lab^*tch$  and  $lab^*nch$

D65: hue L

LCH\*Ma: 51 72 151

olv\*Ma: 0.0 1.0 0.0

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R	48.0	68.58	31.54	75.48	25
R25J	50.11	61.52	52.63	80.96	41
R50J	62.87	38.77	65.02	75.71	59
R75J	74.87	17.37	76.69	78.63	77
J	86.19	-2.8	87.69	87.73	92
J25G	84.01	-18.73	82.6	84.7	103
J50G	71.17	-35.83	64.13	73.46	119
J75G	56.99	-54.71	43.72	70.05	141
G	52.8	-54.82	15.26	56.92	164
G25B	54.69	-46.87	-4.31	47.08	185
G50B	57.25	-36.1	-30.82	47.48	220
G75B	49.61	-13.51	-44.85	46.85	253
B	41.78	1.1	-44.7	44.72	271
B25R	29.34	24.33	-44.47	50.7	299
B50R	40.78	60.78	-20.18	64.05	342
B75R	48.06	71.56	13.77	72.87	411



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



ZE720-7F, 9 step scales for constant CIELAB hue 151/360 = 0.419 (left)

ZE720-7F, 16 step scales for constant CIELAB hue 151/360 = 0.419 (right)

BAM registration: 20071001-ZE72/10L/L72E00FP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/ZE72/>; [www.ps.bam.de/ZE.HTM](http://www.ps.bam.de/ZE.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

Input: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 236/360 = 0.656$

$lab^*ch$  and  $lab^*nch$

D65: hue C

LCH\*Ma: 59 54 236

olv\*Ma: 0.0 1.0 1.0



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	47.94	65.39	50.52	82.63	38
YMa	90.37	-10.26	91.75	92.32	96
LMa	50.9	-62.83	34.96	71.91	151
CMa	58.62	-30.34	-45.01	54.3	236
VMa	25.72	31.1	-44.4	54.22	305
MMa	48.13	75.28	-8.36	75.74	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.57	25
JCIE	81.26	-2.16	67.76	67.79	92
GCIE	52.23	-42.25	11.76	43.87	164
BCIE	30.57	1.15	-46.84	46.86	271

Output: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 236/360 = 0.656$

$lab^*ch$  and  $lab^*nch$

D65: hue C

LCH\*Ma: 59 54 236

olv\*Ma: 0.0 1.0 1.0



%Gamut

$u^*_{rel} = 93$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R	48.0	68.58	31.54	75.48	25
R25J	50.11	61.52	52.63	80.96	41
R50J	62.87	38.77	65.02	75.71	59
R75J	74.87	17.37	76.69	78.63	77
J	86.19	-2.8	87.69	87.73	92
J25G	84.01	-18.73	82.6	84.7	103
J50G	71.17	-35.83	64.13	73.46	119
J75G	56.99	-54.71	43.72	70.05	141
G	52.8	-54.82	15.26	56.92	164
G25B	54.69	-46.87	-4.31	47.08	185
G50B	57.25	-36.1	-30.82	47.48	220
G75B	49.61	-13.51	-44.85	46.85	253
B	41.78	1.1	-44.7	44.72	271
B25R	29.34	24.33	-44.47	50.7	299
B50R	40.78	60.78	-20.18	64.05	342
B75R	48.06	71.56	13.77	72.87	411



ZE720-7F, 9 step scales for constant CIELAB hue 236/360 = 0.656 (left)

ZE720-7F, 16 step scales for constant CIELAB hue 236/360 = 0.656 (right)

BAM registration: 20071001-ZE72/10L/L72E00FP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/ZE72/>; [www.ps.bam.de/ZE.HTM](http://www.ps.bam.de/ZE.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

Input: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 305/360 = 0.847$

$lab^*tch$  and  $lab^*nch$

D65: hue V

LCH\*Ma: 26 54 305

olv\*Ma: 0.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	47.94	65.39	50.52	82.63	38
YMa	90.37	-10.26	91.75	92.32	96
LMa	50.9	-62.83	34.96	71.91	151
CMa	58.62	-30.34	-45.01	54.3	236
VMa	25.72	31.1	-44.4	54.22	305
MMa	48.13	75.28	-8.36	75.74	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.57	25
JCIE	81.26	-2.16	67.76	67.79	92
GCIE	52.23	-42.25	11.76	43.87	164
BCIE	30.57	1.15	-46.84	46.86	271

%Gamut


$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

triangle lightness  $t^*$



Output: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 305/360 = 0.847$

$lab^*tch$  and  $lab^*nch$

D65: hue V

LCH\*Ma: 26 54 305

olv\*Ma: 0.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R	48.0	68.58	31.54	75.48	25
R25J	50.11	61.52	52.63	80.96	41
R50J	62.87	38.77	65.02	75.71	59
R75J	74.87	17.37	76.69	78.63	77
J	86.19	-2.8	87.69	87.73	92
J25G	84.01	-18.73	82.6	84.7	103
J50G	71.17	-35.83	64.13	73.46	119
J75G	56.99	-54.71	43.72	70.05	141
G	52.8	-54.82	15.26	56.92	164
G25B	54.69	-46.87	-4.31	47.08	185
G50B	57.25	-36.1	-30.82	47.48	220
G75B	49.61	-13.51	-44.85	46.85	253
B	41.78	1.1	-44.7	44.72	271
B25R	29.34	24.33	-44.47	50.7	299
B50R	40.78	60.78	-20.18	64.05	342
B75R	48.06	71.56	13.77	72.87	411

%Gamut


$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

triangle lightness  $t^*$



ZE720-7F, 9 step scales for constant CIELAB hue 305/360 = 0.847 (left)

ZE720-7F, 16 step scales for constant CIELAB hue 305/360 = 0.847 (right)

BAM registration: 20071001-ZE72/10L/L72E00FP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/ZE72/>; [www.ps.bam.de/ZE.HTM](http://www.ps.bam.de/ZE.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

Input: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 354/360 = 0.982$

$lab^*tch$  and  $lab^*nch$

D65: hue M

LCH\*Ma: 48 76 354

olv\*Ma: 1.0 0.0 1.0



%Gamut

$u^*_{rel} = 93$

%Regularity


$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	47.94	65.39	50.52	82.63	38
YMa	90.37	-10.26	91.75	92.32	96
LMa	50.9	-62.83	34.96	71.91	151
CMa	58.62	-30.34	-45.01	54.3	236
VMa	25.72	31.1	-44.4	54.22	305
MMa	48.13	75.28	-8.36	75.74	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.57	25
JCIE	81.26	-2.16	67.76	67.79	92
GCIE	52.23	-42.25	11.76	43.87	164
BCIE	30.57	1.15	-46.84	46.86	271

triangle lightness  $t^*$



Output: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 354/360 = 0.982$

$lab^*tch$  and  $lab^*nch$

D65: hue M

LCH\*Ma: 48 76 354

olv\*Ma: 1.0 0.0 1.0



%Gamut

$u^*_{rel} = 93$

%Regularity


$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R	48.0	68.58	31.54	75.48	25
R25J	50.11	61.52	52.63	80.96	41
R50J	62.87	38.77	65.02	75.71	59
R75J	74.87	17.37	76.69	78.63	77
J	86.19	-2.8	87.69	87.73	92
J25G	84.01	-18.73	82.6	84.7	103
J50G	71.17	-35.83	64.13	73.46	119
J75G	56.99	-54.71	43.72	70.05	141
G	52.8	-54.82	15.26	56.92	164
G25B	54.69	-46.87	-4.31	47.08	185
G50B	57.25	-36.1	-30.82	47.48	220
G75B	49.61	-13.51	-44.85	46.85	253
B	41.78	1.1	-44.7	44.72	271
B25R	29.34	24.33	-44.47	50.7	299
B50R	40.78	60.78	-20.18	64.05	342
B75R	48.06	71.56	13.77	72.87	411

triangle lightness  $t^*$



ZE720-7F, 9 step scales for constant CIELAB hue 354/360 = 0.982 (left)

ZE720-7F, 16 step scales for constant CIELAB hue 354/360 = 0.982 (right)

See for similar files: <http://www.ps.bam.de/ZE72/>; [www.ps.bam.de/ZE.HTM](http://www.ps.bam.de/ZE.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

Input: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 25/360 = 0.069$

$lab^*tch$  and  $lab^*nch$

D65: hue R

LCH\*Ma: 48 75 25

olv\*Ma: 1.0 0.0 0.32



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	47.94	65.39	50.52	82.63	38
YMa	90.37	-10.26	91.75	92.32	96
LMa	50.9	-62.83	34.96	71.91	151
CMa	58.62	-30.34	-45.01	54.3	236
VMa	25.72	31.1	-44.4	54.22	305
MMa	48.13	75.28	-8.36	75.74	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.57	25
JCIE	81.26	-2.16	67.76	67.79	92
GCIE	52.23	-42.25	11.76	43.87	164
BCIE	30.57	1.15	-46.84	46.86	271

%Gamut


$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

triangle lightness  $t^*$



Output: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 25/360 = 0.069$

$lab^*tch$  and  $lab^*nch$

D65: hue R

LCH\*Ma: 48 75 25

olv\*Ma: 1.0 0.0 0.32



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R	48.0	68.58	31.54	75.48	25
R25J	50.11	61.52	52.63	80.96	41
R50J	62.87	38.77	65.02	75.71	59
R75J	74.87	17.37	76.69	78.63	77
J	86.19	-2.8	87.69	87.73	92
J25G	84.01	-18.73	82.6	84.7	103
J50G	71.17	-35.83	64.13	73.46	119
J75G	56.99	-54.71	43.72	70.05	141
G	52.8	-54.82	15.26	56.92	164
G25B	54.69	-46.87	-4.31	47.08	185
G50B	57.25	-36.1	-30.82	47.48	220
G75B	49.61	-13.51	-44.85	46.85	253
B	41.78	1.1	-44.7	44.72	271
B25R	29.34	24.33	-44.47	50.7	299
B50R	40.78	60.78	-20.18	64.05	342
B75R	48.06	71.56	13.77	72.87	411

%Gamut


$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

triangle lightness  $t^*$



ZE720-7F, 9 step scales for constant CIELAB hue 25/360 = 0.069 (left)

ZE720-7F, 16 step scales for constant CIELAB hue 25/360 = 0.069 (right)

Input: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 92/360 = 0.255$


$lab^*tch$  and  $lab^*nch$

D65: hue J

LCH\*Ma: 86 88 92

olv\*Ma: 1.0 0.9 0.0

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	47.94	65.39	50.52	82.63	38
YMa	90.37	-10.26	91.75	92.32	96
LMa	50.9	-62.83	34.96	71.91	151
CMa	58.62	-30.34	-45.01	54.3	236
VMa	25.72	31.1	-44.4	54.22	305
MMa	48.13	75.28	-8.36	75.74	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.57	25
JCIE	81.26	-2.16	67.76	67.79	92
GCIE	52.23	-42.25	11.76	43.87	164
BCIE	30.57	1.15	-46.84	46.86	271

Output: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 92/360 = 0.255$


$lab^*tch$  and  $lab^*nch$

D65: hue J

LCH\*Ma: 86 88 92

olv\*Ma: 1.0 0.9 0.0

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R	48.0	68.58	31.54	75.48	25
R25J	50.11	61.52	52.63	80.96	41
R50J	62.87	38.77	65.02	75.71	59
R75J	74.87	17.37	76.69	78.63	77
J	86.19	-2.8	87.69	87.73	92
J25G	84.01	-18.73	82.6	84.7	103
J50G	71.17	-35.83	64.13	73.46	119
J75G	56.99	-54.71	43.72	70.05	141
G	52.8	-54.82	15.26	56.92	164
G25B	54.69	-46.87	-4.31	47.08	185
G50B	57.25	-36.1	-30.82	47.48	220
G75B	49.61	-13.51	-44.85	46.85	253
B	41.78	1.1	-44.7	44.72	271
B25R	29.34	24.33	-44.47	50.7	299
B50R	40.78	60.78	-20.18	64.05	342
B75R	48.06	71.56	13.77	72.87	411



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



ZE720-7F, 9 step scales for constant CIELAB hue 92/360 = 0.255 (left)

ZE720-7F, 16 step scales for constant CIELAB hue 92/360 = 0.255 (right)

BAM registration: 20071001-ZE72/10L/L72E00FP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/ZE72/>; [www.ps.bam.de/ZE.HTM](http://www.ps.bam.de/ZE.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB



Input: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 164/360 = 0.457$

$lab^*tch$  and  $lab^*nch$

D65: hue G

LCH\*Ma: 53 57 164

olv\*Ma: 0.0 1.0 0.25



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	47.94	65.39	50.52	82.63	38
Y <sub>Ma</sub>	90.37	-10.26	91.75	92.32	96
L <sub>Ma</sub>	50.9	-62.83	34.96	71.91	151
C <sub>Ma</sub>	58.62	-30.34	-45.01	54.3	236
V <sub>Ma</sub>	25.72	31.1	-44.4	54.22	305
M <sub>Ma</sub>	48.13	75.28	-8.36	75.74	354
N <sub>Ma</sub>	18.01	0.0	0.0	0.0	0
W <sub>Ma</sub>	95.41	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.66	26.98	64.57	25
J <sub>CIE</sub>	81.26	-2.16	67.76	67.79	92
G <sub>CIE</sub>	52.23	-42.25	11.76	43.87	164
B <sub>CIE</sub>	30.57	1.15	-46.84	46.86	271

%Gamut


$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

triangle lightness  $t^*$



Output: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 164/360 = 0.457$

$lab^*tch$  and  $lab^*nch$

D65: hue G

LCH\*Ma: 53 57 164

olv\*Ma: 0.0 1.0 0.25



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R	48.0	68.58	31.54	75.48	25
R25J	50.11	61.52	52.63	80.96	41
R50J	62.87	38.77	65.02	75.71	59
R75J	74.87	17.37	76.69	78.63	77
J	86.19	-2.8	87.69	87.73	92
J25G	84.01	-18.73	82.6	84.7	103
J50G	71.17	-35.83	64.13	73.46	119
J75G	56.99	-54.71	43.72	70.05	141
G	52.8	-54.82	15.26	56.92	164
G25B	54.69	-46.87	-4.31	47.08	185
G50B	57.25	-36.1	-30.82	47.48	220
G75B	49.61	-13.51	-44.85	46.85	253
B	41.78	1.1	-44.7	44.72	271
B25R	29.34	24.33	-44.47	50.7	299
B50R	40.78	60.78	-20.18	64.05	342
B75R	48.06	71.56	13.77	72.87	411

%Gamut


$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

triangle lightness  $t^*$



ZE720-7F, 9 step scales for constant CIELAB hue 164/360 = 0.457 (left)

ZE720-7F, 16 step scales for constant CIELAB hue 164/360 = 0.457 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 271/360 = 0.754$

$lab^*tch$  and  $lab^*nch$

D65: hue B

LCH\*Ma: 42 45 271

olv\*Ma: 0.0 0.49 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	47.94	65.39	50.52	82.63	38
Y <sub>Ma</sub>	90.37	-10.26	91.75	92.32	96
L <sub>Ma</sub>	50.9	-62.83	34.96	71.91	151
C <sub>Ma</sub>	58.62	-30.34	-45.01	54.3	236
V <sub>Ma</sub>	25.72	31.1	-44.4	54.22	305
M <sub>Ma</sub>	48.13	75.28	-8.36	75.74	354
N <sub>Ma</sub>	18.01	0.0	0.0	0.0	0
W <sub>Ma</sub>	95.41	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.66	26.98	64.57	25
J <sub>CIE</sub>	81.26	-2.16	67.76	67.79	92
G <sub>CIE</sub>	52.23	-42.25	11.76	43.87	164
B <sub>CIE</sub>	30.57	1.15	-46.84	46.86	271

%Gamut


$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

triangle lightness  $t^*$



Output: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 271/360 = 0.754$

$lab^*tch$  and  $lab^*nch$

D65: hue B

LCH\*Ma: 42 45 271

olv\*Ma: 0.0 0.49 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R	48.0	68.58	31.54	75.48	25
R25J	50.11	61.52	52.63	80.96	41
R50J	62.87	38.77	65.02	75.71	59
R75J	74.87	17.37	76.69	78.63	77
J	86.19	-2.8	87.69	87.73	92
J25G	84.01	-18.73	82.6	84.7	103
J50G	71.17	-35.83	64.13	73.46	119
J75G	56.99	-54.71	43.72	70.05	141
G	52.8	-54.82	15.26	56.92	164
G25B	54.69	-46.87	-4.31	47.08	185
G50B	57.25	-36.1	-30.82	47.48	220
G75B	49.61	-13.51	-44.85	46.85	253
B	41.78	1.1	-44.7	44.72	271
B25R	29.34	24.33	-44.47	50.7	299
B50R	40.78	60.78	-20.18	64.05	342
B75R	48.06	71.56	13.77	72.87	411

%Gamut


$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

triangle lightness  $t^*$



See for similar files: <http://www.ps.bam.de/ZE72/>; [www.ps.bam.de/ZE.HTM](http://www.ps.bam.de/ZE.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

BAM registration: 20071001-ZE72/10L/L72E00FP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

ZE720-7F, 9 step scales for constant CIELAB hue 271/360 = 0.754 (left)

ZE720-7F, 16 step scales for constant CIELAB hue 271/360 = 0.754 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 38/360 = 0.105$

$lab^*tch$  and  $lab^*nch$

D65: hue O

LCH\*Ma: 48 83 38

olv\*Ma: 1.0 0.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	47.94	65.39	50.52	82.63	38
Y <sub>Ma</sub>	90.37	-10.26	91.75	92.32	96
L <sub>Ma</sub>	50.9	-62.83	34.96	71.91	151
C <sub>Ma</sub>	58.62	-30.34	-45.01	54.3	236
V <sub>Ma</sub>	25.72	31.1	-44.4	54.22	305
M <sub>Ma</sub>	48.13	75.28	-8.36	75.74	354
N <sub>Ma</sub>	18.01	0.0	0.0	0.0	0
W <sub>Ma</sub>	95.41	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.66	26.98	64.57	25
J <sub>CIE</sub>	81.26	-2.16	67.76	67.79	92
G <sub>CIE</sub>	52.23	-42.25	11.76	43.87	164
B <sub>CIE</sub>	30.57	1.15	-46.84	46.86	271

%Gamut


$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

triangle lightness  $t^*$



Output: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 38/360 = 0.105$

$lab^*tch$  and  $lab^*nch$

D65: hue O

LCH\*Ma: 48 83 38

olv\*Ma: 1.0 0.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R	48.0	68.58	31.54	75.48	25
R25J	50.11	61.52	52.63	80.96	41
R50J	62.87	38.77	65.02	75.71	59
R75J	74.87	17.37	76.69	78.63	77
J	86.19	-2.8	87.69	87.73	92
J25G	84.01	-18.73	82.6	84.7	103
J50G	71.17	-35.83	64.13	73.46	119
J75G	56.99	-54.71	43.72	70.05	141
G	52.8	-54.82	15.26	56.92	164
G25B	54.69	-46.87	-4.31	47.08	185
G50B	57.25	-36.1	-30.82	47.48	220
G75B	49.61	-13.51	-44.85	46.85	253
B	41.78	1.1	-44.7	44.72	271
B25R	29.34	24.33	-44.47	50.7	299
B50R	40.78	60.78	-20.18	64.05	342
B75R	48.06	71.56	13.77	72.87	411

%Gamut


$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

triangle lightness  $t^*$



See for similar files: <http://www.ps.bam.de/ZE72/>; [www.ps.bam.de/ZE.HTM](http://www.ps.bam.de/ZE.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

BAM registration: 20071001-ZE72/10L/L72E00FP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

ZE720-7F, 9 step scales for constant CIELAB hue 38/360 = 0.105 (left)

ZE720-7F, 16 step scales for constant CIELAB hue 38/360 = 0.105 (right)

Input: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 96/360 = 0.268$


$lab^*tch$  and  $lab^*nch$

D65: hue Y

LCH\*Ma: 90 92 96

olv\*Ma: 1.0 1.0 0.0

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	47.94	65.39	50.52	82.63	38
Y <sub>Ma</sub>	90.37	-10.26	91.75	92.32	96
L <sub>Ma</sub>	50.9	-62.83	34.96	71.91	151
C <sub>Ma</sub>	58.62	-30.34	-45.01	54.3	236
V <sub>Ma</sub>	25.72	31.1	-44.4	54.22	305
M <sub>Ma</sub>	48.13	75.28	-8.36	75.74	354
N <sub>Ma</sub>	18.01	0.0	0.0	0.0	0
W <sub>Ma</sub>	95.41	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.66	26.98	64.57	25
J <sub>CIE</sub>	81.26	-2.16	67.76	67.79	92
G <sub>CIE</sub>	52.23	-42.25	11.76	43.87	164
B <sub>CIE</sub>	30.57	1.15	-46.84	46.86	271

Output: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 96/360 = 0.268$


$lab^*tch$  and  $lab^*nch$

D65: hue Y

LCH\*Ma: 90 92 96

olv\*Ma: 1.0 1.0 0.0

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R	48.0	68.58	31.54	75.48	25
R25J	50.11	61.52	52.63	80.96	41
R50J	62.87	38.77	65.02	75.71	59
R75J	74.87	17.37	76.69	78.63	77
J	86.19	-2.8	87.69	87.73	92
J25G	84.01	-18.73	82.6	84.7	103
J50G	71.17	-35.83	64.13	73.46	119
J75G	56.99	-54.71	43.72	70.05	141
G	52.8	-54.82	15.26	56.92	164
G25B	54.69	-46.87	-4.31	47.08	185
G50B	57.25	-36.1	-30.82	47.48	220
G75B	49.61	-13.51	-44.85	46.85	253
B	41.78	1.1	-44.7	44.72	271
B25R	29.34	24.33	-44.47	50.7	299
B50R	40.78	60.78	-20.18	64.05	342
B75R	48.06	71.56	13.77	72.87	411



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



ZE720-7F, 9 step scales for constant CIELAB hue 96/360 = 0.268 (left)

ZE720-7F, 16 step scales for constant CIELAB hue 96/360 = 0.268 (right)

See for similar files: <http://www.ps.bam.de/ZE72/>; [www.ps.bam.de/ZE.HTM](http://www.ps.bam.de/ZE.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

BAM registration: 20071001-ZE72/10L/L72E00FP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 151/360 = 0.419$

$lab^*tch$  and  $lab^*nch$

D65: hue L

LCH\*Ma: 51 72 151

olv\*Ma: 0.0 1.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	47.94	65.39	50.52	82.63	38
Y <sub>Ma</sub>	90.37	-10.26	91.75	92.32	96
L <sub>Ma</sub>	50.9	-62.83	34.96	71.91	151
C <sub>Ma</sub>	58.62	-30.34	-45.01	54.3	236
V <sub>Ma</sub>	25.72	31.1	-44.4	54.22	305
M <sub>Ma</sub>	48.13	75.28	-8.36	75.74	354
N <sub>Ma</sub>	18.01	0.0	0.0	0.0	0
W <sub>Ma</sub>	95.41	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.66	26.98	64.57	25
J <sub>CIE</sub>	81.26	-2.16	67.76	67.79	92
G <sub>CIE</sub>	52.23	-42.25	11.76	43.87	164
B <sub>CIE</sub>	30.57	1.15	-46.84	46.86	271

triangle lightness  $t^*$


%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 151/360 = 0.419$

$lab^*tch$  and  $lab^*nch$

D65: hue L

LCH\*Ma: 51 72 151

olv\*Ma: 0.0 1.0 0.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R	48.0	68.58	31.54	75.48	25
R25J	50.11	61.52	52.63	80.96	41
R50J	62.87	38.77	65.02	75.71	59
R75J	74.87	17.37	76.69	78.63	77
J	86.19	-2.8	87.69	87.73	92
J25G	84.01	-18.73	82.6	84.7	103
J50G	71.17	-35.83	64.13	73.46	119
J75G	56.99	-54.71	43.72	70.05	141
G	52.8	-54.82	15.26	56.92	164
G25B	54.69	-46.87	-4.31	47.08	185
G50B	57.25	-36.1	-30.82	47.48	220
G75B	49.61	-13.51	-44.85	46.85	253
B	41.78	1.1	-44.7	44.72	271
B25R	29.34	24.33	-44.47	50.7	299
B50R	40.78	60.78	-20.18	64.05	342
B75R	48.06	71.56	13.77	72.87	411

triangle lightness  $t^*$


%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



See for similar files: <http://www.ps.bam.de/ZE72/>; [www.ps.bam.de/ZE.HTM](http://www.ps.bam.de/ZE.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

BAM registration: 20071001-ZE72/10L/L72E00FP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

ZE720-7F, 9 step scales for constant CIELAB hue 151/360 = 0.419 (left)

ZE720-7F, 16 step scales for constant CIELAB hue 151/360 = 0.419 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 236/360 = 0.656$

$lab^*tch$  and  $lab^*nch$

D65: hue C

LCH\*Ma: 59 54 236

olv\*Ma: 0.0 1.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	47.94	65.39	50.52	82.63	38
YMa	90.37	-10.26	91.75	92.32	96
LMa	50.9	-62.83	34.96	71.91	151
CMa	58.62	-30.34	-45.01	54.3	236
VMa	25.72	31.1	-44.4	54.22	305
MMa	48.13	75.28	-8.36	75.74	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.57	25
JCIE	81.26	-2.16	67.76	67.79	92
GCIE	52.23	-42.25	11.76	43.87	164
BCIE	30.57	1.15	-46.84	46.86	271

triangle lightness  $t^*$


%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 236/360 = 0.656$

$lab^*tch$  and  $lab^*nch$

D65: hue C

LCH\*Ma: 59 54 236

olv\*Ma: 0.0 1.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R	48.0	68.58	31.54	75.48	25
R25J	50.11	61.52	52.63	80.96	41
R50J	62.87	38.77	65.02	75.71	59
R75J	74.87	17.37	76.69	78.63	77
J	86.19	-2.8	87.69	87.73	92
J25G	84.01	-18.73	82.6	84.7	103
J50G	71.17	-35.83	64.13	73.46	119
J75G	56.99	-54.71	43.72	70.05	141
G	52.8	-54.82	15.26	56.92	164
G25B	54.69	-46.87	-4.31	47.08	185
G50B	57.25	-36.1	-30.82	47.48	220
G75B	49.61	-13.51	-44.85	46.85	253
B	41.78	1.1	-44.7	44.72	271
B25R	29.34	24.33	-44.47	50.7	299
B50R	40.78	60.78	-20.18	64.05	342
B75R	48.06	71.56	13.77	72.87	411

triangle lightness  $t^*$


%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



ZE720-7F, 9 step scales for constant CIELAB hue 236/360 = 0.656 (left)

ZE720-7F, 16 step scales for constant CIELAB hue 236/360 = 0.656 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 305/360 = 0.847$

$lab^*tch$  and  $lab^*nch$

D65: hue V

LCH\*Ma: 26 54 305

olv\*Ma: 0.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	47.94	65.39	50.52	82.63	38
Y <sub>Ma</sub>	90.37	-10.26	91.75	92.32	96
L <sub>Ma</sub>	50.9	-62.83	34.96	71.91	151
C <sub>Ma</sub>	58.62	-30.34	-45.01	54.3	236
V <sub>Ma</sub>	25.72	31.1	-44.4	54.22	305
M <sub>Ma</sub>	48.13	75.28	-8.36	75.74	354
N <sub>Ma</sub>	18.01	0.0	0.0	0.0	0
W <sub>Ma</sub>	95.41	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.66	26.98	64.57	25
J <sub>CIE</sub>	81.26	-2.16	67.76	67.79	92
G <sub>CIE</sub>	52.23	-42.25	11.76	43.87	164
B <sub>CIE</sub>	30.57	1.15	-46.84	46.86	271

triangle lightness  $t^*$


%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 305/360 = 0.847$

$lab^*tch$  and  $lab^*nch$

D65: hue V

LCH\*Ma: 26 54 305

olv\*Ma: 0.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R	48.0	68.58	31.54	75.48	25
R25J	50.11	61.52	52.63	80.96	41
R50J	62.87	38.77	65.02	75.71	59
R75J	74.87	17.37	76.69	78.63	77
J	86.19	-2.8	87.69	87.73	92
J25G	84.01	-18.73	82.6	84.7	103
J50G	71.17	-35.83	64.13	73.46	119
J75G	56.99	-54.71	43.72	70.05	141
G	52.8	-54.82	15.26	56.92	164
G25B	54.69	-46.87	-4.31	47.08	185
G50B	57.25	-36.1	-30.82	47.48	220
G75B	49.61	-13.51	-44.85	46.85	253
B	41.78	1.1	-44.7	44.72	271
B25R	29.34	24.33	-44.47	50.7	299
B50R	40.78	60.78	-20.18	64.05	342
B75R	48.06	71.56	13.77	72.87	411

triangle lightness  $t^*$


%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



ZE720-7F, 9 step scales for constant CIELAB hue 305/360 = 0.847 (left)

ZE720-7F, 16 step scales for constant CIELAB hue 305/360 = 0.847 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 354/360 = 0.982$

$lab^*tch$  and  $lab^*nch$

D65: hue M

LCH\*Ma: 48 76 354

olv\*Ma: 1.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	47.94	65.39	50.52	82.63	38
YMa	90.37	-10.26	91.75	92.32	96
LMa	50.9	-62.83	34.96	71.91	151
CMa	58.62	-30.34	-45.01	54.3	236
VMa	25.72	31.1	-44.4	54.22	305
MMa	48.13	75.28	-8.36	75.74	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.57	25
JCIE	81.26	-2.16	67.76	67.79	92
GCIE	52.23	-42.25	11.76	43.87	164
BCIE	30.57	1.15	-46.84	46.86	271

triangle lightness  $t^*$


%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 354/360 = 0.982$

$lab^*tch$  and  $lab^*nch$

D65: hue M

LCH\*Ma: 48 76 354

olv\*Ma: 1.0 0.0 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R	48.0	68.58	31.54	75.48	25
R25J	50.11	61.52	52.63	80.96	41
R50J	62.87	38.77	65.02	75.71	59
R75J	74.87	17.37	76.69	78.63	77
J	86.19	-2.8	87.69	87.73	92
J25G	84.01	-18.73	82.6	84.7	103
J50G	71.17	-35.83	64.13	73.46	119
J75G	56.99	-54.71	43.72	70.05	141
G	52.8	-54.82	15.26	56.92	164
G25B	54.69	-46.87	-4.31	47.08	185
G50B	57.25	-36.1	-30.82	47.48	220
G75B	49.61	-13.51	-44.85	46.85	253
B	41.78	1.1	-44.7	44.72	271
B25R	29.34	24.33	-44.47	50.7	299
B50R	40.78	60.78	-20.18	64.05	342
B75R	48.06	71.56	13.77	72.87	411

triangle lightness  $t^*$


%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



See for similar files: <http://www.ps.bam.de/ZE72/>; [www.ps.bam.de/ZE.HTM](http://www.ps.bam.de/ZE.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

BAM registration: 20071001-ZE72/10L/L72E00FP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

ZE720-7F, 9 step scales for constant CIELAB hue 354/360 = 0.982 (left)

ZE720-7F, 16 step scales for constant CIELAB hue 354/360 = 0.982 (right)



Input: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 25/360 = 0.069$


$lab^*tch$  and  $lab^*nch$

D65: hue R

LCH\*Ma: 48 75 25

olv\*Ma: 1.0 0.0 0.32

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	47.94	65.39	50.52	82.63	38
Y <sub>Ma</sub>	90.37	-10.26	91.75	92.32	96
L <sub>Ma</sub>	50.9	-62.83	34.96	71.91	151
C <sub>Ma</sub>	58.62	-30.34	-45.01	54.3	236
V <sub>Ma</sub>	25.72	31.1	-44.4	54.22	305
M <sub>Ma</sub>	48.13	75.28	-8.36	75.74	354
N <sub>Ma</sub>	18.01	0.0	0.0	0.0	0
W <sub>Ma</sub>	95.41	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.66	26.98	64.57	25
J <sub>CIE</sub>	81.26	-2.16	67.76	67.79	92
G <sub>CIE</sub>	52.23	-42.25	11.76	43.87	164
B <sub>CIE</sub>	30.57	1.15	-46.84	46.86	271

Output: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 25/360 = 0.069$


$lab^*tch$  and  $lab^*nch$

D65: hue R

LCH\*Ma: 48 75 25

olv\*Ma: 1.0 0.0 0.32

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R	48.0	68.58	31.54	75.48	25
R25J	50.11	61.52	52.63	80.96	41
R50J	62.87	38.77	65.02	75.71	59
R75J	74.87	17.37	76.69	78.63	77
J	86.19	-2.8	87.69	87.73	92
J25G	84.01	-18.73	82.6	84.7	103
J50G	71.17	-35.83	64.13	73.46	119
J75G	56.99	-54.71	43.72	70.05	141
G	52.8	-54.82	15.26	56.92	164
G25B	54.69	-46.87	-4.31	47.08	185
G50B	57.25	-36.1	-30.82	47.48	220
G75B	49.61	-13.51	-44.85	46.85	253
B	41.78	1.1	-44.7	44.72	271
B25R	29.34	24.33	-44.47	50.7	299
B50R	40.78	60.78	-20.18	64.05	342
B75R	48.06	71.56	13.77	72.87	411



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



ZE720-7F, 9 step scales for constant CIELAB hue 25/360 = 0.069 (left)

ZE720-7F, 16 step scales for constant CIELAB hue 25/360 = 0.069 (right)

See for similar files: <http://www.ps.bam.de/ZE72/>; [www.ps.bam.de/ZE.HTM](http://www.ps.bam.de/ZE.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, CIELAB

Input: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 92/360 = 0.255$


$lab^*tch$  and  $lab^*nch$

D65: hue J

LCH\*Ma: 86 88 92

olv\*Ma: 1.0 0.9 0.0

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	47.94	65.39	50.52	82.63	38
YMa	90.37	-10.26	91.75	92.32	96
LMa	50.9	-62.83	34.96	71.91	151
CMa	58.62	-30.34	-45.01	54.3	236
VMa	25.72	31.1	-44.4	54.22	305
MMa	48.13	75.28	-8.36	75.74	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.57	25
JCIE	81.26	-2.16	67.76	67.79	92
GCIE	52.23	-42.25	11.76	43.87	164
BCIE	30.57	1.15	-46.84	46.86	271

Output: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 92/360 = 0.255$


$lab^*tch$  and  $lab^*nch$

D65: hue J

LCH\*Ma: 86 88 92

olv\*Ma: 1.0 0.9 0.0

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 93$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R	48.0	68.58	31.54	75.48	25
R25J	50.11	61.52	52.63	80.96	41
R50J	62.87	38.77	65.02	75.71	59
R75J	74.87	17.37	76.69	78.63	77
J	86.19	-2.8	87.69	87.73	92
J25G	84.01	-18.73	82.6	84.7	103
J50G	71.17	-35.83	64.13	73.46	119
J75G	56.99	-54.71	43.72	70.05	141
G	52.8	-54.82	15.26	56.92	164
G25B	54.69	-46.87	-4.31	47.08	185
G50B	57.25	-36.1	-30.82	47.48	220
G75B	49.61	-13.51	-44.85	46.85	253
B	41.78	1.1	-44.7	44.72	271
B25R	29.34	24.33	-44.47	50.7	299
B50R	40.78	60.78	-20.18	64.05	342
B75R	48.06	71.56	13.77	72.87	411



ZE720-7F, 9 step scales for constant CIE LAB hue 92/360 = 0.255 (left)

ZE720-7F, 16 step scales for constant CIE LAB hue 92/360 = 0.255 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 164/360 = 0.457$

$lab^*tch$  and  $lab^*nch$

D65: hue G

LCH\*Ma: 53 57 164

olv\*Ma: 0.0 1.0 0.25



%Gamut

$u^*_{rel} = 93$

%Regularity


$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	47.94	65.39	50.52	82.63	38
Y <sub>Ma</sub>	90.37	-10.26	91.75	92.32	96
L <sub>Ma</sub>	50.9	-62.83	34.96	71.91	151
C <sub>Ma</sub>	58.62	-30.34	-45.01	54.3	236
V <sub>Ma</sub>	25.72	31.1	-44.4	54.22	305
M <sub>Ma</sub>	48.13	75.28	-8.36	75.74	354
N <sub>Ma</sub>	18.01	0.0	0.0	0.0	0
W <sub>Ma</sub>	95.41	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.66	26.98	64.57	25
J <sub>CIE</sub>	81.26	-2.16	67.76	67.79	92
G <sub>CIE</sub>	52.23	-42.25	11.76	43.87	164
B <sub>CIE</sub>	30.57	1.15	-46.84	46.86	271

triangle lightness  $t^*$



Output: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 164/360 = 0.457$

$lab^*tch$  and  $lab^*nch$

D65: hue G

LCH\*Ma: 53 57 164

olv\*Ma: 0.0 1.0 0.25



%Gamut

$u^*_{rel} = 93$

%Regularity


$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R	48.0	68.58	31.54	75.48	25
R25J	50.11	61.52	52.63	80.96	41
R50J	62.87	38.77	65.02	75.71	59
R75J	74.87	17.37	76.69	78.63	77
J	86.19	-2.8	87.69	87.73	92
J25G	84.01	-18.73	82.6	84.7	103
J50G	71.17	-35.83	64.13	73.46	119
J75G	56.99	-54.71	43.72	70.05	141
G	52.8	-54.82	15.26	56.92	164
G25B	54.69	-46.87	-4.31	47.08	185
G50B	57.25	-36.1	-30.82	47.48	220
G75B	49.61	-13.51	-44.85	46.85	253
B	41.78	1.1	-44.7	44.72	271
B25R	29.34	24.33	-44.47	50.7	299
B50R	40.78	60.78	-20.18	64.05	342
B75R	48.06	71.56	13.77	72.87	411

triangle lightness  $t^*$



ZE720-7F, 9 step scales for constant CIELAB hue 164/360 = 0.457 (left)

ZE720-7F, 16 step scales for constant CIELAB hue 164/360 = 0.457 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 271/360 = 0.754$

$lab^*tch$  and  $lab^*nch$

D65: hue B

LCH\*Ma: 42 45 271

olv\*Ma: 0.0 0.49 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	47.94	65.39	50.52	82.63	38
Y <sub>Ma</sub>	90.37	-10.26	91.75	92.32	96
L <sub>Ma</sub>	50.9	-62.83	34.96	71.91	151
C <sub>Ma</sub>	58.62	-30.34	-45.01	54.3	236
V <sub>Ma</sub>	25.72	31.1	-44.4	54.22	305
M <sub>Ma</sub>	48.13	75.28	-8.36	75.74	354
N <sub>Ma</sub>	18.01	0.0	0.0	0.0	0
W <sub>Ma</sub>	95.41	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.66	26.98	64.57	25
J <sub>CIE</sub>	81.26	-2.16	67.76	67.79	92
G <sub>CIE</sub>	52.23	-42.25	11.76	43.87	164
B <sub>CIE</sub>	30.57	1.15	-46.84	46.86	271

triangle lightness  $t^*$


%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



Output: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 271/360 = 0.754$

$lab^*tch$  and  $lab^*nch$

D65: hue B

LCH\*Ma: 42 45 271

olv\*Ma: 0.0 0.49 1.0



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R	48.0	68.58	31.54	75.48	25
R25J	50.11	61.52	52.63	80.96	41
R50J	62.87	38.77	65.02	75.71	59
R75J	74.87	17.37	76.69	78.63	77
J	86.19	-2.8	87.69	87.73	92
J25G	84.01	-18.73	82.6	84.7	103
J50G	71.17	-35.83	64.13	73.46	119
J75G	56.99	-54.71	43.72	70.05	141
G	52.8	-54.82	15.26	56.92	164
G25B	54.69	-46.87	-4.31	47.08	185
G50B	57.25	-36.1	-30.82	47.48	220
G75B	49.61	-13.51	-44.85	46.85	253
B	41.78	1.1	-44.7	44.72	271
B25R	29.34	24.33	-44.47	50.7	299
B50R	40.78	60.78	-20.18	64.05	342
B75R	48.06	71.56	13.77	72.87	411

triangle lightness  $t^*$


%Gamut

$u^*_{rel} = 93$

%Regularity


$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



ZE720-7F, 9 step scales for constant CIELAB hue 271/360 = 0.754 (left)

ZE720-7F, 16 step scales for constant CIELAB hue 271/360 = 0.754 (right)



c



c

c





c

c



c





c



c



c





c

c



c







c





c

c





c

c



c

m



m

m



m



m





m

m





m

m





m



m

m

m



m

m







m

m



m



m



m





y





y

y



y

y



y

y



y

y






y

y





y

y



y



y



y



y



y

y



y

Input: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 38/360 = 0.105$


$lab^*tch$  and  $lab^*nch$

D65: hue O

LCH\*Ma: 48 83 38

olv\*Ma: 1.0 0.0 0.0

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	47.94	65.39	50.52	82.63	38
Y <sub>Ma</sub>	90.37	-10.26	91.75	92.32	96
L <sub>Ma</sub>	50.9	-62.83	34.96	71.91	151
C <sub>Ma</sub>	58.62	-30.34	-45.01	54.3	236
V <sub>Ma</sub>	25.72	31.1	-44.4	54.22	305
M <sub>Ma</sub>	48.13	75.28	-8.36	75.74	354
N <sub>Ma</sub>	18.01	0.0	0.0	0.0	0
W <sub>Ma</sub>	95.41	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.66	26.98	64.57	25
J <sub>CIE</sub>	81.26	-2.16	67.76	67.79	92
G <sub>CIE</sub>	52.23	-42.25	11.76	43.87	164
B <sub>CIE</sub>	30.57	1.15	-46.84	46.86	271

Output: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 38/360 = 0.105$


$lab^*tch$  and  $lab^*nch$

D65: hue O

LCH\*Ma: 48 83 38

olv\*Ma: 1.0 0.0 0.0

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R	48.0	68.58	31.54	75.48	25
R25J	50.11	61.52	52.63	80.96	41
R50J	62.87	38.77	65.02	75.71	59
R75J	74.87	17.37	76.69	78.63	77
J	86.19	-2.8	87.69	87.73	92
J25G	84.01	-18.73	82.6	84.7	103
J50G	71.17	-35.83	64.13	73.46	119
J75G	56.99	-54.71	43.72	70.05	141
G	52.8	-54.82	15.26	56.92	164
G25B	54.69	-46.87	-4.31	47.08	185
G50B	57.25	-36.1	-30.82	47.48	220
G75B	49.61	-13.51	-44.85	46.85	253
B	41.78	1.1	-44.7	44.72	271
B25R	29.34	24.33	-44.47	50.7	299
B50R	40.78	60.78	-20.18	64.05	342
B75R	48.06	71.56	13.77	72.87	411



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



ZE720-7F, 9 step scales for constant CIELAB hue 38/360 = 0.105 (left)

ZE720-7F, 16 step scales for constant CIELAB hue 38/360 = 0.105 (right)

Input: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 96/360 = 0.268$


$lab^*tch$  and  $lab^*nch$

D65: hue Y

LCH\*Ma: 90 92 96

olv\*Ma: 1.0 1.0 0.0

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	47.94	65.39	50.52	82.63	38
Y <sub>Ma</sub>	90.37	-10.26	91.75	92.32	96
L <sub>Ma</sub>	50.9	-62.83	34.96	71.91	151
C <sub>Ma</sub>	58.62	-30.34	-45.01	54.3	236
V <sub>Ma</sub>	25.72	31.1	-44.4	54.22	305
M <sub>Ma</sub>	48.13	75.28	-8.36	75.74	354
N <sub>Ma</sub>	18.01	0.0	0.0	0.0	0
W <sub>Ma</sub>	95.41	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.66	26.98	64.57	25
J <sub>CIE</sub>	81.26	-2.16	67.76	67.79	92
G <sub>CIE</sub>	52.23	-42.25	11.76	43.87	164
B <sub>CIE</sub>	30.57	1.15	-46.84	46.86	271

Output: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 96/360 = 0.268$


$lab^*tch$  and  $lab^*nch$

D65: hue Y

LCH\*Ma: 90 92 96

olv\*Ma: 1.0 1.0 0.0

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R	48.0	68.58	31.54	75.48	25
R25J	50.11	61.52	52.63	80.96	41
R50J	62.87	38.77	65.02	75.71	59
R75J	74.87	17.37	76.69	78.63	77
J	86.19	-2.8	87.69	87.73	92
J25G	84.01	-18.73	82.6	84.7	103
J50G	71.17	-35.83	64.13	73.46	119
J75G	56.99	-54.71	43.72	70.05	141
G	52.8	-54.82	15.26	56.92	164
G25B	54.69	-46.87	-4.31	47.08	185
G50B	57.25	-36.1	-30.82	47.48	220
G75B	49.61	-13.51	-44.85	46.85	253
B	41.78	1.1	-44.7	44.72	271
B25R	29.34	24.33	-44.47	50.7	299
B50R	40.78	60.78	-20.18	64.05	342
B75R	48.06	71.56	13.77	72.87	411



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



ZE720-7F, 9 step scales for constant CIELAB hue 96/360 = 0.268 (left)

ZE720-7F, 16 step scales for constant CIELAB hue 96/360 = 0.268 (right)

**Input: Colorimetric Offset Reflective System ORS18**


for hue  $h^* = lab^*h = 151/360 = 0.419$

$lab^*tch$  and  $lab^*nch$

D65: hue L

LCH\*Ma: 51 72 151

olv\*Ma: 0.0 1.0 0.0



%Gamut

$u^*_{rel} = 93$

%Regularity


$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

**ORS18; adapted (a) CIELAB data**

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	47.94	65.39	50.52	82.63	38
Y <sub>Ma</sub>	90.37	-10.26	91.75	92.32	96
L <sub>Ma</sub>	50.9	-62.83	34.96	71.91	151
C <sub>Ma</sub>	58.62	-30.34	-45.01	54.3	236
V <sub>Ma</sub>	25.72	31.1	-44.4	54.22	305
M <sub>Ma</sub>	48.13	75.28	-8.36	75.74	354
N <sub>Ma</sub>	18.01	0.0	0.0	0.0	0
W <sub>Ma</sub>	95.41	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.66	26.98	64.57	25
J <sub>CIE</sub>	81.26	-2.16	67.76	67.79	92
G <sub>CIE</sub>	52.23	-42.25	11.76	43.87	164
B <sub>CIE</sub>	30.57	1.15	-46.84	46.86	271

triangle lightness  $t^*$



**Output: Colorimetric Offset Reflective System ORS18**


for hue  $h^* = lab^*h = 151/360 = 0.419$

$lab^*tch$  and  $lab^*nch$

D65: hue L

LCH\*Ma: 51 72 151

olv\*Ma: 0.0 1.0 0.0



%Gamut

$u^*_{rel} = 93$

%Regularity


$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

**ORS18; adapted (a) CIELAB data**

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R	48.0	68.58	31.54	75.48	25
R25J	50.11	61.52	52.63	80.96	41
R50J	62.87	38.77	65.02	75.71	59
R75J	74.87	17.37	76.69	78.63	77
J	86.19	-2.8	87.69	87.73	92
J25G	84.01	-18.73	82.6	84.7	103
J50G	71.17	-35.83	64.13	73.46	119
J75G	56.99	-54.71	43.72	70.05	141
G	52.8	-54.82	15.26	56.92	164
G25B	54.69	-46.87	-4.31	47.08	185
G50B	57.25	-36.1	-30.82	47.48	220
G75B	49.61	-13.51	-44.85	46.85	253
B	41.78	1.1	-44.7	44.72	271
B25R	29.34	24.33	-44.47	50.7	299
B50R	40.78	60.78	-20.18	64.05	342
B75R	48.06	71.56	13.77	72.87	411

triangle lightness  $t^*$



ZE720-7F, 9 step scales for constant CIELAB hue 151/360 = 0.419 (left)

ZE720-7F, 16 step scales for constant CIELAB hue 151/360 = 0.419 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 236/360 = 0.656$

$lab^*tch$  and  $lab^*nch$

D65: hue C

LCH\*Ma: 59 54 236

olv\*Ma: 0.0 1.0 1.0



%Gamut

$u^*_{rel} = 93$

%Regularity


$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	47.94	65.39	50.52	82.63	38
Y <sub>Ma</sub>	90.37	-10.26	91.75	92.32	96
L <sub>Ma</sub>	50.9	-62.83	34.96	71.91	151
C <sub>Ma</sub>	58.62	-30.34	-45.01	54.3	236
V <sub>Ma</sub>	25.72	31.1	-44.4	54.22	305
M <sub>Ma</sub>	48.13	75.28	-8.36	75.74	354
N <sub>Ma</sub>	18.01	0.0	0.0	0.0	0
W <sub>Ma</sub>	95.41	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.66	26.98	64.57	25
J <sub>CIE</sub>	81.26	-2.16	67.76	67.79	92
G <sub>CIE</sub>	52.23	-42.25	11.76	43.87	164
B <sub>CIE</sub>	30.57	1.15	-46.84	46.86	271

triangle lightness  $t^*$



Output: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 236/360 = 0.656$

$lab^*tch$  and  $lab^*nch$

D65: hue C

LCH\*Ma: 59 54 236

olv\*Ma: 0.0 1.0 1.0



%Gamut

$u^*_{rel} = 93$

%Regularity


$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R	48.0	68.58	31.54	75.48	25
R25J	50.11	61.52	52.63	80.96	41
R50J	62.87	38.77	65.02	75.71	59
R75J	74.87	17.37	76.69	78.63	77
J	86.19	-2.8	87.69	87.73	92
J25G	84.01	-18.73	82.6	84.7	103
J50G	71.17	-35.83	64.13	73.46	119
J75G	56.99	-54.71	43.72	70.05	141
G	52.8	-54.82	15.26	56.92	164
G25B	54.69	-46.87	-4.31	47.08	185
G50B	57.25	-36.1	-30.82	47.48	220
G75B	49.61	-13.51	-44.85	46.85	253
B	41.78	1.1	-44.7	44.72	271
B25R	29.34	24.33	-44.47	50.7	299
B50R	40.78	60.78	-20.18	64.05	342
B75R	48.06	71.56	13.77	72.87	411

triangle lightness  $t^*$



ZE720-7F, 9 step scales for constant CIELAB hue 236/360 = 0.656 (left)

ZE720-7F, 16 step scales for constant CIELAB hue 236/360 = 0.656 (right)

Input: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 305/360 = 0.847$


$lab^*tch$  and  $lab^*nch$

D65: hue V

LCH\*Ma: 26 54 305

olv\*Ma: 0.0 0.0 1.0

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	47.94	65.39	50.52	82.63	38
Y <sub>Ma</sub>	90.37	-10.26	91.75	92.32	96
L <sub>Ma</sub>	50.9	-62.83	34.96	71.91	151
C <sub>Ma</sub>	58.62	-30.34	-45.01	54.3	236
V <sub>Ma</sub>	25.72	31.1	-44.4	54.22	305
M <sub>Ma</sub>	48.13	75.28	-8.36	75.74	354
N <sub>Ma</sub>	18.01	0.0	0.0	0.0	0
W <sub>Ma</sub>	95.41	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.66	26.98	64.57	25
J <sub>CIE</sub>	81.26	-2.16	67.76	67.79	92
G <sub>CIE</sub>	52.23	-42.25	11.76	43.87	164
B <sub>CIE</sub>	30.57	1.15	-46.84	46.86	271

Output: Colorimetric Offset Reflective System ORS18

for hue  $h^* = lab^*h = 305/360 = 0.847$


$lab^*tch$  and  $lab^*nch$

D65: hue V

LCH\*Ma: 26 54 305

olv\*Ma: 0.0 0.0 1.0

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R	48.0	68.58	31.54	75.48	25
R25J	50.11	61.52	52.63	80.96	41
R50J	62.87	38.77	65.02	75.71	59
R75J	74.87	17.37	76.69	78.63	77
J	86.19	-2.8	87.69	87.73	92
J25G	84.01	-18.73	82.6	84.7	103
J50G	71.17	-35.83	64.13	73.46	119
J75G	56.99	-54.71	43.72	70.05	141
G	52.8	-54.82	15.26	56.92	164
G25B	54.69	-46.87	-4.31	47.08	185
G50B	57.25	-36.1	-30.82	47.48	220
G75B	49.61	-13.51	-44.85	46.85	253
B	41.78	1.1	-44.7	44.72	271
B25R	29.34	24.33	-44.47	50.7	299
B50R	40.78	60.78	-20.18	64.05	342
B75R	48.06	71.56	13.77	72.87	411


%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$



ZE720-7F, 9 step scales for constant CIELAB hue 305/360 = 0.847 (left)

ZE720-7F, 16 step scales for constant CIELAB hue 305/360 = 0.847 (right)

**Input: Colorimetric Offset Reflective System ORS18**


for hue  $h^* = lab^*h = 354/360 = 0.982$

$lab^*tch$  and  $lab^*nch$

D65: hue M

LCH\*Ma: 48 76 354

olv\*Ma: 1.0 0.0 1.0



%Gamut

$u^*_{rel} = 93$

%Regularity


$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

**ORS18; adapted (a) CIELAB data**

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	47.94	65.39	50.52	82.63	38
Y <sub>Ma</sub>	90.37	-10.26	91.75	92.32	96
L <sub>Ma</sub>	50.9	-62.83	34.96	71.91	151
C <sub>Ma</sub>	58.62	-30.34	-45.01	54.3	236
V <sub>Ma</sub>	25.72	31.1	-44.4	54.22	305
M <sub>Ma</sub>	48.13	75.28	-8.36	75.74	354
N <sub>Ma</sub>	18.01	0.0	0.0	0.0	0
W <sub>Ma</sub>	95.41	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.66	26.98	64.57	25
J <sub>CIE</sub>	81.26	-2.16	67.76	67.79	92
G <sub>CIE</sub>	52.23	-42.25	11.76	43.87	164
B <sub>CIE</sub>	30.57	1.15	-46.84	46.86	271

triangle lightness  $t^*$



ZE720-7F, 9 step scales for constant CIELAB hue 354/360 = 0.982 (left)

**Output: Colorimetric Offset Reflective System ORS18**


for hue  $h^* = lab^*h = 354/360 = 0.982$

$lab^*tch$  and  $lab^*nch$

D65: hue M

LCH\*Ma: 48 76 354

olv\*Ma: 1.0 0.0 1.0



%Gamut

$u^*_{rel} = 93$

%Regularity


$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

**ORS18; adapted (a) CIELAB data**

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R	48.0	68.58	31.54	75.48	25
R25J	50.11	61.52	52.63	80.96	41
R50J	62.87	38.77	65.02	75.71	59
R75J	74.87	17.37	76.69	78.63	77
J	86.19	-2.8	87.69	87.73	92
J25G	84.01	-18.73	82.6	84.7	103
J50G	71.17	-35.83	64.13	73.46	119
J75G	56.99	-54.71	43.72	70.05	141
G	52.8	-54.82	15.26	56.92	164
G25B	54.69	-46.87	-4.31	47.08	185
G50B	57.25	-36.1	-30.82	47.48	220
G75B	49.61	-13.51	-44.85	46.85	253
B	41.78	1.1	-44.7	44.72	271
B25R	29.34	24.33	-44.47	50.7	299
B50R	40.78	60.78	-20.18	64.05	342
B75R	48.06	71.56	13.77	72.87	411

triangle lightness  $t^*$



ZE720-7F, 16 step scales for constant CIELAB hue 354/360 = 0.982 (right)



**Input: Colorimetric Offset Reflective System ORS18**

for hue  $h^* = lab^*h = 25/360 = 0.069$


$lab^*tch$  and  $lab^*nch$

D65: hue R

LCH\*Ma: 48 75 25

olv\*Ma: 1.0 0.0 0.32

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

**ORS18; adapted (a) CIELAB data**

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	47.94	65.39	50.52	82.63	38
Y <sub>Ma</sub>	90.37	-10.26	91.75	92.32	96
L <sub>Ma</sub>	50.9	-62.83	34.96	71.91	151
C <sub>Ma</sub>	58.62	-30.34	-45.01	54.3	236
V <sub>Ma</sub>	25.72	31.1	-44.4	54.22	305
M <sub>Ma</sub>	48.13	75.28	-8.36	75.74	354
N <sub>Ma</sub>	18.01	0.0	0.0	0.0	0
W <sub>Ma</sub>	95.41	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.66	26.98	64.57	25
J <sub>CIE</sub>	81.26	-2.16	67.76	67.79	92
G <sub>CIE</sub>	52.23	-42.25	11.76	43.87	164
B <sub>CIE</sub>	30.57	1.15	-46.84	46.86	271

**Output: Colorimetric Offset Reflective System ORS18**

for hue  $h^* = lab^*h = 25/360 = 0.069$


$lab^*tch$  and  $lab^*nch$

D65: hue R

LCH\*Ma: 48 75 25

olv\*Ma: 1.0 0.0 0.32

triangle lightness  $t^*$



%Gamut

$u^*_{rel} = 93$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

**ORS18; adapted (a) CIELAB data**

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R	48.0	68.58	31.54	75.48	25
R25J	50.11	61.52	52.63	80.96	41
R50J	62.87	38.77	65.02	75.71	59
R75J	74.87	17.37	76.69	78.63	77
J	86.19	-2.8	87.69	87.73	92
J25G	84.01	-18.73	82.6	84.7	103
J50G	71.17	-35.83	64.13	73.46	119
J75G	56.99	-54.71	43.72	70.05	141
G	52.8	-54.82	15.26	56.92	164
G25B	54.69	-46.87	-4.31	47.08	185
G50B	57.25	-36.1	-30.82	47.48	220
G75B	49.61	-13.51	-44.85	46.85	253
B	41.78	1.1	-44.7	44.72	271
B25R	29.34	24.33	-44.47	50.7	299
B50R	40.78	60.78	-20.18	64.05	342
B75R	48.06	71.56	13.77	72.87	411



ZE720-7F, 9 step scales for constant CIELAB hue 25/360 = 0.069 (left)

ZE720-7F, 16 step scales for constant CIELAB hue 25/360 = 0.069 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 92/360 = 0.255$

$lab^*tch$  and  $lab^*nch$

D65: hue J

LCH\*Ma: 86 88 92

olv\*Ma: 1.0 0.9 0.0



%Gamut

$u^*_{rel} = 93$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	47.94	65.39	50.52	82.63	38
Y <sub>Ma</sub>	90.37	-10.26	91.75	92.32	96
L <sub>Ma</sub>	50.9	-62.83	34.96	71.91	151
C <sub>Ma</sub>	58.62	-30.34	-45.01	54.3	236
V <sub>Ma</sub>	25.72	31.1	-44.4	54.22	305
M <sub>Ma</sub>	48.13	75.28	-8.36	75.74	354
N <sub>Ma</sub>	18.01	0.0	0.0	0.0	0
W <sub>Ma</sub>	95.41	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.66	26.98	64.57	25
J <sub>CIE</sub>	81.26	-2.16	67.76	67.79	92
G <sub>CIE</sub>	52.23	-42.25	11.76	43.87	164
B <sub>CIE</sub>	30.57	1.15	-46.84	46.86	271

triangle lightness  $t^*$



Output: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 92/360 = 0.255$

$lab^*tch$  and  $lab^*nch$

D65: hue J

LCH\*Ma: 86 88 92

olv\*Ma: 1.0 0.9 0.0



%Gamut

$u^*_{rel} = 93$


%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R	48.0	68.58	31.54	75.48	25
R25J	50.11	61.52	52.63	80.96	41
R50J	62.87	38.77	65.02	75.71	59
R75J	74.87	17.37	76.69	78.63	77
J	86.19	-2.8	87.69	87.73	92
J25G	84.01	-18.73	82.6	84.7	103
J50G	71.17	-35.83	64.13	73.46	119
J75G	56.99	-54.71	43.72	70.05	141
G	52.8	-54.82	15.26	56.92	164
G25B	54.69	-46.87	-4.31	47.08	185
G50B	57.25	-36.1	-30.82	47.48	220
G75B	49.61	-13.51	-44.85	46.85	253
B	41.78	1.1	-44.7	44.72	271
B25R	29.34	24.33	-44.47	50.7	299
B50R	40.78	60.78	-20.18	64.05	342
B75R	48.06	71.56	13.77	72.87	411

triangle lightness  $t^*$



ZE720-7F, 9 step scales for constant CIE LAB hue 92/360 = 0.255 (left)

ZE720-7F, 16 step scales for constant CIE LAB hue 92/360 = 0.255 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 164/360 = 0.457$

$lab^*tch$  and  $lab^*nch$

D65: hue G

LCH\*Ma: 53 57 164

olv\*Ma: 0.0 1.0 0.25



%Gamut

$u^*_{rel} = 93$

%Regularity


$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	47.94	65.39	50.52	82.63	38
Y <sub>Ma</sub>	90.37	-10.26	91.75	92.32	96
L <sub>Ma</sub>	50.9	-62.83	34.96	71.91	151
C <sub>Ma</sub>	58.62	-30.34	-45.01	54.3	236
V <sub>Ma</sub>	25.72	31.1	-44.4	54.22	305
M <sub>Ma</sub>	48.13	75.28	-8.36	75.74	354
N <sub>Ma</sub>	18.01	0.0	0.0	0.0	0
W <sub>Ma</sub>	95.41	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.66	26.98	64.57	25
J <sub>CIE</sub>	81.26	-2.16	67.76	67.79	92
G <sub>CIE</sub>	52.23	-42.25	11.76	43.87	164
B <sub>CIE</sub>	30.57	1.15	-46.84	46.86	271

triangle lightness  $t^*$



Output: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 164/360 = 0.457$

$lab^*tch$  and  $lab^*nch$

D65: hue G

LCH\*Ma: 53 57 164

olv\*Ma: 0.0 1.0 0.25



%Gamut


$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

triangle lightness  $t^*$



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R	48.0	68.58	31.54	75.48	25
R25J	50.11	61.52	52.63	80.96	41
R50J	62.87	38.77	65.02	75.71	59
R75J	74.87	17.37	76.69	78.63	77
J	86.19	-2.8	87.69	87.73	92
J25G	84.01	-18.73	82.6	84.7	103
J50G	71.17	-35.83	64.13	73.46	119
J75G	56.99	-54.71	43.72	70.05	141
G	52.8	-54.82	15.26	56.92	164
G25B	54.69	-46.87	-4.31	47.08	185
G50B	57.25	-36.1	-30.82	47.48	220
G75B	49.61	-13.51	-44.85	46.85	253
B	41.78	1.1	-44.7	44.72	271
B25R	29.34	24.33	-44.47	50.7	299
B50R	40.78	60.78	-20.18	64.05	342
B75R	48.06	71.56	13.77	72.87	411

ZE720-7F, 9 step scales for constant CIELAB hue 164/360 = 0.457 (left)

ZE720-7F, 16 step scales for constant CIELAB hue 164/360 = 0.457 (right)

Input: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 271/360 = 0.754$

$lab^*tch$  and  $lab^*nch$

D65: hue B

LCH\*Ma: 42 45 271

olv\*Ma: 0.0 0.49 1.0



%Gamut

$u^*_{rel} = 93$

%Regularity


$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	47.94	65.39	50.52	82.63	38
Y <sub>Ma</sub>	90.37	-10.26	91.75	92.32	96
L <sub>Ma</sub>	50.9	-62.83	34.96	71.91	151
C <sub>Ma</sub>	58.62	-30.34	-45.01	54.3	236
V <sub>Ma</sub>	25.72	31.1	-44.4	54.22	305
M <sub>Ma</sub>	48.13	75.28	-8.36	75.74	354
N <sub>Ma</sub>	18.01	0.0	0.0	0.0	0
W <sub>Ma</sub>	95.41	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.66	26.98	64.57	25
J <sub>CIE</sub>	81.26	-2.16	67.76	67.79	92
G <sub>CIE</sub>	52.23	-42.25	11.76	43.87	164
B <sub>CIE</sub>	30.57	1.15	-46.84	46.86	271

triangle lightness  $t^*$



Output: Colorimetric Offset Reflective System ORS18


for hue  $h^* = lab^*h = 271/360 = 0.754$

$lab^*tch$  and  $lab^*nch$

D65: hue B

LCH\*Ma: 42 45 271

olv\*Ma: 0.0 0.49 1.0



%Gamut


$u^*_{rel} = 93$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

triangle lightness  $t^*$



ORS18; adapted (a) CIELAB data

	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R	48.0	68.58	31.54	75.48	25
R25J	50.11	61.52	52.63	80.96	41
R50J	62.87	38.77	65.02	75.71	59
R75J	74.87	17.37	76.69	78.63	77
J	86.19	-2.8	87.69	87.73	92
J25G	84.01	-18.73	82.6	84.7	103
J50G	71.17	-35.83	64.13	73.46	119
J75G	56.99	-54.71	43.72	70.05	141
G	52.8	-54.82	15.26	56.92	164
G25B	54.69	-46.87	-4.31	47.08	185
G50B	57.25	-36.1	-30.82	47.48	220
G75B	49.61	-13.51	-44.85	46.85	253
B	41.78	1.1	-44.7	44.72	271
B25R	29.34	24.33	-44.47	50.7	299
B50R	40.78	60.78	-20.18	64.05	342
B75R	48.06	71.56	13.77	72.87	411

ZE720-7F, 9 step scales for constant CIELAB hue 271/360 = 0.754 (left)

ZE720-7F, 16 step scales for constant CIELAB hue 271/360 = 0.754 (right)