


WCGa-Daten rgb^* , XYZxy und LabC* h_{ab} im CIELAB-Farbraum

Normfarbwerte von Schwarz und Weiß: $Y_N=0.0, Y_W=88.6$

rgb^*	CIEXYZ-Daten				LabC* h_{ab} -Daten						
	X_d	Y_d	Z_d	x_d	y_d	L_d^*	a_d^*	b_d^*	$C_{ab,d}^*$	$h_{ab,d}$	
R_d	1.00	56.43	23.27	0.00	0.708	0.291	55.34	112.69	95.42	147.66	40
Y_d	1.10	69.24	83.34	2.48	0.446	0.537	93.16	-20.64	131.52	133.13	98
G_d	0.10	12.81	60.07	2.48	0.169	0.797	81.87	-165.52	112.06	199.89	145
C_d	0.11	27.77	66.32	96.48	0.145	0.348	85.15	-104.25	-17.67	105.74	189
B_d	0.01	14.96	5.25	94.00	0.130	0.045	27.43	82.73	-115.53	142.10	305
M_d	1.01	71.39	28.52	94.00	0.368	0.147	60.35	125.37	-58.77	138.47	334
N_d	0.00	0.01	0.01	0.01	0.333	0.333	0.09	0.02	0.01	0.02	0
W_d	1.11	84.21	88.60	96.48	0.312	0.329	95.41	-0.00	0.00	0.00	0
Nl_d	0.00	0.01	0.01	0.01	0.333	0.333	0.09	0.02	0.01	0.02	0
Wl_d	1.11	71.39	28.52	94.00	0.368	0.147	60.35	125.37	-58.77	138.47	334
Zl_d	0.18	17.11	18.00	19.60	0.312	0.329	49.49	0.00	0.00	0.00	0

AGI00-1N
















WCGa-Daten rgb^* , XYZxy und LabC* h_{ab} im CIELAB-Farbraum

Normfarbwerte von Schwarz und Weiß: $Y_N=2.5, Y_W=88.6, Y_{Wa}=88.6$

rgb^*	CIEXYZ-Daten				LabC* h_{ab} -Daten						
	X_d	Y_d	Z_d	x_d	y_d	L_d^*	a_d^*	b_d^*	$C_{ab,d}^*$	$h_{ab,d}$	
R_d	1.00	57.22	25.12	2.74	0.708	0.291	57.20	106.67	67.60	126.28	32
Y_d	1.10	69.66	83.48	5.14	0.446	0.537	93.22	-20.00	116.00	117.71	99
G_d	0.10	14.84	60.88	5.14	0.169	0.797	82.31	-154.50	97.18	182.53	147
C_d	0.11	29.37	66.95	96.48	0.145	0.348	85.48	-99.35	-17.12	100.81	189
B_d	0.01	16.93	7.62	94.07	0.130	0.045	33.18	69.36	-105.68	126.41	303
M_d	1.01	71.39	30.22	94.07	0.368	0.147	61.85	119.70	-56.24	132.26	334
N_d	0.00	0.01	0.01	0.01	0.333	0.333	0.09	0.02	0.01	0.01	0
W_d	1.11	84.21	88.60	96.48	0.312	0.329	95.41	-0.00	0.00	0.00	0
Nl_d	0.00	0.01	0.01	0.01	0.333	0.333	0.09	0.02	0.01	0.01	0
Wl_d	1.11	71.39	30.22	94.07	0.368	0.147	61.85	119.70	-56.24	132.26	334
Zl_d	0.18	19.02	20.00	21.78	0.312	0.329	51.84	0.02	0.00	0.02	0

AGI01-1N



Siehe ähnliche Dateien: http://farbe.li.tu-berlin.de/AGIO/AGIOL0NP.PDF /PS Technische Information: http://farbe.li.tu-berlin.de oder http://130.149.60.45/~farbmeterik

TUB-Registrierung: 20201101-AGIO/AGIOL0NP.PDF /PS Anwendung für Beurteilung und Messung von Display- oder Druck-Ausgabe TUB-Material: Code=rhakt4