

<http://farbe.li.tu-berlin.de/AN79/AN79L0N1.TXT/.PS>; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/1

CIELAB 1976 $L^*a^*b^*$ -color space definition and reversal

$$L^* = 116 \left(Y/Y_n \right)^{1/3} - 16$$

$$a^* = 500 \left[(X/X_n)^{1/3} - (Y/Y_n)^{1/3} \right]$$

$$b^* = 200 \left[(Y/Y_n)^{1/3} - (Z/Z_n)^{1/3} \right]$$

$$X = X_n \left[(L^* + 16) / 116 + a^*/500 \right]^3$$

$$Y = Y_n \left[(L^* + 16) / 116 \right]^3$$

$$Z = Z_n \left[(L^* + 16) / 116 - b^*/200 \right]^3$$

AN790-1N

Q-function changes; transition from light- to color metrics

scaling function of light metrics: $Q[\mathbf{k}(x - u)] = Q[\mathbf{k}(\log L - \log L_u)]$

$\log L \rightarrow \log P$ for color metrics:

$Q[\mathbf{k}(\log P - \log L_u)]$

$= Q[\mathbf{k}(\log L - \log L_u + \log P - \log L)]$


with saturation $p = \log P - \log L$

for color metrics: $Q[\mathbf{k}(x - u + p)]$



AN790-2N

Multifunctional device with the following modes:

- copier
- scanner
- printer



AN790-3N



Offset rgbs input data and LCh* output data

Color rgbs* LCh*

R elementary red 1 0 0 47, 74, 26

Y elementary yellow 1 1 0 86, 88, 92

G elementary green 0 1 0 53, 57, 164

B elementary blue 0 0 1 42, 45, 271

W black 0 0 0 18, 0, 0

W white 1 1 1 95, 0, 0

(data according to test chart DIN 33872/2, p. 9-12)
(CIELAB hue angles according to CIE R1-47)

9 step offset colours in CIELAB colour space

ISO reference file IEC encoding space

$L^*_{\text{ref}} = 95, 0, 0$

$rgbs^*_{\text{ref}} = 1, 1, 1$

White W $L^* = 100$

$I^* = 75$

9 steps

Black N $L^* = 18, 0, 0$

$rgbs^*_{\text{ref}} = 0, 0, 0$

$C_{ab}^* = 37$

$rgbs^*_{\text{ref}} = 0, 0, 0$

$rgbs^*_{\text{ref}} = 0, 0, 0$

$C_{ab}^* = 37$

$rgbs^*_{\text{ref}} = 0, 0, 0$

$C_{ab}^* = 37$