

















See for similar files: <http://www.ps.bam.de/De38/>; www.ps.bam.de/De-HTM
 Technical information: <http://www.ps.bam.de>
 Version 2.1, io=1,1

BAM registration: 20080201-De38/10L/L38e90NA.PS /.TXT BAM material: code=rhadt
 application for evaluation and measurement of printer or monitor systems




De380-7N: Measurement: 9 step equidistant colour series, Interpretation: $rgb \rightarrow rgb^*$, adapted, ORS18a LUT-data of De000-7 used


See for similar files: <http://www.ps.bam.de/De38/>; www.ps.bam.de/De-HTM
 Technical information: <http://www.ps.bam.de>

Version 2.1, io=1,1


BAM registration: 20080201-De38/10L/L38e90NA.PS /.TXT BAM material: code=rhadt4
 application for evaluation and measurement of printer or monitor systems




De380-1A, 2




De380-2A, 2




De380-3A, 2




De380-4A, 2




De380-5A, 2




De380-6A, 2




De381-7A, 2




De381-8A, 2




De381-1A, 2




De381-2A, 2




De381-3A, 2




De381-4A, 2




De381-5A, 2



De381-6A, 2



De381-7A, 2



De381-8A, 2

















De380-7N: Measurement: 9 step equidistant colour series, Interpretation: $rgb \rightarrow rgb^*$, adapted, TLS00a LUT-data of De000-7 used

BAM-test chart De38; Elementary colour output: TLS00a
 9 step colour series; 8 standard device systems, Page 2/8

input: $rgb \rightarrow olv^*$
 output: no change compared to input

See for similar files: <http://www.ps.bam.de/De38/>; www.ps.bam.de/De-HTM
 Technical information: <http://www.ps.bam.de>
 Version 2.1, io=1,1

















BAM registration: 20080201-De38/10L/L38e90NA.PS /.TXT BAM material: code=rhadt4
 application for evaluation and measurement of printer or monitor systems



De380-7N: Measurement: 9 step equidistant colour series, Interpretation: $rgb \rightarrow rgb^*$, adapted, FRS06a LUT-data of De000-7 used

See for similar files: <http://www.ps.bam.de/De38/>; www.ps.bam.de/De-HTM
 Technical information: <http://www.ps.bam.de>
 Version 2.1, io=1,1


BAM registration: 20080201-De38/10L/L38e90NA.PS /.TXT BAM material: code=rhadt4
 application for evaluation and measurement of printer or monitor systems




De380-7N: Measurement: 9 step equidistant colour series, Interpretation: $rgb \rightarrow rgb^*$, adapted, TSL18a LUT-data of De000-7 used

See for similar files: <http://www.ps.bam.de/De38/>; www.ps.bam.de/De-HTM
 Technical information: <http://www.ps.bam.de>
 Version 2.1, io=1,1


BAM registration: 20080201-De38/10L/L38e90NA.PS /.TXT BAM material: code=rhadt4
 application for evaluation and measurement of printer or monitor systems




De380-1A, 5




De380-2A, 5




De381-1A, 5




De381-2A, 5




De380-3A, 5




De380-4A, 5




De381-3A, 5




De381-4A, 5




De380-5A, 5




De380-6A, 5




De381-5A, 5




De381-6A, 5




De381-7A, 5



De381-8A, 5



De381-7A, 5



De381-8A, 5

De380-7N: Measurement: 9 step equidistant colour series, Interpretation: $rgb \rightarrow rgb^*$, adapted, NLS00a LUT-data of De000-7 used

















BAM-test chart De38; Elementary colour output: NLS00a
 9 step colour series; 8 standard device systems, Page 5/8

input: $rgb \rightarrow olv^*$
 output: no change compared to input

See for similar files: <http://www.ps.bam.de/De38/>; www.ps.bam.de/De-HTM
 Technical information: <http://www.ps.bam.de>

Version 2.1, io=1,1

BAM registration: 20080201-De38/10L/L38e90NA.PS /.TXT BAM material: code=rhadt4
 application for evaluation and measurement of printer or monitor systems



















De380-7N: Measurement: 9 step equidistant colour series, Interpretation: $rgb \rightarrow rgb^*$, adapted, NLS18a LUT-data of De000-7 used

BAM-test chart De38; Elementary colour output: NLS18a
 9 step colour series; 8 standard device systems, Page 6/8

input: $rgb \rightarrow olv^*$
 output: no change compared to input

See for similar files: <http://www.ps.bam.de/De38/>; www.ps.bam.de/De38/
 Technical information: <http://www.ps.bam.de>
 Version 2.1, io=1,1


BAM registration: 20080201-De38/10L/L38e90NA.PS /.TXT BAM material: code=rhadta
 application for evaluation and measurement of printer or monitor systems




De380-7N: Measurement: 9 step equidistant colour series, Interpretation: $rgb \rightarrow rgb^*$, adapted, NRS11a LUT-data of De000-7 used

See for similar files: <http://www.ps.bam.de/De38/>; www.ps.bam.de/De-HTM
 Technical information: <http://www.ps.bam.de>
 Version 2.1, io=1,1


BAM registration: 20080201-De38/10L/L38e90NA.PS /.TXT BAM material: code=rhadt4
 application for evaluation and measurement of printer or monitor systems




De380-1A, 8




De380-2A, 8




De381-1A, 8




De381-2A, 8




De380-3A, 8




De380-4A, 8




De381-3A, 8




De381-4A, 8




De380-5A, 8




De380-6A, 8




De381-5A, 8




De381-6A, 8




De381-7A, 8



De381-8A, 8



De381-7A, 8



De381-8A, 8

De380-7N: Measurement: 9 step equidistant colour series, Interpretation: $rgb \rightarrow rgb^*$, adapted, TLS70a LUT-data of De000-7 used