

















See for similar files: <http://www.ps.bam.de/De38/>; [www.ps.bam.de/DeHTM](http://www.ps.bam.de/DeHTM)  
 Technical information: <http://www.ps.bam.de/Version 2.1, io-1.1>

















BAM registration: 20080201-De38/L38e00N1.PS/.TXT  
 application for evaluation and measurement of printer or monitor systems

BAM material: code=ha4ta



See for similar files: <http://www.ps.bam.de/De38/>; [www.ps.bam.de/De38/](http://www.ps.bam.de/De38/)  
 Technical information: <http://www.ps.bam.de/De38/> Version 2.1, io-1.1

BAM registration: 20080201-De38/L38e00N1.PS/.TXT  
 application for evaluation and measurement of printer or monitor systems  
 BAM material: code=ha4ta



















De380-7N: Measurement: 9 step equidistant colour series; Interpretation:  $rgb \rightarrow rgb^*$ , adapted, TL500s LUT-data of De000-7 used

BAM-test chart De38; Elementary colour output: TL500a  
 9 step colour series; 8 standard device systems, Page 2/8

input:  $rgb \rightarrow olv^*$   
 output: no change compared to input

See for similar files: <http://www.ps.bam.de/De38/>; [www.ps.bam.de/De38/](http://www.ps.bam.de/De38/)  
 Technical information: <http://www.ps.bam.de/De38/> Version 2.1, io-1.1

BAM registration: 20080201-De38/L38e00N1.PS/.TXT  
 application for evaluation and measurement of printer or monitor systems  
 BAM material: code=ha4ta



De380-1A, 1

De380-2A, 1

De381-1A, 1

De381-2A, 1

De380-1A, 3

De380-2A, 3

De381-1A, 3

De381-2A, 3

De380-1A, 3

De380-2A, 3

De381-1A, 3

















De381-2A, 3

De380-7N: Measurement: 9 step equidistant colour series; Interpretation:  $rgb \rightarrow rgb^*$ , adapted, FRS06s LUT-data of De900-7 used

See for similar files: <http://www.ps.bam.de/De38/>; [www.ps.bam.de/De38/](http://www.ps.bam.de/De38/)  
 Technical information: <http://www.ps.bam.de/De38/>  
 Version 2.1, io-1.1

BAM registration: 20080201-De38/L38e00N1.PS/.TXT  
 application for evaluation and measurement of printer or monitor systems

BAM material: code=ha4ta



















De380-7N: Measurement: 9 step equidistant colour series; Interpretation: rgb -> rgb\*, adapted, TSL18a LUT - data of De000-7 used

BAM-test chart De38; Elementary colour output: TSL18a  
 9 step colour series; 8 standard device systems, Page 4/8

input:  $rgb \rightarrow olv^*$   
 output: no change compared to input

See for similar files: <http://www.ps.bam.de/De38/>; [www.ps.bam.de/De38/](http://www.ps.bam.de/De38/)  
 Technical information: <http://www.ps.bam.de/De38/> Version 2.1, io-1.1



De380-7N: Measurement: 9 step equidistant colour series; Interpretation:  $rgb \rightarrow rgb^*$ , adapted, NLS00a LUT-data of De000-7 used

BAM registration: 20080201-De38/L38e00N1.PS/.TXT  
 application for evaluation and measurement of printer or monitor systems

















BAM material: code=ha4ta



See for similar files: <http://www.ps.bam.de/De38/>; [www.ps.bam.de/De38/](http://www.ps.bam.de/De38/)  
 Technical information: <http://www.ps.bam.de/De38/> Version 2.1, io=1,1

BAM registration: 20080201-De38/L38e00N1.PS/.TXT  
 application for evaluation and measurement of printer or monitor systems


BAM material: code=ha4ta


















De380-7N: Measurement: 9 step equidistant colour series; Interpretation:  $rgb \rightarrow rgb^*$ , adapted, NRS11 to LUT-data of De000-7 used

BAM-test chart De38; Elementary colour output: SRS18a  
 9 step colour series; 8 standard device systems, Page 7/8

input:  $rgb \rightarrow olv^*$   
 output: no change compared to input



See for similar files: <http://www.ps.bam.de/De38/>; [www.ps.bam.de/De38/](http://www.ps.bam.de/De38/)  
 Technical information: <http://www.ps.bam.de/Version 2.1, io-1.1>



De380-7N: Measurement: 9 step equidistant colour series, Interpretation:  $rgb \rightarrow rgb^*$ , adapted, TL570s LUT-data of De000-7 used

BAM registration: 20080201-De38/L38e00N1.PS/.TXT  
 application for evaluation and measurement of printer or monitor systems

BAM material: code=ha4ta