


Input and output:  
 Colorimetric Printer Reflective System ORS20\_95a  
 data for any colour:

$u^*_e$  and number *no.* = 00 .. 15  
 elementary hue text:  
 $u^*_e = 16$  hues *r00j*, *r25j*, ..., *b75r*  
 contrast reduction factor:  
 $c_R = 1.0$

ORS20\_95a; adapted (a) CIELAB data


$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
<i>r00j</i>	47.06	67.41	32.12	74.67	25	<i>m84o</i>
<i>r25j</i>	53.95	53.38	48.38	72.04	42	<i>o17y</i>
<i>r50j</i>	63.6	35.87	59.45	69.43	59	<i>o42y</i>
<i>r75j</i>	73.37	18.14	70.66	72.95	76	<i>o68y</i>
<i>j00g</i>	85.24	-3.4	84.28	84.35	92	<i>o93y</i>
<i>j25g</i>	78.53	-25.99	72.23	76.76	110	<i>y24l</i>
<i>j50g</i>	68.25	-42.61	56.0	70.37	127	<i>y55l</i>
<i>j75g</i>	58.73	-57.99	40.99	71.02	145	<i>y85l</i>
<i>g00b</i>	55.66	-58.35	18.71	61.27	162	<i>l12c</i>
<i>g25b</i>	58.18	-46.2	-7.82	46.86	190	<i>l45c</i>
<i>g50b</i>	60.08	-37.02	-27.87	46.34	217	<i>l78c</i>
<i>g75b</i>	55.21	-20.63	-42.98	47.67	244	<i>c16v</i>
<i>b00r</i>	41.38	1.37	-45.05	45.07	272	<i>c58v</i>
<i>b25r</i>	26.43	27.03	-46.5	53.78	300	<i>v03m</i>
<i>b50r</i>	36.22	48.22	-29.42	56.48	329	<i>v54m</i>
<i>b75r</i>	47.81	72.75	-3.76	72.85	357	<i>m10o</i>



%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20\_95a; adapted (a) CIELAB data

Name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.74	27.99	65.07	25
J <sub>CIE</sub>	81.26	-2.89	71.56	71.62	92
G <sub>CIE</sub>	52.23	-42.42	13.6	44.55	162
B <sub>CIE</sub>	30.57	1.41	-46.47	46.49	272




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.071$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = r00j$   $u^*_d = m84o$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 47 67 32  
 $LAB^*LCH^*_{Ma}$ : 47 75 25  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 0.15

ORS20_95a; adapted (a) CIELAB data						
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y25l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

triangle lightness  $t^*$


%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$



See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.117$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = r25j$   $u^*_d = o17y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 54 53 48  
 $LAB^*LCH^*_{Ma}$ : 54 72 42  
 $lab^*rgb^*_{Ma}$ : 1.0 0.25 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.17 0.0

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$


%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$



See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.164$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = r50j$   $u^*_d = o42y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



**ORS20\_95a; adapted (a) CIELAB data**



	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):  
 $LAB^*LAB^*_{Ma}$ : 64 36 59  
 $LAB^*LCH^*_{Ma}$ : 64 69 58  
 $lab^*rgb^*_{Ma}$ : 1.0 0.5 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.42 0.0

**ORS20\_95a; adapted (a) CIELAB data**

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.21$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = r75j$   $u^*_d = o68y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 73 18 71  
 $LAB^*LCH^*_{Ma}$ : 73 73 75  
 $lab^*rgb^*_{Ma}$ : 1.0 0.75 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.68 0.0

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee39/](http://www.ps.bam.de/Ee39/)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.256$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = j00g$   $u^*_d = o93y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$

$u^*_e = j00g$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 85 -3 84  
 $LAB^*LCH^*_{Ma}$ : 85 84 92  
 $lab^*rgb^*_{Ma}$ : 1.0 1.0 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.94 0.0

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$


%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$



See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee39/](http://www.ps.bam.de/Ee39/); [www.ps.bam.de/Ee39/](http://www.ps.bam.de/Ee39/)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.305$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = j25g$   $u^*_d = y24l$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



**ORS20\_95a; adapted (a) CIELAB data**

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 79 -26 72  
 $LAB^*LCH^*_{Ma}$ : 79 77 109  
 $lab^*rgb^*_{Ma}$ : 0.75 1.0 0.0  
 $lab^*olv^*_{Ma}$ : 0.76 1.0 0.0

**ORS20\_95a; adapted (a) CIELAB data**

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$


%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$



See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.354$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = j50g$   $u^*_d = y55l$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



**ORS20\_95a; adapted (a) CIELAB data**



	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):  
 $LAB^*LAB^*_{Ma}$ : 68 -43 56  
 $LAB^*LCH^*_{Ma}$ : 68 70 127  
 $lab^*rgb^*_{Ma}$ : 0.5 1.0 0.0  
 $lab^*olv^*_{Ma}$ : 0.45 1.0 0.0

**ORS20\_95a; adapted (a) CIELAB data**

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$



See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee39/](http://www.ps.bam.de/Ee39/); [www.ps.bam.de/Ee39/](http://www.ps.bam.de/Ee39/)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1


BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.402$   
 data for any colour:

$u^*_e = j75g$

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = j75g$   $u^*_d = y85l$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 59 -58 41  
 $LAB^*LCH^*_{Ma}$ : 59 71 144  
 $lab^*rgb^*_{Ma}$ : 0.25 1.0 0.0  
 $lab^*olv^*_{Ma}$ : 0.14 1.0 0.0

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF  
 application for evaluation and measurement of printer or monitor systems  
 BAM material: code=rhadata

See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.451$   
 data for any colour:

$u^*_e = g00b$

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = g00b$   $u^*_d = l12c$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



**ORS20\_95a; adapted (a) CIELAB data**

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 56 -58 19  
 $LAB^*LCH^*_{Ma}$ : 56 61 162  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 0.0  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.12

**ORS20\_95a; adapted (a) CIELAB data**

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.527$   
 data for any colour:

$u^*_e = g25b$

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = g25b$   $u^*_d = l45c$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 58 -46 -8  
 $LAB^*LCH^*_{Ma}$ : 58 47 189  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 0.5  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.45

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$



See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.603$

$u^*_e = g50b$

data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_e = g50b$   $u^*_d = l78c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 60 -37 -28

$LAB^*LCH^*_{Ma}$ : 60 46 216



$lab^*rgb^*_{Ma}$ : 0.0 1.0 1.0

$lab^*olv^*_{Ma}$ : 0.0 1.0 0.79

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.679$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = g75b$   $u^*_d = c16v$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 55 -21 -43  
 $LAB^*LCH^*_{Ma}$ : 55 48 244  
 $lab^*rgb^*_{Ma}$ : 0.0 0.5 1.0  
 $lab^*olv^*_{Ma}$ : 0.0 0.84 1.0

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.755$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = b00r$   $u^*_d = c58v$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 41 1 -45  
 $LAB^*LCH^*_{Ma}$ : 41 45 271  
 $lab^*rgb^*_{Ma}$ : 0.0 0.0 1.0  
 $lab^*olv^*_{Ma}$ : 0.0 0.42 1.0

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$


%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$



See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.834$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = b25r$   $u^*_d = v03m$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



**ORS20\_95a; adapted (a) CIELAB data**



	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):  
 $LAB^*LAB^*_{Ma}: 26\ 27\ -46$   
 $LAB^*LCH^*_{Ma}: 26\ 54\ 300$   
 $lab^*rgb^*_{Ma}: 0.5\ 0.0\ 1.0$   
 $lab^*olv^*_{Ma}: 0.03\ 0.0\ 1.0$

**ORS20\_95a; adapted (a) CIELAB data**

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.913$   
 data for any colour:

$u^*_e = b50r$

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = b50r$   $u^*_d = v54m$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 36 48 -29  
 $LAB^*LCH^*_{Ma}$ : 36 56 328  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 1.0  
 $lab^*olv^*_{Ma}$ : 0.55 0.0 1.0

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$



See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1


BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.992$   
 data for any colour:

$u^*_e = b75r$

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = b75r$   $u^*_d = m10o$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 48 73 -4  
 $LAB^*LCH^*_{Ma}$ : 48 73 357  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 0.5  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 0.89

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$




%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$





See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems




Input and output:  
 Colorimetric Printer Reflective System ORS20\_95a  
 data for any colour:

$u^*_e$  and number *no.* = 00 .. 15  
 elementary hue text:  
 $u^*_e = 16$  hues *r00j*, *r25j*, ..., *b75r*  
 contrast reduction factor:  
 $c_R = 1.0$

ORS20\_95a; adapted (a) CIELAB data



$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
<i>r00j</i>	47.06	67.41	32.12	74.67	25	<i>m84o</i>
<i>r25j</i>	53.95	53.38	48.38	72.04	42	<i>o17y</i>
<i>r50j</i>	63.6	35.87	59.45	69.43	59	<i>o42y</i>
<i>r75j</i>	73.37	18.14	70.66	72.95	76	<i>o68y</i>
<i>j00g</i>	85.24	-3.4	84.28	84.35	92	<i>o93y</i>
<i>j25g</i>	78.53	-25.99	72.23	76.76	110	<i>y24l</i>
<i>j50g</i>	68.25	-42.61	56.0	70.37	127	<i>y55l</i>
<i>j75g</i>	58.73	-57.99	40.99	71.02	145	<i>y85l</i>
<i>g00b</i>	55.66	-58.35	18.71	61.27	162	<i>l12c</i>
<i>g25b</i>	58.18	-46.2	-7.82	46.86	190	<i>l45c</i>
<i>g50b</i>	60.08	-37.02	-27.87	46.34	217	<i>l78c</i>
<i>g75b</i>	55.21	-20.63	-42.98	47.67	244	<i>c16v</i>
<i>b00r</i>	41.38	1.37	-45.05	45.07	272	<i>c58v</i>
<i>b25r</i>	26.43	27.03	-46.5	53.78	300	<i>v03m</i>
<i>b50r</i>	36.22	48.22	-29.42	56.48	329	<i>v54m</i>
<i>b75r</i>	47.81	72.75	-3.76	72.85	357	<i>m10o</i>



%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20\_95a; adapted (a) CIELAB data


Name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.74	27.99	65.07	25
J <sub>CIE</sub>	81.26	-2.89	71.56	71.62	92
G <sub>CIE</sub>	52.23	-42.42	13.6	44.55	162
B <sub>CIE</sub>	30.57	1.41	-46.47	46.49	272



See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.071$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = r00j$   $u^*_d = m84o$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 47 67 32  
 $LAB^*LCH^*_{Ma}$ : 47 75 25  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 0.15

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25		m84o
r25j	53.95	53.38	48.38	72.04	42		o17y
r50j	63.6	35.87	59.45	69.43	59		o42y
r75j	73.37	18.14	70.66	72.95	76		o68y
j00g	85.24	-3.4	84.28	84.35	92		o93y
j25g	78.53	-25.99	72.23	76.76	110		y24l
j50g	68.25	-42.61	56.0	70.37	127		y55l
j75g	58.73	-57.99	40.99	71.02	145		y85l
g00b	55.66	-58.35	18.71	61.27	162		l12c
g25b	58.18	-46.2	-7.82	46.86	190		l45c
g50b	60.08	-37.02	-27.87	46.34	217		l78c
g75b	55.21	-20.63	-42.98	47.67	244		c16v
b00r	41.38	1.37	-45.05	45.07	272		c58v
b25r	26.43	27.03	-46.5	53.78	300		v03m
b50r	36.22	48.22	-29.42	56.48	329		v54m
b75r	47.81	72.75	-3.76	72.85	357		m10o

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$



BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF  
 application for evaluation and measurement of printer or monitor systems  
 BAM material: code=rhadata

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.117$   
 data for any colour:

$u^*_e = r25j$

$lab^*tch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_e = r25j$   $u^*_d = o17y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 54 53 48

$LAB^*LCH^*_{Ma}$ : 54 72 42

$lab^*rgb^*_{Ma}$ : 1.0 0.25 0.0

$lab^*olv^*_{Ma}$ : 1.0 0.17 0.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 87$



%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16c	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	



See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.164$   
 data for any colour:

$u^*_e = r50j$

$lab^*tch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_e = r50j$   $u^*_d = o42y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 64 36 59

$LAB^*LCH^*_{Ma}$ : 64 69 58

$lab^*rgb^*_{Ma}$ : 1.0 0.5 0.0

$lab^*olv^*_{Ma}$ : 1.0 0.42 0.0

triangle lightness  $t^*$

%Gamut



$u^*_{rel} = 87$

%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.21$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = r75j$   $u^*_d = o68y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 73 18 71  
 $LAB^*LCH^*_{Ma}$ : 73 73 75  
 $lab^*rgb^*_{Ma}$ : 1.0 0.75 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.68 0.0

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$


%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$



BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF  
 application for evaluation and measurement of printer or monitor systems  
 BAM material: code=rhadata

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.256$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = j00g$   $u^*_d = o93y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 85 -3 84  
 $LAB^*LCH^*_{Ma}$ : 85 84 92  
 $lab^*rgb^*_{Ma}$ : 1.0 1.0 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.94 0.0

ORS20_95a; adapted (a) CIELAB data						
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$



BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.305$   
 data for any colour:

$u^*_e = j25g$

$lab^*tch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_e = j25g$   $u^*_d = y24l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 79 -26 72

$LAB^*LCH^*_{Ma}$ : 79 77 109

$lab^*rgb^*_{Ma}$ : 0.75 1.0 0.0

$lab^*olv^*_{Ma}$ : 0.76 1.0 0.0

triangle lightness  $t^*$

%Gamut



$u^*_{rel} = 87$

%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee39/](http://www.ps.bam.de/Ee39/); [www.ps.bam.de/Ee39/](http://www.ps.bam.de/Ee39/)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.354$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = j50g$   $u^*_d = y55l$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 68 -43 56  
 $LAB^*LCH^*_{Ma}$ : 68 70 127  
 $lab^*rgb^*_{Ma}$ : 0.5 1.0 0.0  
 $lab^*olv^*_{Ma}$ : 0.45 1.0 0.0

ORS20_95a; adapted (a) CIELAB data						
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$



See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee39/](http://www.ps.bam.de/Ee39/); [www.ps.bam.de/Ee39/](http://www.ps.bam.de/Ee39/)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.402$   
 data for any colour:

$u^*_e = j75g$

$lab^*tch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_e = j75g$   $u^*_d = y85l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 59 -58 41

$LAB^*LCH^*_{Ma}$ : 59 71 144

$lab^*rgb^*_{Ma}$ : 0.25 1.0 0.0



$lab^*olv^*_{Ma}$ : 0.14 1.0 0.0

triangle lightness  $t^*$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$



See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.451$   
 data for any colour:

$u^*_e = g00b$

$lab^*tch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_e = g00b$   $u^*_d = l12c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 56 -58 19

$LAB^*LCH^*_{Ma}$ : 56 61 162

$lab^*rgb^*_{Ma}$ : 0.0 1.0 0.0

$lab^*olv^*_{Ma}$ : 0.0 1.0 0.12

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 87$



%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	



See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee39/](http://www.ps.bam.de/Ee39/); [www.ps.bam.de/Ee39/](http://www.ps.bam.de/Ee39/)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPX=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.527$   
 data for any colour:

$u^*_e = g25b$

$lab^*tch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_e = g25b$   $u^*_d = l45c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 58 -46 -8

$LAB^*LCH^*_{Ma}$ : 58 47 189

$lab^*rgb^*_{Ma}$ : 0.0 1.0 0.5

$lab^*olv^*_{Ma}$ : 0.0 1.0 0.45

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 87$



%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16c	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee39/](http://www.ps.bam.de/Ee39/); [www.ps.bam.de/Ee39/](http://www.ps.bam.de/Ee39/)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.603$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = g50b$   $u^*_d = l78c$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 60 -37 -28  
 $LAB^*LCH^*_{Ma}$ : 60 46 216  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 1.0  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.79

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.679$   
 data for any colour:

$u^*_e = g75b$

$lab^*ch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_e = g75b$   $u^*_d = c16v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 55 -21 -43

$LAB^*LCH^*_{Ma}$ : 55 48 244

$lab^*rgb^*_{Ma}$ : 0.0 0.5 1.0

$lab^*olv^*_{Ma}$ : 0.0 0.84 1.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 87$



%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee39/10L/L39E00NP.PS/.PDF](http://www.ps.bam.de/Ee39/10L/L39E00NP.PS/.PDF); [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.755$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = b00r$   $u^*_d = c58v$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 41 1 -45  
 $LAB^*LCH^*_{Ma}$ : 41 45 271  
 $lab^*rgb^*_{Ma}$ : 0.0 0.0 1.0  
 $lab^*olv^*_{Ma}$ : 0.0 0.42 1.0

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$






Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.834$   
 data for any colour:

$u^*_e = b25r$

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = b25r$   $u^*_d = v03m$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 26 27 -46  
 $LAB^*LCH^*_{Ma}$ : 26 54 300  
 $lab^*rgb^*_{Ma}$ : 0.5 0.0 1.0  
 $lab^*olv^*_{Ma}$ : 0.03 0.0 1.0

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.913$   
 data for any colour:

$u^*_e = b50r$

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = b50r$   $u^*_d = v54m$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 36 48 -29  
 $LAB^*LCH^*_{Ma}$ : 36 56 328  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 1.0  
 $lab^*olv^*_{Ma}$ : 0.55 0.0 1.0

ORS20_95a; adapted (a) CIELAB data						
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.992$   
 data for any colour:

$u^*_e = b75r$

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = b75r$   $u^*_d = m10o$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 48 73 -4  
 $LAB^*LCH^*_{Ma}$ : 48 73 357  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 0.5  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 0.89

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	



triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$






See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems



Input and output:  
 Colorimetric Printer Reflective System ORS20\_95a  
 data for any colour:

$u^*_e$  and number *no.* = 00 .. 15

elementary hue text:


$u^*_e = 16$  hues *r00j*, *r25j*, ..., *b75r*

contrast reduction factor:

$c_R = 1.0$

ORS20\_95a; adapted (a) CIELAB data


$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
<i>r00j</i>	47.06	67.41	32.12	74.67	25	<i>m84o</i>
<i>r25j</i>	53.95	53.38	48.38	72.04	42	<i>o17y</i>
<i>r50j</i>	63.6	35.87	59.45	69.43	59	<i>o42y</i>
<i>r75j</i>	73.37	18.14	70.66	72.95	76	<i>o68y</i>
<i>j00g</i>	85.24	-3.4	84.28	84.35	92	<i>o93y</i>
<i>j25g</i>	78.53	-25.99	72.23	76.76	110	<i>y24l</i>
<i>j50g</i>	68.25	-42.61	56.0	70.37	127	<i>y55l</i>
<i>j75g</i>	58.73	-57.99	40.99	71.02	145	<i>y85l</i>
<i>g00b</i>	55.66	-58.35	18.71	61.27	162	<i>l12c</i>
<i>g25b</i>	58.18	-46.2	-7.82	46.86	190	<i>l45c</i>
<i>g50b</i>	60.08	-37.02	-27.87	46.34	217	<i>l78c</i>
<i>g75b</i>	55.21	-20.63	-42.98	47.67	244	<i>c16v</i>
<i>b00r</i>	41.38	1.37	-45.05	45.07	272	<i>c58v</i>
<i>b25r</i>	26.43	27.03	-46.5	53.78	300	<i>v03m</i>
<i>b50r</i>	36.22	48.22	-29.42	56.48	329	<i>v54m</i>
<i>b75r</i>	47.81	72.75	-3.76	72.85	357	<i>m10o</i>



%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20\_95a; adapted (a) CIELAB data

Name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.74	27.99	65.07	25
J <sub>CIE</sub>	81.26	-2.89	71.56	71.62	92
G <sub>CIE</sub>	52.23	-42.42	13.6	44.55	162
B <sub>CIE</sub>	30.57	1.41	-46.47	46.49	272




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.071$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = r00j$   $u^*_d = m84o$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 47 67 32  
 $LAB^*LCH^*_{Ma}$ : 47 75 25  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 0.15

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	58.25	-42.61	56.0	70.37	127	y51l	
j75g	68.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.117$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = r25j$   $u^*_d = o17y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 54 53 48  
 $LAB^*LCH^*_{Ma}$ : 54 72 42  
 $lab^*rgb^*_{Ma}$ : 1.0 0.25 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.17 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.164$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = r50j$   $u^*_d = o42y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 64 36 59  
 $LAB^*LCH^*_{Ma}$ : 64 69 58  
 $lab^*rgb^*_{Ma}$ : 1.0 0.5 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.42 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.21$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = r75j$   $u^*_d = o68y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 73 18 71  
 $LAB^*LCH^*_{Ma}$ : 73 73 75  
 $lab^*rgb^*_{Ma}$ : 1.0 0.75 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.68 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.256$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = j00g$   $u^*_d = o93y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 85 -3 84  
 $LAB^*LCH^*_{Ma}$ : 85 84 92  
 $lab^*rgb^*_{Ma}$ : 1.0 1.0 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.94 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16c	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.305$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = j25g$   $u^*_d = y24l$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 79 -26 72

$LAB^*LCH^*_{Ma}$ : 79 77 109

$lab^*rgb^*_{Ma}$ : 0.75 1.0 0.0

$lab^*olv^*_{Ma}$ : 0.76 1.0 0.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 87$

%Regularity


$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

$u^*_e = j25g$   
 $lab^*olv^*$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.354$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = j50g$   $u^*_d = y55l$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 68 -43 56

$LAB^*LCH^*_{Ma}$ : 68 70 127

$lab^*rgb^*_{Ma}$ : 0.5 1.0 0.0

$lab^*olv^*_{Ma}$ : 0.45 1.0 0.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 87$


%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

$u^*_e = j50g$   
 $lab^*olv^*$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.402$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = j75g$   $u^*_d = y85l$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 59 -58 41  
 $LAB^*LCH^*_{Ma}$ : 59 71 144  
 $lab^*rgb^*_{Ma}$ : 0.25 1.0 0.0  
 $lab^*olv^*_{Ma}$ : 0.14 1.0 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.451$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = g00b$   $u^*_d = l12c$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 56 -58 19  
 $LAB^*LCH^*_{Ma}$ : 56 61 162  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 0.0  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.12

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	58.25	-42.61	56.0	70.37	127	y51l	
j75g	68.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.603$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = g50b$   $u^*_d = l78c$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 60 -37 -28  
 $LAB^*LCH^*_{Ma}$ : 60 46 216  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 1.0  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.79

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20\_95a; adapted (a) CIELAB data


	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	





Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.679$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = g75b$   $u^*_d = c16v$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 55 -21 -43  
 $LAB^*LCH^*_{Ma}$ : 55 48 244  
 $lab^*rgb^*_{Ma}$ : 0.0 0.5 1.0  
 $lab^*olv^*_{Ma}$ : 0.0 0.84 1.0

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.755$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = b00r$   $u^*_d = c58v$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 41 1 -45  
 $LAB^*LCH^*_{Ma}$ : 41 45 271  
 $lab^*rgb^*_{Ma}$ : 0.0 0.0 1.0  
 $lab^*olv^*_{Ma}$ : 0.0 0.42 1.0

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20\_95a; adapted (a) CIELAB data


	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	58.25	-42.61	56.0	70.37	127	y51l	
j75g	68.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16c	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	



BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.834$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = b25r$   $u^*_d = v03m$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 26 27 -46

$LAB^*LCH^*_{Ma}$ : 26 54 300

$lab^*rgb^*_{Ma}$ : 0.5 0.0 1.0

$lab^*olv^*_{Ma}$ : 0.03 0.0 1.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 87$


%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	58.25	-42.61	56.0	70.37	127	y51l	
j75g	68.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.913$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = b50r$   $u^*_d = v54m$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 36 48 -29  
 $LAB^*LCH^*_{Ma}$ : 36 56 328  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 1.0  
 $lab^*olv^*_{Ma}$ : 0.55 0.0 1.0

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16c	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.992$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = b75r$   $u^*_d = m10o$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 48 73 -4  
 $LAB^*LCH^*_{Ma}$ : 48 73 357  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 0.5  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 0.89

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$



See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems




Input and output:  
 Colorimetric Printer Reflective System ORS20\_95a  
 data for any colour:

$u^*_e$  and number  $no. = 00 \dots 15$   
 elementary hue text:  
 $u^*_e = 16$  hues  $r00j, r25j, \dots, b75r$   
 contrast reduction factor:  
 $c_R = 1.0$

ORS20\_95a; adapted (a) CIELAB data


$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20\_95a; adapted (a) CIELAB data

Name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	46.89	66.19	40.28	77.48	31
YMa	88.66	-9.62	88.21	88.73	96
LMa	54.22	-65.29	33.87	73.56	153
CMa	61.43	-30.53	-42.04	51.96	234
VMa	25.93	25.95	-47.37	54.01	299
MMa	47.92	73.53	-9.02	74.08	353
NMa	20.41	0.0	0.0	0.0	0
WMa	94.64	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.89	71.56	71.62	92
GCIE	52.23	-42.42	13.6	44.55	162
BCIE	30.57	1.41	-46.47	46.49	272




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.071$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = r00j$   $u^*_d = m84o$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 47 67 32  
 $LAB^*LCH^*_{Ma}$ : 47 75 25  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 0.15  
 triangle lightness  $t^*$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.117$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = r25j$   $u^*_d = o17y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 54 53 48  
 $LAB^*LCH^*_{Ma}$ : 54 72 42  
 $lab^*rgb^*_{Ma}$ : 1.0 0.25 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.17 0.0

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.164$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = r50j$   $u^*_d = o42y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 64 36 59  
 $LAB^*LCH^*_{Ma}$ : 64 69 58  
 $lab^*rgb^*_{Ma}$ : 1.0 0.5 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.42 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r50j	53.95	53.38	48.38	72.04	42	o17y	
r25j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.21$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = r75j$   $u^*_d = o68y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 73 18 71  
 $LAB^*LCH^*_{Ma}$ : 73 73 75  
 $lab^*rgb^*_{Ma}$ : 1.0 0.75 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.68 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	58.25	-42.61	56.0	70.37	127	y51l	
j75g	68.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.256$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = j00g$   $u^*_d = o93y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 85 -3 84  
 $LAB^*LCH^*_{Ma}$ : 85 84 92  
 $lab^*rgb^*_{Ma}$ : 1.0 1.0 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.94 0.0

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.305$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = j25g$   $u^*_d = y24l$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 79 -26 72

$LAB^*LCH^*_{Ma}$ : 79 77 109

$lab^*rgb^*_{Ma}$ : 0.75 1.0 0.0

$lab^*olv^*_{Ma}$ : 0.76 1.0 0.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 87$


%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

$u^*_e = j25g$   
 $lab^*rgb^*$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.354$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = j50g$   $u^*_d = y55l$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 68 -43 56

$LAB^*LCH^*_{Ma}$ : 68 70 127

$lab^*rgb^*_{Ma}$ : 0.5 1.0 0.0

$lab^*olv^*_{Ma}$ : 0.45 1.0 0.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 87$

%Regularity


$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

$u^*_e = j50g$   
 $lab^*rgb^*$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee39/10L/L39E00NP.PS/.PDF](http://www.ps.bam.de/Ee39/10L/L39E00NP.PS/.PDF)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.402$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = j75g$   $u^*_d = y85l$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 59 -58 41  
 $LAB^*LCH^*_{Ma}$ : 59 71 144  
 $lab^*rgb^*_{Ma}$ : 0.25 1.0 0.0  
 $lab^*olv^*_{Ma}$ : 0.14 1.0 0.0


triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

$u^*_e = j75g$   
 $lab^*rgb^*$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.451$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = g00b$   $u^*_d = l12c$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 56 -58 19  
 $LAB^*LCH^*_{Ma}$ : 56 61 162  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 0.0  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.12


triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

$u^*_e = g00b$   
 $lab^*rgb^*$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.527$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = g25b$   $u^*_d = l45c$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 58 -46 -8  
 $LAB^*LCH^*_{Ma}$ : 58 47 189  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 0.5  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.45

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

$u^*_e = g25b$   
 $lab^*rgb^*$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	58.25	-42.61	56.0	70.37	127	y51l	
j75g	68.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.603$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = g50b$   $u^*_d = l78c$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 60 -37 -28  
 $LAB^*LCH^*_{Ma}$ : 60 46 216  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 1.0  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.79

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	58.25	-42.61	56.0	70.37	127	y51l	
j75g	68.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.679$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = g75b$   $u^*_d = c16v$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 55 -21 -43  
 $LAB^*LCH^*_{Ma}$ : 55 48 244  
 $lab^*rgb^*_{Ma}$ : 0.0 0.5 1.0  
 $lab^*olv^*_{Ma}$ : 0.0 0.84 1.0

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.755$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = b00r$   $u^*_d = c58v$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 41 1 -45  
 $LAB^*LCH^*_{Ma}$ : 41 45 271  
 $lab^*rgb^*_{Ma}$ : 0.0 0.0 1.0  
 $lab^*olv^*_{Ma}$ : 0.0 0.42 1.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$


ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	58.25	-42.61	56.0	70.37	127	y51l	
j75g	68.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.834$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = b25r$   $u^*_d = v03m$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 26 27 -46  
 $LAB^*LCH^*_{Ma}$ : 26 54 300  
 $lab^*rgb^*_{Ma}$ : 0.5 0.0 1.0  
 $lab^*olv^*_{Ma}$ : 0.03 0.0 1.0  
 triangle lightness  $t^*$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.913$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = b50r$   $u^*_d = v54m$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 36 48 -29  
 $LAB^*LCH^*_{Ma}$ : 36 56 328  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 1.0  
 $lab^*olv^*_{Ma}$ : 0.55 0.0 1.0

ORS20\_95a; adapted (a) CIELAB data


	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	58.25	-42.61	56.0	70.37	127	y51l	
j75g	68.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.992$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = b75r$   $u^*_d = m10o$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 48 73 -4  
 $LAB^*LCH^*_{Ma}$ : 48 73 357  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 0.5  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 0.89  
 triangle lightness  $t^*$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$



See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems






Input and output:  
 Colorimetric Printer Reflective System ORS20\_95a  
 data for any colour:



$u^*_e$  and number  $no. = 00 \dots 15$   
 elementary hue text:  
 $u^*_e = 16$  hues  $r00j, r25j, \dots, b75r$   
 contrast reduction factor:  
 $c_R = 1.0$

ORS20_95a; adapted (a) CIELAB data						
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o




%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data					
Name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	46.89	66.19	40.28	77.48	31
YMa	88.66	-9.62	88.21	88.73	96
LMa	54.22	-65.29	33.87	73.56	153
CMa	61.43	-30.53	-42.04	51.96	234
VMa	25.93	25.95	-47.37	54.01	299
MMa	47.92	73.53	-9.02	74.08	353
NMa	20.41	0.0	0.0	0.0	0
WMa	94.64	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.89	71.56	71.62	92
GCIE	52.23	-42.42	13.6	44.55	162
BCIE	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.071$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = r00j$   $u^*_d = m84o$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$ : 47 67 32  
 $LAB^*LCH^*_Ma$ : 47 75 25  
 $lab^*rgb^*_Ma$ : 1.0 0.0 0.0  
 $lab^*olv^*_Ma$ : 1.0 0.0 0.15  
 triangle lightness  $t^*$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.117$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = r25j$   $u^*_d = o17y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$ : 54 53 48  
 $LAB^*LCH^*_Ma$ : 54 72 42  
 $lab^*rgb^*_Ma$ : 1.0 0.25 0.0  
 $lab^*olv^*_Ma$ : 1.0 0.17 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.164$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = r50j$   $u^*_d = o42y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


$u^*_e = r50j$   
 $LAB^*LAB^*_a$

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 64\ 36\ 59$   
 $LAB^*LCH^*_Ma: 64\ 69\ 58$   
 $lab^*rgb^*_Ma: 1.0\ 0.5\ 0.0$   
 $lab^*olv^*_Ma: 1.0\ 0.42\ 0.0$

ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$ $u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y51l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.21$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = r75j$   $u^*_d = o68y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$ : 73 18 71  
 $LAB^*LCH^*_Ma$ : 73 73 75  
 $lab^*rgb^*_Ma$ : 1.0 0.75 0.0  
 $lab^*olv^*_Ma$ : 1.0 0.68 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee39/10L/L39E00NP.PS/.PDF](http://www.ps.bam.de/Ee39/10L/L39E00NP.PS/.PDF); FRS09\_92; transfer and output  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.256$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = j00g$   $u^*_d = o93y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

$u^*_e = j00g$   
 $LAB^*LAB^*_a$


Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 85 -3 84$   
 $LAB^*LCH^*_Ma: 85 84 92$   
 $lab^*rgb^*_Ma: 1.0 1.0 0.0$   
 $lab^*olv^*_Ma: 1.0 0.94 0.0$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.305$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = j25g$   $u^*_d = y24l$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 79 -26 72$

$LAB^*LCH^*_{Ma}: 79 77 109$

$lab^*rgb^*_{Ma}: 0.75 1.0 0.0$

$lab^*olv^*_{Ma}: 0.76 1.0 0.0$

triangle lightness  $t^*$

%Gamut


$u^*_{rel} = 87$

%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	242	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	



See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1


BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.354$

data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:

$u^*_e = j50g$   $u^*_d = y55l$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

$u^*_e = j50g$   
 $LAB^*LAB^*_a$

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 68 -43 56$

$LAB^*LCH^*_Ma: 68 70 127$


$lab^*rgb^*_Ma: 0.5 1.0 0.0$

$lab^*olv^*_Ma: 0.45 1.0 0.0$

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Version2.1,io=1,1,Colspx=1](http://www.ps.bam.de/Version2.1,io=1,1,Colspx=1)  
 Technical information: <http://www.ps.bam.de>

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.402$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = j75g$   $u^*_d = y85l$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

$u^*_e = j75g$   
 $LAB^*LAB^*_a$


Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 59 -58 41$   
 $LAB^*LCH^*_Ma: 59 71 144$   
 $lab^*rgb^*_Ma: 0.25 1.0 0.0$   
 $lab^*olv^*_Ma: 0.14 1.0 0.0$

ORS20_95a; adapted (a) CIELAB data	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Version2.1,io=1,1,Colspx=1](http://www.ps.bam.de/Version2.1,io=1,1,Colspx=1)  
 Technical information: <http://www.ps.bam.de>

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.451$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = g00b$   $u^*_d = l12c$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


$u^*_e = g00b$   
 $LAB^*LAB^*_a$

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 56 -58 19$   
 $LAB^*LCH^*_Ma: 56 61 162$   
 $lab^*rgb^*_Ma: 0.0 1.0 0.0$   
 $lab^*olv^*_Ma: 0.0 1.0 0.12$


ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.527$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = g25b$   $u^*_d = l45c$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$ : 58 -46 -8  
 $LAB^*LCH^*_Ma$ : 58 47 189  
 $lab^*rgb^*_Ma$ : 0.0 1.0 0.5  
 $lab^*olv^*_Ma$ : 0.0 1.0 0.45  
 triangle lightness  $t^*$

ORS20\_95a; adapted (a) CIELAB data


	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.603$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = g50b$   $u^*_d = l78c$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 60 -37 -28  
 $LAB^*LCH^*_{Ma}$ : 60 46 216  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 1.0  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.79

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de) Version 2.1, io=1,1, ColSpX=1  
 Technical information: <http://www.ps.bam.de>

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.679$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = g75b$   $u^*_d = c16v$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 55 -21 -43  
 $LAB^*LCH^*_{Ma}$ : 55 48 244  
 $lab^*rgb^*_{Ma}$ : 0.0 0.5 1.0  
 $lab^*olv^*_{Ma}$ : 0.0 0.84 1.0


ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.755$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = b00r$   $u^*_d = c58v$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

$u^*_e = b00r$   
 $LAB^*LAB^*_a$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	


Data for maximum colour (Ma):  
 $LAB^*LAB^*_Ma: 41\ 1\ -45$   
 $LAB^*LCH^*_Ma: 41\ 45\ 271$   
 $lab^*rgb^*_Ma: 0.0\ 0.0\ 1.0$   
 $lab^*olv^*_Ma: 0.0\ 0.42\ 1.0$   
 triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.834$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = b25r$   $u^*_d = v03m$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	24.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	90.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 26 27 -46  
 $LAB^*LCH^*_{Ma}$ : 26 54 300  
 $lab^*rgb^*_{Ma}$ : 0.5 0.0 1.0  
 $lab^*olv^*_{Ma}$ : 0.03 0.0 1.0

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	


triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$



BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF  
 application for evaluation and measurement of printer or monitor systems  
 BAM material: code=rhadata

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.913$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = b50r$   $u^*_d = v54m$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

$u^*_e = b50r$   
 $LAB^*LAB^*_a$


Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 36\ 48\ -29$   
 $LAB^*LCH^*_Ma: 36\ 56\ 328$   
 $lab^*rgb^*_Ma: 1.0\ 0.0\ 1.0$   
 $lab^*olv^*_Ma: 0.55\ 0.0\ 1.0$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; <http://www.ps.bam.de/Ee39/10L/L39E00NP.PS/.PDF>  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.992$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = b75r$   $u^*_d = m10o$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_Ma$ : 48 73 -4  
 $LAB^*LCH^*_Ma$ : 48 73 357  
 $lab^*rgb^*_Ma$ : 1.0 0.0 0.5  
 $lab^*olv^*_Ma$ : 1.0 0.0 0.89

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	



See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
Technical information: <http://www.ps.bam.de>  
Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001 -Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems


	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*LAB*a																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
00	20.0	24.6	28.9	33.1	37.3	41.5	45.8	50.0	54.2	58.4	62.6	66.8	71.0	75.2	79.4	83.6	87.8	92.0	96.2	100.4	104.6	108.8	113.0	117.2	121.4	125.6	129.8	134.0	138.2	142.4	146.6	150.8	155.0	159.2	163.4	167.6	171.8	176.0	180.2	184.4	188.6	192.8	197.0	201.2	205.4	209.6	213.8	218.0	222.2	226.4	230.6	234.8	239.0	243.2	247.4	251.6	255.8	260.0	264.2	268.4	272.6	276.8	281.0	285.2	289.4	293.6	297.8	302.0	306.2	310.4	314.6	318.8	323.0	327.2	331.4	335.6	339.8	344.0	348.2	352.4	356.6	360.8	365.0	369.2	373.4	377.6	381.8	386.0	390.2	394.4	398.6	402.8	407.0	411.2	415.4	419.6	423.8	428.0	432.2	436.4	440.6	444.8	449.0	453.2	457.4	461.6	465.8	470.0	474.2	478.4	482.6	486.8	491.0	495.2	499.4	503.6	507.8	512.0	516.2	520.4	524.6	528.8	533.0	537.2	541.4	545.6	549.8	554.0	558.2	562.4	566.6	570.8	575.0	579.2	583.4	587.6	591.8	596.0	600.2	604.4	608.6	612.8	617.0	621.2	625.4	629.6	633.8	638.0	642.2	646.4	650.6	654.8	659.0	663.2	667.4	671.6	675.8	680.0	684.2	688.4	692.6	696.8	701.0	705.2	709.4	713.6	717.8	722.0	726.2	730.4	734.6	738.8	743.0	747.2	751.4	755.6	759.8	764.0	768.2	772.4	776.6	780.8	785.0	789.2	793.4	797.6	801.8	806.0	810.2	814.4	818.6	822.8	827.0	831.2	835.4	839.6	843.8	848.0	852.2	856.4	860.6	864.8	869.0	873.2	877.4	881.6	885.8	890.0	894.2	898.4	902.6	906.8	911.0	915.2	919.4	923.6	927.8	932.0	936.2	940.4	944.6	948.8	953.0	957.2	961.4	965.6	969.8	974.0	978.2	982.4	986.6	990.8	995.0	999.2	1003.4	1007.6	1011.8	1016.0	1020.2	1024.4	1028.6	1032.8	1037.0	1041.2	1045.4	1049.6	1053.8	1058.0	1062.2	1066.4	1070.6	1074.8	1079.0	1083.2	1087.4	1091.6	1095.8	1100.0	1104.2	1108.4	1112.6	1116.8	1121.0	1125.2	1129.4	1133.6	1137.8	1142.0	1146.2	1150.4	1154.6	1158.8	1163.0	1167.2	1171.4	1175.6	1179.8	1184.0	1188.2	1192.4	1196.6	1200.8	1205.0	1209.2	1213.4	1217.6	1221.8	1226.0	1230.2	1234.4	1238.6	1242.8	1247.0	1251.2	1255.4	1259.6	1263.8	1268.0	1272.2	1276.4	1280.6	1284.8	1289.0	1293.2	1297.4	1301.6	1305.8	1310.0	1314.2	1318.4	1322.6	1326.8	1331.0	1335.2	1339.4	1343.6	1347.8	1352.0	1356.2	1360.4	1364.6	1368.8	1373.0	1377.2	1381.4	1385.6	1389.8	1394.0	1398.2	1402.4	1406.6	1410.8	1415.0	1419.2	1423.4	1427.6	1431.8	1436.0	1440.2	1444.4	1448.6	1452.8	1457.0	1461.2	1465.4	1469.6	1473.8	1478.0	1482.2	1486.4	1490.6	1494.8	1499.0	1503.2	1507.4	1511.6	1515.8	1520.0	1524.2	1528.4	1532.6	1536.8	1541.0	1545.2	1549.4	1553.6	1557.8	1562.0	1566.2	1570.4	1574.6	1578.8	1583.0	1587.2	1591.4	1595.6	1600.0	1604.2	1608.4	1612.6	1616.8	1621.0	1625.2	1629.4	1633.6	1637.8	1642.0	1646.2	1650.4	1654.6	1658.8	1663.0	1667.2	1671.4	1675.6	1679.8	1684.0	1688.2	1692.4	1696.6	1700.8	1705.0	1709.2	1713.4	1717.6	1721.8	1726.0	1730.2	1734.4	1738.6	1742.8	1747.0	1751.2	1755.4	1759.6	1763.8	1768.0	1772.2	1776.4	1780.6	1784.8	1789.0	1793.2	1797.4	1801.6	1805.8	1810.0	1814.2	1818.4	1822.6	1826.8	1831.0	1835.2	1839.4	1843.6	1847.8	1852.0	1856.2	1860.4	1864.6	1868.8	1873.0	1877.2	1881.4	1885.6	1889.8	1894.0	1898.2	1902.4	1906.6	1910.8	1915.0	1919.2	1923.4	1927.6	1931.8	1936.0	1940.2	1944.4	1948.6	1952.8	1957.0	1961.2	1965.4	1969.6	1973.8	1978.0	1982.2	1986.4	1990.6	1994.8	1999.0	2003.2	2007.4	2011.6	2015.8	2020.0	2024.2	2028.4	2032.6	2036.8	2041.0	2045.2	2049.4	2053.6	2057.8	2062.0	2066.2	2070.4	2074.6	2078.8	2083.0	2087.2	2091.4	2095.6	2100.0	2104.2	2108.4	2112.6	2116.8	2121.0	2125.2	2129.4	2133.6	2137.8	2142.0	2146.2	2150.4	2154.6	2158.8	2163.0	2167.2	2171.4	2175.6	2179.8	2184.0	2188.2	2192.4	2196.6	2200.8	2205.0	2209.2	2213.4	2217.6	2221.8	2226.0	2230.2	2234.4	2238.6	2242.8	2247.0	2251.2	2255.4	2259.6	2263.8	2268.0	2272.2	2276.4	2280.6	2284.8	2289.0	2293.2	2297.4	2301.6	2305.8	2310.0	2314.2	2318.4	2322.6	2326.8	2331.0	2335.2	2339.4	2343.6	2347.8	2352.0	2356.2	2360.4	2364.6	2368.8	2373.0	2377.2	2381.4	2385.6	2389.8	2394.0	2398.2	2402.4	2406.6	2410.8	2415.0	2419.2	2423.4	2427.6	2431.8	2436.0	2440.2	2444.4	2448.6	2452.8	2457.0	2461.2	2465.4	2469.6	2473.8	2478.0	2482.2	2486.4	2490.6	2494.8	2499.0	2503.2	2507.4	2511.6	2515.8	2520.0	2524.2	2528.4	2532.6	2536.8	2541.0	2545.2	2549.4	2553.6	2557.8	2562.0	2566.2	2570.4	2574.6	2578.8	2583.0	2587.2	2591.4	2595.6	2600.0	2604.2	2608.4	2612.6	2616.8	2621.0	2625.2	2629.4	2633.6	2637.8	2642.0	2646.2	2650.4	2654.6	2658.8	2663.0	2667.2	2671.4	2675.6	2679.8	2684.0	2688.2	2692.4	2696.6	2700.8	2705.0	2709.2	2713.4	2717.6	2721.8	2726.0	2730.2	2734.4	2738.6	2742.8	2747.0	2751.2	2755.4	2759.6	2763.8	2768.0	2772.2	2776.4	2780.6	2784.8	2789.0	2793.2	2797.4	2801.6	2805.8	2810.0	2814.2	2818.4	2822.6	2826.8	2831.0	2835.2	2839.4	2843.6	2847.8	2852.0	2856.2	2860.4	2864.6	2868.8	2873.0	2877.2	2881.4	2885.6	2889.8	2894.0	2898.2	2902.4	2906.6	2910.8	2915.0	2919.2	2923.4	2927.6	2931.8	2936.0	2940.2	2944.4	2948.6	2952.8	2957.0	2961.2	2965.4	2969.6	2973.8	2978.0	2982.2	2986.4	2990.6	2994.8	2999.0	3003.2	3007.4	3011.6	3015.8	3020.0	3024.2	3028.4	3032.6	3036.8	3041.0	3045.2	3049.4	3053.6	3057.8	3062.0	3066.2	3070.4	3074.6	3078.8	3083.0	3087.2	3091.4	3095.6	3100.0	3104.2	3108.4	3112.6	3116.8	3121.0	3125.2	3129.4	3133.6	3137.8	3142.0	3146.2	3150.4	3154.6	3158.8	3163.0	3167.2	3171.4	3175.6	3179.8	3184.0	3188.2	3192.4	3196.6	3200.8	3205.0	3209.2	3213.4	3217.6	3221.8	3226.0	3230.2	3234.4	3238.6	3242.8	3247.0	3251.2	3255.4	3259.6	3263.8	3268.0	3272.2	3276.4	3280.6	3284.8	3289.0	3293.2	3297.4	3301.6	3305.8	3310.0	3314.2	3318.4	3322.6	3326.8	3331.0	3335.2	3339.4	3343.6	3347.8	3352.0	3356.2	3360.4	3364.6	3368.8	3373.0	3377.2	3381.4	3385.6	3389.8	3394.0	3398.2	3402.4	3406.6	3410.8	3415.0	3419.2	3423.4	3427.6	3431.8	3436.0	3440.2	3444.4	3448.6	3452.8	3457.0	3461.2	3465.4	3469.6	3473.8	3478.0	3482.2	3486.4	3490.6	3494.8	3499.0	3503.2	3507.4	3511.6	3515.8	3520.0	3524.2	3528.4	3532.6	3536.8	3541.0	3545.2	3549.4	3553.6	3557.8	3562.0	3566.2	3570.4	3574.6	3578.8	3583.0	3587.2	3591.4	3595.6	3600.0	3604.2	3608.4	3612.6	3616.8	3621.0	3625.2	3629.4	3633.6	3637.8	3642.0	3646.2	3650.4	3654.6	3658.8	3663.0	3667.2	3671.4	3675.6	3679.8	3684.0	3688.2	3692.4	3696.6	3700.8	3705.0	3709.2	3713.4	3717.6	3721.8	3726.0	3730.2	3734.4	3738.6	3742.8	3747.0	3751.2	3755.4	3759.6	3763.8	3768.0	3772.2	3776.4	3780.6	3784.8	3789.0	3793.2	3797.4	3801.6	3805.8	3810.0	3814.2	3818.4	3822.6	3826.8	3831.0	3835.2	3839.4	3843.6	3847.8	3852.0	3856.2	3860.4	3864.6	3868.8	3873.0	3877.2	3881.4	3885.6	3889.8	3894.0	3898.2	3902.4	3906.6	3910.8	3915.0	3919.2	3923.4	3927.6	3931.8	3936.0	3940.2	3944.4	3948.6	3952.8	3957.0	3961.2	3965.4	3969.6	3973.8	3978.0	3982.2	3986.4	3990.6	3994.8	3999.0	4003.2	4007.4	4011.6	4015.8	4020.0	4024.2	4028.4	4032.6	4036.8	4041.0	4045.2	4049.4	4053.6	4057.8	4062.0	4066.2	4070.4	4074.6	4078.8	4083.0	4087.2	4091.4	4095.6	4100.0	4104.2	4108.4	4112.6	4116.8	4121.0	4125.2	4129.4	4133.6	4137.8	4142.0	4146.2	4150.4	4154.6	4158.8	4163.0	4167.2	4171.4	4175.6	4179.8	4184.0	4188.2	4192.4	4196.6	4200.8	4205.0	4209.2	4213.4	4217.6	4221.8	4226.0	4230.2	4234.4	4238.6	4242.8	4247.0	4251.2	4255.4	4259.6	4263.8	4268.0	4272.2	4276.4	4280.6	4284.8	4289.0	4293.2	4297.4	4301.6	4305.8	4310.0	4314.2	4318.4	4322.6	4326.8	4331.0	4335.2	4339.4	4343.6	4347.8	4352.0	4356.2	4360.4	4364.6	4368.8	4373.0	4377.2	4381.4	4385.6	4389.8	4394.0	4398.2	4402.4	4406.6	4410.8	4415.0	4419.2	4423.4	4427.6	4431.8	4436.0	4440.2	4444.4	4448.6	4452.8	4457.0	4461.2	4465.4	4469.6	4473.8	4478.0	4482.2	4486.4	4490.6	4494.8	4499.0	4503.2	4507.4	4511.6	4515.8	4520.0	4524.2	4528.4	4532.6	4536.8	4541.0	4545.2	4549.4	4553.6	4557.8	4562.0	4566.2	4570.4	4574.6	4578.8	4583.0	4587.2	4591.4	4595.6	4600.0	4604.2	4608.4	4612.6	4616.8	4621.0	4

Input and output:  
 Colorimetric Printer Reflective System ORS20\_95a  
 data for any colour:

$u^*_e$  and number  $no. = 00 \dots 15$   
 elementary hue text:  
 $u^*_e = 16$  hues  $r00j, r25j, \dots, b75r$   
 contrast reduction factor:  
 $c_R = 1.0$

ORS20\_95a; adapted (a) CIELAB data


$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$


ORS20\_95a; adapted (a) CIELAB data

Name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	46.89	66.19	40.28	77.48	31
YMa	88.66	-9.62	88.21	88.73	96
LMa	54.22	-65.29	33.87	73.56	153
CMa	61.43	-30.53	-42.04	51.96	234
VMa	25.93	25.95	-47.37	54.01	299
MMa	47.92	73.53	-9.02	74.08	353
NMa	20.41	0.0	0.0	0.0	0
WMa	94.64	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.89	71.56	71.62	92
GCIE	52.23	-42.42	13.6	44.55	162
BCIE	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.071$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = r00j$   $u^*_d = m84o$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 47 67 32  
 $LAB^*LCH^*_{Ma}$ : 47 75 25  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 0.15

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.117$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = r25j$   $u^*_d = o17y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 54 53 48  
 $LAB^*LCH^*_{Ma}$ : 54 72 42  
 $lab^*rgb^*_{Ma}$ : 1.0 0.25 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.17 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.164$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = r50j$   $u^*_d = o42y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$ : 64 36 59  
 $LAB^*LCH^*_Ma$ : 64 69 58  
 $lab^*rgb^*_Ma$ : 1.0 0.5 0.0  
 $lab^*olv^*_Ma$ : 1.0 0.42 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.21$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = r75j$   $u^*_d = o68y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 73 18 71  
 $LAB^*LCH^*_{Ma}$ : 73 73 75  
 $lab^*rgb^*_{Ma}$ : 1.0 0.75 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.68 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.256$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = j00g$   $u^*_d = o93y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 85 -3 84  
 $LAB^*LCH^*_{Ma}$ : 85 84 92  
 $lab^*rgb^*_{Ma}$ : 1.0 1.0 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.94 0.0

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.305$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = j25g$   $u^*_d = y24l$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 79 -26 72  
 $LAB^*LCH^*_{Ma}$ : 79 77 109  
 $lab^*rgb^*_{Ma}$ : 0.75 1.0 0.0  
 $lab^*olv^*_{Ma}$ : 0.76 1.0 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.354$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = j50g$   $u^*_d = y55l$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (M<sub>a</sub>):

$LAB^*LAB^*_M_a$ : 68 -43 56  
 $LAB^*LCH^*_M_a$ : 68 70 127  
 $lab^*rgb^*_M_a$ : 0.5 1.0 0.0  
 $lab^*olv^*_M_a$ : 0.45 1.0 0.0

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.402$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = j75g$   $u^*_d = y85l$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 59 -58 41  
 $LAB^*LCH^*_{Ma}$ : 59 71 144  
 $lab^*rgb^*_{Ma}$ : 0.25 1.0 0.0  
 $lab^*olv^*_{Ma}$ : 0.14 1.0 0.0

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; <http://www.ps.bam.de/Ee39/10L/L39E00NP.PS/.PDF>  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.451$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = g00b$   $u^*_d = l12c$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 56 -58 19  
 $LAB^*LCH^*_{Ma}$ : 56 61 162  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 0.0  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.12  
 triangle lightness  $t^*$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de) Version 2.1, io=1,1, ColSpX=1  
 Technical information: <http://www.ps.bam.de>

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.527$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = g25b$   $u^*_d = l45c$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 58 -46 -8  
 $LAB^*LCH^*_{Ma}$ : 58 47 189  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 0.5  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.45

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16c	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.603$

data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_e = g50b$   $u^*_d = l78c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 60 -37 -28

$LAB^*LCH^*_{Ma}$ : 60 46 216

$lab^*rgb^*_{Ma}$ : 0.0 1.0 1.0

$lab^*olv^*_{Ma}$ : 0.0 1.0 0.79

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 87$


%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20\_95a; adapted (a) CIELAB data


	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	



BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF  
 application for evaluation and measurement of printer or monitor systems  
 BAM material: code=rh4ta

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.679$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = g75b$   $u^*_d = c16v$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 55 -21 -43  
 $LAB^*LCH^*_{Ma}$ : 55 48 244  
 $lab^*rgb^*_{Ma}$ : 0.0 0.5 1.0  
 $lab^*olv^*_{Ma}$ : 0.0 0.84 1.0


ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.755$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = b00r$   $u^*_d = c58v$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 41 1 -45  
 $LAB^*LCH^*_{Ma}$ : 41 45 271  
 $lab^*rgb^*_{Ma}$ : 0.0 0.0 1.0  
 $lab^*olv^*_{Ma}$ : 0.0 0.42 1.0

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.834$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = b25r$   $u^*_d = v03m$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 26 27 -46  
 $LAB^*LCH^*_{Ma}$ : 26 54 300  
 $lab^*rgb^*_{Ma}$ : 0.5 0.0 1.0  
 $lab^*olv^*_{Ma}$ : 0.03 0.0 1.0

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.913$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = b50r$   $u^*_d = v54m$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 36 48 -29  
 $LAB^*LCH^*_{Ma}$ : 36 56 328  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 1.0  
 $lab^*olv^*_{Ma}$ : 0.55 0.0 1.0

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.992$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = b75r$   $u^*_d = m10o$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 48 73 -4  
 $LAB^*LCH^*_{Ma}$ : 48 73 357  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 0.5  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 0.89

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$



See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Version 2.1, io=1,1, ColSpX=1](http://www.ps.bam.de/Version 2.1, io=1,1, ColSpX=1)  
 Technical information: <http://www.ps.bam.de>

BAM registration: 20081001 -Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rh4da  
 application for evaluation and measurement of printer or monitor systems

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*LCH*																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
01	20.0	24.6	28.9	33.1	37.3	41.5	45.8	50.0	54.2	58.4	62.6	66.8	71.0	75.2	79.4	83.6	87.8	92.0	96.2	100.4	104.6	108.8	113.0	117.2	121.4	125.6	129.8	134.0	138.2	142.4	146.6	150.8	155.0	159.2	163.4	167.6	171.8	176.0	180.2	184.4	188.6	192.8	197.0	201.2	205.4	209.6	213.8	218.0	222.2	226.4	230.6	234.8	239.0	243.2	247.4	251.6	255.8	260.0	264.2	268.4	272.6	276.8	281.0	285.2	289.4	293.6	297.8	302.0	306.2	310.4	314.6	318.8	323.0	327.2	331.4	335.6	339.8	344.0	348.2	352.4	356.6	360.8	365.0	369.2	373.4	377.6	381.8	386.0	390.2	394.4	398.6	402.8	407.0	411.2	415.4	419.6	423.8	428.0	432.2	436.4	440.6	444.8	449.0	453.2	457.4	461.6	465.8	470.0	474.2	478.4	482.6	486.8	491.0	495.2	499.4	503.6	507.8	512.0	516.2	520.4	524.6	528.8	533.0	537.2	541.4	545.6	549.8	554.0	558.2	562.4	566.6	570.8	575.0	579.2	583.4	587.6	591.8	596.0	600.2	604.4	608.6	612.8	617.0	621.2	625.4	629.6	633.8	638.0	642.2	646.4	650.6	654.8	659.0	663.2	667.4	671.6	675.8	680.0	684.2	688.4	692.6	696.8	701.0	705.2	709.4	713.6	717.8	722.0	726.2	730.4	734.6	738.8	743.0	747.2	751.4	755.6	759.8	764.0	768.2	772.4	776.6	780.8	785.0	789.2	793.4	797.6	801.8	806.0	810.2	814.4	818.6	822.8	827.0	831.2	835.4	839.6	843.8	848.0	852.2	856.4	860.6	864.8	869.0	873.2	877.4	881.6	885.8	890.0	894.2	898.4	902.6	906.8	911.0	915.2	919.4	923.6	927.8	932.0	936.2	940.4	944.6	948.8	953.0	957.2	961.4	965.6	969.8	974.0	978.2	982.4	986.6	990.8	995.0	999.2	1003.4	1007.6	1011.8	1016.0	1020.2	1024.4	1028.6	1032.8	1037.0	1041.2	1045.4	1049.6	1053.8	1058.0	1062.2	1066.4	1070.6	1074.8	1079.0	1083.2	1087.4	1091.6	1095.8	1100.0	1104.2	1108.4	1112.6	1116.8	1121.0	1125.2	1129.4	1133.6	1137.8	1142.0	1146.2	1150.4	1154.6	1158.8	1163.0	1167.2	1171.4	1175.6	1179.8	1184.0	1188.2	1192.4	1196.6	1200.8	1205.0	1209.2	1213.4	1217.6	1221.8	1226.0	1230.2	1234.4	1238.6	1242.8	1247.0	1251.2	1255.4	1259.6	1263.8	1268.0	1272.2	1276.4	1280.6	1284.8	1289.0	1293.2	1297.4	1301.6	1305.8	1310.0	1314.2	1318.4	1322.6	1326.8	1331.0	1335.2	1339.4	1343.6	1347.8	1352.0	1356.2	1360.4	1364.6	1368.8	1373.0	1377.2	1381.4	1385.6	1389.8	1394.0	1398.2	1402.4	1406.6	1410.8	1415.0	1419.2	1423.4	1427.6	1431.8	1436.0	1440.2	1444.4	1448.6	1452.8	1457.0	1461.2	1465.4	1469.6	1473.8	1478.0	1482.2	1486.4	1490.6	1494.8	1499.0	1503.2	1507.4	1511.6	1515.8	1520.0	1524.2	1528.4	1532.6	1536.8	1541.0	1545.2	1549.4	1553.6	1557.8	1562.0	1566.2	1570.4	1574.6	1578.8	1583.0	1587.2	1591.4	1595.6	1600.0	1604.2	1608.4	1612.6	1616.8	1621.0	1625.2	1629.4	1633.6	1637.8	1642.0	1646.2	1650.4	1654.6	1658.8	1663.0	1667.2	1671.4	1675.6	1679.8	1684.0	1688.2	1692.4	1696.6	1700.8	1705.0	1709.2	1713.4	1717.6	1721.8	1726.0	1730.2	1734.4	1738.6	1742.8	1747.0	1751.2	1755.4	1759.6	1763.8	1768.0	1772.2	1776.4	1780.6	1784.8	1789.0	1793.2	1797.4	1801.6	1805.8	1810.0	1814.2	1818.4	1822.6	1826.8	1831.0	1835.2	1839.4	1843.6	1847.8	1852.0	1856.2	1860.4	1864.6	1868.8	1873.0	1877.2	1881.4	1885.6	1889.8	1894.0	1898.2	1902.4	1906.6	1910.8	1915.0	1919.2	1923.4	1927.6	1931.8	1936.0	1940.2	1944.4	1948.6	1952.8	1957.0	1961.2	1965.4	1969.6	1973.8	1978.0	1982.2	1986.4	1990.6	1994.8	1999.0	2003.2	2007.4	2011.6	2015.8	2020.0	2024.2	2028.4	2032.6	2036.8	2041.0	2045.2	2049.4	2053.6	2057.8	2062.0	2066.2	2070.4	2074.6	2078.8	2083.0	2087.2	2091.4	2095.6	2100.0	2104.2	2108.4	2112.6	2116.8	2121.0	2125.2	2129.4	2133.6	2137.8	2142.0	2146.2	2150.4	2154.6	2158.8	2163.0	2167.2	2171.4	2175.6	2179.8	2184.0	2188.2	2192.4	2196.6	2200.8	2205.0	2209.2	2213.4	2217.6	2221.8	2226.0	2230.2	2234.4	2238.6	2242.8	2247.0	2251.2	2255.4	2259.6	2263.8	2268.0	2272.2	2276.4	2280.6	2284.8	2289.0	2293.2	2297.4	2301.6	2305.8	2310.0	2314.2	2318.4	2322.6	2326.8	2331.0	2335.2	2339.4	2343.6	2347.8	2352.0	2356.2	2360.4	2364.6	2368.8	2373.0	2377.2	2381.4	2385.6	2389.8	2394.0	2398.2	2402.4	2406.6	2410.8	2415.0	2419.2	2423.4	2427.6	2431.8	2436.0	2440.2	2444.4	2448.6	2452.8	2457.0	2461.2	2465.4	2469.6	2473.8	2478.0	2482.2	2486.4	2490.6	2494.8	2499.0	2503.2	2507.4	2511.6	2515.8	2520.0	2524.2	2528.4	2532.6	2536.8	2541.0	2545.2	2549.4	2553.6	2557.8	2562.0	2566.2	2570.4	2574.6	2578.8	2583.0	2587.2	2591.4	2595.6	2600.0	2604.2	2608.4	2612.6	2616.8	2621.0	2625.2	2629.4	2633.6	2637.8	2642.0	2646.2	2650.4	2654.6	2658.8	2663.0	2667.2	2671.4	2675.6	2679.8	2684.0	2688.2	2692.4	2696.6	2700.8	2705.0	2709.2	2713.4	2717.6	2721.8	2726.0	2730.2	2734.4	2738.6	2742.8	2747.0	2751.2	2755.4	2759.6	2763.8	2768.0	2772.2	2776.4	2780.6	2784.8	2789.0	2793.2	2797.4	2801.6	2805.8	2810.0	2814.2	2818.4	2822.6	2826.8	2831.0	2835.2	2839.4	2843.6	2847.8	2852.0	2856.2	2860.4	2864.6	2868.8	2873.0	2877.2	2881.4	2885.6	2889.8	2894.0	2898.2	2902.4	2906.6	2910.8	2915.0	2919.2	2923.4	2927.6	2931.8	2936.0	2940.2	2944.4	2948.6	2952.8	2957.0	2961.2	2965.4	2969.6	2973.8	2978.0	2982.2	2986.4	2990.6	2994.8	2999.0	3003.2	3007.4	3011.6	3015.8	3020.0	3024.2	3028.4	3032.6	3036.8	3041.0	3045.2	3049.4	3053.6	3057.8	3062.0	3066.2	3070.4	3074.6	3078.8	3083.0	3087.2	3091.4	3095.6	3100.0	3104.2	3108.4	3112.6	3116.8	3121.0	3125.2	3129.4	3133.6	3137.8	3142.0	3146.2	3150.4	3154.6	3158.8	3163.0	3167.2	3171.4	3175.6	3179.8	3184.0	3188.2	3192.4	3196.6	3200.8	3205.0	3209.2	3213.4	3217.6	3221.8	3226.0	3230.2	3234.4	3238.6	3242.8	3247.0	3251.2	3255.4	3259.6	3263.8	3268.0	3272.2	3276.4	3280.6	3284.8	3289.0	3293.2	3297.4	3301.6	3305.8	3310.0	3314.2	3318.4	3322.6	3326.8	3331.0	3335.2	3339.4	3343.6	3347.8	3352.0	3356.2	3360.4	3364.6	3368.8	3373.0	3377.2	3381.4	3385.6	3389.8	3394.0	3398.2	3402.4	3406.6	3410.8	3415.0	3419.2	3423.4	3427.6	3431.8	3436.0	3440.2	3444.4	3448.6	3452.8	3457.0	3461.2	3465.4	3469.6	3473.8	3478.0	3482.2	3486.4	3490.6	3494.8	3499.0	3503.2	3507.4	3511.6	3515.8	3520.0	3524.2	3528.4	3532.6	3536.8	3541.0	3545.2	3549.4	3553.6	3557.8	3562.0	3566.2	3570.4	3574.6	3578.8	3583.0	3587.2	3591.4	3595.6	3600.0	3604.2	3608.4	3612.6	3616.8	3621.0	3625.2	3629.4	3633.6	3637.8	3642.0	3646.2	3650.4	3654.6	3658.8	3663.0	3667.2	3671.4	3675.6	3679.8	3684.0	3688.2	3692.4	3696.6	3700.8	3705.0	3709.2	3713.4	3717.6	3721.8	3726.0	3730.2	3734.4	3738.6	3742.8	3747.0	3751.2	3755.4	3759.6	3763.8	3768.0	3772.2	3776.4	3780.6	3784.8	3789.0	3793.2	3797.4	3801.6	3805.8	3810.0	3814.2	3818.4	3822.6	3826.8	3831.0	3835.2	3839.4	3843.6	3847.8	3852.0	3856.2	3860.4	3864.6	3868.8	3873.0	3877.2	3881.4	3885.6	3889.8	3894.0	3898.2	3902.4	3906.6	3910.8	3915.0	3919.2	3923.4	3927.6	3931.8	3936.0	3940.2	3944.4	3948.6	3952.8	3957.0	3961.2	3965.4	3969.6	3973.8	3978.0	3982.2	3986.4	3990.6	3994.8	3999.0	4003.2	4007.4	4011.6	4015.8	4020.0	4024.2	4028.4	4032.6	4036.8	4041.0	4045.2	4049.4	4053.6	4057.8	4062.0	4066.2	4070.4	4074.6	4078.8	4083.0	4087.2	4091.4	4095.6	4100.0	4104.2	4108.4	4112.6	4116.8	4121.0	4125.2	4129.4	4133.6	4137.8	4142.0	4146.2	4150.4	4154.6	4158.8	4163.0	4167.2	4171.4	4175.6	4179.8	4184.0	4188.2	4192.4	4196.6	4200.8	4205.0	4209.2	4213.4	4217.6	4221.8	4226.0	4230.2	4234.4	4238.6	4242.8	4247.0	4251.2	4255.4	4259.6	4263.8	4268.0	4272.2	4276.4	4280.6	4284.8	4289.0	4293.2	4297.4	4301.6	4305.8	4310.0	4314.2	4318.4	4322.6	4326.8	4331.0	4335.2	4339.4	4343.6	4347.8	4352.0	4356.2	4360.4	4364.6	4368.8	4373.0	4377.2	4381.4	4385.6	4389.8	4394.0	4398.2	4402.4	4406.6	4410.8	4415.0	4419.2	4423.4	4427.6	4431.8	4436.0	4440.2	4444.4	4448.6	4452.8	4457.0	4461.2	4465.4	4469.6	4473.8	4478.0	4482.2	4486.4	4490.6	4494.8	4499.0	4503.2	4507.4	4511.6	4515.8	4520.0	4524.2	4528.4	4532.6	4536.8	4541.0	4545.2	4549.4	4553.6	4557.8	4562.0	4566.2	4570.4	4574.6	4578.8	4583.0	4587.2	4591.4	4595.6	4600.0	4604.2	4608.4

Input and output:  
 Colorimetric Printer Reflective System ORS20\_95a  
 data for any colour:

$u^*_e$  and number  $no. = 00 \dots 15$

elementary hue text:


$u^*_e = 16$  hues  $r00j, r25j, \dots, b75r$

contrast reduction factor:

$c_R = 1.0$

ORS20\_95a; adapted (a) CIELAB data

$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



%Gamut

$u^*_{rel} = 87$


%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20\_95a; adapted (a) CIELAB data

Name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	46.89	66.19	40.28	77.48	31
YMa	88.66	-9.62	88.21	88.73	96
LMa	54.22	-65.29	33.87	73.56	153
CMa	61.43	-30.53	-42.04	51.96	234
VMa	25.93	25.95	-47.37	54.01	299
MMa	47.92	73.53	-9.02	74.08	353
NMa	20.41	0.0	0.0	0.0	0
WMa	94.64	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.89	71.56	71.62	92
GCIE	52.23	-42.42	13.6	44.55	162
BCIE	30.57	1.41	-46.47	46.49	272




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.071$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = r00j$   $u^*_d = m84o$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 47 67 32  
 $LAB^*LCH^*_{Ma}$ : 47 75 25  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 0.15

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.117$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = r25j$   $u^*_d = o17y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 54 53 48  
 $LAB^*LCH^*_{Ma}$ : 54 72 42  
 $lab^*rgb^*_{Ma}$ : 1.0 0.25 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.17 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.164$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = r50j$   $u^*_d = o42y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 64 36 59  
 $LAB^*LCH^*_{Ma}$ : 64 69 58  
 $lab^*rgb^*_{Ma}$ : 1.0 0.5 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.42 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.21$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = r75j$   $u^*_d = o68y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 73 18 71  
 $LAB^*LCH^*_{Ma}$ : 73 73 75  
 $lab^*rgb^*_{Ma}$ : 1.0 0.75 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.68 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.256$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = j00g$   $u^*_d = o93y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 85 -3 84  
 $LAB^*LCH^*_{Ma}$ : 85 84 92  
 $lab^*rgb^*_{Ma}$ : 1.0 1.0 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.94 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.305$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = j25g$   $u^*_d = y24l$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 79 -26 72  
 $LAB^*LCH^*_{Ma}$ : 79 77 109  
 $lab^*rgb^*_{Ma}$ : 0.75 1.0 0.0  
 $lab^*olv^*_{Ma}$ : 0.76 1.0 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.354$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = j50g$   $u^*_d = y55l$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 68 -43 56  
 $LAB^*LCH^*_{Ma}$ : 68 70 127  
 $lab^*rgb^*_{Ma}$ : 0.5 1.0 0.0  
 $lab^*olv^*_{Ma}$ : 0.45 1.0 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.402$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = j75g$   $u^*_d = y85l$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 59 -58 41  
 $LAB^*LCH^*_{Ma}$ : 59 71 144  
 $lab^*rgb^*_{Ma}$ : 0.25 1.0 0.0  
 $lab^*olv^*_{Ma}$ : 0.14 1.0 0.0


triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

$u^*_e = j75g$   
 $lab^*tch^*$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.451$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = g00b$   $u^*_d = l12c$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 56 -58 19

$LAB^*LCH^*_{Ma}$ : 56 61 162

$lab^*rgb^*_{Ma}$ : 0.0 1.0 0.0

$lab^*olv^*_{Ma}$ : 0.0 1.0 0.12

triangle lightness  $t^*$

%Gamut


$u^*_{rel} = 87$

%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16c	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.527$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = g25b$   $u^*_d = l45c$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 58 -46 -8  
 $LAB^*LCH^*_{Ma}$ : 58 47 189  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 0.5  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.45

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPX=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.603$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = g50b$   $u^*_d = l78c$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 60 -37 -28  
 $LAB^*LCH^*_{Ma}$ : 60 46 216  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 1.0  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.79

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.679$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = g75b$   $u^*_d = c16v$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 55 -21 -43  
 $LAB^*LCH^*_{Ma}$ : 55 48 244  
 $lab^*rgb^*_{Ma}$ : 0.0 0.5 1.0  
 $lab^*olv^*_{Ma}$ : 0.0 0.84 1.0

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	58.25	-42.61	56.0	70.37	127	y51l	
j75g	68.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.755$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = b00r$   $u^*_d = c58v$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 41 1 -45  
 $LAB^*LCH^*_{Ma}$ : 41 45 271  
 $lab^*rgb^*_{Ma}$ : 0.0 0.0 1.0  
 $lab^*olv^*_{Ma}$ : 0.0 0.42 1.0  
 triangle lightness  $t^*$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.834$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = b25r$   $u^*_d = v03m$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 26 27 -46

$LAB^*LCH^*_{Ma}$ : 26 54 300

$lab^*rgb^*_{Ma}$ : 0.5 0.0 1.0

$lab^*olv^*_{Ma}$ : 0.03 0.0 1.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 87$


%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.913$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = b50r$   $u^*_d = v54m$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 36 48 -29  
 $LAB^*LCH^*_{Ma}$ : 36 56 328  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 1.0  
 $lab^*olv^*_{Ma}$ : 0.55 0.0 1.0

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.992$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = b75r$   $u^*_d = m10o$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 48 73 -4  
 $LAB^*LCH^*_{Ma}$ : 48 73 357  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 0.5  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 0.89

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	



See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output:  
 Colorimetric Printer Reflective System ORS20\_95a  
 data for any colour:

$u^*_e$  and number *no.* = 00 .. 15

elementary hue text:


$u^*_e = 16$  hues *r00j*, *r25j*, ..., *b75r*

contrast reduction factor:

$c_R = 1.0$

ORS20\_95a; adapted (a) CIELAB data


$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	i45c
g50b	60.08	-37.02	-27.87	46.34	217	i78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$


ORS20\_95a; adapted (a) CIELAB data

Name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	46.89	66.19	40.28	77.48	31
YMa	88.66	-9.62	88.21	88.73	96
LMa	54.22	-65.29	33.87	73.56	153
CMa	61.43	-30.53	-42.04	51.96	234
VMa	25.93	25.95	-47.37	54.01	299
MMa	47.92	73.53	-9.02	74.08	353
NMa	20.41	0.0	0.0	0.0	0
WMa	94.64	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.89	71.56	71.62	92
GCIE	52.23	-42.42	13.6	44.55	162
BCIE	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.071$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = r00j$   $u^*_d = m84o$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 47 67 32  
 $LAB^*LCH^*_{Ma}$ : 47 75 25  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 0.15  
 triangle lightness  $t^*$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16c	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$



See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems








Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.21$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = r75j$   $u^*_d = o68y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 73 18 71  
 $LAB^*LCH^*_{Ma}$ : 73 73 75  
 $lab^*rgb^*_{Ma}$ : 1.0 0.75 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.68 0.0

triangle lightness  $t^*$


%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16c	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.256$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = j00g$   $u^*_d = o93y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 85 -3 84  
 $LAB^*LCH^*_{Ma}$ : 85 84 92  
 $lab^*rgb^*_{Ma}$ : 1.0 1.0 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.94 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.305$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = j25g$   $u^*_d = y24l$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 79 -26 72$

$LAB^*LCH^*_{Ma}: 79 77 109$


$lab^*rgb^*_{Ma}: 0.75 1.0 0.0$

$lab^*olv^*_{Ma}: 0.76 1.0 0.0$

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data						$u^*_e = j25g$	$lab^*icu^*_d$
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; <http://www.ps.bam.de>  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.354$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = j50g$   $u^*_d = y55l$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 68 -43 56  
 $LAB^*LCH^*_{Ma}$ : 68 70 127  
 $lab^*rgb^*_{Ma}$ : 0.5 1.0 0.0  
 $lab^*olv^*_{Ma}$ : 0.45 1.0 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de) Version 2.1, io=1,1, ColSpX=1  
 Technical information: <http://www.ps.bam.de>

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.402$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = j75g$   $u^*_d = y85l$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 59 -58 41  
 $LAB^*LCH^*_{Ma}$ : 59 71 144  
 $lab^*rgb^*_{Ma}$ : 0.25 1.0 0.0  
 $lab^*olv^*_{Ma}$ : 0.14 1.0 0.0

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	


triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$



BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF  
 application for evaluation and measurement of printer or monitor systems  
 BAM material: code=rhadata

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.451$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = g00b$   $u^*_d = l12c$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 56 -58 19  
 $LAB^*LCH^*_{Ma}$ : 56 61 162  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 0.0  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.12  
 triangle lightness  $t^*$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	58.25	-42.61	56.0	70.37	127	y51l	
j75g	68.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.527$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = g25b$   $u^*_d = l45c$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 58 -46 -8  
 $LAB^*LCH^*_{Ma}$ : 58 47 189  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 0.5  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.45

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

$u^*_e = g25b$   
 $lab^*icu^*_d$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	58.25	-42.61	56.0	70.37	127	y51l	
j75g	68.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee39/](http://www.ps.bam.de/Ee39/)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.603$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = g50b$   $u^*_d = l78c$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 60 -37 -28  
 $LAB^*LCH^*_{Ma}$ : 60 46 216  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 1.0  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.79

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	58.25	-42.61	56.0	70.37	127	y51l	
j75g	68.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.679$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = g75b$   $u^*_d = c16v$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 55 -21 -43  
 $LAB^*LCH^*_{Ma}$ : 55 48 244  
 $lab^*rgb^*_{Ma}$ : 0.0 0.5 1.0  
 $lab^*olv^*_{Ma}$ : 0.0 0.84 1.0  
 triangle lightness  $t^*$

ORS20_95a; adapted (a) CIELAB data						$u^*_e = g75b$	$u^*_d$
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	58.25	-42.61	56.0	70.37	127	y51l	
j75g	68.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de) Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.755$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = b00r$   $u^*_d = c58v$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS20_95a; adapted (a) CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 41 1 -45  
 $LAB^*LCH^*_{Ma}$ : 41 45 271  
 $lab^*rgb^*_{Ma}$ : 0.0 0.0 1.0  
 $lab^*olv^*_{Ma}$ : 0.0 0.42 1.0

ORS20_95a; adapted (a) CIELAB data						$u^*_e = b00r$	$u^*_d$
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.834$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = b25r$   $u^*_d = v03m$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 26 27 -46  
 $LAB^*LCH^*_{Ma}$ : 26 54 300  
 $lab^*rgb^*_{Ma}$ : 0.5 0.0 1.0  
 $lab^*olv^*_{Ma}$ : 0.03 0.0 1.0

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20\_95a; adapted (a) CIELAB data


	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	



BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.913$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = b50r$   $u^*_d = v54m$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	24.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 36 48 -29

$LAB^*LCH^*_{Ma}$ : 36 56 328

$lab^*rgb^*_{Ma}$ : 1.0 0.0 1.0


$lab^*olv^*_{Ma}$ : 0.55 0.0 1.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$


ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.992$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = b75r$   $u^*_d = m10o$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	46.89	66.19	40.28	77.48	31	
Y <sub>Ma</sub>	88.66	-9.62	88.21	88.73	96	
L <sub>Ma</sub>	54.22	-65.29	33.87	73.56	153	
C <sub>Ma</sub>	61.43	-30.53	-42.04	51.96	234	
V <sub>Ma</sub>	25.93	25.95	-47.37	54.01	299	
M <sub>Ma</sub>	47.92	73.53	-9.02	74.08	353	
N <sub>Ma</sub>	20.41	0.0	0.0	0.0	0	
W <sub>Ma</sub>	94.64	0.0	0.0	0.0	0	
R <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
J <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 48 73 -4  
 $LAB^*LCH^*_{Ma}$ : 48 73 357  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 0.5  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 0.89

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	



See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rh4da  
 application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee39/](http://www.ps.bam.de/Ee39/)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1.1, ColSpX=1

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	lab*icu*																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
01	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.13	1.25	1.38	1.5	1.63	1.75	1.88	2.0	2.13	2.25	2.38	2.5	2.63	2.75	2.88	3.0	3.13	3.25	3.38	3.5	3.63	3.75	3.88	4.0	4.13	4.25	4.38	4.5	4.63	4.75	4.88	5.0	5.13	5.25	5.38	5.5	5.63	5.75	5.88	6.0	6.13	6.25	6.38	6.5	6.63	6.75	6.88	7.0	7.13	7.25	7.38	7.5	7.63	7.75	7.88	8.0	8.13	8.25	8.38	8.5	8.63	8.75	8.88	9.0	9.13	9.25	9.38	9.5	9.63	9.75	9.88	10.0	10.13	10.25	10.38	10.5	10.63	10.75	10.88	11.0	11.13	11.25	11.38	11.5	11.63	11.75	11.88	12.0	12.13	12.25	12.38	12.5	12.63	12.75	12.88	13.0	13.13	13.25	13.38	13.5	13.63	13.75	13.88	14.0	14.13	14.25	14.38	14.5	14.63	14.75	14.88	15.0	15.13	15.25	15.38	15.5	15.63	15.75	15.88	16.0	16.13	16.25	16.38	16.5	16.63	16.75	16.88	17.0	17.13	17.25	17.38	17.5	17.63	17.75	17.88	18.0	18.13	18.25	18.38	18.5	18.63	18.75	18.88	19.0	19.13	19.25	19.38	19.5	19.63	19.75	19.88	20.0	20.13	20.25	20.38	20.5	20.63	20.75	20.88	21.0	21.13	21.25	21.38	21.5	21.63	21.75	21.88	22.0	22.13	22.25	22.38	22.5	22.63	22.75	22.88	23.0	23.13	23.25	23.38	23.5	23.63	23.75	23.88	24.0	24.13	24.25	24.38	24.5	24.63	24.75	24.88	25.0	25.13	25.25	25.38	25.5	25.63	25.75	25.88	26.0	26.13	26.25	26.38	26.5	26.63	26.75	26.88	27.0	27.13	27.25	27.38	27.5	27.63	27.75	27.88	28.0	28.13	28.25	28.38	28.5	28.63	28.75	28.88	29.0	29.13	29.25	29.38	29.5	29.63	29.75	29.88	30.0	30.13	30.25	30.38	30.5	30.63	30.75	30.88	31.0	31.13	31.25	31.38	31.5	31.63	31.75	31.88	32.0	32.13	32.25	32.38	32.5	32.63	32.75	32.88	33.0	33.13	33.25	33.38	33.5	33.63	33.75	33.88	34.0	34.13	34.25	34.38	34.5	34.63	34.75	34.88	35.0	35.13	35.25	35.38	35.5	35.63	35.75	35.88	36.0	36.13	36.25	36.38	36.5	36.63	36.75	36.88	37.0	37.13	37.25	37.38	37.5	37.63	37.75	37.88	38.0	38.13	38.25	38.38	38.5	38.63	38.75	38.88	39.0	39.13	39.25	39.38	39.5	39.63	39.75	39.88	40.0	40.13	40.25	40.38	40.5	40.63	40.75	40.88	41.0	41.13	41.25	41.38	41.5	41.63	41.75	41.88	42.0	42.13	42.25	42.38	42.5	42.63	42.75	42.88	43.0	43.13	43.25	43.38	43.5	43.63	43.75	43.88	44.0	44.13	44.25	44.38	44.5	44.63	44.75	44.88	45.0	45.13	45.25	45.38	45.5	45.63	45.75	45.88	46.0	46.13	46.25	46.38	46.5	46.63	46.75	46.88	47.0	47.13	47.25	47.38	47.5	47.63	47.75	47.88	48.0	48.13	48.25	48.38	48.5	48.63	48.75	48.88	49.0	49.13	49.25	49.38	49.5	49.63	49.75	49.88	50.0	50.13	50.25	50.38	50.5	50.63	50.75	50.88	51.0	51.13	51.25	51.38	51.5	51.63	51.75	51.88	52.0	52.13	52.25	52.38	52.5	52.63	52.75	52.88	53.0	53.13	53.25	53.38	53.5	53.63	53.75	53.88	54.0	54.13	54.25	54.38	54.5	54.63	54.75	54.88	55.0	55.13	55.25	55.38	55.5	55.63	55.75	55.88	56.0	56.13	56.25	56.38	56.5	56.63	56.75	56.88	57.0	57.13	57.25	57.38	57.5	57.63	57.75	57.88	58.0	58.13	58.25	58.38	58.5	58.63	58.75	58.88	59.0	59.13	59.25	59.38	59.5	59.63	59.75	59.88	60.0	60.13	60.25	60.38	60.5	60.63	60.75	60.88	61.0	61.13	61.25	61.38	61.5	61.63	61.75	61.88	62.0	62.13	62.25	62.38	62.5	62.63	62.75	62.88	63.0	63.13	63.25	63.38	63.5	63.63	63.75	63.88	64.0	64.13	64.25	64.38	64.5	64.63	64.75	64.88	65.0	65.13	65.25	65.38	65.5	65.63	65.75	65.88	66.0	66.13	66.25	66.38	66.5	66.63	66.75	66.88	67.0	67.13	67.25	67.38	67.5	67.63	67.75	67.88	68.0	68.13	68.25	68.38	68.5	68.63	68.75	68.88	69.0	69.13	69.25	69.38	69.5	69.63	69.75	69.88	70.0	70.13	70.25	70.38	70.5	70.63	70.75	70.88	71.0	71.13	71.25	71.38	71.5	71.63	71.75	71.88	72.0	72.13	72.25	72.38	72.5	72.63	72.75	72.88	73.0	73.13	73.25	73.38	73.5	73.63	73.75	73.88	74.0	74.13	74.25	74.38	74.5	74.63	74.75	74.88	75.0	75.13	75.25	75.38	75.5	75.63	75.75	75.88	76.0	76.13	76.25	76.38	76.5	76.63	76.75	76.88	77.0	77.13	77.25	77.38	77.5	77.63	77.75	77.88	78.0	78.13	78.25	78.38	78.5	78.63	78.75	78.88	79.0	79.13	79.25	79.38	79.5	79.63	79.75	79.88	80.0	80.13	80.25	80.38	80.5	80.63	80.75	80.88	81.0	81.13	81.25	81.38	81.5	81.63	81.75	81.88	82.0	82.13	82.25	82.38	82.5	82.63	82.75	82.88	83.0	83.13	83.25	83.38	83.5	83.63	83.75	83.88	84.0	84.13	84.25	84.38	84.5	84.63	84.75	84.88	85.0	85.13	85.25	85.38	85.5	85.63	85.75	85.88	86.0	86.13	86.25	86.38	86.5	86.63	86.75	86.88	87.0	87.13	87.25	87.38	87.5	87.63	87.75	87.88	88.0	88.13	88.25	88.38	88.5	88.63	88.75	88.88	89.0	89.13	89.25	89.38	89.5	89.63	89.75	89.88	90.0	90.13	90.25	90.38	90.5	90.63	90.75	90.88	91.0	91.13	91.25	91.38	91.5	91.63	91.75	91.88	92.0	92.13	92.25	92.38	92.5	92.63	92.75	92.88	93.0	93.13	93.25	93.38	93.5	93.63	93.75	93.88	94.0	94.13	94.25	94.38	94.5	94.63	94.75	94.88	95.0	95.13	95.25	95.38	95.5	95.63	95.75	95.88	96.0	96.13	96.25	96.38	96.5	96.63	96.75	96.88	97.0	97.13	97.25	97.38	97.5	97.63	97.75	97.88	98.0	98.13	98.25	98.38	98.5	98.63	98.75	98.88	99.0	99.13	99.25	99.38	99.5	99.63	99.75	99.88	100.0	100.13	100.25	100.38	100.5	100.63	100.75	100.88	101.0	101.13	101.25	101.38	101.5	101.63	101.75	101.88	102.0	102.13	102.25	102.38	102.5	102.63	102.75	102.88	103.0	103.13	103.25	103.38	103.5	103.63	103.75	103.88	104.0	104.13	104.25	104.38	104.5	104.63	104.75	104.88	105.0	105.13	105.25	105.38	105.5	105.63	105.75	105.88	106.0	106.13	106.25	106.38	106.5	106.63	106.75	106.88	107.0	107.13	107.25	107.38	107.5	107.63	107.75	107.88	108.0	108.13	108.25	108.38	108.5	108.63	108.75	108.88	109.0	109.13	109.25	109.38	109.5	109.63	109.75	109.88	110.0	110.13	110.25	110.38	110.5	110.63	110.75	110.88	111.0	111.13	111.25	111.38	111.5	111.63	111.75	111.88	112.0	112.13	112.25	112.38	112.5	112.63	112.75	112.88	113.0	113.13	113.25	113.38	113.5	113.63	113.75	113.88	114.0	114.13	114.25	114.38	114.5	114.63	114.75	114.88	115.0	115.13	115.25	115.38	115.5	115.63	115.75	115.88	116.0	116.13	116.25	116.38	116.5	116.63	116.75	116.88	117.0	117.13	117.25	117.38	117.5	117.63	117.75	117.88	118.0	118.13	118.25	118.38	118.5	118.63	118.75	118.88	119.0	119.13	119.25	119.38	119.5	119.63	119.75	119.88	120.0	120.13	120.25	120.38	120.5	120.63	120.75	120.88	121.0	121.13	121.25	121.38	121.5	121.63	121.75	121.88	122.0	122.13	122.25	122.38	122.5	122.63	122.75	122.88	123.0	123.13	123.25	123.38	123.5	123.63	123.75	123.88	124.0	124.13	124.25	124.38	124.5	124.63	124.75	124.88	125.0	125.13	125.25	125.38	125.5	125.63	125.75	125.88	126.0	126.13	126.25	126.38	126.5	126.63	126.75	126.88	127.0	127.13	127.25	127.38	127.5	127.63	127.75	127.88	128.0	128.13	128.25	128.38	128.5	128.63	128.75	128.88	129.0	129.13	129.25	129.38	129.5	129.63	129.75	129.88	130.0	130.13	130.25	130.38	130.5	130.63	130.75	130.88	131.0	131.13	131.25	131.38	131.5	131.63	131.75	131.88	132.0	132.13	132.25	132.38	132.5	132.63	132.75	132.88	133.0	133.13	133.25	133.38	133.5	133.63	133.75	133.88	134.0	134.13	134.25	134.38	134.5	134.63	134.75	134.88	135.0	135.13	135.25	135.38	135.5	135.63	135.75	135.88	136.0	136.13	136.25	136.38	136.5	136.63	136.75	136.88	137.0	137.13	137.25	137.38	137.5	137.63	137.75	137.88	138.0	138.13	138.25	138.38	138.5	138.63	138.75	138.88	139.0	139.13	139.25	139.38	139.5	139.63	139.75	139.88	140.0	140.13	140.25	140.38	140.5	140.63	140.75	140.88	141.0	141.13	141.25	141.38	141.5	141.63	141.75	141.88	142.0	142.13	142.25	142.38	142.5	142.63	142.75	142.88	143.0	143.13	143.25	143.38	143.5	143.63	143.75	143.88	144.0	144.13	144.25	144.38	144.5	144.63	144.75	144.88	145.0	145.13	145.25	145.38	145.5	145.63	145.75	145.88	146.0	146.13	146.25	146.38	146.5	146.63	146.75	146.88	147.0	147.13




Input and output:  
 Colorimetric Printer Reflective System ORS20\_95a  
 data for any colour:

$u^*_e$  and number  $no. = 00 \dots 15$   
 elementary hue text:  
 $u^*_e = 16$  hues  $r00j, r25j, \dots, b75r$   
 contrast reduction factor:  
 $c_R = 1.0$

ORS20\_95a; adapted (a) CIELAB data


$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20\_95; CIELAB data

Name	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	46.89	66.08	41.48	78.02	32
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354
N <sub>M</sub>	20.41	0.28	0.64	0.7	66
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110
R <sub>CIE</sub>	39.92	58.74	27.99	65.07	25
J <sub>CIE</sub>	81.26	-2.89	71.56	71.62	92
G <sub>CIE</sub>	52.23	-42.42	13.6	44.55	162
B <sub>CIE</sub>	30.57	1.41	-46.47	46.49	272




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.071$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = r00j$   $u^*_d = m84o$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS20_95; CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	97
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	72
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	10
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	10
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	10
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	10
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	10
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	10
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	10
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	10
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	10
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	10

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

Data for maximum colour (Ma):  
 $LAB^*LAB^*_Ma: 47\ 67\ 32$   
 $LAB^*LCH^*_Ma: 47\ 75\ 25$   
 $lab^*rgb^*_Ma: 1.0\ 0.0\ 0.0$   
 $lab^*olv^*_Ma: 1.0\ 0.0\ 0.15$


triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$



BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.117$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = r25j$   $u^*_d = o17y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS20_95; CIELAB data						
$u^*_e$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$	
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

$u^*_e = r25j$   
 $LAB^*LAB^*$

ORS20_95a; adapted (a) CIELAB data							
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$	
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

Data for maximum colour (Ma):  
 $LAB^*LAB^*_{Ma}: 54\ 53\ 48$   
 $LAB^*LCH^*_{Ma}: 54\ 72\ 42$   
 $lab^*rgb^*_{Ma}: 1.0\ 0.25\ 0.0$   
 $lab^*olv^*_{Ma}: 1.0\ 0.17\ 0.0$

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; <http://www.ps.bam.de/Ee39/10L/L39E00NP.PS/.PDF>  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.164$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = r50j$   $u^*_d = o42y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95; CIELAB data						
	$u^*_e$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

$u^*_e = r50j$   
 $LAB^*LAB^*$


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 64 36 59  
 $LAB^*LCH^*_{Ma}$ : 64 69 58  
 $lab^*rgb^*_{Ma}$ : 1.0 0.5 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.42 0.0

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee39/10L/L39E00NP.PS/.PDF](http://www.ps.bam.de/Ee39/10L/L39E00NP.PS/.PDF)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.21$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = r75j$   $u^*_d = o68y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95; CIELAB data						
$u^*_e$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$	
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 73 18 71  
 $LAB^*LCH^*_{Ma}$ : 73 73 75  
 $lab^*rgb^*_{Ma}$ : 1.0 0.75 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.68 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

$u^*_e = r75j$   
 $LAB^*LAB^*$

ORS20_95a; adapted (a) CIELAB data							
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$	
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.256$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = j00g$   $u^*_d = o93y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS20_95; CIELAB data						
	$u^*_e$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

$u^*_e = j00g$   
 $LAB^*LAB^*$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

Data for maximum colour (Ma):  
 $LAB^*LAB^*_Ma: 85 -3 84$   
 $LAB^*LCH^*_Ma: 85 84 92$   
 $lab^*rgb^*_Ma: 1.0 1.0 0.0$   
 $lab^*olv^*_Ma: 1.0 0.94 0.0$

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; <http://www.ps.bam.de/Version 2.1, io=1,1, ColSpX=1>

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.305$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = j25g$   $u^*_d = y24l$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95; CIELAB data						
$u^*_e$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$	
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

$u^*_e = j25g$   
 $LAB^*LAB^*$


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 79 -26 72$   
 $LAB^*LCH^*_{Ma}: 79 77 109$   
 $lab^*rgb^*_{Ma}: 0.75 1.0 0.0$   
 $lab^*olv^*_{Ma}: 0.76 1.0 0.0$

ORS20_95a; adapted (a) CIELAB data							
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$	
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	242	c16v	
b00r	41.38	1.37	-45.05	45.07	274	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$



See for similar files: <http://www.ps.bam.de/Ee39/>; <http://www.ps.bam.de/Ee39/10L/L39E00NP.PS/.PDF>  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1


BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.354$

data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:

$u^*_e = j50g$   $u^*_d = y55l$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95; CIELAB data						
	$u^*_e$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

$u^*_e = j50g$   
 $LAB^*LAB^*$


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 68 -43 56  
 $LAB^*LCH^*_{Ma}$ : 68 70 127  
 $lab^*rgb^*_{Ma}$ : 0.5 1.0 0.0  
 $lab^*olv^*_{Ma}$ : 0.45 1.0 0.0

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; <http://www.ps.bam.de/Version2.1,io=1,1,Colspx=1>

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.402$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = j75g$   $u^*_d = y85l$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS20_95; CIELAB data						
$u^*_e$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$	
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

$u^*_e = j75g$   
 $LAB^*LAB^*$

ORS20_95a; adapted (a) CIELAB data							
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$	
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

Data for maximum colour (Ma):  
 $LAB^*LAB^*_{Ma}: 59 -58 41$   
 $LAB^*LCH^*_{Ma}: 59 71 144$   
 $lab^*rgb^*_{Ma}: 0.25 1.0 0.0$   
 $lab^*olv^*_{Ma}: 0.14 1.0 0.0$

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; <http://www.ps.bam.de/Version2.1,io=1,1,Colspx=1>  
 Technical information: <http://www.ps.bam.de>

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.451$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$


Hue texts:  
 $u^*_e = g00b$   $u^*_d = l12c$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95; CIELAB data						
$u^*_e$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$	
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	


ORS20_95a; adapted (a) CIELAB data							
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$	
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

Data for maximum colour (Ma):  
 $LAB^*LAB^*_Ma: 56 -58 19$   
 $LAB^*LCH^*_Ma: 56 61 162$   
 $lab^*rgb^*_Ma: 0.0 1.0 0.0$   
 $lab^*olv^*_Ma: 0.0 1.0 0.12$   
 triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.527$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = g25b$   $u^*_d = l45c$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95; CIELAB data						
	$u^*_e$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 58 -46 -8$   
 $LAB^*LCH^*_{Ma}: 58 47 189$   
 $lab^*rgb^*_{Ma}: 0.0 1.0 0.5$   
 $lab^*olv^*_{Ma}: 0.0 1.0 0.45$

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$


ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	



BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.603$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = g50b$   $u^*_d = l78c$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95; CIELAB data						
	$u^*_e$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
$O_M$	46.89	66.08	41.48	78.02	32	
$Y_M$	88.66	-10.34	90.28	90.87	97	
$L_M$	54.22	-65.51	35.22	74.38	152	
$C_M$	61.43	-30.85	-40.54	50.94	233	
$V_M$	25.93	26.15	-46.61	53.44	299	
$M_M$	47.92	73.41	-7.8	73.82	354	
$N_M$	20.41	0.28	0.64	0.7	66	
$W_M$	94.64	-0.81	2.2	2.34	110	
$R_M$	39.92	58.74	27.99	65.07	25	
$J_M$	81.26	-2.89	71.56	71.62	92	
$G_M$	52.23	-42.42	13.6	44.55	162	
$B_M$	30.57	1.41	-46.47	46.49	272	


Data for maximum colour ( $M_a$ ):

$LAB^*LAB^*_{Ma}$ : 60 -37 -28  
 $LAB^*LCH^*_{Ma}$ : 60 46 216  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 1.0  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.79

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
$r00j$	47.06	67.41	32.12	74.67	25	$m84o$	
$r25j$	53.95	53.38	48.38	72.04	42	$o17y$	
$r50j$	63.6	35.87	59.45	69.43	59	$o42y$	
$r75j$	73.37	18.14	70.66	72.95	76	$o68y$	
$j00g$	85.24	-3.4	84.28	84.35	92	$o93y$	
$j25g$	78.53	-25.99	72.23	76.76	110	$y24l$	
$j50g$	68.25	-42.61	56.0	70.37	127	$y51l$	
$j75g$	58.73	-57.99	40.99	71.02	145	$y85l$	
$g00b$	55.66	-58.35	18.71	61.27	162	$l12c$	
$g25b$	58.18	-46.2	-7.82	46.86	190	$l45c$	
$g50b$	60.08	-37.02	-27.87	46.34	217	$l78c$	
$g75b$	55.21	-20.63	-42.98	47.67	244	$c16v$	
$b00r$	41.38	1.37	-45.05	45.07	272	$c58v$	
$b25r$	26.43	27.03	-46.5	53.78	300	$v03m$	
$b50r$	36.22	48.22	-29.42	56.48	329	$v54m$	
$b75r$	47.81	72.75	-3.76	72.85	357	$m10o$	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; <http://www.ps.bam.de/Version2.1,io=1,1,Colspx=1>

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.679$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = g75b$   $u^*_d = c16v$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS20_95; CIELAB data						
	$u^*_e$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

$u^*_e = g75b$   
 $LAB^*LAB^*$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

Data for maximum colour (Ma):  
 $LAB^*LAB^*_Ma: 55 -21 -43$   
 $LAB^*LCH^*_Ma: 55 48 244$   
 $lab^*rgb^*_Ma: 0.0 0.5 1.0$   
 $lab^*olv^*_Ma: 0.0 0.84 1.0$

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.755$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = b00r$   $u^*_d = c58v$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS20_95; CIELAB data						
	$u^*_e$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 41 1 -45  
 $LAB^*LCH^*_{Ma}$ : 41 45 271  
 $lab^*rgb^*_{Ma}$ : 0.0 0.0 1.0  
 $lab^*olv^*_{Ma}$ : 0.0 0.42 1.0

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de) Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.834$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = b25r$   $u^*_d = v03m$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95; CIELAB data						
	$u^*_e$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 26 27 -46  
 $LAB^*LCH^*_{Ma}$ : 26 54 300  
 $lab^*rgb^*_{Ma}$ : 0.5 0.0 1.0  
 $lab^*olv^*_{Ma}$ : 0.03 0.0 1.0

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.913$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = b50r$   $u^*_d = v54m$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95; CIELAB data						
	$u^*_e$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

$u^*_e = b50r$   
 $LAB^*LAB^*$


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 36\ 48\ -29$   
 $LAB^*LCH^*_{Ma}: 36\ 56\ 328$   
 $lab^*rgb^*_{Ma}: 1.0\ 0.0\ 1.0$   
 $lab^*olv^*_{Ma}: 0.55\ 0.0\ 1.0$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de) Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.992$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = b75r$   $u^*_d = m10o$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95; CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_Ma: 48\ 73\ -4$   
 $LAB^*LCH^*_Ma: 48\ 73\ 357$   
 $lab^*rgb^*_Ma: 1.0\ 0.0\ 0.5$   
 $lab^*olv^*_Ma: 1.0\ 0.0\ 0.89$

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

$u^*_e = b75r$   
 $LAB^*LAB^*$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	



See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de) Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee39/](http://www.ps.bam.de/Ee39/)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001 -Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhdata  
application for evaluation and measurement of printer or monitor systems


	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*LAB*																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
01	20.4	24.6	28.9	33.1	37.3	41.5	45.8	50.0	54.2	58.4	62.6	66.8	71.0	75.2	79.4	83.6	87.8	92.0	96.2	100.4	104.6	108.8	113.0	117.2	121.4	125.6	129.8	134.0	138.2	142.4	146.6	150.8	155.0	159.2	163.4	167.6	171.8	176.0	180.2	184.4	188.6	192.8	197.0	201.2	205.4	209.6	213.8	218.0	222.2	226.4	230.6	234.8	239.0	243.2	247.4	251.6	255.8	260.0	264.2	268.4	272.6	276.8	281.0	285.2	289.4	293.6	297.8	302.0	306.2	310.4	314.6	318.8	323.0	327.2	331.4	335.6	339.8	344.0	348.2	352.4	356.6	360.8	365.0	369.2	373.4	377.6	381.8	386.0	390.2	394.4	398.6	402.8	407.0	411.2	415.4	419.6	423.8	428.0	432.2	436.4	440.6	444.8	449.0	453.2	457.4	461.6	465.8	470.0	474.2	478.4	482.6	486.8	491.0	495.2	499.4	503.6	507.8	512.0	516.2	520.4	524.6	528.8	533.0	537.2	541.4	545.6	549.8	554.0	558.2	562.4	566.6	570.8	575.0	579.2	583.4	587.6	591.8	596.0	600.2	604.4	608.6	612.8	617.0	621.2	625.4	629.6	633.8	638.0	642.2	646.4	650.6	654.8	659.0	663.2	667.4	671.6	675.8	680.0	684.2	688.4	692.6	696.8	701.0	705.2	709.4	713.6	717.8	722.0	726.2	730.4	734.6	738.8	743.0	747.2	751.4	755.6	759.8	764.0	768.2	772.4	776.6	780.8	785.0	789.2	793.4	797.6	801.8	806.0	810.2	814.4	818.6	822.8	827.0	831.2	835.4	839.6	843.8	848.0	852.2	856.4	860.6	864.8	869.0	873.2	877.4	881.6	885.8	890.0	894.2	898.4	902.6	906.8	911.0	915.2	919.4	923.6	927.8	932.0	936.2	940.4	944.6	948.8	953.0	957.2	961.4	965.6	969.8	974.0	978.2	982.4	986.6	990.8	995.0	999.2	1003.4	1007.6	1011.8	1016.0	1020.2	1024.4	1028.6	1032.8	1037.0	1041.2	1045.4	1049.6	1053.8	1058.0	1062.2	1066.4	1070.6	1074.8	1079.0	1083.2	1087.4	1091.6	1095.8	1100.0	1104.2	1108.4	1112.6	1116.8	1121.0	1125.2	1129.4	1133.6	1137.8	1142.0	1146.2	1150.4	1154.6	1158.8	1163.0	1167.2	1171.4	1175.6	1179.8	1184.0	1188.2	1192.4	1196.6	1200.8	1205.0	1209.2	1213.4	1217.6	1221.8	1226.0	1230.2	1234.4	1238.6	1242.8	1247.0	1251.2	1255.4	1259.6	1263.8	1268.0	1272.2	1276.4	1280.6	1284.8	1289.0	1293.2	1297.4	1301.6	1305.8	1310.0	1314.2	1318.4	1322.6	1326.8	1331.0	1335.2	1339.4	1343.6	1347.8	1352.0	1356.2	1360.4	1364.6	1368.8	1373.0	1377.2	1381.4	1385.6	1389.8	1394.0	1398.2	1402.4	1406.6	1410.8	1415.0	1419.2	1423.4	1427.6	1431.8	1436.0	1440.2	1444.4	1448.6	1452.8	1457.0	1461.2	1465.4	1469.6	1473.8	1478.0	1482.2	1486.4	1490.6	1494.8	1499.0	1503.2	1507.4	1511.6	1515.8	1520.0	1524.2	1528.4	1532.6	1536.8	1541.0	1545.2	1549.4	1553.6	1557.8	1562.0	1566.2	1570.4	1574.6	1578.8	1583.0	1587.2	1591.4	1595.6	1600.0	1604.2	1608.4	1612.6	1616.8	1621.0	1625.2	1629.4	1633.6	1637.8	1642.0	1646.2	1650.4	1654.6	1658.8	1663.0	1667.2	1671.4	1675.6	1679.8	1684.0	1688.2	1692.4	1696.6	1700.8	1705.0	1709.2	1713.4	1717.6	1721.8	1726.0	1730.2	1734.4	1738.6	1742.8	1747.0	1751.2	1755.4	1759.6	1763.8	1768.0	1772.2	1776.4	1780.6	1784.8	1789.0	1793.2	1797.4	1801.6	1805.8	1810.0	1814.2	1818.4	1822.6	1826.8	1831.0	1835.2	1839.4	1843.6	1847.8	1852.0	1856.2	1860.4	1864.6	1868.8	1873.0	1877.2	1881.4	1885.6	1889.8	1894.0	1898.2	1902.4	1906.6	1910.8	1915.0	1919.2	1923.4	1927.6	1931.8	1936.0	1940.2	1944.4	1948.6	1952.8	1957.0	1961.2	1965.4	1969.6	1973.8	1978.0	1982.2	1986.4	1990.6	1994.8	1999.0	2003.2	2007.4	2011.6	2015.8	2020.0	2024.2	2028.4	2032.6	2036.8	2041.0	2045.2	2049.4	2053.6	2057.8	2062.0	2066.2	2070.4	2074.6	2078.8	2083.0	2087.2	2091.4	2095.6	2100.0	2104.2	2108.4	2112.6	2116.8	2121.0	2125.2	2129.4	2133.6	2137.8	2142.0	2146.2	2150.4	2154.6	2158.8	2163.0	2167.2	2171.4	2175.6	2179.8	2184.0	2188.2	2192.4	2196.6	2200.8	2205.0	2209.2	2213.4	2217.6	2221.8	2226.0	2230.2	2234.4	2238.6	2242.8	2247.0	2251.2	2255.4	2259.6	2263.8	2268.0	2272.2	2276.4	2280.6	2284.8	2289.0	2293.2	2297.4	2301.6	2305.8	2310.0	2314.2	2318.4	2322.6	2326.8	2331.0	2335.2	2339.4	2343.6	2347.8	2352.0	2356.2	2360.4	2364.6	2368.8	2373.0	2377.2	2381.4	2385.6	2389.8	2394.0	2398.2	2402.4	2406.6	2410.8	2415.0	2419.2	2423.4	2427.6	2431.8	2436.0	2440.2	2444.4	2448.6	2452.8	2457.0	2461.2	2465.4	2469.6	2473.8	2478.0	2482.2	2486.4	2490.6	2494.8	2499.0	2503.2	2507.4	2511.6	2515.8	2520.0	2524.2	2528.4	2532.6	2536.8	2541.0	2545.2	2549.4	2553.6	2557.8	2562.0	2566.2	2570.4	2574.6	2578.8	2583.0	2587.2	2591.4	2595.6	2600.0	2604.2	2608.4	2612.6	2616.8	2621.0	2625.2	2629.4	2633.6	2637.8	2642.0	2646.2	2650.4	2654.6	2658.8	2663.0	2667.2	2671.4	2675.6	2679.8	2684.0	2688.2	2692.4	2696.6	2700.8	2705.0	2709.2	2713.4	2717.6	2721.8	2726.0	2730.2	2734.4	2738.6	2742.8	2747.0	2751.2	2755.4	2759.6	2763.8	2768.0	2772.2	2776.4	2780.6	2784.8	2789.0	2793.2	2797.4	2801.6	2805.8	2810.0	2814.2	2818.4	2822.6	2826.8	2831.0	2835.2	2839.4	2843.6	2847.8	2852.0	2856.2	2860.4	2864.6	2868.8	2873.0	2877.2	2881.4	2885.6	2889.8	2894.0	2898.2	2902.4	2906.6	2910.8	2915.0	2919.2	2923.4	2927.6	2931.8	2936.0	2940.2	2944.4	2948.6	2952.8	2957.0	2961.2	2965.4	2969.6	2973.8	2978.0	2982.2	2986.4	2990.6	2994.8	2999.0	3003.2	3007.4	3011.6	3015.8	3020.0	3024.2	3028.4	3032.6	3036.8	3041.0	3045.2	3049.4	3053.6	3057.8	3062.0	3066.2	3070.4	3074.6	3078.8	3083.0	3087.2	3091.4	3095.6	3100.0	3104.2	3108.4	3112.6	3116.8	3121.0	3125.2	3129.4	3133.6	3137.8	3142.0	3146.2	3150.4	3154.6	3158.8	3163.0	3167.2	3171.4	3175.6	3179.8	3184.0	3188.2	3192.4	3196.6	3200.8	3205.0	3209.2	3213.4	3217.6	3221.8	3226.0	3230.2	3234.4	3238.6	3242.8	3247.0	3251.2	3255.4	3259.6	3263.8	3268.0	3272.2	3276.4	3280.6	3284.8	3289.0	3293.2	3297.4	3301.6	3305.8	3310.0	3314.2	3318.4	3322.6	3326.8	3331.0	3335.2	3339.4	3343.6	3347.8	3352.0	3356.2	3360.4	3364.6	3368.8	3373.0	3377.2	3381.4	3385.6	3389.8	3394.0	3398.2	3402.4	3406.6	3410.8	3415.0	3419.2	3423.4	3427.6	3431.8	3436.0	3440.2	3444.4	3448.6	3452.8	3457.0	3461.2	3465.4	3469.6	3473.8	3478.0	3482.2	3486.4	3490.6	3494.8	3499.0	3503.2	3507.4	3511.6	3515.8	3520.0	3524.2	3528.4	3532.6	3536.8	3541.0	3545.2	3549.4	3553.6	3557.8	3562.0	3566.2	3570.4	3574.6	3578.8	3583.0	3587.2	3591.4	3595.6	3600.0	3604.2	3608.4	3612.6	3616.8	3621.0	3625.2	3629.4	3633.6	3637.8	3642.0	3646.2	3650.4	3654.6	3658.8	3663.0	3667.2	3671.4	3675.6	3679.8	3684.0	3688.2	3692.4	3696.6	3700.8	3705.0	3709.2	3713.4	3717.6	3721.8	3726.0	3730.2	3734.4	3738.6	3742.8	3747.0	3751.2	3755.4	3759.6	3763.8	3768.0	3772.2	3776.4	3780.6	3784.8	3789.0	3793.2	3797.4	3801.6	3805.8	3810.0	3814.2	3818.4	3822.6	3826.8	3831.0	3835.2	3839.4	3843.6	3847.8	3852.0	3856.2	3860.4	3864.6	3868.8	3873.0	3877.2	3881.4	3885.6	3889.8	3894.0	3898.2	3902.4	3906.6	3910.8	3915.0	3919.2	3923.4	3927.6	3931.8	3936.0	3940.2	3944.4	3948.6	3952.8	3957.0	3961.2	3965.4	3969.6	3973.8	3978.0	3982.2	3986.4	3990.6	3994.8	3999.0	4003.2	4007.4	4011.6	4015.8	4020.0	4024.2	4028.4	4032.6	4036.8	4041.0	4045.2	4049.4	4053.6	4057.8	4062.0	4066.2	4070.4	4074.6	4078.8	4083.0	4087.2	4091.4	4095.6	4100.0	4104.2	4108.4	4112.6	4116.8	4121.0	4125.2	4129.4	4133.6	4137.8	4142.0	4146.2	4150.4	4154.6	4158.8	4163.0	4167.2	4171.4	4175.6	4179.8	4184.0	4188.2	4192.4	4196.6	4200.8	4205.0	4209.2	4213.4	4217.6	4221.8	4226.0	4230.2	4234.4	4238.6	4242.8	4247.0	4251.2	4255.4	4259.6	4263.8	4268.0	4272.2	4276.4	4280.6	4284.8	4289.0	4293.2	4297.4	4301.6	4305.8	4310.0	4314.2	4318.4	4322.6	4326.8	4331.0	4335.2	4339.4	4343.6	4347.8	4352.0	4356.2	4360.4	4364.6	4368.8	4373.0	4377.2	4381.4	4385.6	4389.8	4394.0	4398.2	4402.4	4406.6	4410.8	4415.0	4419.2	4423.4	4427.6	4431.8	4436.0	4440.2	4444.4	4448.6	4452.8	4457.0	4461.2	4465.4	4469.6	4473.8	4478.0	4482.2	4486.4	4490.6	4494.8	4499.0	4503.2	4507.4	4511.6	4515.8	4520.0	4524.2	4528.4	4532.6	4536.8	4541.0	4545.2	4549.4	4553.6	4557.8	4562.0	4566.2	4570.4	4574.6	4578.8	4583.0	4587.2	4591.4	4595.6	4600.0	4604.2	4608.4	4612.6	4616.8	4621.0	4625.2

Input and output:  
 Colorimetric Printer Reflective System ORS20\_95a  
 data for any colour:

$u^*_e$  and number  $no. = 00 \dots 15$   
 elementary hue text:  
 $u^*_e = 16$  hues  $r00j, r25j, \dots, b75r$   
 contrast reduction factor:  
 $c_R = 1.0$

ORS20\_95a; adapted (a) CIELAB data


$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$


ORS20\_95a; CIELAB data

Name	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	46.89	66.08	41.48	78.02	32
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354
N <sub>M</sub>	20.41	0.28	0.64	0.7	66
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110
R <sub>CIE</sub>	39.92	58.74	27.99	65.07	92
J <sub>CIE</sub>	81.26	-2.89	71.56	71.62	25
G <sub>CIE</sub>	52.23	-42.42	13.6	44.55	162
B <sub>CIE</sub>	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.071$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = r00j$   $u^*_d = m84o$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; CIELAB data

	$u^*_e$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	46.89	66.08	41.48	78.02	78.02	37
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	90.87	92
L <sub>M</sub>	54.22	-65.51	35.22	74.38	74.38	152
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	50.94	233
V <sub>M</sub>	25.93	26.15	-46.61	53.44	53.44	299
M <sub>M</sub>	47.92	73.41	-7.8	73.82	73.82	354
N <sub>M</sub>	20.41	0.28	0.64	0.7	0.7	66
W <sub>M</sub>	94.64	-0.81	2.2	2.34	2.34	110
R <sub>M</sub>	39.92	58.74	27.99	65.07	65.07	25
J <sub>M</sub>	81.26	-2.89	71.56	71.62	71.62	92
G <sub>M</sub>	52.23	-42.42	13.6	44.55	44.55	162
B <sub>M</sub>	30.57	1.41	-46.47	46.49	46.49	272


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 47 67 32  
 $LAB^*LCH^*_{Ma}$ : 47 75 25  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 0.15  
 triangle lightness  $t^*$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; <http://www.ps.bam.de>  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.117$   
 data for any colour:

$lab^*tch^*$  and  $lab^*ic_u^*$   
 Hue texts:  
 $u^*_e = r25j$   $u^*_d = o17y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
$O_M$	46.89	66.08	41.48	78.02	32	97
$Y_M$	88.66	-10.34	90.28	90.87	97	97
$L_M$	54.22	-65.51	35.22	74.38	152	152
$C_M$	61.43	-30.85	-40.54	50.94	233	233
$V_M$	25.93	26.15	-46.61	53.44	299	299
$M_M$	47.92	73.41	-7.8	73.82	354	354
$N_M$	20.41	0.28	0.64	0.7	66	66
$W_M$	94.64	-0.81	2.2	2.34	110	110
$R_M$	39.92	58.74	27.99	65.07	25	25
$J_M$	81.26	-2.89	71.56	71.62	92	92
$G_M$	52.23	-42.42	13.6	44.55	162	162
$B_M$	30.57	1.41	-46.47	46.49	272	272

Data for maximum colour ( $Ma$ ):

$LAB^*LAB^*_Ma$ : 54 53 48  
 $LAB^*LCH^*_Ma$ : 54 72 42  
 $lab^*rgb^*_Ma$ : 1.0 0.25 0.0  
 $lab^*olv^*_Ma$ : 1.0 0.17 0.0


triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

$u^*_e = r25j$   
 $lab^*olv^*$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
$r00j$	47.06	67.41	32.12	74.67	25	$m84o$	
$r25j$	53.95	53.38	48.38	72.04	42	$o17y$	
$r50j$	63.6	35.87	59.45	69.43	59	$o42y$	
$r75j$	73.37	18.14	70.66	72.95	76	$o68y$	
$j00g$	85.24	-3.4	84.28	84.35	92	$o93y$	
$j25g$	78.53	-25.99	72.23	76.76	110	$y24l$	
$j50g$	68.25	-42.61	56.0	70.37	127	$y51l$	
$j75g$	58.73	-57.99	40.99	71.02	145	$y85l$	
$g00b$	55.66	-58.35	18.71	61.27	162	$l12c$	
$g25b$	58.18	-46.2	-7.82	46.86	190	$l45c$	
$g50b$	60.08	-37.02	-27.87	46.34	217	$l78c$	
$g75b$	55.21	-20.63	-42.98	47.67	244	$c16v$	
$b00r$	41.38	1.37	-45.05	45.07	272	$c58v$	
$b25r$	26.43	27.03	-46.5	53.78	300	$v03m$	
$b50r$	36.22	48.22	-29.42	56.48	329	$v54m$	
$b75r$	47.81	72.75	-3.76	72.85	357	$m10o$	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.164$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*ic_u^*$

Hue texts:  
 $u^*_e = r50j$   $u^*_d = o42y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	97
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	97
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	152
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	233
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	299
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	354
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	66
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	110
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	25
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	92
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	162
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	272

Data for maximum colour (Ma):


$LAB^*LAB^*_Ma$ : 64 36 59  
 $LAB^*LCH^*_Ma$ : 64 69 58  
 $lab^*rgb^*_Ma$ : 1.0 0.5 0.0  
 $lab^*olv^*_Ma$ : 1.0 0.42 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

$u^*_e = r50j$   
 $lab^*olv^*$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.21$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = r75j$   $u^*_d = o68y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	97
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	97
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	152
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	233
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	299
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	354
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	66
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	110
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	25
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	92
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	162
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 73 18 71  
 $LAB^*LCH^*_{Ma}$ : 73 73 75  
 $lab^*rgb^*_{Ma}$ : 1.0 0.75 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.68 0.0


triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

$u^*_e = r75j$   
 $lab^*olv^*$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.256$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = j00g$   $u^*_d = o93y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
$O_M$	46.89	66.08	41.48	78.02	32	
$Y_M$	88.66	-10.34	90.28	90.87	97	
$L_M$	54.22	-65.51	35.22	74.38	152	
$C_M$	61.43	-30.85	-40.54	50.94	233	
$V_M$	25.93	26.15	-46.61	53.44	299	
$M_M$	47.92	73.41	-7.8	73.82	354	
$N_M$	20.41	0.28	0.64	0.7	66	
$W_M$	94.64	-0.81	2.2	2.34	110	
$R_M$	39.92	58.74	27.99	65.07	25	
$J_M$	81.26	-2.89	71.56	71.62	92	
$G_M$	52.23	-42.42	13.6	44.55	162	
$B_M$	30.57	1.41	-46.47	46.49	272	


Data for maximum colour ( $Ma$ ):

$LAB^*LAB^*_Ma$ : 85 -3 84  
 $LAB^*LCH^*_Ma$ : 85 84 92  
 $lab^*rgb^*_Ma$ : 1.0 1.0 0.0  
 $lab^*olv^*_Ma$ : 1.0 0.94 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
$r00j$	47.06	67.41	32.12	74.67	25	$m84o$	
$r25j$	53.95	53.38	48.38	72.04	42	$o17y$	
$r50j$	63.6	35.87	59.45	69.43	59	$o42y$	
$r75j$	73.37	18.14	70.66	72.95	76	$o68y$	
$j00g$	85.24	-3.4	84.28	84.35	92	$o93y$	
$j25g$	78.53	-25.99	72.23	76.76	110	$y24l$	
$j50g$	68.25	-42.61	56.0	70.37	127	$y51l$	
$j75g$	58.73	-57.99	40.99	71.02	145	$y85l$	
$g00b$	55.66	-58.35	18.71	61.27	162	$l12c$	
$g25b$	58.18	-46.2	-7.82	46.86	190	$l45c$	
$g50b$	60.08	-37.02	-27.87	46.34	217	$l78c$	
$g75b$	55.21	-20.63	-42.98	47.67	244	$c16v$	
$b00r$	41.38	1.37	-45.05	45.07	272	$c58v$	
$b25r$	26.43	27.03	-46.5	53.78	300	$v03m$	
$b50r$	36.22	48.22	-29.42	56.48	329	$v54m$	
$b75r$	47.81	72.75	-3.76	72.85	357	$m10o$	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.305$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = j25g$   $u^*_d = y24l$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	97
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	97
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	97
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	97
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	97
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	97
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	97
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	97
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	97
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	97
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	97
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	97

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 79 -26 72$

$LAB^*LCH^*_{Ma}: 79 77 109$

$lab^*rgb^*_{Ma}: 0.75 1.0 0.0$

$lab^*olv^*_{Ma}: 0.76 1.0 0.0$

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 87$

%Regularity


$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

$u^*_e = j25g$   
 $lab^*olv^*$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.354$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = j50g$   $u^*_d = y55l$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 68 -43 56

$LAB^*LCH^*_{Ma}$ : 68 70 127

$lab^*rgb^*_{Ma}$ : 0.5 1.0 0.0

$lab^*olv^*_{Ma}$ : 0.45 1.0 0.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 87$


%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

$u^*_e = j50g$   
 $lab^*olv^*$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	58.25	-42.61	56.0	70.37	127	y55l	
j75g	68.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.402$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = j75g$   $u^*_d = y85l$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 59 -58 41

$LAB^*LCH^*_{Ma}$ : 59 71 144

$lab^*rgb^*_{Ma}$ : 0.25 1.0 0.0

$lab^*olv^*_{Ma}$ : 0.14 1.0 0.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 87$


%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

$u^*_e = j75g$   
 $lab^*olv^*$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.451$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = g00b$   $u^*_d = l12c$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; CIELAB data

	$u^*_e$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 56 -58 19

$LAB^*LCH^*_{Ma}$ : 56 61 162

$lab^*rgb^*_{Ma}$ : 0.0 1.0 0.0

$lab^*olv^*_{Ma}$ : 0.0 1.0 0.12

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 87$

%Regularity


$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

$u^*_e = g00b$   
 $lab^*olv^*$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	58.25	-42.61	56.0	70.37	127	y51l	
j75g	68.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.527$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = g25b$   $u^*_d = l45c$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 58 -46 -8  
 $LAB^*LCH^*_{Ma}$ : 58 47 189  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 0.5  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.45


triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

$u^*_e = g25b$   
 $lab^*olv^*$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.603$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = g50b$   $u^*_d = l78c$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
$O_M$	46.89	66.08	41.48	78.02	32	
$Y_M$	88.66	-10.34	90.28	90.87	97	
$L_M$	54.22	-65.51	35.22	74.38	152	
$C_M$	61.43	-30.85	-40.54	50.94	233	
$V_M$	25.93	26.15	-46.61	53.44	299	
$M_M$	47.92	73.41	-7.8	73.82	354	
$N_M$	20.41	0.28	0.64	0.7	66	
$W_M$	94.64	-0.81	2.2	2.34	110	
$R_M$	39.92	58.74	27.99	65.07	25	
$J_M$	81.26	-2.89	71.56	71.62	92	
$G_M$	52.23	-42.42	13.6	44.55	162	
$B_M$	30.57	1.41	-46.47	46.49	272	

Data for maximum colour ( $M_a$ ):

$LAB^*LAB^*_{M_a}$ : 60 -37 -28

$LAB^*LCH^*_{M_a}$ : 60 46 216

$lab^*rgb^*_{M_a}$ : 0.0 1.0 1.0

$lab^*olv^*_{M_a}$ : 0.0 1.0 0.79

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 87$


%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

$u^*_e = g50b$   
 $lab^*olv^*$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
$r00j$	47.06	67.41	32.12	74.67	25	$m84o$	
$r25j$	53.95	53.38	48.38	72.04	42	$o17y$	
$r50j$	63.6	35.87	59.45	69.43	59	$o42y$	
$r75j$	73.37	18.14	70.66	72.95	76	$o68y$	
$j00g$	85.24	-3.4	84.28	84.35	92	$o93y$	
$j25g$	78.53	-25.99	72.23	76.76	110	$y24l$	
$j50g$	68.25	-42.61	56.0	70.37	127	$y51l$	
$j75g$	58.73	-57.99	40.99	71.02	145	$y85l$	
$g00b$	55.66	-58.35	18.71	61.27	162	$l12c$	
$g25b$	58.18	-46.2	-7.82	46.86	190	$l45c$	
$g50b$	60.08	-37.02	-27.87	46.34	217	$l78c$	
$g75b$	55.21	-20.63	-42.98	47.67	244	$c16v$	
$b00r$	41.38	1.37	-45.05	45.07	272	$c58v$	
$b25r$	26.43	27.03	-46.5	53.78	300	$v03m$	
$b50r$	36.22	48.22	-29.42	56.48	329	$v54m$	
$b75r$	47.81	72.75	-3.76	72.85	357	$m10o$	




See for similar files: <http://www.ps.bam.de/Ee39/>; <http://www.ps.bam.de/Ee.HTM>  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.679$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = g75b$   $u^*_d = c16v$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
$O_M$	46.89	66.08	41.48	78.02	32	
$Y_M$	88.66	-10.34	90.28	90.87	97	
$L_M$	54.22	-65.51	35.22	74.38	152	
$C_M$	61.43	-30.85	-40.54	50.94	233	
$V_M$	25.93	26.15	-46.61	53.44	299	
$M_M$	47.92	73.41	-7.8	73.82	354	
$N_M$	20.41	0.28	0.64	0.7	66	
$W_M$	94.64	-0.81	2.2	2.34	110	
$R_M$	39.92	58.74	27.99	65.07	25	
$J_M$	81.26	-2.89	71.56	71.62	92	
$G_M$	52.23	-42.42	13.6	44.55	162	
$B_M$	30.57	1.41	-46.47	46.49	272	

Data for maximum colour ( $M_a$ ):

$LAB^*LAB^*_{M_a}$ : 55 -21 -43  
 $LAB^*LCH^*_{M_a}$ : 55 48 244  
 $lab^*rgb^*_{M_a}$ : 0.0 0.5 1.0  
 $lab^*olv^*_{M_a}$ : 0.0 0.84 1.0


triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

$u^*_e = g75b$   
 $lab^*olv^*$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
$r00j$	47.06	67.41	32.12	74.67	25	$m84o$	
$r25j$	53.95	53.38	48.38	72.04	42	$o17y$	
$r50j$	63.6	35.87	59.45	69.43	59	$o42y$	
$r75j$	73.37	18.14	70.66	72.95	76	$o68y$	
$j00g$	85.24	-3.4	84.28	84.35	92	$o93y$	
$j25g$	78.53	-25.99	72.23	76.76	110	$y24l$	
$j50g$	68.25	-42.61	56.0	70.37	127	$y51l$	
$j75g$	58.73	-57.99	40.99	71.02	145	$y85l$	
$g00b$	55.66	-58.35	18.71	61.27	162	$l12c$	
$g25b$	58.18	-46.2	-7.82	46.86	190	$l45c$	
$g50b$	60.08	-37.02	-27.87	46.34	217	$l78c$	
$g75b$	55.21	-20.63	-42.98	47.67	244	$c16v$	
$b00r$	41.38	1.37	-45.05	45.07	272	$c58v$	
$b25r$	26.43	27.03	-46.5	53.78	300	$v03m$	
$b50r$	36.22	48.22	-29.42	56.48	329	$v54m$	
$b75r$	47.81	72.75	-3.76	72.85	357	$m10o$	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.755$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = b00r$   $u^*_d = c58v$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
$O_M$	46.89	66.08	41.48	78.02	32	
$Y_M$	88.66	-10.34	90.28	90.87	97	
$L_M$	54.22	-65.51	35.22	74.38	152	
$C_M$	61.43	-30.85	-40.54	50.94	233	
$V_M$	25.93	26.15	-46.61	53.44	299	
$M_M$	47.92	73.41	-7.8	73.82	354	
$N_M$	20.41	0.28	0.64	0.7	66	
$W_M$	94.64	-0.81	2.2	2.34	110	
$R_M$	39.92	58.74	27.99	65.07	25	
$J_M$	81.26	-2.89	71.56	71.62	92	
$G_M$	52.23	-42.42	13.6	44.55	162	
$B_M$	30.57	1.41	-46.47	46.49	272	


Data for maximum colour ( $M_a$ ):

$LAB^*LAB^*_{M_a}$ : 41 1 -45  
 $LAB^*LCH^*_{M_a}$ : 41 45 271  
 $lab^*rgb^*_{M_a}$ : 0.0 0.0 1.0  
 $lab^*olv^*_{M_a}$ : 0.0 0.42 1.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
$r00j$	47.06	67.41	32.12	74.67	25	$m84o$	
$r25j$	53.95	53.38	48.38	72.04	42	$o17y$	
$r50j$	63.6	35.87	59.45	69.43	59	$o42y$	
$r75j$	73.37	18.14	70.66	72.95	76	$o68y$	
$j00g$	85.24	-3.4	84.28	84.35	92	$o93y$	
$j25g$	78.53	-25.99	72.23	76.76	110	$y24l$	
$j50g$	58.25	-42.61	56.0	70.37	127	$y51l$	
$j75g$	68.73	-57.99	40.99	71.02	145	$y85l$	
$g00b$	55.66	-58.35	18.71	61.27	162	$l12c$	
$g25b$	58.18	-46.2	-7.82	46.86	190	$l45c$	
$g50b$	60.08	-37.02	-27.87	46.34	217	$l78c$	
$g75b$	55.21	-20.63	-42.98	47.67	244	$c16v$	
$b00r$	41.38	1.37	-45.05	45.07	272	$c58v$	
$b25r$	26.43	27.03	-46.5	53.78	300	$v03m$	
$b50r$	36.22	48.22	-29.42	56.48	329	$v54m$	
$b75r$	47.81	72.75	-3.76	72.85	357	$m10o$	




BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.834$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = b25r$   $u^*_d = v03m$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 26 27 -46

$LAB^*LCH^*_{Ma}$ : 26 54 300

$lab^*rgb^*_{Ma}$ : 0.5 0.0 1.0

$lab^*olv^*_{Ma}$ : 0.03 0.0 1.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 87$


%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

$u^*_e = b25r$   
 $lab^*olv^*$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	58.25	-42.61	56.0	70.37	127	y51l	
j75g	68.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.913$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = b50r$   $u^*_d = v54m$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 36 48 -29

$LAB^*LCH^*_{Ma}$ : 36 56 328

$lab^*rgb^*_{Ma}$ : 1.0 0.0 1.0

$lab^*olv^*_{Ma}$ : 0.55 0.0 1.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 87$

%Regularity


$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

$u^*_e = b50r$   
 $lab^*olv^*$

ORS20\_95a; adapted (a) CIELAB data

	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	58.25	-42.61	56.0	70.37	127	y51l	
j75g	68.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.992$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = b75r$   $u^*_d = m10o$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS20_95a; CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	97
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	97
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	152
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	233
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	299
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	354
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	66
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	110
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	25
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	92
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	162
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$ : 48 73 -4  
 $LAB^*LCH^*_Ma$ : 48 73 357  
 $lab^*rgb^*_Ma$ : 1.0 0.0 0.5  
 $lab^*olv^*_Ma$ : 1.0 0.0 0.89

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$



See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee39/](http://www.ps.bam.de/Ee39/)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems


Table with columns A through lab\*oly\* and rows 01 through 27. Each cell contains a numerical value representing colorimetric data.

Input and output:  
 Colorimetric Printer Reflective System ORS20\_95a  
 data for any colour:

$u^*_e$  and number  $no. = 00 \dots 15$   
 elementary hue text:  
 $u^*_e = 16$  hues  $r00j, r25j, \dots, b75r$   
 contrast reduction factor:  
 $c_R = 1.0$

ORS20\_95a; adapted (a) CIELAB data


$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$


ORS20\_95a; CIELAB data

Name	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	46.89	66.08	41.48	78.02	32
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354
N <sub>M</sub>	20.41	0.28	0.64	0.7	66
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110
R <sub>CIE</sub>	39.92	58.74	27.99	65.07	25
J <sub>CIE</sub>	81.26	-2.89	71.56	71.62	92
G <sub>CIE</sub>	52.23	-42.42	13.6	44.55	162
B <sub>CIE</sub>	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.071$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = r00j$   $u^*_d = m84o$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS20_95a; CIELAB data						
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab}$	$h^*_{ab}$	
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$ : 47 67 32  
 $LAB^*LCH^*_Ma$ : 47 75 25  
 $lab^*rgb^*_Ma$ : 1.0 0.0 0.0  
 $lab^*olv^*_Ma$ : 1.0 0.0 0.15

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$	
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.117$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = r25j$   $u^*_d = o17y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$ : 54 53 48  
 $LAB^*LCH^*_Ma$ : 54 72 42  
 $lab^*rgb^*_Ma$ : 1.0 0.25 0.0  
 $lab^*olv^*_Ma$ : 1.0 0.17 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.164$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = r50j$   $u^*_d = o42y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS20_95a; CIELAB data						
$u^*_e$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$	
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$ : 64 36 59  
 $LAB^*LCH^*_Ma$ : 64 69 58  
 $lab^*rgb^*_Ma$ : 1.0 0.5 0.0  
 $lab^*olv^*_Ma$ : 1.0 0.42 0.0

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$	
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPX=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.21$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = r75j$   $u^*_d = o68y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS20_95a; CIELAB data						
$u^*_e$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$	
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
N <sub>M</sub>	20.44	0.28	0.64	0.7	66	
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 73 18 71  
 $LAB^*LCH^*_{Ma}$ : 73 73 75  
 $lab^*rgb^*_{Ma}$ : 1.0 0.75 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.68 0.0

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$	
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.256$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = j00g$   $u^*_d = o93y$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS20_95a; CIELAB data						
$u^*_e$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$	
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 85 -3 84  
 $LAB^*LCH^*_{Ma}$ : 85 84 92  
 $lab^*rgb^*_{Ma}$ : 1.0 1.0 0.0  
 $lab^*olv^*_{Ma}$ : 1.0 0.94 0.0

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$	
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.305$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = j25g$   $u^*_d = y24l$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; CIELAB data						
$u^*_e$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$	
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_Ma: 79 -26 72$   
 $LAB^*LCH^*_Ma: 79 77 109$   
 $lab^*rgb^*_Ma: 0.75 1.0 0.0$   
 $lab^*olv^*_Ma: 0.76 1.0 0.0$

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

$u^*_e = j25g$   
 $LAB^*cmyn^*_e$

ORS20_95a; adapted (a) CIELAB data							
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$	
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>;  
 Technical information: <http://www.ps.bam.de>  
 Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.354$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = j50g$   $u^*_d = y55l$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; CIELAB data						
$u^*_e$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$	
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
W <sub>M</sub>	20.41	0.28	0.64	0.7	66	
N <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	


$u^*_e = j50g$   
 $LAB^*cmy^n^*$

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$ : 68 -43 56  
 $LAB^*LCH^*_Ma$ : 68 70 127  
 $lab^*rgb^*_Ma$ : 0.5 1.0 0.0  
 $lab^*olv^*_Ma$ : 0.45 1.0 0.0

ORS20_95a; adapted (a) CIELAB data							
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$	
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001 -Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.402$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = j75g$   $u^*_d = y85l$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; CIELAB data						
$u^*_e$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$	
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

$u^*_e = j75g$   
 $LAB^*cmy^n^*$


Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$ : 59 -58 41  
 $LAB^*LCH^*_Ma$ : 59 71 144  
 $lab^*rgb^*_Ma$ : 0.25 1.0 0.0  
 $lab^*olv^*_Ma$ : 0.14 1.0 0.0

ORS20_95a; adapted (a) CIELAB data							
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$	
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; <http://www.ps.bam.de>  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.451$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = g00b$   $u^*_d = l12c$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$





ORS20_95a; CIELAB data						
$u^*_e$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$	
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

$u^*_e = g00b$   
 $LAB^*cmy^n^*$

ORS20_95a; adapted (a) CIELAB data							
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$	
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

Data for maximum colour (Ma):  
 $LAB^*LAB^*_Ma: 56 -58 19$   
 $LAB^*LCH^*_Ma: 56 61 162$   
 $lab^*rgb^*_Ma: 0.0 1.0 0.0$   
 $lab^*olv^*_Ma: 0.0 1.0 0.12$   
 triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.527$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = g25b$   $u^*_d = l45c$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS20_95a; CIELAB data						
$u^*_e$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$	
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$ : 58 -46 -8  
 $LAB^*LCH^*_Ma$ : 58 47 189  
 $lab^*rgb^*_Ma$ : 0.0 1.0 0.5  
 $lab^*olv^*_Ma$ : 0.0 1.0 0.45  
 triangle lightness  $t^*$

ORS20_95a; adapted (a) CIELAB data							
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$	
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	



$u^*_e = g25b$   
 $LAB^*cmy^n^*$

$LAB^*cmy^n^*$


brilliantness  $i^*$

See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.603$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = g50b$   $u^*_d = l78c$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20\_95a; CIELAB data

$u^*_e$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	46.89	66.08	41.48	78.02	32
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354
N <sub>M</sub>	20.41	0.28	0.64	0.7	66
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110
R <sub>M</sub>	39.92	58.74	27.99	65.07	25
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):


$LAB^*LAB^*_Ma$ : 60 -37 -28  
 $LAB^*LCH^*_Ma$ : 60 46 216  
 $lab^*rgb^*_Ma$ : 0.0 1.0 1.0  
 $lab^*olv^*_Ma$ : 0.0 1.0 0.79

ORS20\_95a; adapted (a) CIELAB data

$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y51l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

$u^*_e = g50b$   
 $LAB^*cmy^n^*$

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.679$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = g75b$   $u^*_d = c16v$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS20_95a; CIELAB data						
$u^*_e$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$	
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 55 -21 -43  
 $LAB^*LCH^*_{Ma}$ : 55 48 244  
 $lab^*rgb^*_{Ma}$ : 0.0 0.5 1.0  
 $lab^*olv^*_{Ma}$ : 0.0 0.84 1.0

ORS20_95a; adapted (a) CIELAB data							
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$	
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.755$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = b00r$   $u^*_d = c58v$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; CIELAB data						
$u^*_e$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$	
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_Ma$ : 41 1 -45  
 $LAB^*LCH^*_Ma$ : 41 45 271  
 $lab^*rgb^*_Ma$ : 0.0 0.0 1.0  
 $lab^*olv^*_Ma$ : 0.0 0.42 1.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$

$u^*_e = b00r$   
 $LAB^*cmy^n^*$

ORS20_95a; adapted (a) CIELAB data							
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$	
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16c	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.834$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_e = b25r$   $u^*_d = v03m$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$





ORS20_95a; CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$ : 26 27 -46  
 $LAB^*LCH^*_Ma$ : 26 54 300  
 $lab^*rgb^*_Ma$ : 0.5 0.0 1.0  
 $lab^*olv^*_Ma$ : 0.03 0.0 1.0

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y51l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.913$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_e = b50r$   $u^*_d = v54m$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS20_95a; CIELAB data						
	$u^*_e$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
$O_M$	46.89	66.08	41.48	78.02	32	
$Y_M$	88.66	-10.34	90.28	90.87	97	
$L_M$	54.22	-65.51	35.22	74.38	152	
$C_M$	61.43	-30.85	-40.54	50.94	233	
$V_M$	25.93	26.15	-46.61	53.44	299	
$M_M$	47.92	73.41	-7.8	73.82	354	
$N_M$	20.41	0.28	0.64	0.7	66	
$W_M$	94.64	-0.81	2.2	2.34	110	
$R_M$	39.92	58.74	27.99	65.07	25	
$J_M$	81.26	-2.89	71.56	71.62	92	
$G_M$	52.23	-42.42	13.6	44.55	162	
$B_M$	30.57	1.41	-46.47	46.49	272	

Data for maximum colour ( $M_a$ ):

$LAB^*LAB^*_M_a: 36\ 48\ -29$   
 $LAB^*LCH^*_M_a: 36\ 56\ 328$   
 $lab^*rgb^*_M_a: 1.0\ 0.0\ 1.0$   
 $lab^*olv^*_M_a: 0.55\ 0.0\ 1.0$

ORS20_95a; adapted (a) CIELAB data							
	$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
$r00j$	47.06	67.41	32.12	74.67	25	$m84o$	
$r25j$	53.95	53.38	48.38	72.04	42	$o17y$	
$r50j$	63.6	35.87	59.45	69.43	59	$o42y$	
$r75j$	73.37	18.14	70.66	72.95	76	$o68y$	
$j00g$	85.24	-3.4	84.28	84.35	92	$o93y$	
$j25g$	78.53	-25.99	72.23	76.76	110	$y24l$	
$j50g$	68.25	-42.61	56.0	70.37	127	$y51l$	
$j75g$	58.73	-57.99	40.99	71.02	145	$y85l$	
$g00b$	55.66	-58.35	18.71	61.27	162	$l12c$	
$g25b$	58.18	-46.2	-7.82	46.86	190	$l45c$	
$g50b$	60.08	-37.02	-27.87	46.34	217	$l78c$	
$g75b$	55.21	-20.63	-42.98	47.67	244	$c16v$	
$b00r$	41.38	1.37	-45.05	45.07	272	$c58v$	
$b25r$	26.43	27.03	-46.5	53.78	300	$v03m$	
$b50r$	36.22	48.22	-29.42	56.48	329	$v54m$	
$b75r$	47.81	72.75	-3.76	72.85	357	$m10o$	

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 87$   
 %Regularity  
 $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$




See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS20\_95a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.992$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$


Hue texts:  
 $u^*_e = b75r$   $u^*_d = m10o$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS20_95a; CIELAB data						
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab}$	$h^*_{ab}$	
O <sub>M</sub>	46.89	66.08	41.48	78.02	32	
Y <sub>M</sub>	88.66	-10.34	90.28	90.87	97	
L <sub>M</sub>	54.22	-65.51	35.22	74.38	152	
C <sub>M</sub>	61.43	-30.85	-40.54	50.94	233	
V <sub>M</sub>	25.93	26.15	-46.61	53.44	299	
M <sub>M</sub>	47.92	73.41	-7.8	73.82	354	
N <sub>M</sub>	20.41	0.28	0.64	0.7	66	
W <sub>M</sub>	94.64	-0.81	2.2	2.34	110	
R <sub>M</sub>	39.92	58.74	27.99	65.07	25	
J <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
G <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
B <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

ORS20_95a; adapted (a) CIELAB data						
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y51l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

Data for maximum colour (Ma):  
 $LAB^*LAB^*_Ma: 48\ 73\ -4$   
 $LAB^*LCH^*_Ma: 48\ 73\ 357$   
 $lab^*rgb^*_Ma: 1.0\ 0.0\ 0.5$   
 $lab^*olv^*_Ma: 1.0\ 0.0\ 0.89$   
 triangle lightness  $t^*$   
 %Gamut  $u^*_{rel} = 87$   
 %Regularity  $g^*_{H,rel} = 67$   
 $g^*_{C,rel} = 59$



See for similar files: <http://www.ps.bam.de/Ee39/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

