


Input and output:  
 Colorimetric Printer Reflective System ORS19\_96a  
 data for any colour:

$u^*_d$  and number *no.* = 00 .. 15  
 device hue text:  
 $u^*_d = 16$  hues *o00y, o25y, ..., m50o*  
 contrast reduction factor:  
 $c_R = 1.0$

ORS19\_96a; adapted (a) CIELAB data


$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>
<i>l00c</i>	52.69	-65.44	-20.75	68.65	200	<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	162	<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>



%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data


Name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
<i>O<sub>Ma</sub></i>	48.75	65.07	39.43	76.08	31
<i>Y<sub>Ma</sub></i>	90.92	-10.29	87.24	87.85	97
<i>L<sub>Ma</sub></i>	52.69	-65.44	20.75	68.65	162
<i>C<sub>Ma</sub></i>	59.61	-28.98	-46.22	54.56	238
<i>V<sub>Ma</sub></i>	28.39	23.63	-44.13	50.06	298
<i>M<sub>Ma</sub></i>	49.58	73.93	-9.56	74.55	353
<i>N<sub>Ma</sub></i>	18.89	0.0	0.0	0.0	0
<i>W<sub>Ma</sub></i>	96.9	0.0	0.0	0.0	0
<i>O<sub>CIE</sub></i>	39.92	58.74	27.99	65.07	25
<i>Y<sub>CIE</sub></i>	81.26	-2.89	71.56	71.62	92
<i>L<sub>CIE</sub></i>	52.23	-42.42	13.6	44.55	162
<i>V<sub>CIE</sub></i>	30.57	1.41	-46.47	46.49	272



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.087$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = o00y$   $u^*_e = r08j$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 49 65 39  
 $LAB^*LCH^*_{Ma}$ : 49 76 31  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 0.0  
 $lab^*rgb^*_{Ma}$ : 1.0 0.09 0.0

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF  
 application for evaluation and measurement of printer or monitor systems  
 BAM material: code=rhadata

See for similar files: <http://www.ps.bam.de/Ee42/>;  
 Technical information: <http://www.ps.bam.de>  
 Version 2.1, io=1,1, ColSpx=1

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.132$   
 data for any colour:

$u^*_d = o25y$

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = o25y$   $u^*_e = r33j$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 59 47 51  
 $LAB^*LCH^*_{Ma}$ : 59 69 47  
 $lab^*olv^*_{Ma}$ : 1.0 0.25 0.0  
 $lab^*rgb^*_{Ma}$ : 1.0 0.33 0.0

ORS19\_96a; adapted (a) CIELAB data


$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.178$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = o50y$   $u^*_e = r57j$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



**ORS19\_96a; adapted (a) CIELAB data**

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 68 30 62  
 $LAB^*LCH^*_{Ma}$ : 68 69 63  
 $lab^*olv^*_{Ma}$ : 1.0 0.5 0.0  
 $lab^*rgb^*_{Ma}$ : 1.0 0.58 0.0

**ORS19\_96a; adapted (a) CIELAB data**

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	48	r33j
o50y	68.32	30.09	61.62	68.58	64	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.223$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = o75y$   $u^*_e = r81j$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$

$u^*_d = o75y$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 78 12 73  
 $LAB^*LCH^*_{Ma}$ : 78 74 80  
 $lab^*olv^*_{Ma}$ : 1.0 0.75 0.0  
 $lab^*rgb^*_{Ma}$ : 1.0 0.82 0.0

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31		r08j
o25y	59.04	46.67	51.1	69.21	48		r33j
o50y	68.32	30.09	61.62	68.58	64		r57j
o75y	78.23	12.39	72.85	73.9	80		r81j
y00l	90.92	-10.29	87.24	87.85	97		j06g
y25l	78.57	-28.11	65.75	71.51	113		j29g
y50l	69.46	-41.25	49.92	64.75	130		j53g
y75l	61.32	-52.99	35.76	63.92	146		j76g
l00c	52.69	-65.44	20.75	68.65	162		g00b
l50c	56.55	-45.12	-16.57	48.07	200		g34b
c00v	59.61	-28.98	-46.22	54.56	238		g69b
c50v	43.33	-1.54	-45.13	45.16	268		g96b
v00m	28.39	23.63	-44.13	50.06	298		b23r
v50m	36.9	43.84	-30.24	53.26	325		b47r
m00o	49.58	73.93	-9.56	74.55	353		b71r
m50o	49.17	69.55	14.68	71.08	12		b88r

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.269$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = y00l$   $u^*_e = j06g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 91 -10 87  
 $LAB^*LCH^*_{Ma}$ : 91 88 96  
 $lab^*olv^*_{Ma}$ : 1.0 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.94 1.0 0.0

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>

triangle lightness  $t^*$


%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.314$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = y25l$   $u^*_e = j29g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



**ORS19\_96a; adapted (a) CIELAB data**

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 79 -28 66  
 $LAB^*LCH^*_{Ma}$ : 79 72 113  
 $lab^*olv^*_{Ma}$ : 0.75 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.7 1.0 0.0

**ORS19\_96a; adapted (a) CIELAB data**

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31		<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48		<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64		<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80		<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97		<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113		<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130		<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146		<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162		<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200		<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238		<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268		<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298		<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325		<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353		<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12		<i>b88r</i>


triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.36$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = y50l$   $u^*_e = j53g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



**ORS19\_96a; adapted (a) CIELAB data**

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 69 -41 50  
 $LAB^*LCH^*_{Ma}$ : 69 65 129  
 $lab^*olv^*_{Ma}$ : 0.5 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.47 1.0 0.0

**ORS19\_96a; adapted (a) CIELAB data**

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.406$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = y75l$   $u^*_e = j76g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



**ORS19\_96a; adapted (a) CIELAB data**

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 61 -53 36  
 $LAB^*LCH^*_{Ma}$ : 61 64 145  
 $lab^*olv^*_{Ma}$ : 0.25 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.23 1.0 0.0

**ORS19\_96a; adapted (a) CIELAB data**

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31		<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48		<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64		<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80		<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97		<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113		<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130		<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146		<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162		<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200		<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238		<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268		<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298		<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325		<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353		<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12		<i>b88r</i>

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.451$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = 100c$   $u^*_e = g00b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 53 -65 21  
 $LAB^*LCH^*_{Ma}$ : 53 69 162  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 0.0

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31		<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48		<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64		<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80		<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97		<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113		<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130		<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146		<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162		<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200		<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238		<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268		<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298		<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325		<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353		<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12		<i>b88r</i>

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.556$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = 150c$   $u^*_e = g34b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 57 -45 -17  
 $LAB^*LCH^*_{Ma}$ : 57 48 200  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.5  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 0.69

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31		<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48		<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64		<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80		<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97		<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113		<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130		<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146		<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162		<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200		<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238		<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268		<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298		<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325		<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353		<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12		<i>b88r</i>

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF  
 application for evaluation and measurement of printer or monitor systems  
 BAM material: code=rhadata

See for similar files: <http://www.ps.bam.de/Ee42/>;  
 Technical information: <http://www.ps.bam.de>  
 Version 2.1, io=1,1, ColSPx=1

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.661$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = c00v$   $u^*_e = g69b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 60 -29 -46  
 $LAB^*LCH^*_{Ma}$ : 60 55 237  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 1.0  
 $lab^*rgb^*_{Ma}$ : 0.0 0.62 1.0

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31		<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48		<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64		<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80		<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97		<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113		<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130		<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146		<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162		<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200		<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238		<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268		<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298		<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325		<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353		<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12		<i>b88r</i>

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.745$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = c50v$   $u^*_e = g96b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 43 -2 -45  
 $LAB^*LCH^*_{Ma}$ : 43 45 268  
 $lab^*olv^*_{Ma}$ : 0.0 0.5 1.0  
 $lab^*rgb^*_{Ma}$ : 0.0 0.07 1.0

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31		<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48		<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64		<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80		<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97		<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113		<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130		<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146		<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162		<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200		<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238		<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268		<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298		<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325		<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353		<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12		<i>b88r</i>

triangle lightness  $t^*$   
 %Gamut  $u^*_{rel} = 89$   
 %Regularity  $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




See for similar files: <http://www.ps.bam.de/Ee42/>;  
 Technical information: <http://www.ps.bam.de>  
 Version 2.1, io=1,1, ColSpX=1

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.828$   
 data for any colour:

$u^*_d = v00m$

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = v00m$   $u^*_e = b23r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 28 24 -44  
 $LAB^*LCH^*_{Ma}$ : 28 50 298  
 $lab^*olv^*_{Ma}$ : 0.0 0.0 1.0  
 $lab^*rgb^*_{Ma}$ : 0.46 0.0 1.0

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31		<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48		<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64		<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80		<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97		<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113		<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130		<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146		<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162		<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200		<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238		<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268		<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298		<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325		<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353		<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12		<i>b88r</i>

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF  
 application for evaluation and measurement of printer or monitor systems  
 BAM material: code=rh4ta

See for similar files: <http://www.ps.bam.de/Ee42/>;  
 Technical information: <http://www.ps.bam.de>  
 Version 2.1, io=1,1, ColSpX=1

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.904$   
 data for any colour:

$u^*_d = v50m$

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = v50m$   $u^*_e = b47r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 37 44 -30  
 $LAB^*LCH^*_{Ma}$ : 37 53 325  
 $lab^*olv^*_{Ma}$ : 0.5 0.0 1.0  
 $lab^*rgb^*_{Ma}$ : 0.94 0.0 1.0

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.98$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = m00o$   $u^*_e = b71r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 50 74 -10  
 $LAB^*LCH^*_{Ma}$ : 50 75 352  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 1.0  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 0.58

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$



BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF  
 application for evaluation and measurement of printer or monitor systems  
 BAM material: code=rhadata


See for similar files: <http://www.ps.bam.de/Ee42/>;  
 Technical information: <http://www.ps.bam.de>  
 Version 2.1, io=1,1, ColSpx=1



Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.033$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

$u^*_d = m50o$

Hue texts:  
 $u^*_d = m50o$   $u^*_e = b88r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 49 70 15  
 $LAB^*LCH^*_{Ma}$ : 49 71 11  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 0.5  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 0.24

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>



triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$






See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1


BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems



Input and output:  
 Colorimetric Printer Reflective System ORS19\_96a  
 data for any colour:



$u^*_d$  and number  $no. = 00 \dots 15$   
 device hue text:  
 $u^*_d = 16$  hues  $o00y, o25y, \dots, m50o$   
 contrast reduction factor:  
 $c_R = 1.0$

ORS19_96a; adapted (a) CIELAB data						
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>
<i>l00c</i>	52.69	-65.44	-20.75	68.65	200	<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	162	<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>



%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data					
Name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>CIE</sub>	39.92	58.74	27.99	65.07	25
Y <sub>CIE</sub>	81.26	-2.89	71.56	71.62	92
L <sub>CIE</sub>	52.23	-42.42	13.6	44.55	162
V <sub>CIE</sub>	30.57	1.41	-46.47	46.49	272




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.087$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = o00y$   $u^*_e = r08j$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 49 65 39  
 $LAB^*LCH^*_{Ma}$ : 49 76 31  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 0.0  
 $lab^*rgb^*_{Ma}$ : 1.0 0.09 0.0

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF  
 application for evaluation and measurement of printer or monitor systems  
 BAM material: code=rhadata

See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.132$   
 data for any colour:

$u^*_d = o25y$

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = o25y$   $u^*_e = r33j$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



**ORS19\_96a; adapted (a) CIELAB data**

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 59 47 51  
 $LAB^*LCH^*_{Ma}$ : 59 69 47  
 $lab^*olv^*_{Ma}$ : 1.0 0.25 0.0  
 $lab^*rgb^*_{Ma}$ : 1.0 0.33 0.0

**ORS19\_96a; adapted (a) CIELAB data**

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	48	r33j
o50y	68.32	30.09	61.62	68.58	64	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.178$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = o50y$   $u^*_e = r57j$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 68 30 62  
 $LAB^*LCH^*_{Ma}$ : 68 69 63  
 $lab^*olv^*_{Ma}$ : 1.0 0.5 0.0  
 $lab^*rgb^*_{Ma}$ : 1.0 0.58 0.0

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	48	r33j
o50y	68.32	30.09	61.62	68.58	64	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.223$   
 data for any colour:  
 $lab^*ch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = o75y$   $u^*_e = r81j$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96a; adapted (a) CIELAB data						
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 78 12 73  
 $LAB^*LCH^*_{Ma}$ : 78 74 80  
 $lab^*olv^*_{Ma}$ : 1.0 0.75 0.0  
 $lab^*rgb^*_{Ma}$ : 1.0 0.82 0.0

ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.269$   
 data for any colour:

$u^*_d = y00l$

$lab^*ch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = y00l$   $u^*_e = j06g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96a; adapted (a) CIELAB data						
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 91 -10 87  
 $LAB^*LCH^*_{Ma}$ : 91 88 96  
 $lab^*olv^*_{Ma}$ : 1.0 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.94 1.0 0.0

ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.314$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = y25l$   $u^*_e = j29g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96a; adapted (a) CIELAB data						
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 79 -28 66  
 $LAB^*LCH^*_{Ma}$ : 79 72 113  
 $lab^*olv^*_{Ma}$ : 0.75 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.7 1.0 0.0

ORS19_96a; adapted (a) CIELAB data							$u^*_d = y25l$
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.36$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = y50l$   $u^*_e = j53g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96a; adapted (a) CIELAB data						
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 69 -41 50  
 $LAB^*LCH^*_{Ma}$ : 69 65 129  
 $lab^*olv^*_{Ma}$ : 0.5 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.47 1.0 0.0

ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.406$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = y75l$   $u^*_e = j76g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96a; adapted (a) CIELAB data						
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 61 -53 36  
 $LAB^*LCH^*_{Ma}$ : 61 64 145  
 $lab^*olv^*_{Ma}$ : 0.25 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.23 1.0 0.0

ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.451$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = 100c$   $u^*_e = g00b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96a; adapted (a) CIELAB data						
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 53 -65 21  
 $LAB^*LCH^*_{Ma}$ : 53 69 162  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 0.0

ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.556$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = 150c$   $u^*_e = g34b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 57 -45 -17  
 $LAB^*LCH^*_{Ma}$ : 57 48 200  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.5  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 0.69

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.661$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = c00v$   $u^*_e = g69b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96a; adapted (a) CIELAB data						
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 60 -29 -46  
 $LAB^*LCH^*_{Ma}$ : 60 55 237  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 1.0  
 $lab^*rgb^*_{Ma}$ : 0.0 0.62 1.0

ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>	
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>	
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>	
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>	
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>	
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>	
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>	
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>	
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>	
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>	
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>	
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>	
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>	
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>	
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>	
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.745$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = c50v$   $u^*_e = g96b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 43 -2 -45  
 $LAB^*LCH^*_{Ma}$ : 43 45 268  
 $lab^*olv^*_{Ma}$ : 0.0 0.5 1.0  
 $lab^*rgb^*_{Ma}$ : 0.0 0.07 1.0

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.828$   
 data for any colour:  
 $lab^*ch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = v00m$   $u^*_e = b23r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 28 24 -44  
 $LAB^*LCH^*_{Ma}$ : 28 50 298  
 $lab^*olv^*_{Ma}$ : 0.0 0.0 1.0  
 $lab^*rgb^*_{Ma}$ : 0.46 0.0 1.0

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	48	r33j
o50y	68.32	30.09	61.62	68.58	64	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.904$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = v50m$   $u^*_e = b47r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 37 44 -30  
 $LAB^*LCH^*_{Ma}$ : 37 53 325  
 $lab^*olv^*_{Ma}$ : 0.5 0.0 1.0  
 $lab^*rgb^*_{Ma}$ : 0.94 0.0 1.0

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.98$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = m00o$   $u^*_e = b71r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 50 74 -10  
 $LAB^*LCH^*_{Ma}$ : 50 75 352  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 1.0  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 0.58

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	48	r33j
o50y	68.32	30.09	61.62	68.58	64	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.033$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = m50o$   $u^*_e = b88r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 49 70 15  
 $LAB^*LCH^*_{Ma}$ : 49 71 11  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 0.5  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 0.24

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	48	r33j
o50y	68.32	30.09	61.62	68.58	64	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r



triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$






See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1



BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1





BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems





See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems



BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1



BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1



BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1







BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems


See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1















See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
Technical information: <http://www.ps.bam.de>    Version 2.1, io=1,1, ColSpx=1








See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
Technical information: <http://www.ps.bam.de>    Version 2.1, io=1,1, ColSpx=1





See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1











BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1




BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1



BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF    BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems







See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
Technical information: <http://www.ps.bam.de>    Version 2.1, io=1,1, ColSpX=1




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1


BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems


















BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1




BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1



BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1




BAM registration: 20081001-Ee42/10L/L42E00NP.PS/ .PDF    BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
Technical information: <http://www.ps.bam.de>    Version 2.1, io=1,1, ColSpX=1







BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1



BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems


See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1






BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems


See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1





BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems


See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1



















BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1












See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1





BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems








See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1





























See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
Technical information: <http://www.ps.bam.de>    Version 2.1, io=1,1, ColSpx=1



BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1




BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1



BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1




BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF    BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
Technical information: <http://www.ps.bam.de>    Version 2.1, io=1,1, ColSpx=1










BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

Input and output:

Colorimetric Printer Reflective System ORS19\_96a  
data for any colour:

$u^*_d$  and number *no.* = 00 .. 15

device hue text:


$u^*_d = 16$  hues *o00y, o25y, ..., m50o*

contrast reduction factor:

$c_R = 1.0$

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>
<i>l00c</i>	52.69	-65.44	-20.75	68.65	200	<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	162	<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>



%Gamut

$u^*_{rel} = 89$



%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

Name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
<i>O<sub>Ma</sub></i>	48.75	65.07	39.43	76.08	31
<i>Y<sub>Ma</sub></i>	90.92	-10.29	87.24	87.85	97
<i>L<sub>Ma</sub></i>	52.69	-65.44	20.75	68.65	162
<i>C<sub>Ma</sub></i>	59.61	-28.98	-46.22	54.56	238
<i>V<sub>Ma</sub></i>	28.39	23.63	-44.13	50.06	298
<i>M<sub>Ma</sub></i>	49.58	73.93	-9.56	74.55	353
<i>N<sub>Ma</sub></i>	18.89	0.0	0.0	0.0	0
<i>W<sub>Ma</sub></i>	96.9	0.0	0.0	0.0	0
<i>O<sub>CIE</sub></i>	39.92	58.74	27.99	65.07	25
<i>Y<sub>CIE</sub></i>	81.26	-2.89	71.56	71.62	92
<i>L<sub>CIE</sub></i>	52.23	-42.42	13.6	44.55	162
<i>V<sub>CIE</sub></i>	30.57	1.41	-46.47	46.49	272



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.087$   
 data for any colour:

$u^*_d = o00y$

$lab^*ch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_d = o00y$   $u^*_e = r08j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



**ORS19\_96a; adapted (a) CIELAB data**

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 49 65 39

$LAB^*LCH^*_{Ma}$ : 49 76 31

$lab^*olv^*_{Ma}$ : 1.0 0.0 0.0

$lab^*rgb^*_{Ma}$ : 1.0 0.09 0.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$



%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

**ORS19\_96a; adapted (a) CIELAB data**

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.132$   
 data for any colour:

$u^*_d = o25y$

$lab^*ch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_d = o25y$   $u^*_e = r33j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



**ORS19\_96a; adapted (a) CIELAB data**

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 59 47 51

$LAB^*LCH^*_{Ma}$ : 59 69 47

$lab^*olv^*_{Ma}$ : 1.0 0.25 0.0

$lab^*rgb^*_{Ma}$ : 1.0 0.33 0.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$



%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

**ORS19\_96a; adapted (a) CIELAB data**

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.178$

$u^*_d = o50y$

data for any colour:

$lab^*ch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_d = o50y$   $u^*_e = r57j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



**ORS19\_96a; adapted (a) CIELAB data**

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 68 30 62

$LAB^*LCH^*_{Ma}$ : 68 69 63

$lab^*olv^*_{Ma}$ : 1.0 0.5 0.0

$lab^*rgb^*_{Ma}$ : 1.0 0.58 0.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$



%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

**ORS19\_96a; adapted (a) CIELAB data**

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>




BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF  
BAM material: code=rhadata  
application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.223$   
 data for any colour:

$u^*_d = o75y$

$lab^*ch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = o75y$   $u^*_e = r81j$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



**ORS19\_96a; adapted (a) CIELAB data**

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 78 12 73  
 $LAB^*LCH^*_{Ma}$ : 78 74 80  
 $lab^*olv^*_{Ma}$ : 1.0 0.75 0.0  
 $lab^*rgb^*_{Ma}$ : 1.0 0.82 0.0

**ORS19\_96a; adapted (a) CIELAB data**

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.269$

$u^*_d = y00l$

data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_d = y00l$   $u^*_e = j06g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



**ORS19\_96a; adapted (a) CIELAB data**

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 91 -10 87

$LAB^*LCH^*_{Ma}$ : 91 88 96

$lab^*olv^*_{Ma}$ : 1.0 1.0 0.0

$lab^*rgb^*_{Ma}$ : 0.94 1.0 0.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$



%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

**ORS19\_96a; adapted (a) CIELAB data**

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1


BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.314$   
 data for any colour:

$u^*_d = y25l$

$lab^*ch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = y25l$   $u^*_e = j29g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



**ORS19\_96a; adapted (a) CIELAB data**

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):



$LAB^*LAB^*_{Ma}$ : 79 -28 66  
 $LAB^*LCH^*_{Ma}$ : 79 72 113  
 $lab^*olv^*_{Ma}$ : 0.75 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.7 1.0 0.0

**ORS19\_96a; adapted (a) CIELAB data**

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.36$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = y50l$   $u^*_e = j53g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96a; adapted (a) CIELAB data						
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 69 -41 50  
 $LAB^*LCH^*_{Ma}$ : 69 65 129  
 $lab^*olv^*_{Ma}$ : 0.5 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.47 1.0 0.0

ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>	
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>	
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>	
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>	
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>	
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>	
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>	
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>	
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>	
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>	
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>	
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>	
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>	
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>	
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>	
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.406$   
 data for any colour:

$u^*_d = y75l$

$lab^*ch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_d = y75l$   $u^*_e = j76g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



**ORS19\_96a; adapted (a) CIELAB data**

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 61 -53 36

$LAB^*LCH^*_{Ma}$ : 61 64 145

$lab^*olv^*_{Ma}$ : 0.25 1.0 0.0

$lab^*rgb^*_{Ma}$ : 0.23 1.0 0.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$



%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

**ORS19\_96a; adapted (a) CIELAB data**

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	48	r33j
o50y	68.32	30.09	61.62	68.58	64	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r



BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF  
 application for evaluation and measurement of printer or monitor systems  
 BAM material: code=rhadata

See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.451$   
 data for any colour:

$u^*_d = 100c$

$lab^*ch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_d = 100c$   $u^*_e = g00b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS19_96a; adapted (a) CIELAB data						
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 53 -65 21

$LAB^*LCH^*_{Ma}$ : 53 69 162

$lab^*olv^*_{Ma}$ : 0.0 1.0 0.0

$lab^*rgb^*_{Ma}$ : 0.0 1.0 0.0

triangle lightness  $t^*$

%Gamut



$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>	
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>	
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>	
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>	
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>	
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>	
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>	
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>	
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>	
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>	
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>	
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>	
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>	
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>	
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>	
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>	



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.556$   
 data for any colour:

$u^*_d = 150c$

$lab^*ch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_d = 150c$   $u^*_e = g34b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS19_96a; adapted (a) CIELAB data						
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 57 -45 -17

$LAB^*LCH^*_{Ma}$ : 57 48 200

$lab^*olv^*_{Ma}$ : 0.0 1.0 0.5

$lab^*rgb^*_{Ma}$ : 0.0 1.0 0.69

triangle lightness  $t^*$

%Gamut



$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>	
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>	
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>	
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>	
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>	
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>	
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>	
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>	
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>	
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>	
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>	
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>	
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>	
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>	
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>	
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>	



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.661$   
 data for any colour:

$u^*_d = c00v$

$lab^*ch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_d = c00v$   $u^*_e = g69b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



**ORS19\_96a; adapted (a) CIELAB data**

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 60 -29 -46

$LAB^*LCH^*_{Ma}$ : 60 55 237

$lab^*olv^*_{Ma}$ : 0.0 1.0 1.0

$lab^*rgb^*_{Ma}$ : 0.0 0.62 1.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$



%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

**ORS19\_96a; adapted (a) CIELAB data**

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.745$

$u^*_d = c50v$

data for any colour:

$lab^*ch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_d = c50v$   $u^*_e = g96b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS19_96a; adapted (a) CIELAB data						
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 43 -2 -45

$LAB^*LCH^*_{Ma}$ : 43 45 268

$lab^*olv^*_{Ma}$ : 0.0 0.5 1.0

$lab^*rgb^*_{Ma}$ : 0.0 0.07 1.0

triangle lightness  $t^*$

%Gamut



$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>	
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>	
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>	
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>	
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>	
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>	
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>	
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>	
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>	
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>	
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>	
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>	
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>	
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>	
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>	
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>	



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.828$   
 data for any colour:

$u^*_d = v00m$

$lab^*ch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_d = v00m$   $u^*_e = b23r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



**ORS19\_96a; adapted (a) CIELAB data**

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 28 24 -44

$LAB^*LCH^*_{Ma}$ : 28 50 298

$lab^*olv^*_{Ma}$ : 0.0 0.0 1.0

$lab^*rgb^*_{Ma}$ : 0.46 0.0 1.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$



%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

**ORS19\_96a; adapted (a) CIELAB data**

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	48	r33j
o50y	68.32	30.09	61.62	68.58	64	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.904$   
 data for any colour:

$u^*_d = v50m$

$lab^*ch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_d = v50m$   $u^*_e = b47r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 37 44 -30

$LAB^*LCH^*_{Ma}$ : 37 53 325

$lab^*olv^*_{Ma}$ : 0.5 0.0 1.0

$lab^*rgb^*_{Ma}$ : 0.94 0.0 1.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$



%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31		r08j
o25y	59.04	46.67	51.1	69.21	48		r33j
o50y	68.32	30.09	61.62	68.58	64		r57j
o75y	78.23	12.39	72.85	73.9	80		r81j
y00l	90.92	-10.29	87.24	87.85	97		j06g
y25l	78.57	-28.11	65.75	71.51	113		j29g
y50l	69.46	-41.25	49.92	64.75	130		j53g
y75l	61.32	-52.99	35.76	63.92	146		j76g
l00c	52.69	-65.44	20.75	68.65	162		g00b
l50c	56.55	-45.12	-16.57	48.07	200		g34b
c00v	59.61	-28.98	-46.22	54.56	238		g69b
c50v	43.33	-1.54	-45.13	45.16	268		g96b
v00m	28.39	23.63	-44.13	50.06	298		b23r
v50m	36.9	43.84	-30.24	53.26	325		b47r
m00o	49.58	73.93	-9.56	74.55	353		b71r
m50o	49.17	69.55	14.68	71.08	12		b88r



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.98$   
 data for any colour:

$u^*_d = m00o$

$lab^*ch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_d = m00o$   $u^*_e = b71r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS19_96a; adapted (a) CIELAB data						
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 50 74 -10

$LAB^*LCH^*_{Ma}$ : 50 75 352

$lab^*olv^*_{Ma}$ : 1.0 0.0 1.0

$lab^*rgb^*_{Ma}$ : 1.0 0.0 0.58

triangle lightness  $t^*$

%Gamut



$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$


ORS19_96a; adapted (a) CIELAB data						
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>



Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.033$   
 data for any colour:

$u^*_d = m50o$

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = m50o$   $u^*_e = b88r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96a; adapted (a) CIELAB data						
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 49 70 15  
 $LAB^*LCH^*_{Ma}$ : 49 71 11  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 0.5  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 0.24

ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>	
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>	
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>	
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>	
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>	
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>	
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>	
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>	
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>	
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>	
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>	
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>	
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>	
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>	
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>	
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>	



triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$







See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems




Input and output:  
 Colorimetric Printer Reflective System ORS19\_96a  
 data for any colour:

$u^*_d$  and number  $no. = 00 \dots 15$   
 device hue text:  
 $u^*_d = 16$  hues  $o00y, o25y, \dots, m50o$   
 contrast reduction factor:  
 $c_R = 1.0$

ORS19\_96a; adapted (a) CIELAB data


$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
$o00y$	48.75	65.07	39.43	76.08	31	$r08j$
$o25y$	59.04	46.67	51.1	69.21	48	$r33j$
$o50y$	68.32	30.09	61.62	68.58	64	$r57j$
$o75y$	78.23	12.39	72.85	73.9	80	$r81j$
$y00l$	90.92	-10.29	87.24	87.85	97	$j06g$
$y25l$	78.57	-28.11	65.75	71.51	113	$j29g$
$y50l$	69.46	-41.25	49.92	64.75	130	$j53g$
$y75l$	61.32	-52.99	35.76	63.92	146	$j76g$
$100c$	52.69	-65.44	-20.75	68.65	162	$g00b$
$c50v$	56.55	-45.12	-16.57	48.07	200	$g34b$
$o00y$	59.61	-28.98	-46.22	54.56	238	$g69b$
$c50v$	43.33	-1.54	-45.13	45.16	268	$g96b$
$v00m$	28.39	23.63	-44.13	50.06	298	$b23r$
$v50m$	36.9	43.84	-30.24	53.26	325	$b47r$
$m00o$	49.58	73.93	-9.56	74.55	353	$b71r$
$m50o$	49.17	69.55	14.68	71.08	12	$b88r$



%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

Name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
$O_{Ma}$	48.75	65.07	39.43	76.08	31
$Y_{Ma}$	90.92	-10.29	87.24	87.85	97
$L_{Ma}$	52.69	-65.44	20.75	68.65	162
$C_{Ma}$	59.61	-28.98	-46.22	54.56	238
$V_{Ma}$	28.39	23.63	-44.13	50.06	298
$M_{Ma}$	49.58	73.93	-9.56	74.55	353
$N_{Ma}$	18.89	0.0	0.0	0.0	0
$W_{Ma}$	96.9	0.0	0.0	0.0	0
$O_{CIE}$	39.92	58.74	27.99	65.07	25
$Y_{CIE}$	81.26	-2.89	71.56	71.62	92
$L_{CIE}$	52.23	-42.42	13.6	44.55	162
$V_{CIE}$	30.57	1.41	-46.47	46.49	272




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.087$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = o00y$   $u^*_e = r08j$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 49 65 39  
 $LAB^*LCH^*_{Ma}$ : 49 76 31  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 0.0  
 $lab^*rgb^*_{Ma}$ : 1.0 0.09 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31		<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	64		<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	48		<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80		<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97		<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113		<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130		<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146		<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162		<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200		<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238		<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268		<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298		<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325		<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353		<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12		<i>b88r</i>




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.132$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = o25y$   $u^*_e = r33j$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 59 47 51  
 $LAB^*LCH^*_{Ma}$ : 59 69 47  
 $lab^*olv^*_{Ma}$ : 1.0 0.25 0.0  
 $lab^*rgb^*_{Ma}$ : 1.0 0.33 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31		r08j
o25y	59.04	46.67	51.1	69.21	68		r33j
o50y	68.32	30.09	61.62	68.58	64		r57j
o75y	78.23	12.39	72.85	73.9	80		r81j
y00l	90.92	-10.29	87.24	87.85	97		j06g
y25l	78.57	-28.11	65.75	71.51	113		j29g
y50l	69.46	-41.25	49.92	64.75	130		j53g
y75l	61.32	-52.99	35.76	63.92	146		j76g
l00c	52.69	-65.44	20.75	68.65	162		g00b
l50c	56.55	-45.12	-16.57	48.07	200		g34b
c00v	59.61	-28.98	-46.22	54.56	238		g69b
c50v	43.33	-1.54	-45.13	45.16	268		g96b
v00m	28.39	23.63	-44.13	50.06	298		b23r
v50m	36.9	43.84	-30.24	53.26	325		b47r
m00o	49.58	73.93	-9.56	74.55	353		b71r
m50o	49.17	69.55	14.68	71.08	12		b88r



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1


BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems





Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.223$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = 0.75y$   $u^*_e = r81j$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 78 12 73  
 $LAB^*LCH^*_{Ma}$ : 78 74 80  
 $lab^*olv^*_{Ma}$ : 1.0 0.75 0.0  
 $lab^*rgb^*_{Ma}$ : 1.0 0.82 0.0

triangle lightness  $t^*$


%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31		r08j
o25y	59.04	46.67	51.1	69.21	64		r33j
o50y	68.32	30.09	61.62	68.58	48		r57j
o75y	78.23	12.39	72.85	73.9	80		r81j
y00l	90.92	-10.29	87.24	87.85	97		j06g
y25l	78.57	-28.11	65.75	71.51	113		j29g
y50l	69.46	-41.25	49.92	64.75	130		j53g
y75l	61.32	-52.99	35.76	63.92	146		j76g
l00c	52.69	-65.44	20.75	68.65	162		g00b
l50c	56.55	-45.12	-16.57	48.07	200		g34b
c00v	59.61	-28.98	-46.22	54.56	238		g69b
c50v	43.33	-1.54	-45.13	45.16	268		g96b
v00m	28.39	23.63	-44.13	50.06	298		b23r
v50m	36.9	43.84	-30.24	53.26	325		b47r
m00o	49.58	73.93	-9.56	74.55	353		b71r
m50o	49.17	69.55	14.68	71.08	12		b88r

$lab^*olv^*$

brilliantness  $i^*$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.269$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = y00l$   $u^*_e = j06g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 91 -10 87  
 $LAB^*LCH^*_{Ma}$ : 91 88 96  
 $lab^*olv^*_{Ma}$ : 1.0 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.94 1.0 0.0


triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

$u^*_d = y00l$   
 $lab^*olv^*$

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	48	r33j
o50y	68.32	30.09	61.62	68.58	64	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.314$

data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_d = y25l$   $u^*_e = j29g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 79 -28 66$

$LAB^*LCH^*_{Ma}: 79 72 113$

$lab^*olv^*_{Ma}: 0.75 1.0 0.0$

$lab^*rgb^*_{Ma}: 0.7 1.0 0.0$

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$


%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data


	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31		r08j
o25y	59.04	46.67	51.1	69.21	48		r33j
o50y	68.32	30.09	61.62	68.58	64		r57j
o75y	78.23	12.39	72.85	73.9	80		r81j
y00l	90.92	-10.29	87.24	87.85	97		j06g
y25l	78.57	-28.11	65.75	71.51	113		j29g
y50l	69.46	-41.25	49.92	64.75	130		j53g
y75l	61.32	-52.99	35.76	63.92	146		j76g
l00c	52.69	-65.44	20.75	68.65	162		g00b
l50c	56.55	-45.12	-16.57	48.07	200		g34b
c00v	59.61	-28.98	-46.22	54.56	238		g69b
c50v	43.33	-1.54	-45.13	45.16	268		g96b
v00m	28.39	23.63	-44.13	50.06	298		b23r
v50m	36.9	43.84	-30.24	53.26	325		b47r
m00o	49.58	73.93	-9.56	74.55	353		b71r
m50o	49.17	69.55	14.68	71.08	12		b88r



BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF  
 application for evaluation and measurement of printer or monitor systems  
 BAM material: code=rhadata

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.36$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = y50l$   $u^*_e = j53g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96a; adapted (a) CIELAB data						
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 69 -41 50  
 $LAB^*LCH^*_{Ma}$ : 69 65 129  
 $lab^*olv^*_{Ma}$ : 0.5 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.47 1.0 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							$u^*_d = y50l$ $lab^*olv^*$	
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$		
o00y	48.75	65.07	39.43	76.08	31	r08j		
o25y	59.04	46.67	51.1	69.21	48	r33j		
o50y	68.32	30.09	61.62	68.58	64	r57j		
o75y	78.23	12.39	72.85	73.9	80	r81j		
y00l	90.92	-10.29	87.24	87.85	97	j06g		
y25l	78.57	-28.11	65.75	71.51	113	j29g		
y50l	69.46	-41.25	49.92	64.75	130	j53g		
y75l	61.32	-52.99	35.76	63.92	146	j76g		
l00c	52.69	-65.44	20.75	68.65	162	g00b		
l50c	56.55	-45.12	-16.57	48.07	200	g34b		
c00v	59.61	-28.98	-46.22	54.56	238	g69b		
c50v	43.33	-1.54	-45.13	45.16	268	g96b		
v00m	28.39	23.63	-44.13	50.06	298	b23r		
v50m	36.9	43.84	-30.24	53.26	325	b47r		
m00o	49.58	73.93	-9.56	74.55	353	b71r		
m50o	49.17	69.55	14.68	71.08	12	b88r		




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.406$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = y75l$   $u^*_e = j76g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96a; adapted (a) CIELAB data						
	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 61 -53 36  
 $LAB^*LCH^*_{Ma}$ : 61 64 145  
 $lab^*olv^*_{Ma}$ : 0.25 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.23 1.0 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

$u^*_d = y75l$   
 $lab^*olv^*$

ORS19_96a; adapted (a) CIELAB data							
	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.451$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = 100c$   $u^*_e = g00b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 53 -65 21

$LAB^*LCH^*_{Ma}$ : 53 69 162

$lab^*olv^*_{Ma}$ : 0.0 1.0 0.0

$lab^*rgb^*_{Ma}$ : 0.0 1.0 0.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$

%Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

$u^*_d = 100c$   
 $lab^*olv^*$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31		r08j
a25y	59.04	46.67	51.1	69.21	48		r33j
a50y	68.32	30.09	61.62	68.58	64		r57j
o75y	78.23	12.39	72.85	73.9	80		r81j
y00l	90.92	-10.29	87.24	87.85	97		j06g
y25l	78.57	-28.11	65.75	71.51	113		j29g
y50l	69.46	-41.25	49.92	64.75	130		j53g
y75l	61.32	-52.99	35.76	63.92	146		j76g
l00c	52.69	-65.44	20.75	68.65	162		g00b
l50c	56.55	-45.12	-16.57	48.07	200		g34b
c00v	59.61	-28.98	-46.22	54.56	238		g69b
c50v	43.33	-1.54	-45.13	45.16	268		g96b
v00m	28.39	23.63	-44.13	50.06	298		b23r
v50m	36.9	43.84	-30.24	53.26	325		b47r
m00o	49.58	73.93	-9.56	74.55	353		b71r
m50o	49.17	69.55	14.68	71.08	12		b88r




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.556$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = 150c$   $u^*_e = g34b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 57 -45 -17  
 $LAB^*LCH^*_{Ma}$ : 57 48 200  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.5  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 0.69


triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	

$u^*_d = 150c$   
 $lab^*olv^*$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.661$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = c00v$   $u^*_e = g69b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 60 -29 -46  
 $LAB^*LCH^*_{Ma}$ : 60 55 237  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 1.0  
 $lab^*rgb^*_{Ma}$ : 0.0 0.62 1.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/ .PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.745$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = c50v$   $u^*_e = g96b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 43 -2 -45  
 $LAB^*LCH^*_{Ma}$ : 43 45 268  
 $lab^*olv^*_{Ma}$ : 0.0 0.5 1.0  
 $lab^*rgb^*_{Ma}$ : 0.0 0.07 1.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
a25y	59.04	46.67	51.1	69.21	48	r33j	
a50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.828$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = v00m$   $u^*_e = b23r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 28 24 -44  
 $LAB^*LCH^*_{Ma}$ : 28 50 298  
 $lab^*olv^*_{Ma}$ : 0.0 0.0 1.0  
 $lab^*rgb^*_{Ma}$ : 0.46 0.0 1.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data


$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	48	r33j
o50y	68.32	30.09	61.62	68.58	64	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r



BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.904$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = v50m$   $u^*_e = b47r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 37 44 -30  
 $LAB^*LCH^*_{Ma}$ : 37 53 325  
 $lab^*olv^*_{Ma}$ : 0.5 0.0 1.0  
 $lab^*rgb^*_{Ma}$ : 0.94 0.0 1.0


triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

$u^*_d = v50m$   
 $lab^*olv^*$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.98$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = m00o$   $u^*_e = b71r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 50 74 -10  
 $LAB^*LCH^*_{Ma}$ : 50 75 352  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 1.0  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 0.58

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31		r08j
o25y	59.04	46.67	51.1	69.21	68		r33j
o50y	68.32	30.09	61.62	68.58	64		r57j
o75y	78.23	12.39	72.85	73.9	80		r81j
y00l	90.92	-10.29	87.24	87.85	97		j06g
y25l	78.57	-28.11	65.75	71.51	113		j29g
y50l	69.46	-41.25	49.92	64.75	130		j53g
y75l	61.32	-52.99	35.76	63.92	146		j76g
l00c	52.69	-65.44	20.75	68.65	162		g00b
l50c	56.55	-45.12	-16.57	48.07	200		g34b
c00v	59.61	-28.98	-46.22	54.56	238		g69b
c50v	43.33	-1.54	-45.13	45.16	268		g96b
v00m	28.39	23.63	-44.13	50.06	298		b23r
v50m	36.9	43.84	-30.24	53.26	325		b47r
m00o	49.58	73.93	-9.56	74.55	353		b71r
m50o	49.17	69.55	14.68	71.08	12		b88r




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.033$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = m500$   $u^*_e = b88r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 49 70 15  
 $LAB^*LCH^*_{Ma}$ : 49 71 11  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 0.5  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 0.24


triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

$u^*_d = m500$   
 $lab^*olv^*$

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
a25y	59.04	46.67	51.1	69.21	68	r33j
a50y	68.32	30.09	61.62	68.58	64	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems




Input and output:  
 Colorimetric Printer Reflective System ORS19\_96a  
 data for any colour:

$u^*_d$  and number *no.* = 00 .. 15  
 device hue text:  
 $u^*_d = 16$  hues *o00y, o25y, ..., m50o*  
 contrast reduction factor:  
 $c_R = 1.0$

ORS19\_96a; adapted (a) CIELAB data


$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>
<i>l00c</i>	52.69	-65.44	-20.75	68.65	162	<i>g00b</i>
<i>c50v</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>
<i>o00y</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>



%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$


ORS19\_96a; adapted (a) CIELAB data

Name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>CIE</sub>	39.92	58.74	27.99	65.07	25
Y <sub>CIE</sub>	81.26	-2.89	71.56	71.62	92
L <sub>CIE</sub>	52.23	-42.42	13.6	44.55	162
V <sub>CIE</sub>	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.087$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = o00y$   $u^*_e = r08j$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 49 65 39  
 $LAB^*LCH^*_{Ma}$ : 49 76 31  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 0.0  
 $lab^*rgb^*_{Ma}$ : 1.0 0.09 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31		r08j
o25y	59.04	46.67	51.1	69.21	64		r33j
o50y	68.32	30.09	61.62	68.58	48		r57j
o75y	78.23	12.39	72.85	73.9	80		r81j
y00l	90.92	-10.29	87.24	87.85	97		j06g
y25l	78.57	-28.11	65.75	71.51	113		j29g
y50l	69.46	-41.25	49.92	64.75	130		j53g
y75l	61.32	-52.99	35.76	63.92	146		j76g
l00c	52.69	-65.44	20.75	68.65	162		g00b
l50c	56.55	-45.12	-16.57	48.07	200		g34b
c00v	59.61	-28.98	-46.22	54.56	238		g69b
c50v	43.33	-1.54	-45.13	45.16	268		g96b
v00m	28.39	23.63	-44.13	50.06	298		b23r
v50m	36.9	43.84	-30.24	53.26	325		b47r
m00o	49.58	73.93	-9.56	74.55	353		b71r
m50o	49.17	69.55	14.68	71.08	12		b88r



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.132$

data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_d = o25y$   $u^*_e = r33j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 59 47 51

$LAB^*LCH^*_{Ma}$ : 59 69 47

$lab^*olv^*_{Ma}$ : 1.0 0.25 0.0

$lab^*rgb^*_{Ma}$ : 1.0 0.33 0.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$


$g^*_{C,rel} = 57$

$u^*_d = o25y$

$lab^*rgb^*$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	64	r33j	
o50y	68.32	30.09	61.62	68.58	48	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	



Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.178$

data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_d = o50y$   $u^*_e = r57j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 68 30 62

$LAB^*LCH^*_{Ma}$ : 68 69 63

$lab^*olv^*_{Ma}$ : 1.0 0.5 0.0

$lab^*rgb^*_{Ma}$ : 1.0 0.58 0.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$


$g^*_{C,rel} = 57$

$u^*_d = o50y$

$lab^*rgb^*$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	64	r33j	
o50y	68.32	30.09	61.62	68.58	48	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.223$

data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_d = o75y$   $u^*_e = r81j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

$u^*_d = o75y$   
 $lab^*rgb^*$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31		r08j
o25y	59.04	46.67	51.1	69.21	64		r33j
o50y	68.32	30.09	61.62	68.58	48		r57j
o75y	78.23	12.39	72.85	73.9	80		r81j
y00l	90.92	-10.29	87.24	87.85	97		j06g
y25l	78.57	-28.11	65.75	71.51	113		j29g
y50l	69.46	-41.25	49.92	64.75	130		j53g
y75l	61.32	-52.99	35.76	63.92	146		j76g
l00c	52.69	-65.44	20.75	68.65	162		g00b
l50c	56.55	-45.12	-16.57	48.07	200		g34b
c00v	59.61	-28.98	-46.22	54.56	238		g69b
c50v	43.33	-1.54	-45.13	45.16	268		g96b
v00m	28.39	23.63	-44.13	50.06	298		b23r
v50m	36.9	43.84	-30.24	53.26	325		b47r
m00o	49.58	73.93	-9.56	74.55	353		b71r
m50o	49.17	69.55	14.68	71.08	12		b88r

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 78 12 73

$LAB^*LCH^*_{Ma}$ : 78 74 80

$lab^*olv^*_{Ma}$ : 1.0 0.75 0.0

$lab^*rgb^*_{Ma}$ : 1.0 0.82 0.0

triangle lightness  $t^*$


%Gamut

$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.269$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = y00l$   $u^*_e = j06g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 91 -10 87  
 $LAB^*LCH^*_{Ma}$ : 91 88 96  
 $lab^*olv^*_{Ma}$ : 1.0 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.94 1.0 0.0


triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

$u^*_d = y00l$   
 $lab^*rgb^*$

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	48	r33j
o50y	68.32	30.09	61.62	68.58	64	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.314$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = y25l$   $u^*_e = j29g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 79 -28 66

$LAB^*LCH^*_{Ma}$ : 79 72 113

$lab^*olv^*_{Ma}$ : 0.75 1.0 0.0

$lab^*rgb^*_{Ma}$ : 0.7 1.0 0.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$

%Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

$u^*_d = y25l$   
 $lab^*rgb^*$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31		r08j
o25y	59.04	46.67	51.1	69.21	48		r33j
o50y	68.32	30.09	61.62	68.58	64		r57j
o75y	78.23	12.39	72.85	73.9	80		r81j
y00l	90.92	-10.29	87.24	87.85	97		j06g
y25l	78.57	-28.11	65.75	71.51	113		j29g
y50l	69.46	-41.25	49.92	64.75	130		j53g
y75l	61.32	-52.99	35.76	63.92	146		j76g
l00c	52.69	-65.44	20.75	68.65	162		g00b
l50c	56.55	-45.12	-16.57	48.07	200		g34b
c00v	59.61	-28.98	-46.22	54.56	238		g69b
c50v	43.33	-1.54	-45.13	45.16	268		g96b
v00m	28.39	23.63	-44.13	50.06	298		b23r
v50m	36.9	43.84	-30.24	53.26	325		b47r
m00o	49.58	73.93	-9.56	74.55	353		b71r
m50o	49.17	69.55	14.68	71.08	12		b88r




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.36$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = y50l$   $u^*_e = j53g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96a; adapted (a) CIELAB data						
	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 69 -41 50  
 $LAB^*LCH^*_{Ma}$ : 69 65 129  
 $lab^*olv^*_{Ma}$ : 0.5 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.47 1.0 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							$u^*_d = y50l$ $lab^*rgb^*$	
	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
o00y	48.75	65.07	39.43	76.08	31		r08j	
a25y	59.04	46.67	51.1	69.21	48		r33j	
a50y	68.32	30.09	61.62	68.58	64		r57j	
o75y	78.23	12.39	72.85	73.9	80		r81j	
y00l	90.92	-10.29	87.24	87.85	97		j06g	
y25l	78.57	-28.11	65.75	71.51	113		j29g	
y50l	69.46	-41.25	49.92	64.75	130		j53g	
y75l	61.32	-52.99	35.76	63.92	146		j76g	
l00c	52.69	-65.44	20.75	68.65	162		g00b	
l50c	56.55	-45.12	-16.57	48.07	200		g34b	
c00v	59.61	-28.98	-46.22	54.56	238		g69b	
c50v	43.33	-1.54	-45.13	45.16	268		g96b	
v00m	28.39	23.63	-44.13	50.06	298		b23r	
v50m	36.9	43.84	-30.24	53.26	325		b47r	
m00o	49.58	73.93	-9.56	74.55	353		b71r	
m50o	49.17	69.55	14.68	71.08	12		b88r	




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.406$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = y75l$   $u^*_e = j76g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 61 -53 36  
 $LAB^*LCH^*_{Ma}$ : 61 64 145  
 $lab^*olv^*_{Ma}$ : 0.25 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.23 1.0 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31		r08j
o25y	59.04	46.67	51.1	69.21	48		r33j
o50y	68.32	30.09	61.62	68.58	64		r57j
o75y	78.23	12.39	72.85	73.9	80		r81j
y00l	90.92	-10.29	87.24	87.85	97		j06g
y25l	78.57	-28.11	65.75	71.51	113		j29g
y50l	69.46	-41.25	49.92	64.75	130		j53g
y75l	61.32	-52.99	35.76	63.92	146		j76g
l00c	52.69	-65.44	20.75	68.65	162		g00b
l50c	56.55	-45.12	-16.57	48.07	200		g34b
c00v	59.61	-28.98	-46.22	54.56	238		g69b
c50v	43.33	-1.54	-45.13	45.16	268		g96b
v00m	28.39	23.63	-44.13	50.06	298		b23r
v50m	36.9	43.84	-30.24	53.26	325		b47r
m00o	49.58	73.93	-9.56	74.55	353		b71r
m50o	49.17	69.55	14.68	71.08	12		b88r




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.451$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = 100c$   $u^*_e = g00b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 53 -65 21  
 $LAB^*LCH^*_{Ma}$ : 53 69 162  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31		r08j
o25y	59.04	46.67	51.1	69.21	48		r33j
o50y	68.32	30.09	61.62	68.58	64		r57j
o75y	78.23	12.39	72.85	73.9	80		r81j
y00l	90.92	-10.29	87.24	87.85	97		j06g
y25l	78.57	-28.11	65.75	71.51	113		j29g
y50l	69.46	-41.25	49.92	64.75	130		j53g
y75l	61.32	-52.99	35.76	63.92	146		j76g
l00c	52.69	-65.44	20.75	68.65	162		g00b
l50c	56.55	-45.12	-16.57	48.07	200		g34b
c00v	59.61	-28.98	-46.22	54.56	238		g69b
c50v	43.33	-1.54	-45.13	45.16	268		g96b
v00m	28.39	23.63	-44.13	50.06	298		b23r
v50m	36.9	43.84	-30.24	53.26	325		b47r
m00o	49.58	73.93	-9.56	74.55	353		b71r
m50o	49.17	69.55	14.68	71.08	12		b88r




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/ .PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.556$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = 150c$   $u^*_e = g34b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 57 -45 -17  
 $LAB^*LCH^*_{Ma}$ : 57 48 200  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.5  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 0.69

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data


	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	



BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF  
 application for evaluation and measurement of printer or monitor systems  
 BAM material: code=rhadata

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.661$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = c00v$   $u^*_e = g69b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96a; adapted (a) CIELAB data						
	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 60 -29 -46

$LAB^*LCH^*_{Ma}$ : 60 55 237

$lab^*olv^*_{Ma}$ : 0.0 1.0 1.0

$lab^*rgb^*_{Ma}$ : 0.0 0.62 1.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$


%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

$u^*_d = c00v$   
 $lab^*rgb^*$

ORS19_96a; adapted (a) CIELAB data							
	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31		<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48		<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64		<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80		<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97		<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113		<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130		<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146		<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162		<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200		<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238		<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268		<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298		<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325		<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353		<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12		<i>b88r</i>




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.745$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = c50v$   $u^*_e = g96b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 43 -2 -45  
 $LAB^*LCH^*_{Ma}$ : 43 45 268  
 $lab^*olv^*_{Ma}$ : 0.0 0.5 1.0  
 $lab^*rgb^*_{Ma}$ : 0.0 0.07 1.0


triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	

$u^*_d = c50v$   
 $lab^*rgb^*$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.828$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = v00m$   $u^*_e = b23r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 28 24 -44  
 $LAB^*LCH^*_{Ma}$ : 28 50 298  
 $lab^*olv^*_{Ma}$ : 0.0 0.0 1.0  
 $lab^*rgb^*_{Ma}$ : 0.46 0.0 1.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1


BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.904$

data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:

$u^*_d = v50m$   $u^*_e = b47r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 37 44 -30

$LAB^*LCH^*_{Ma}$ : 37 53 325

$lab^*olv^*_{Ma}$ : 0.5 0.0 1.0

$lab^*rgb^*_{Ma}$ : 0.94 0.0 1.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$

%Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

$u^*_d = v50m$   
 $lab^*rgb^*$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31		r08j
a25y	59.04	46.67	51.1	69.21	48		r33j
a50y	68.32	30.09	61.62	68.58	64		r57j
o75y	78.23	12.39	72.85	73.9	80		r81j
y00l	90.92	-10.29	87.24	87.85	97		j06g
y25l	78.57	-28.11	65.75	71.51	113		j29g
y50l	69.46	-41.25	49.92	64.75	130		j53g
y75l	61.32	-52.99	35.76	63.92	146		j76g
l00c	52.69	-65.44	20.75	68.65	162		g00b
l50c	56.55	-45.12	-16.57	48.07	200		g34b
c00v	59.61	-28.98	-46.22	54.56	238		g69b
c50v	43.33	-1.54	-45.13	45.16	268		g96b
v00m	28.39	23.63	-44.13	50.06	298		b23r
v50m	36.9	43.84	-30.24	53.26	325		b47r
m00o	49.58	73.93	-9.56	74.55	353		b71r
m50o	49.17	69.55	14.68	71.08	12		b88r




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.98$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = m00o$   $u^*_e = b71r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 50 74 -10  
 $LAB^*LCH^*_{Ma}$ : 50 75 352  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 1.0  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 0.58

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	64	r33j
o50y	68.32	30.09	61.62	68.58	48	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1


BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.033$

data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:

$u^*_d = m500$   $u^*_e = b88r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 49 70 15  
 $LAB^*LCH^*_{Ma}$ : 49 71 11  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 0.5  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 0.24


triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

$u^*_d = m500$   
 $lab^*rgb^*$

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	64	r33j
o50y	68.32	30.09	61.62	68.58	48	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/ .PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems






Input and output:  
 Colorimetric Printer Reflective System ORS19\_96a  
 data for any colour:


$u^*_d$  and number  $no. = 00 \dots 15$   
 device hue text:  
 $u^*_d = 16$  hues  $o00y, o25y, \dots, m50o$   
 contrast reduction factor:  
 $c_R = 1.0$

ORS19_96a; adapted (a) CIELAB data						
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>
<i>100c</i>	52.69	-65.44	-20.75	68.65	162	<i>g00b</i>
<i>150c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>



%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data					
Name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>CIE</sub>	39.92	58.74	27.99	65.07	25
Y <sub>CIE</sub>	81.26	-2.89	71.56	71.62	92
L <sub>CIE</sub>	52.23	-42.42	13.6	44.55	162
V <sub>CIE</sub>	30.57	1.41	-46.47	46.49	272




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.087$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = o00y$   $u^*_e = r08j$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_Ma$ : 49 65 39  
 $LAB^*LCH^*_Ma$ : 49 76 31  
 $lab^*olv^*_Ma$ : 1.0 0.0 0.0  
 $lab^*rgb^*_Ma$ : 1.0 0.09 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31		<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	68		<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64		<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80		<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97		<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113		<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130		<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146		<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162		<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200		<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238		<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268		<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298		<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325		<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353		<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12		<i>b88r</i>



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.132$

data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_d = 0.25y$   $u^*_e = r33j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

$u^*_d = 0.25y$   
 $LAB^*LAB^*_a$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 59\ 47\ 51$


$LAB^*LCH^*_Ma: 59\ 69\ 47$

$lab^*olv^*_Ma: 1.0\ 0.25\ 0.0$

$lab^*rgb^*_Ma: 1.0\ 0.33\ 0.0$

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1


BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.178$

data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:

$u^*_d = o50y$   $u^*_e = r57j$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

$u^*_d = o50y$   
 $LAB^*LAB^*_a$

Data for maximum colour (Ma):


$LAB^*LAB^*_Ma: 68\ 30\ 62$   
 $LAB^*LCH^*_Ma: 68\ 69\ 63$   
 $lab^*olv^*_Ma: 1.0\ 0.5\ 0.0$   
 $lab^*rgb^*_Ma: 1.0\ 0.58\ 0.0$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.223$

data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_d = 0.75y$   $u^*_e = r81j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

$u^*_d = 0.75y$   
 $LAB^*LAB^*_a$

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 78\ 12\ 73$

$LAB^*LCH^*_Ma: 78\ 74\ 80$

$lab^*olv^*_Ma: 1.0\ 0.75\ 0.0$

$lab^*rgb^*_Ma: 1.0\ 0.82\ 0.0$

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$


%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	48	r33j
o50y	68.32	30.09	61.62	68.58	64	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.269$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = y00l$   $u^*_e = j06g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 91 -10 87  
 $LAB^*LCH^*_{Ma}$ : 91 88 96  
 $lab^*olv^*_{Ma}$ : 1.0 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.94 1.0 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	48	r33j
o50y	68.32	30.09	61.62	68.58	64	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.314$

data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_d = y25l$   $u^*_e = j29g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

$u^*_d = y25l$   
 $LAB^*LAB^*_a$

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 79 -28 66$

$LAB^*LCH^*_Ma: 79 72 113$

$lab^*olv^*_Ma: 0.75 1.0 0.0$


$lab^*rgb^*_Ma: 0.7 1.0 0.0$

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31		r08j
o25y	59.04	46.67	51.1	69.21	64		r33j
o50y	68.32	30.09	61.62	68.58	48		r57j
o75y	78.23	12.39	72.85	73.9	80		r81j
y00l	90.92	-10.29	87.24	87.85	97		j06g
y25l	78.57	-28.11	65.75	71.51	113		j29g
y50l	69.46	-41.25	49.92	64.75	130		j53g
y75l	61.32	-52.99	35.76	63.92	146		j76g
l00c	52.69	-65.44	20.75	68.65	162		g00b
l50c	56.55	-45.12	-16.57	48.07	200		g34b
c00v	59.61	-28.98	-46.22	54.56	238		g69b
c50v	43.33	-1.54	-45.13	45.16	268		g96b
v00m	28.39	23.63	-44.13	50.06	298		b23r
v50m	36.9	43.84	-30.24	53.26	325		b47r
m00o	49.58	73.93	-9.56	74.55	353		b71r
m50o	49.17	69.55	14.68	71.08	12		b88r




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.36$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = y50l$   $u^*_e = j53g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	64	r33j
o50y	68.32	30.09	61.62	68.58	48	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 69 -41 50

$LAB^*LCH^*_{Ma}$ : 69 65 129

$lab^*olv^*_{Ma}$ : 0.5 1.0 0.0

$lab^*rgb^*_{Ma}$ : 0.47 1.0 0.0

triangle lightness  $t^*$


%Gamut

$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.406$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = y75l$   $u^*_e = j76g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 61 -53 36  
 $LAB^*LCH^*_{Ma}$ : 61 64 145  
 $lab^*olv^*_{Ma}$ : 0.25 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.23 1.0 0.0

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	68	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.451$

data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_d = 100c$   $u^*_e = g00b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

$u^*_d = 100c$   
 $LAB^*LAB^*_a$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	64	r33j	
o50y	68.32	30.09	61.62	68.58	48	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 53 -65 21$


$LAB^*LCH^*_Ma: 53 69 162$

$lab^*olv^*_Ma: 0.0 1.0 0.0$

$lab^*rgb^*_Ma: 0.0 1.0 0.0$

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$



BAM registration: 20081001-Ee42/10L/L42E00NP.PS/ .PDF  
 application for evaluation and measurement of printer or monitor systems  
 BAM material: code=rh4ta

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.556$

data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_d = 150c$   $u^*_e = g34b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 57 -45 -17

$LAB^*LCH^*_{Ma}$ : 57 48 200

$lab^*olv^*_{Ma}$ : 0.0 1.0 0.5

$lab^*rgb^*_{Ma}$ : 0.0 1.0 0.69

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$


%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	64	r33j	
o50y	68.32	30.09	61.62	68.58	48	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g96b	
c50v	43.33	-1.54	-45.13	45.16	268	g69b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.661$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = c00v$   $u^*_e = g69b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96a; adapted (a) CIELAB data						
	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 60 -29 -46  
 $LAB^*LCH^*_{Ma}$ : 60 55 237  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 1.0  
 $lab^*rgb^*_{Ma}$ : 0.0 0.62 1.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							$u^*_d = c00v$	$LAB^*LAB^*_a$
	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
o00y	48.75	65.07	39.43	76.08	31			r08j
o25y	59.04	46.67	51.1	69.21	68			r33j
o50y	68.32	30.09	61.62	68.58	44			r57j
o75y	78.23	12.39	72.85	73.9	80			r81j
y00l	90.92	-10.29	87.24	87.85	97			j06g
y25l	78.57	-28.11	65.75	71.51	113			j29g
y50l	69.46	-41.25	49.92	64.75	130			j53g
y75l	61.32	-52.99	35.76	63.92	146			j76g
l00c	52.69	-65.44	20.75	68.65	162			g00b
l50c	56.55	-45.12	-16.57	48.07	200			g34b
c00v	59.61	-28.98	-46.22	54.56	238			g96b
c50v	43.33	-1.54	-45.13	45.16	268			g69b
v00m	28.39	23.63	-44.13	50.06	298			b23r
v50m	36.9	43.84	-30.24	53.26	325			b47r
m00o	49.58	73.93	-9.56	74.55	353			b71r
m50o	49.17	69.55	14.68	71.08	12			b88r




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.745$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = c50v$   $u^*_e = g96b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$ : 43 -2 -45

$LAB^*LCH^*_Ma$ : 43 45 268

$lab^*olv^*_Ma$ : 0.0 0.5 1.0

$lab^*rgb^*_Ma$ : 0.0 0.07 1.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$

%Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

$u^*_d = c50v$   
 $LAB^*LAB^*_a$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	64	r33j	
o50y	68.32	30.09	61.62	68.58	48	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g96b	
c50v	43.33	-1.54	-45.13	45.16	268	g69b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.78	71.08	12	b88r	




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de) Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.828$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = v00m$   $u^*_e = b23r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_Ma$ : 28 24 -44  
 $LAB^*LCH^*_Ma$ : 28 50 298  
 $lab^*olv^*_Ma$ : 0.0 0.0 1.0  
 $lab^*rgb^*_Ma$ : 0.46 0.0 1.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data


	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
a25y	59.04	46.67	51.1	69.21	64	r33j	
a50y	68.32	30.09	61.62	68.58	48	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	



BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF  
 application for evaluation and measurement of printer or monitor systems  
 BAM material: code=rhadata

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.904$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = v50m$   $u^*_e = b47r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	68	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	

Data for maximum colour (Ma):  
 $LAB^*LAB^*_{Ma}: 37\ 44\ -30$   
 $LAB^*LCH^*_{Ma}: 37\ 53\ 325$   
 $lab^*olv^*_{Ma}: 0.5\ 0.0\ 1.0$   
 $lab^*rgb^*_{Ma}: 0.94\ 0.0\ 1.0$   
 triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.98$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = m00o$   $u^*_e = b71r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 50 74 -10  
 $LAB^*LCH^*_{Ma}$ : 50 75 352  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 1.0  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 0.58

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	68	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	



See for similar files: <http://www.ps.bam.de/Ee42/>; <http://www.ps.bam.de>  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems




Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.033$

data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:

$u^*_d = m50o$   $u^*_e = b88r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$ : 49 70 15

$LAB^*LCH^*_Ma$ : 49 71 11

$lab^*olv^*_Ma$ : 1.0 0.0 0.5

$lab^*rgb^*_Ma$ : 1.0 0.0 0.24

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$

%Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

$u^*_d = m50o$   
 $LAB^*LAB^*_a$

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	68	r33j
o50y	68.32	30.09	61.62	68.58	44	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems




Input and output:  
 Colorimetric Printer Reflective System ORS19\_96a  
 data for any colour:

$u^*_d$  and number  $no. = 00 \dots 15$   
 device hue text:  
 $u^*_d = 16$  hues  $o00y, o25y, \dots, m50o$   
 contrast reduction factor:  
 $c_R = 1.0$

ORS19\_96a; adapted (a) CIELAB data


$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>
<i>l00c</i>	52.69	-65.44	-20.75	68.65	162	<i>g00b</i>
<i>c50v</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>



%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

Name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>CIE</sub>	39.92	58.74	27.99	65.07	25
Y <sub>CIE</sub>	81.26	-2.89	71.56	71.62	92
L <sub>CIE</sub>	52.23	-42.42	13.6	44.55	162
V <sub>CIE</sub>	30.57	1.41	-46.47	46.49	272




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.087$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = o00y$   $u^*_e = r08j$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 49 65 39  
 $LAB^*LCH^*_{Ma}$ : 49 76 31  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 0.0  
 $lab^*rgb^*_{Ma}$ : 1.0 0.09 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	68	<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	44	<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1


BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.132$

data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:

$u^*_d = 0.25y$   $u^*_e = r33j$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 59 47 51  
 $LAB^*LCH^*_{Ma}$ : 59 69 47  
 $lab^*olv^*_{Ma}$ : 1.0 0.25 0.0  
 $lab^*rgb^*_{Ma}$ : 1.0 0.33 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	68	r33j	
o50y	68.32	30.09	61.62	68.58	44	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.178$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = o50y$   $u^*_e = r57j$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_Ma$ : 68 30 62  
 $LAB^*LCH^*_Ma$ : 68 69 63  
 $lab^*olv^*_Ma$ : 1.0 0.5 0.0  
 $lab^*rgb^*_Ma$ : 1.0 0.58 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.223$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = o75y$   $u^*_e = r8lj$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_Ma$ : 78 12 73  
 $LAB^*LCH^*_Ma$ : 78 74 80  
 $lab^*olv^*_Ma$ : 1.0 0.75 0.0  
 $lab^*rgb^*_Ma$ : 1.0 0.82 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31		r08j
o25y	59.04	46.67	51.1	69.21	64		r33j
o50y	68.32	30.09	61.62	68.58	48		r57j
o75y	78.23	12.39	72.85	73.9	80		r8lj
y00l	90.92	-10.29	87.24	87.85	97		j06g
y25l	78.57	-28.11	65.75	71.51	113		j29g
y50l	69.46	-41.25	49.92	64.75	130		j53g
y75l	61.32	-52.99	35.76	63.92	146		j76g
l00c	52.69	-65.44	20.75	68.65	162		g00b
l50c	56.55	-45.12	-16.57	48.07	200		g34b
c00v	59.61	-28.98	-46.22	54.56	238		g69b
c50v	43.33	-1.54	-45.13	45.16	268		g96b
v00m	28.39	23.63	-44.13	50.06	298		b23r
v50m	36.9	43.84	-30.24	53.26	325		b47r
m00o	49.58	73.93	-9.56	74.55	353		b71r
m50o	49.17	69.55	14.68	71.08	12		b88r




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.269$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = y00l$   $u^*_e = j06g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 91 -10 87  
 $LAB^*LCH^*_{Ma}$ : 91 88 96  
 $lab^*olv^*_{Ma}$ : 1.0 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.94 1.0 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.314$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = y25l$   $u^*_e = j29g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96a; adapted (a) CIELAB data						
	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 79 -28 66  
 $LAB^*LCH^*_{Ma}$ : 79 72 113  
 $lab^*olv^*_{Ma}$ : 0.75 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.7 1.0 0.0

ORS19_96a; adapted (a) CIELAB data							$u^*_d = y25l$	$LAB^*LCH^*_{a}$
	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
o00y	48.75	65.07	39.43	76.08	31		r08j	
o25y	59.04	46.67	51.1	69.21	48		r33j	
o50y	68.32	30.09	61.62	68.58	64		r57j	
o75y	78.23	12.39	72.85	73.9	80		r81j	
y00l	90.92	-10.29	87.24	87.85	97		j06g	
y25l	78.57	-28.11	65.75	71.51	113		j29g	
y50l	69.46	-41.25	49.92	64.75	130		j53g	
y75l	61.32	-52.99	35.76	63.92	146		j76g	
l00c	52.69	-65.44	20.75	68.65	162		g00b	
l50c	56.55	-45.12	-16.57	48.07	200		g34b	
c00v	59.61	-28.98	-46.22	54.56	238		g69b	
c50v	43.33	-1.54	-45.13	45.16	268		g96b	
v00m	28.39	23.63	-44.13	50.06	298		b23r	
v50m	36.9	43.84	-30.24	53.26	325		b47r	
m00o	49.58	73.93	-9.56	74.55	353		b71r	
m50o	49.17	69.55	14.68	71.08	12		b88r	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




See for similar files: <http://www.ps.bam.de/Ee42/>; <http://www.ps.bam.de>  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.36$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$


Hue texts:  
 $u^*_d = y50l$   $u^*_e = j53g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96a; adapted (a) CIELAB data						
	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

ORS19_96a; adapted (a) CIELAB data							
	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	68	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	

Data for maximum colour (Ma):  
 $LAB^*LAB^*_Ma$ : 69 -41 50  
 $LAB^*LCH^*_Ma$ : 69 65 129  
 $lab^*olv^*_Ma$ : 0.5 1.0 0.0  
 $lab^*rgb^*_Ma$ : 0.47 1.0 0.0  
 triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.406$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = y75l$   $u^*_e = j76g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$




ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

ORS19\_96a; adapted (a) CIELAB data


	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31		r08j
o25y	59.04	46.67	51.1	69.21	48		r33j
o50y	68.32	30.09	61.62	68.58	64		r57j
o75y	78.23	12.39	72.85	73.9	80		r81j
y00l	90.92	-10.29	87.24	87.85	97		j06g
y25l	78.57	-28.11	65.75	71.51	113		j29g
y50l	69.46	-41.25	49.92	64.75	130		j53g
y75l	61.32	-52.99	35.76	63.92	146		j76g
l00c	52.69	-65.44	20.75	68.65	162		g00b
l50c	56.55	-45.12	-16.57	48.07	200		g34b
c00v	59.61	-28.98	-46.22	54.56	238		g69b
c50v	43.33	-1.54	-45.13	45.16	268		g96b
v00m	28.39	23.63	-44.13	50.06	298		b23r
v50m	36.9	43.84	-30.24	53.26	325		b47r
m00o	49.58	73.93	-9.56	74.55	353		b71r
m50o	49.17	69.55	14.68	71.08	12		b88r

Data for maximum colour (Ma):  
 $LAB^*LAB^*_Ma$ : 61 -53 36  
 $LAB^*LCH^*_Ma$ : 61 64 145  
 $lab^*olv^*_Ma$ : 0.25 1.0 0.0  
 $lab^*rgb^*_Ma$ : 0.23 1.0 0.0  
 triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.451$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = 100c$   $u^*_e = g00b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 53 -65 21  
 $LAB^*LCH^*_{Ma}$ : 53 69 162  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 0.0

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	68	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	

triangle lightness  $t^*$


%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$



BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF  
 application for evaluation and measurement of printer or monitor systems  
 BAM material: code=rhadata

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.556$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = 150c$   $u^*_e = g34b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 57 -45 -17  
 $LAB^*LCH^*_{Ma}$ : 57 48 200  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.5  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 0.69


triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	

$u^*_d = 150c$   
 $LAB^*LCH^*_{a}$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.661$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = c00v$   $u^*_e = g69b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 60 -29 -46  
 $LAB^*LCH^*_{Ma}$ : 60 55 237  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 1.0  
 $lab^*rgb^*_{Ma}$ : 0.0 0.62 1.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$


ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	68	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	



Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.745$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = c50v$   $u^*_e = g96b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 43 -2 -45  
 $LAB^*LCH^*_{Ma}$ : 43 45 268  
 $lab^*olv^*_{Ma}$ : 0.0 0.5 1.0  
 $lab^*rgb^*_{Ma}$ : 0.0 0.07 1.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	64	r33j	
o50y	68.32	30.09	61.62	68.58	48	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.828$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = v00m$   $u^*_e = b23r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 28 24 -44  
 $LAB^*LCH^*_{Ma}$ : 28 50 298  
 $lab^*olv^*_{Ma}$ : 0.0 0.0 1.0  
 $lab^*rgb^*_{Ma}$ : 0.46 0.0 1.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	68	r33j	
o50y	68.32	30.09	61.62	68.58	44	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.904$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = v50m$   $u^*_e = b47r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 37 44 -30  
 $LAB^*LCH^*_{Ma}$ : 37 53 325  
 $lab^*olv^*_{Ma}$ : 0.5 0.0 1.0  
 $lab^*rgb^*_{Ma}$ : 0.94 0.0 1.0

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data


	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	



BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF  
 application for evaluation and measurement of printer or monitor systems  
 BAM material: code=rhadata

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.98$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = m00o$   $u^*_e = b71r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 50 74 -10  
 $LAB^*LCH^*_{Ma}$ : 50 75 352  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 1.0  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 0.58

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	48	r33j
o50y	68.32	30.09	61.62	68.58	64	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.033$

data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_d = m50o$   $u^*_e = b88r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 49 70 15

$LAB^*LCH^*_{Ma}$ : 49 71 11

$lab^*olv^*_{Ma}$ : 1.0 0.0 0.5

$lab^*rgb^*_{Ma}$ : 1.0 0.0 0.24

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$


%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	68	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	






Input and output:  
 Colorimetric Printer Reflective System ORS19\_96a  
 data for any colour:

$u^*_d$  and number  $no. = 00 \dots 15$   
 device hue text:  
 $u^*_d = 16$  hues  $o00y, o25y, \dots, m50o$   
 contrast reduction factor:  
 $c_R = 1.0$

ORS19\_96a; adapted (a) CIELAB data


$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>
<i>l00c</i>	52.69	-65.44	-20.75	68.65	162	<i>g00b</i>
<i>c50v</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>



%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

Name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>CIE</sub>	39.92	58.74	27.99	65.07	25
Y <sub>CIE</sub>	81.26	-2.89	71.56	71.62	92
L <sub>CIE</sub>	52.23	-42.42	13.6	44.55	162
V <sub>CIE</sub>	30.57	1.41	-46.47	46.49	272




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.087$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = o00y$   $u^*_e = r08j$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 49 65 39  
 $LAB^*LCH^*_{Ma}$ : 49 76 31  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 0.0  
 $lab^*rgb^*_{Ma}$ : 1.0 0.09 0.0


triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
$o00y$	48.75	65.07	39.43	76.08	31	$r08j$
$o25y$	59.04	46.67	51.1	69.21	48	$r33j$
$o50y$	68.32	30.09	61.62	68.58	64	$r57j$
$o75y$	78.23	12.39	72.85	73.9	80	$r81j$
$y00l$	90.92	-10.29	87.24	87.85	97	$j06g$
$y25l$	78.57	-28.11	65.75	71.51	113	$j29g$
$y50l$	69.46	-41.25	49.92	64.75	130	$j53g$
$y75l$	61.32	-52.99	35.76	63.92	146	$j76g$
$l00c$	52.69	-65.44	20.75	68.65	162	$g00b$
$l50c$	56.55	-45.12	-16.57	48.07	200	$g34b$
$c00v$	59.61	-28.98	-46.22	54.56	238	$g69b$
$c50v$	43.33	-1.54	-45.13	45.16	268	$g96b$
$v00m$	28.39	23.63	-44.13	50.06	298	$b23r$
$v50m$	36.9	43.84	-30.24	53.26	325	$b47r$
$m00o$	49.58	73.93	-9.56	74.55	353	$b71r$
$m50o$	49.17	69.55	14.68	71.08	12	$b88r$

$u^*_d = o00y$   
 $lab^*tch^*$



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/ .PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.132$

data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_d = o25y$   $u^*_e = r33j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 59 47 51

$LAB^*LCH^*_{Ma}$ : 59 69 47

$lab^*olv^*_{Ma}$ : 1.0 0.25 0.0

$lab^*rgb^*_{Ma}$ : 1.0 0.33 0.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$


$g^*_{C,rel} = 57$

$u^*_d = o25y$

$lab^*tch^*$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.178$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = o50y$   $u^*_e = r57j$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 68 30 62  
 $LAB^*LCH^*_{Ma}$ : 68 69 63  
 $lab^*olv^*_{Ma}$ : 1.0 0.5 0.0  
 $lab^*rgb^*_{Ma}$ : 1.0 0.58 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Fe42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.223$

data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_d = 0.75y$   $u^*_e = r81j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

$u^*_d = 0.75y$   
 $lab^*tch^*$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31		r08j
o25y	59.04	46.67	51.1	69.21	48		r33j
o50y	68.32	30.09	61.62	68.58	64		r57j
o75y	78.23	12.39	72.85	73.9	80		r81j
y00l	90.92	-10.29	87.24	87.85	97		j06g
y25l	78.57	-28.11	65.75	71.51	113		j29g
y50l	69.46	-41.25	49.92	64.75	130		j53g
y75l	61.32	-52.99	35.76	63.92	146		j76g
l00c	52.69	-65.44	20.75	68.65	162		g00b
l50c	56.55	-45.12	-16.57	48.07	200		g34b
c00v	59.61	-28.98	-46.22	54.56	238		g69b
c50v	43.33	-1.54	-45.13	45.16	268		g96b
v00m	28.39	23.63	-44.13	50.06	298		b23r
v50m	36.9	43.84	-30.24	53.26	325		b47r
m00o	49.58	73.93	-9.56	74.55	353		b71r
m50o	49.17	69.55	14.68	71.08	12		b88r

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 78 12 73


$LAB^*LCH^*_{Ma}$ : 78 74 80

$lab^*olv^*_{Ma}$ : 1.0 0.75 0.0

$lab^*rgb^*_{Ma}$ : 1.0 0.82 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.269$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = y00l$   $u^*_e = j06g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 91 -10 87  
 $LAB^*LCH^*_{Ma}$ : 91 88 96  
 $lab^*olv^*_{Ma}$ : 1.0 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.94 1.0 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	48	r33j
o50y	68.32	30.09	61.62	68.58	64	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.314$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = y25l$   $u^*_e = j29g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 79 -28 66  
 $LAB^*LCH^*_{Ma}$ : 79 72 113  
 $lab^*olv^*_{Ma}$ : 0.75 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.7 1.0 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.36$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = y50l$   $u^*_e = j53g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96a; adapted (a) CIELAB data						
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 69 -41 50  
 $LAB^*LCH^*_{Ma}$ : 69 65 129  
 $lab^*olv^*_{Ma}$ : 0.5 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.47 1.0 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							$u^*_d = y50l$	$lab^*tch^*$
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$		
o00y	48.75	65.07	39.43	76.08	31	r08j		
o25y	59.04	46.67	51.1	69.21	48	r33j		
o50y	68.32	30.09	61.62	68.58	64	r57j		
o75y	78.23	12.39	72.85	73.9	80	r81j		
y00l	90.92	-10.29	87.24	87.85	97	j06g		
y25l	78.57	-28.11	65.75	71.51	113	j29g		
y50l	69.46	-41.25	49.92	64.75	130	j53g		
y75l	61.32	-52.99	35.76	63.92	146	j76g		
l00c	52.69	-65.44	20.75	68.65	162	g00b		
l50c	56.55	-45.12	-16.57	48.07	200	g34b		
c00v	59.61	-28.98	-46.22	54.56	238	g69b		
c50v	43.33	-1.54	-45.13	45.16	268	g96b		
v00m	28.39	23.63	-44.13	50.06	298	b23r		
v50m	36.9	43.84	-30.24	53.26	325	b47r		
m00o	49.58	73.93	-9.56	74.55	353	b71r		
m50o	49.17	69.55	14.68	71.08	12	b88r		




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.406$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = y75l$   $u^*_e = j76g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 61 -53 36  
 $LAB^*LCH^*_{Ma}$ : 61 64 145  
 $lab^*olv^*_{Ma}$ : 0.25 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.23 1.0 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31		r08j
o25y	59.04	46.67	51.1	69.21	48		r33j
o50y	68.32	30.09	61.62	68.58	64		r57j
o75y	78.23	12.39	72.85	73.9	80		r81j
y00l	90.92	-10.29	87.24	87.85	97		j06g
y25l	78.57	-28.11	65.75	71.51	113		j29g
y50l	69.46	-41.25	49.92	64.75	130		j53g
y75l	61.32	-52.99	35.76	63.92	146		j76g
l00c	52.69	-65.44	20.75	68.65	162		g00b
l50c	56.55	-45.12	-16.57	48.07	200		g34b
c00v	59.61	-28.98	-46.22	54.56	238		g69b
c50v	43.33	-1.54	-45.13	45.16	268		g96b
v00m	28.39	23.63	-44.13	50.06	298		b23r
v50m	36.9	43.84	-30.24	53.26	325		b47r
m00o	49.58	73.93	-9.56	74.55	353		b71r
m50o	49.17	69.55	14.68	71.08	12		b88r




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.451$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = 100c$   $u^*_e = g00b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 53 -65 21

$LAB^*LCH^*_{Ma}$ : 53 69 162

$lab^*olv^*_{Ma}$ : 0.0 1.0 0.0

$lab^*rgb^*_{Ma}$ : 0.0 1.0 0.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$

%Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

$u^*_d = 100c$   
 $lab^*tch^*$

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	48	r33j
o50y	68.32	30.09	61.62	68.58	64	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/ .PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.556$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = 150c$   $u^*_e = g34b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 57 -45 -17  
 $LAB^*LCH^*_{Ma}$ : 57 48 200  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.5  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 0.69

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.661$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = c00v$   $u^*_e = g69b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 60 -29 -46  
 $LAB^*LCH^*_{Ma}$ : 60 55 237  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 1.0  
 $lab^*rgb^*_{Ma}$ : 0.0 0.62 1.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
a25y	59.04	46.67	51.1	69.21	48	r33j	
a50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.745$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = c50v$   $u^*_e = g96b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 43 -2 -45  
 $LAB^*LCH^*_{Ma}$ : 43 45 268  
 $lab^*olv^*_{Ma}$ : 0.0 0.5 1.0  
 $lab^*rgb^*_{Ma}$ : 0.0 0.07 1.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/ .PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.828$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = v00m$   $u^*_e = b23r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 28 24 -44  
 $LAB^*LCH^*_{Ma}$ : 28 50 298  
 $lab^*olv^*_{Ma}$ : 0.0 0.0 1.0  
 $lab^*rgb^*_{Ma}$ : 0.46 0.0 1.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
a25y	59.04	46.67	51.1	69.21	48	r33j	
a50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.904$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = v50m$   $u^*_e = b47r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 37 44 -30  
 $LAB^*LCH^*_{Ma}$ : 37 53 325  
 $lab^*olv^*_{Ma}$ : 0.5 0.0 1.0  
 $lab^*rgb^*_{Ma}$ : 0.94 0.0 1.0

triangle lightness  $t^*$


%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	

$lab^*tch^*$

brilliantness  $i^*$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/ .PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.98$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = m00o$   $u^*_e = b71r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 50 74 -10  
 $LAB^*LCH^*_{Ma}$ : 50 75 352  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 1.0  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 0.58

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	48	r33j
o50y	68.32	30.09	61.62	68.58	64	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.033$

data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_d = m500$   $u^*_e = b88r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 49 70 15

$LAB^*LCH^*_{Ma}$ : 49 71 11

$lab^*olv^*_{Ma}$ : 1.0 0.0 0.5

$lab^*rgb^*_{Ma}$ : 1.0 0.0 0.24

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$

%Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

$u^*_d = m500$   
 $lab^*tch^*$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems




Input and output:  
 Colorimetric Printer Reflective System ORS19\_96a  
 data for any colour:

$u^*_d$  and number  $no. = 00 \dots 15$   
 device hue text:  
 $u^*_d = 16$  hues  $o00y, o25y, \dots, m50o$   
 contrast reduction factor:  
 $c_R = 1.0$

ORS19\_96a; adapted (a) CIELAB data


$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>
<i>l00c</i>	52.69	-65.44	-20.75	68.65	162	<i>g00b</i>
<i>c50v</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>
<i>o00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>



%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

Name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0
O <sub>CIE</sub>	39.92	58.74	27.99	65.07	25
Y <sub>CIE</sub>	81.26	-2.89	71.56	71.62	92
L <sub>CIE</sub>	52.23	-42.42	13.6	44.55	162
V <sub>CIE</sub>	30.57	1.41	-46.47	46.49	272




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4da  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.087$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = o00y$   $u^*_e = r08j$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 49 65 39  
 $LAB^*LCH^*_{Ma}$ : 49 76 31  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 0.0  
 $lab^*rgb^*_{Ma}$ : 1.0 0.09 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31		<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48		<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64		<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80		<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97		<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113		<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130		<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146		<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162		<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200		<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238		<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268		<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298		<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325		<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353		<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12		<i>b88r</i>



BAM registration: 20081001-Ee42/10L/L42E00NP.PS/ .PDF  
 application for evaluation and measurement of printer or monitor systems  
 BAM material: code=rhadata



Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.132$

data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_d = o25y$   $u^*_e = r33j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 59 47 51

$LAB^*LCH^*_{Ma}$ : 59 69 47

$lab^*olv^*_{Ma}$ : 1.0 0.25 0.0

$lab^*rgb^*_{Ma}$ : 1.0 0.33 0.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$


%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31		<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48		<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64		<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80		<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97		<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113		<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130		<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146		<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162		<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200		<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238		<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268		<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298		<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325		<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353		<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12		<i>b88r</i>



Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.178$

data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_d = o50y$   $u^*_e = r57j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

$u^*_d = o50y$   
 $lab^*icu^*_e$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31		r08j
o25y	59.04	46.67	51.1	69.21	48		r33j
o50y	68.32	30.09	61.62	68.58	64		r57j
o75y	78.23	12.39	72.85	73.9	80		r81j
y00l	90.92	-10.29	87.24	87.85	97		j06g
y25l	78.57	-28.11	65.75	71.51	113		j29g
y50l	69.46	-41.25	49.92	64.75	130		j53g
y75l	61.32	-52.99	35.76	63.92	146		j76g
l00c	52.69	-65.44	20.75	68.65	162		g00b
l50c	56.55	-45.12	-16.57	48.07	200		g34b
c00v	59.61	-28.98	-46.22	54.56	238		g69b
c50v	43.33	-1.54	-45.13	45.16	268		g96b
v00m	28.39	23.63	-44.13	50.06	298		b23r
v50m	36.9	43.84	-30.24	53.26	325		b47r
m00o	49.58	73.93	-9.56	74.55	353		b71r
m50o	49.17	69.55	14.68	71.08	12		b88r

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$ : 68 30 62


$LAB^*LCH^*_Ma$ : 68 69 63

$lab^*olv^*_Ma$ : 1.0 0.5 0.0

$lab^*rgb^*_Ma$ : 1.0 0.58 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/ .PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.223$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = o75y$   $u^*_e = r81j$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 78 12 73  
 $LAB^*LCH^*_{Ma}$ : 78 74 80  
 $lab^*olv^*_{Ma}$ : 1.0 0.75 0.0  
 $lab^*rgb^*_{Ma}$ : 1.0 0.82 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31		r08j
o25y	59.04	46.67	51.1	69.21	48		r33j
o50y	68.32	30.09	61.62	68.58	64		r57j
o75y	78.23	12.39	72.85	73.9	80		r81j
y00l	90.92	-10.29	87.24	87.85	97		j06g
y25l	78.57	-28.11	65.75	71.51	113		j29g
y50l	69.46	-41.25	49.92	64.75	130		j53g
y75l	61.32	-52.99	35.76	63.92	146		j76g
l00c	52.69	-65.44	20.75	68.65	162		g00b
l50c	56.55	-45.12	-16.57	48.07	200		g34b
c00v	59.61	-28.98	-46.22	54.56	238		g69b
c50v	43.33	-1.54	-45.13	45.16	268		g96b
v00m	28.39	23.63	-44.13	50.06	298		b23r
v50m	36.9	43.84	-30.24	53.26	325		b47r
m00o	49.58	73.93	-9.56	74.55	353		b71r
m50o	49.17	69.55	14.68	71.08	12		b88r




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/ .PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.269$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = y00l$   $u^*_e = j06g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 91 -10 87  
 $LAB^*LCH^*_{Ma}$ : 91 88 96  
 $lab^*olv^*_{Ma}$ : 1.0 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.94 1.0 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31		r08j
o25y	59.04	46.67	51.1	69.21	48		r33j
o50y	68.32	30.09	61.62	68.58	64		r57j
o75y	78.23	12.39	72.85	73.9	80		r81j
y00l	90.92	-10.29	87.24	87.85	97		j06g
y25l	78.57	-28.11	65.75	71.51	113		j29g
y50l	69.46	-41.25	49.92	64.75	130		j53g
y75l	61.32	-52.99	35.76	63.92	146		j76g
l00c	52.69	-65.44	20.75	68.65	162		g00b
l50c	56.55	-45.12	-16.57	48.07	200		g34b
c00v	59.61	-28.98	-46.22	54.56	238		g69b
c50v	43.33	-1.54	-45.13	45.16	268		g96b
v00m	28.39	23.63	-44.13	50.06	298		b23r
v50m	36.9	43.84	-30.24	53.26	325		b47r
m00o	49.58	73.93	-9.56	74.55	353		b71r
m50o	49.17	69.55	14.68	71.08	12		b88r




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.314$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = y25l$   $u^*_e = j29g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 79 -28 66$

$LAB^*LCH^*_{Ma}: 79 72 113$

$lab^*olv^*_{Ma}: 0.75 1.0 0.0$


$lab^*rgb^*_{Ma}: 0.7 1.0 0.0$

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31		r08j
o25y	59.04	46.67	51.1	69.21	48		r33j
o50y	68.32	30.09	61.62	68.58	64		r57j
o75y	78.23	12.39	72.85	73.9	80		r81j
y00l	90.92	-10.29	87.24	87.85	97		j06g
y25l	78.57	-28.11	65.75	71.51	113		j29g
y50l	69.46	-41.25	49.92	64.75	130		j53g
y75l	61.32	-52.99	35.76	63.92	146		j76g
l00c	52.69	-65.44	20.75	68.65	162		g00b
l50c	56.55	-45.12	-16.57	48.07	200		g34b
c00v	59.61	-28.98	-46.22	54.56	238		g69b
c50v	43.33	-1.54	-45.13	45.16	268		g96b
v00m	28.39	23.63	-44.13	50.06	298		b23r
v50m	36.9	43.84	-30.24	53.26	325		b47r
m00o	49.58	73.93	-9.56	74.55	353		b71r
m50o	49.17	69.55	14.68	71.08	12		b88r




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.36$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = y50l$   $u^*_e = j53g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96a; adapted (a) CIELAB data						
	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 69 -41 50  
 $LAB^*LCH^*_{Ma}$ : 69 65 129  
 $lab^*olv^*_{Ma}$ : 0.5 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.47 1.0 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$


ORS19_96a; adapted (a) CIELAB data							$u^*_d = y50l$	$lab^*icu^*_e$
	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
o00y	48.75	65.07	39.43	76.08	31		r08j	
o25y	59.04	46.67	51.1	69.21	48		r33j	
o50y	68.32	30.09	61.62	68.58	64		r57j	
o75y	78.23	12.39	72.85	73.9	80		r81j	
y00l	90.92	-10.29	87.24	87.85	97		j06g	
y25l	78.57	-28.11	65.75	71.51	113		j29g	
y50l	69.46	-41.25	49.92	64.75	130		j53g	
y75l	61.32	-52.99	35.76	63.92	146		j76g	
l00c	52.69	-65.44	20.75	68.65	162		g00b	
l50c	56.55	-45.12	-16.57	48.07	200		g34b	
c00v	59.61	-28.98	-46.22	54.56	238		g69b	
c50v	43.33	-1.54	-45.13	45.16	268		g96b	
v00m	28.39	23.63	-44.13	50.06	298		b23r	
v50m	36.9	43.84	-30.24	53.26	325		b47r	
m00o	49.58	73.93	-9.56	74.55	353		b71r	
m50o	49.17	69.55	14.68	71.08	12		b88r	



BAM registration: 20081001-Ee42/10L/L42E00NP.PS/ .PDF  
 application for evaluation and measurement of printer or monitor systems  
 BAM material: code=rh4ta

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.406$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = y75l$   $u^*_e = j76g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 61 -53 36  
 $LAB^*LCH^*_{Ma}$ : 61 64 145  
 $lab^*olv^*_{Ma}$ : 0.25 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.23 1.0 0.0

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31		r08j
o25y	59.04	46.67	51.1	69.21	48		r33j
o50y	68.32	30.09	61.62	68.58	64		r57j
o75y	78.23	12.39	72.85	73.9	80		r81j
y00l	90.92	-10.29	87.24	87.85	97		j06g
y25l	78.57	-28.11	65.75	71.51	113		j29g
y50l	69.46	-41.25	49.92	64.75	130		j53g
y75l	61.32	-52.99	35.76	63.92	146		j76g
l00c	52.69	-65.44	20.75	68.65	162		g00b
l50c	56.55	-45.12	-16.57	48.07	200		g34b
c00v	59.61	-28.98	-46.22	54.56	238		g69b
c50v	43.33	-1.54	-45.13	45.16	268		g96b
v00m	28.39	23.63	-44.13	50.06	298		b23r
v50m	36.9	43.84	-30.24	53.26	325		b47r
m00o	49.58	73.93	-9.56	74.55	353		b71r
m50o	49.17	69.55	14.68	71.08	12		b88r

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1


BAM registration: 20081001-Ee42/10L/L42E00NP.PS/ .PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.451$

data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:

$u^*_d = 100c$   $u^*_e = g00b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96a; adapted (a) CIELAB data						
	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 53 -65 21

$LAB^*LCH^*_{Ma}$ : 53 69 162

$lab^*olv^*_{Ma}$ : 0.0 1.0 0.0

$lab^*rgb^*_{Ma}$ : 0.0 1.0 0.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$


%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

$u^*_d = 100c$   
 $lab^*icu^*_e$

ORS19_96a; adapted (a) CIELAB data							
	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31		r08j
o25y	59.04	46.67	51.1	69.21	48		r33j
o50y	68.32	30.09	61.62	68.58	64		r57j
o75y	78.23	12.39	72.85	73.9	80		r81j
y00l	90.92	-10.29	87.24	87.85	97		j06g
y25l	78.57	-28.11	65.75	71.51	113		j29g
y50l	69.46	-41.25	49.92	64.75	130		j53g
y75l	61.32	-52.99	35.76	63.92	146		j76g
100c	52.69	-65.44	20.75	68.65	162		g00b
l50c	56.55	-45.12	-16.57	48.07	200		g34b
c00v	59.61	-28.98	-46.22	54.56	238		g69b
c50v	43.33	-1.54	-45.13	45.16	268		g96b
v00m	28.39	23.63	-44.13	50.06	298		b23r
v50m	36.9	43.84	-30.24	53.26	325		b47r
m00o	49.58	73.93	-9.56	74.55	353		b71r
m50o	49.17	69.55	14.68	71.08	12		b88r




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.556$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = 150c$   $u^*_e = g34b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 57 -45 -17  
 $LAB^*LCH^*_{Ma}$ : 57 48 200  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.5  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 0.69

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.661$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = c00v$   $u^*_e = g69b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 60 -29 -46  
 $LAB^*LCH^*_{Ma}$ : 60 55 237  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 1.0  
 $lab^*rgb^*_{Ma}$ : 0.0 0.62 1.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1


BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.745$

data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:

$u^*_d = c50v$   $u^*_e = g96b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 43 -2 -45

$LAB^*LCH^*_{Ma}$ : 43 45 268

$lab^*olv^*_{Ma}$ : 0.0 0.5 1.0


$lab^*rgb^*_{Ma}$ : 0.0 0.07 1.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.828$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = v00m$   $u^*_e = b23r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 28 24 -44  
 $LAB^*LCH^*_{Ma}$ : 28 50 298  
 $lab^*olv^*_{Ma}$ : 0.0 0.0 1.0  
 $lab^*rgb^*_{Ma}$ : 0.46 0.0 1.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}^*/360 = 0.904$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = v50m$   $u^*_e = b47r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 37 44 -30

$LAB^*LCH^*_{Ma}$ : 37 53 325

$lab^*olv^*_{Ma}$ : 0.5 0.0 1.0


$lab^*rgb^*_{Ma}$ : 0.94 0.0 1.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/ .PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.98$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = m00o$   $u^*_e = b71r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96a; adapted (a) CIELAB data						
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 50 74 -10  
 $LAB^*LCH^*_{Ma}$ : 50 75 352  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 1.0  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 0.58

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							$u^*_d = m00o$	$lab^*icu^*_e$
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$		
o00y	48.75	65.07	39.43	76.08	31	r08j		
o25y	59.04	46.67	51.1	69.21	68	r33j		
o50y	68.32	30.09	61.62	68.58	44	r57j		
o75y	78.23	12.39	72.85	73.9	80	r81j		
y00l	90.92	-10.29	87.24	87.85	97	j06g		
y25l	78.57	-28.11	65.75	71.51	113	j29g		
y50l	69.46	-41.25	49.92	64.75	130	j53g		
y75l	61.32	-52.99	35.76	63.92	146	j76g		
l00c	52.69	-65.44	20.75	68.65	162	g00b		
l50c	56.55	-45.12	-16.57	48.07	200	g34b		
c00v	59.61	-28.98	-46.22	54.56	238	g69b		
c50v	43.33	-1.54	-45.13	45.16	268	g96b		
v00m	28.39	23.63	-44.13	50.06	298	b23r		
v50m	36.9	43.84	-30.24	53.26	325	b47r		
m00o	49.58	73.93	-9.56	74.55	353	b71r		
m50o	49.17	69.55	14.68	71.08	12	b88r		



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1


BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.033$

data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:

$u^*_d = m50o$   $u^*_e = b88r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	48.75	65.07	39.43	76.08	31	
Y <sub>Ma</sub>	90.92	-10.29	87.24	87.85	97	
L <sub>Ma</sub>	52.69	-65.44	20.75	68.65	162	
C <sub>Ma</sub>	59.61	-28.98	-46.22	54.56	238	
V <sub>Ma</sub>	28.39	23.63	-44.13	50.06	298	
M <sub>Ma</sub>	49.58	73.93	-9.56	74.55	353	
N <sub>Ma</sub>	18.89	0.0	0.0	0.0	0	
W <sub>Ma</sub>	96.9	0.0	0.0	0.0	0	
O <sub>Ma</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>Ma</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>Ma</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>Ma</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$ : 49 70 15

$LAB^*LCH^*_Ma$ : 49 71 11

$lab^*olv^*_Ma$ : 1.0 0.0 0.5

$lab^*rgb^*_Ma$ : 1.0 0.0 0.24

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$

%Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

$u^*_d = m50o$   
 $lab^*icu^*_e$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31		r08j
o25y	59.04	46.67	51.1	69.21	48		r33j
o50y	68.32	30.09	61.62	68.58	64		r57j
o75y	78.23	12.39	72.85	73.9	80		r81j
y00l	90.92	-10.29	87.24	87.85	97		j06g
y25l	78.57	-28.11	65.75	71.51	113		j29g
y50l	69.46	-41.25	49.92	64.75	130		j53g
y75l	61.32	-52.99	35.76	63.92	146		j76g
l00c	52.69	-65.44	20.75	68.65	162		g00b
l50c	56.55	-45.12	-16.57	48.07	200		g34b
c00v	59.61	-28.98	-46.22	54.56	238		g69b
c50v	43.33	-1.54	-45.13	45.16	268		g96b
v00m	28.39	23.63	-44.13	50.06	298		b23r
v50m	36.9	43.84	-30.24	53.26	325		b47r
m00o	49.58	73.93	-9.56	74.55	353		b71r
m50o	49.17	69.55	14.68	71.08	12		b88r



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems






Input and output:  
 Colorimetric Printer Reflective System ORS19\_96a  
 data for any colour:

$u^*_d$  and number  $no. = 00 \dots 15$   
 device hue text:  
 $u^*_d = 16$  hues  $o00y, o25y, \dots, m50o$   
 contrast reduction factor:  
 $c_R = 1.0$

ORS19\_96a; adapted (a) CIELAB data


$u^*_d$	$L^* = L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>
<i>l00c</i>	52.69	-65.44	-20.75	68.65	162	<i>g00b</i>
<i>c50v</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>



%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96; CIELAB data

Name	$L^* = L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab}$	$h^*_{ab}$
$O_M$	48.75	65.16	40.76	76.86	32
$Y_M$	90.92	-10.78	89.36	90.01	97
$L_M$	52.69	-65.4	22.15	69.05	161
$C_M$	59.61	-29.04	-44.69	53.3	237
$V_M$	28.39	24.0	-43.18	49.4	299
$M_M$	49.58	74.01	-8.22	74.47	354
$N_M$	18.89	0.5	0.77	0.92	57
$W_M$	96.9	-0.57	2.23	2.3	104
$O_{CIE}$	39.92	58.74	27.99	65.07	25
$Y_{CIE}$	81.26	-2.89	71.56	71.62	92
$L_{CIE}$	52.23	-42.42	13.6	44.55	162
$V_{CIE}$	30.57	1.41	-46.47	46.49	272




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.087$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = o00y$   $u^*_e = r08j$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96; CIELAB data					
$u^*_d$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354
N <sub>M</sub>	18.89	0.5	0.77	0.92	57
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104
O <sub>M</sub>	39.92	58.74	27.99	65.07	25
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272


Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 49\ 65\ 39$   
 $LAB^*LCH^*Ma: 49\ 76\ 31$   
 $lab^*olv^*Ma: 1.0\ 0.0\ 0.0$   
 $lab^*rgb^*Ma: 1.0\ 0.09\ 0.0$

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>	
<i>o25y</i>	59.04	46.67	51.1	69.21	68	<i>r33j</i>	
<i>o50y</i>	68.32	30.09	61.62	68.58	44	<i>r57j</i>	
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>	
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>	
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>	
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>	
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>	
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>	
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>	
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>	
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>	
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>	
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>	
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>	
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>	




See for similar files: <http://www.ps.bam.de/Ee42/>; [http://www.ps.bam.de/Version 2.1, io=1,1, ColSPx=1](http://www.ps.bam.de/Version%201.1,%20ColSPx=1)

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.132$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = o25y$   $u^*_e = r33j$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96; CIELAB data					
$u^*_d$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354
N <sub>M</sub>	18.89	0.5	0.77	0.92	57
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104
O <sub>M</sub>	39.92	58.74	27.99	65.07	25
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 59\ 47\ 51$   
 $LAB^*LCH^*_{Ma}: 59\ 69\ 47$   
 $lab^*olv^*_{Ma}: 1.0\ 0.25\ 0.0$   
 $lab^*rgb^*_{Ma}: 1.0\ 0.33\ 0.0$

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	64	r33j	
o50y	68.32	30.09	61.62	68.58	48	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	




See for similar files: <http://www.ps.bam.de/Ee42/>; [http://www.ps.bam.de/Version 2.1, io=1,1, Colspx=1](http://www.ps.bam.de/Version%201.1,io=1,1,Colspx=1)  
 Technical information: <http://www.ps.bam.de>

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.178$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = o50y$   $u^*_e = r57j$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96; CIELAB data					
$u^*_d$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354
N <sub>M</sub>	18.89	0.5	0.77	0.92	57
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104
O <sub>M</sub>	39.92	58.74	27.99	65.07	25
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):


$LAB^*LAB^*Ma: 68\ 30\ 62$   
 $LAB^*LCH^*Ma: 68\ 69\ 63$   
 $lab^*olv^*Ma: 1.0\ 0.5\ 0.0$   
 $lab^*rgb^*Ma: 1.0\ 0.58\ 0.0$

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

$u^*_d = o50y$   
 $LAB^*LAB^*$

ORS19_96a; adapted (a) CIELAB data						
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	64	r33j
o50y	68.32	30.09	61.62	68.58	48	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/ .PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.223$

data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_d = o75y$   $u^*_e = r81j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS19_96; CIELAB data						
$u^*_d$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$	
O <sub>M</sub>	48.75	65.16	40.76	76.86	32	
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97	
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161	
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237	
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299	
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354	
N <sub>M</sub>	18.89	0.5	0.77	0.92	57	
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104	
O <sub>M</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

$u^*_d = o75y$   
 $LAB^*LAB^*$

ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 78\ 12\ 73$

$LAB^*LCH^*_Ma: 78\ 74\ 80$

$lab^*olv^*_Ma: 1.0\ 0.75\ 0.0$

$lab^*rgb^*_Ma: 1.0\ 0.82\ 0.0$

triangle lightness  $t^*$


%Gamut

$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de) Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.269$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = y00l$   $u^*_e = j06g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96; CIELAB data						
$u^*_d$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$	
O <sub>M</sub>	48.75	65.16	40.76	76.86	32	
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97	
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161	
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237	
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299	
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354	
N <sub>M</sub>	18.89	0.5	0.77	0.92	57	
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104	
O <sub>M</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

$u^*_d = y00l$   
 $LAB^*LAB^*$


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 91 -10 87$   
 $LAB^*LCH^*_{Ma}: 91 88 96$   
 $lab^*olv^*_{Ma}: 1.0 1.0 0.0$   
 $lab^*rgb^*_{Ma}: 0.94 1.0 0.0$

ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




See for similar files: <http://www.ps.bam.de/Ee42/>; <http://www.ps.bam.de>  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.314$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = y25l$   $u^*_e = j29g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96; CIELAB data					
$u^*_d$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354
N <sub>M</sub>	18.89	0.5	0.77	0.92	57
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104
O <sub>M</sub>	39.92	58.74	27.99	65.07	25
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 79 -28 66$

$LAB^*LCH^*_Ma: 79 72 113$

$lab^*olv^*_Ma: 0.75 1.0 0.0$

$lab^*rgb^*_Ma: 0.7 1.0 0.0$

triangle lightness  $t^*$

%Gamut


$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	




See for similar files: <http://www.ps.bam.de/Ee42/>; [http://www.ps.bam.de/Version 2.1, io=1,1, Colspx=1](http://www.ps.bam.de/Version%201.1,io=1,1,Colspx=1)

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.36$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = y50l$   $u^*_e = j53g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96; CIELAB data					
$u^*_d$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354
N <sub>M</sub>	18.89	0.5	0.77	0.92	57
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104
O <sub>M</sub>	39.92	58.74	27.99	65.07	25
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272

$u^*_d = y50l$   
 $LAB^*LAB^*$


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 69 -41 50  
 $LAB^*LCH^*_{Ma}$ : 69 65 129  
 $lab^*olv^*_{Ma}$ : 0.5 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.47 1.0 0.0

ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	68	r33j	
o50y	68.32	30.09	61.62	68.58	44	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$




See for similar files: <http://www.ps.bam.de/Ee42/>;  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/ .PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.406$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = y75l$   $u^*_e = j76g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96; CIELAB data					
$u^*_d$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354
N <sub>M</sub>	18.89	0.5	0.77	0.92	57
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104
O <sub>M</sub>	39.92	58.74	27.99	65.07	25
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 61 -53 36  
 $LAB^*LCH^*_{Ma}$ : 61 64 145  
 $lab^*olv^*_{Ma}$ : 0.25 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.23 1.0 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$


ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	



BAM registration: 20081001-Ee42/10L/L42E00NP.PS/ .PDF  
 application for evaluation and measurement of printer or monitor systems  
 BAM material: code=rh4ta

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.451$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = 100c$   $u^*_e = g00b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



**ORS19\_96; CIELAB data**

$u^*_d$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354
N <sub>M</sub>	18.89	0.5	0.77	0.92	57
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104
O <sub>M</sub>	39.92	58.74	27.99	65.07	25
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 53 -65 21  
 $LAB^*LCH^*_{Ma}$ : 53 69 162  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

**ORS19\_96a; adapted (a) CIELAB data**

$u^*_d$	$L^*=L^*$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	64	r33j
o50y	68.32	30.09	61.62	68.58	48	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1


BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.556$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = 150c$   $u^*_e = g34b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96; CIELAB data						
	$u^*_d$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32	
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97	
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161	
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237	
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299	
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354	
N <sub>M</sub>	18.89	0.5	0.77	0.92	57	
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104	
O <sub>M</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272	




Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 57 -45 -17  
 $LAB^*LCH^*_{Ma}$ : 57 48 200  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.5  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 0.69

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$


ORS19_96a; adapted (a) CIELAB data							
	$u^*_d$	$L^*=L^*$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	64	r33j	
o50y	68.32	30.09	61.62	68.58	48	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	



BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.661$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = c00v$   $u^*_e = g69b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



**ORS19\_96; CIELAB data**

$u^*_d$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354
N <sub>M</sub>	18.89	0.5	0.77	0.92	57
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104
O <sub>M</sub>	39.92	58.74	27.99	65.07	25
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):


$LAB^*LAB^*_Ma$ : 60 -29 -46  
 $LAB^*LCH^*_Ma$ : 60 55 237  
 $lab^*olv^*_Ma$ : 0.0 1.0 1.0  
 $lab^*rgb^*_Ma$ : 0.0 0.62 1.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

**ORS19\_96a; adapted (a) CIELAB data**

$u^*_d$	$L^*=L^*$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	48	r33j
o50y	68.32	30.09	61.62	68.58	64	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r




See for similar files: <http://www.ps.bam.de/Ee42/>; [http://www.ps.bam.de/Version 2.1, io=1,1, ColSpx=1](http://www.ps.bam.de/Version%201.1,%20ColSpx=1)  
 Technical information: <http://www.ps.bam.de>

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.745$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = c50v$   $u^*_e = g96b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96; CIELAB data					
$u^*_d$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354
N <sub>M</sub>	18.89	0.5	0.77	0.92	57
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104
O <sub>M</sub>	39.92	58.74	27.99	65.07	25
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 43 -2 -45$

$LAB^*LCH^*Ma: 43 45 268$

$lab^*olv^*Ma: 0.0 0.5 1.0$

$lab^*rgb^*Ma: 0.0 0.07 1.0$

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$


%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

$u^*_d = c50v$   
 $LAB^*LAB^*$

ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	64	r33j	
o50y	68.32	30.09	61.62	68.58	48	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.828$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = v00m$   $u^*_e = b23r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96; CIELAB data						
$u^*_d$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$	
O <sub>M</sub>	48.75	65.16	40.76	76.86	32	
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97	
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161	
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237	
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299	
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354	
N <sub>M</sub>	18.89	0.5	0.77	0.92	57	
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104	
O <sub>M</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 28\ 24\ -44$   
 $LAB^*LCH^*Ma: 28\ 50\ 298$   
 $lab^*olv^*Ma: 0.0\ 0.0\ 1.0$   
 $lab^*rgb^*Ma: 0.46\ 0.0\ 1.0$

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$


ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	68	r33j	
o50y	68.32	30.09	61.62	68.58	44	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	



BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF  
 application for evaluation and measurement of printer or monitor systems  
 BAM material: code=rhadata

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.904$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = v50m$   $u^*_e = b47r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96; CIELAB data						
	$u^*_d$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32	
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97	
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161	
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237	
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299	
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354	
N <sub>M</sub>	18.89	0.5	0.77	0.92	57	
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104	
O <sub>M</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 37\ 44\ -30$   
 $LAB^*LCH^*_{Ma}: 37\ 53\ 325$   
 $lab^*olv^*_{Ma}: 0.5\ 0.0\ 1.0$   
 $lab^*rgb^*_{Ma}: 0.94\ 0.0\ 1.0$

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.98$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = m00o$   $u^*_e = b71r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96; CIELAB data					
$u^*_d$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354
N <sub>M</sub>	18.89	0.5	0.77	0.92	57
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104
O <sub>M</sub>	39.92	58.74	27.99	65.07	25
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 50\ 74\ -10$   
 $LAB^*LCH^*_{Ma}: 50\ 75\ 352$   
 $lab^*olv^*_{Ma}: 1.0\ 0.0\ 1.0$   
 $lab^*rgb^*_{Ma}: 1.0\ 0.0\ 0.58$

ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$






Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.033$

data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:

$u^*_d = m50o$   $u^*_e = b88r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96; CIELAB data					
$u^*_d$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354
N <sub>M</sub>	18.89	0.5	0.77	0.92	57
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104
O <sub>M</sub>	39.92	58.74	27.99	65.07	25
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):


$LAB^*LAB^*_Ma: 49\ 70\ 15$   
 $LAB^*LCH^*_Ma: 49\ 71\ 11$   
 $lab^*olv^*_Ma: 1.0\ 0.0\ 0.5$   
 $lab^*rgb^*_Ma: 1.0\ 0.0\ 0.24$

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

$u^*_d = m50o$   
 $LAB^*LAB^*$

ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems




Input and output:  
 Colorimetric Printer Reflective System ORS19\_96a  
 data for any colour:

$u^*_d$  and number  $no. = 00 \dots 15$   
 device hue text:  
 $u^*_d = 16$  hues  $o00y, o25y, \dots, m50o$   
 contrast reduction factor:  
 $c_R = 1.0$

ORS19\_96a; adapted (a) CIELAB data


$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>
<i>l00c</i>	52.69	-65.44	-20.75	68.65	162	<i>g00b</i>
<i>c50v</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>



%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; CIELAB data

Name	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
$O_M$	48.75	65.16	40.76	76.86	32
$Y_M$	90.92	-10.78	89.36	90.01	97
$L_M$	52.69	-65.4	22.15	69.05	161
$C_M$	59.61	-29.04	-44.69	53.3	237
$V_M$	28.39	24.0	-43.18	49.4	299
$M_M$	49.58	74.01	-8.22	74.47	354
$N_M$	18.89	0.5	0.77	0.92	57
$W_M$	96.9	-0.57	2.23	2.3	104
$O_{CIE}$	39.92	58.74	27.99	65.07	25
$Y_{CIE}$	81.26	-2.89	71.56	71.62	92
$L_{CIE}$	52.23	-42.42	13.6	44.55	162
$V_{CIE}$	30.57	1.41	-46.47	46.49	272




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.087$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = o00y$   $u^*_e = r08j$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96a; CIELAB data						
	$u^*_d$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32	32
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97	97
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161	161
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237	237
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299	299
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354	354
N <sub>M</sub>	18.89	0.5	0.77	0.92	57	57
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104	104
O <sub>M</sub>	39.92	58.74	27.99	65.07	25	25
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92	92
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162	162
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272	272


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 49 65 39  
 $LAB^*LCH^*_{Ma}$ : 49 76 31  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 0.0  
 $lab^*rgb^*_{Ma}$ : 1.0 0.09 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	68	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/ .PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.132$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = o25y$   $u^*_e = r33j$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; CIELAB data

	$u^*_d$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32	
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97	
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161	
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237	
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299	
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354	
N <sub>M</sub>	18.89	0.5	0.77	0.92	57	
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104	
O <sub>M</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 59 47 51  
 $LAB^*LCH^*_{Ma}$ : 59 69 47  
 $lab^*olv^*_{Ma}$ : 1.0 0.25 0.0  
 $lab^*rgb^*_{Ma}$ : 1.0 0.33 0.0


triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

$u^*_d = o25y$   
 $lab^*olv^*$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1


BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.178$

data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:

$u^*_d = o50y$   $u^*_e = r57j$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354
N <sub>M</sub>	18.89	0.5	0.77	0.92	57
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104
O <sub>M</sub>	39.92	58.74	27.99	65.07	25
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$ : 68 30 62

$LAB^*LCH^*_Ma$ : 68 69 63

$lab^*olv^*_Ma$ : 1.0 0.5 0.0

$lab^*rgb^*_Ma$ : 1.0 0.58 0.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$

%Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

$u^*_d = o50y$   
 $lab^*olv^*$

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	48	r33j
o50y	68.32	30.09	61.62	68.58	64	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r



Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.223$

data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_d = o75y$   $u^*_e = r81j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS19_96a; CIELAB data					
$u^*_d$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354
N <sub>M</sub>	18.89	0.5	0.77	0.92	57
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104
O <sub>M</sub>	39.92	58.74	27.99	65.07	25
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 78 12 73

$LAB^*LCH^*_{Ma}$ : 78 74 80

$lab^*olv^*_{Ma}$ : 1.0 0.75 0.0

$lab^*rgb^*_{Ma}$ : 1.0 0.82 0.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$


%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

$u^*_d = o75y$   
 $lab^*olv^*$

ORS19_96a; adapted (a) CIELAB data						
$u^*_d$	$L^*=L^*$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	48	r33j
o50y	68.32	30.09	61.62	68.58	64	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.269$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = y00l$   $u^*_e = j06g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354
N <sub>M</sub>	18.89	0.5	0.77	0.92	57
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104
O <sub>M</sub>	39.92	58.74	27.99	65.07	25
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$ : 91 -10 87  
 $LAB^*LCH^*_Ma$ : 91 88 96  
 $lab^*olv^*_Ma$ : 1.0 1.0 0.0  
 $lab^*rgb^*_Ma$ : 0.94 1.0 0.0


triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

$u^*_d = y00l$   
 $lab^*olv^*_e$

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	48	r33j
o50y	68.32	30.09	61.62	68.58	64	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/ .PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.314$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = y25l$   $u^*_e = j29g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354
N <sub>M</sub>	18.89	0.5	0.77	0.92	57
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104
O <sub>M</sub>	39.92	58.74	27.99	65.07	25
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 79 -28 66

$LAB^*LCH^*_{Ma}$ : 79 72 113

$lab^*olv^*_{Ma}$ : 0.75 1.0 0.0

$lab^*rgb^*_{Ma}$ : 0.7 1.0 0.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$

%Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

$u^*_d = y25l$   
 $lab^*olv^*$

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	48	r33j
o50y	68.32	30.09	61.62	68.58	64	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.36$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = y50l$   $u^*_e = j53g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; CIELAB data

	$u^*_d$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32	
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97	
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161	
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237	
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299	
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354	
N <sub>M</sub>	18.89	0.5	0.77	0.92	57	
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104	
O <sub>M</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 69 -41 50

$LAB^*LCH^*_{Ma}$ : 69 65 129

$lab^*olv^*_{Ma}$ : 0.5 1.0 0.0

$lab^*rgb^*_{Ma}$ : 0.47 1.0 0.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$

%Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

$u^*_d = y50l$   
 $lab^*olv^*$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31		r08j
o25y	59.04	46.67	51.1	69.21	48		r33j
o50y	68.32	30.09	61.62	68.58	64		r57j
o75y	78.23	12.39	72.85	73.9	80		r81j
y00l	90.92	-10.29	87.24	87.85	97		j06g
y25l	78.57	-28.11	65.75	71.51	113		j29g
y50l	69.46	-41.25	49.92	64.75	130		j53g
y75l	61.32	-52.99	35.76	63.92	146		j76g
l00c	52.69	-65.44	20.75	68.65	162		g00b
l50c	56.55	-45.12	-16.57	48.07	200		g34b
c00v	59.61	-28.98	-46.22	54.56	238		g69b
c50v	43.33	-1.54	-45.13	45.16	268		g96b
v00m	28.39	23.63	-44.13	50.06	298		b23r
v50m	36.9	43.84	-30.24	53.26	325		b47r
m00o	49.58	73.93	-9.56	74.55	353		b71r
m50o	49.17	69.55	14.68	71.08	12		b88r




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.406$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = y75l$   $u^*_e = j76g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32	
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97	
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161	
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237	
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299	
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354	
N <sub>M</sub>	18.89	0.5	0.77	0.92	57	
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104	
O <sub>M</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 61 -53 36

$LAB^*LCH^*_{Ma}$ : 61 64 145

$lab^*olv^*_{Ma}$ : 0.25 1.0 0.0

$lab^*rgb^*_{Ma}$ : 0.23 1.0 0.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$

%Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

$u^*_d = y75l$   
 $lab^*olv^*$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.451$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = 100c$   $u^*_e = g00b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354
N <sub>M</sub>	18.89	0.5	0.77	0.92	57
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104
O <sub>M</sub>	39.92	58.74	27.99	65.07	25
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 53 -65 21  
 $LAB^*LCH^*_{Ma}$ : 53 69 162  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
a25y	59.04	46.67	51.1	69.21	48	r33j
a50y	68.32	30.09	61.62	68.58	64	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.556$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = 150c$   $u^*_e = g34b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354
N <sub>M</sub>	18.89	0.5	0.77	0.92	57
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104
O <sub>M</sub>	39.92	58.74	27.99	65.07	25
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 57 -45 -17  
 $LAB^*LCH^*_{Ma}$ : 57 48 200  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.5  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 0.69

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	48	r33j
o50y	68.32	30.09	61.62	68.58	64	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r




See for similar files: <http://www.ps.bam.de/Ee42/>;  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPX=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.661$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = c00v$   $u^*_e = g69b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354
N <sub>M</sub>	18.89	0.5	0.77	0.92	57
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104
O <sub>M</sub>	39.92	58.74	27.99	65.07	25
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 60 -29 -46  
 $LAB^*LCH^*_{Ma}$ : 60 55 237  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 1.0  
 $lab^*rgb^*_{Ma}$ : 0.0 0.62 1.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	48	r33j
o50y	68.32	30.09	61.62	68.58	64	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.745$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = c50v$   $u^*_e = g96b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354
N <sub>M</sub>	18.89	0.5	0.77	0.92	57
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104
O <sub>M</sub>	39.92	58.74	27.99	65.07	25
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 43 -2 -45

$LAB^*LCH^*_{Ma}$ : 43 45 268

$lab^*olv^*_{Ma}$ : 0.0 0.5 1.0

$lab^*rgb^*_{Ma}$ : 0.0 0.07 1.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$

%Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

$u^*_d = c50v$   
 $lab^*olv^*$

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	48	r33j
o50y	68.32	30.09	61.62	68.58	64	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.828$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = v00m$   $u^*_e = b23r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354
N <sub>M</sub>	18.89	0.5	0.77	0.92	57
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104
O <sub>M</sub>	39.92	58.74	27.99	65.07	25
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 28 24 -44  
 $LAB^*LCH^*_{Ma}$ : 28 50 298  
 $lab^*olv^*_{Ma}$ : 0.0 0.0 1.0  
 $lab^*rgb^*_{Ma}$ : 0.46 0.0 1.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
a25y	59.04	46.67	51.1	69.21	48	r33j
a50y	68.32	30.09	61.62	68.58	64	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.904$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = v50m$   $u^*_e = b47r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
$O_M$	48.75	65.16	40.76	76.86	32	
$Y_M$	90.92	-10.78	89.36	90.01	97	
$L_M$	52.69	-65.4	22.15	69.05	161	
$C_M$	59.61	-29.04	-44.69	53.3	237	
$V_M$	28.39	24.0	-43.18	49.4	299	
$M_M$	49.58	74.01	-8.22	74.47	354	
$N_M$	18.89	0.5	0.77	0.92	57	
$W_M$	96.9	-0.57	2.23	2.3	104	
$O_M$	39.92	58.74	27.99	65.07	25	
$Y_M$	81.26	-2.89	71.56	71.62	92	
$L_M$	52.23	-42.42	13.6	44.55	162	
$V_M$	30.57	1.41	-46.47	46.49	272	

Data for maximum colour ( $Ma$ ):


$LAB^*LAB^*_Ma$ : 37 44 -30  
 $LAB^*LCH^*_Ma$ : 37 53 325  
 $lab^*olv^*_Ma$ : 0.5 0.0 1.0  
 $lab^*rgb^*_Ma$ : 0.94 0.0 1.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
$o00y$	48.75	65.07	39.43	76.08	31	$r08j$	
$o25y$	59.04	46.67	51.1	69.21	48	$r33j$	
$o50y$	68.32	30.09	61.62	68.58	64	$r57j$	
$o75y$	78.23	12.39	72.85	73.9	80	$r81j$	
$y00l$	90.92	-10.29	87.24	87.85	97	$j06g$	
$y25l$	78.57	-28.11	65.75	71.51	113	$j29g$	
$y50l$	69.46	-41.25	49.92	64.75	130	$j53g$	
$y75l$	61.32	-52.99	35.76	63.92	146	$j76g$	
$l00c$	52.69	-65.44	20.75	68.65	162	$g00b$	
$l50c$	56.55	-45.12	-16.57	48.07	200	$g34b$	
$c00v$	59.61	-28.98	-46.22	54.56	238	$g69b$	
$c50v$	43.33	-1.54	-45.13	45.16	268	$g96b$	
$v00m$	28.39	23.63	-44.13	50.06	298	$b23r$	
$v50m$	36.9	43.84	-30.24	53.26	325	$b47r$	
$m00o$	49.58	73.93	-9.56	74.55	353	$b71r$	
$m50o$	49.17	69.55	14.68	71.08	12	$b88r$	




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.98$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = m00o$   $u^*_e = b71r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32	
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97	
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161	
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237	
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299	
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354	
N <sub>M</sub>	18.89	0.5	0.77	0.92	57	
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104	
O <sub>M</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 50 74 -10  
 $LAB^*LCH^*_{Ma}$ : 50 75 352  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 1.0  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 0.58

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	




See for similar files: <http://www.ps.bam.de/Ee42/>; <http://www.ps.bam.de>  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.033$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = m500$   $u^*_e = b88r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32	
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97	
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161	
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237	
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299	
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354	
N <sub>M</sub>	18.89	0.5	0.77	0.92	57	
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104	
O <sub>M</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 49 70 15  
 $LAB^*LCH^*_{Ma}$ : 49 71 11  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 0.5  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 0.24

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

	$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Table with columns A through lab\*oly\* and rows 01 through 27. Each cell contains a numerical value representing colorimetric data.

See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
Technical information: <http://www.ps.bam.de>  
Version 2.1, io=1,1, ColSpX=1


BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems

Input and output:  
 Colorimetric Printer Reflective System ORS19\_96a  
 data for any colour:

$u^*_d$  and number  $no. = 00 \dots 15$   
 device hue text:  
 $u^*_d = 16$  hues  $o00y, o25y, \dots, m50o$   
 contrast reduction factor:  
 $c_R = 1.0$

ORS19\_96a; adapted (a) CIELAB data


$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>
<i>l00c</i>	52.69	-65.44	-20.75	68.65	162	<i>g00b</i>
<i>c50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>



%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; CIELAB data

Name	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
$O_M$	48.75	65.16	40.76	76.86	32
$Y_M$	90.92	-10.78	89.36	90.01	97
$L_M$	52.69	-65.4	22.15	69.05	161
$C_M$	59.61	-29.04	-44.69	53.3	237
$V_M$	28.39	24.0	-43.18	49.4	299
$M_M$	49.58	74.01	-8.22	74.47	354
$N_M$	18.89	0.5	0.77	0.92	57
$W_M$	96.9	-0.57	2.23	2.3	104
$O_{CIE}$	39.92	58.74	27.99	65.07	25
$Y_{CIE}$	81.26	-2.89	71.56	71.62	92
$L_{CIE}$	52.23	-42.42	13.6	44.55	162
$V_{CIE}$	30.57	1.41	-46.47	46.49	272



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de/Ee.HTM](http://www.ps.bam.de/Ee.HTM)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.087$

data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_d = o00y$   $u^*_e = r08j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS19_96a; CIELAB data						
$u^*_d$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$	
O <sub>M</sub>	48.75	65.16	40.76	76.86	32	
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97	
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161	
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237	
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299	
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354	
N <sub>M</sub>	18.89	0.5	0.77	0.92	57	
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104	
O <sub>M</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 49 65 39

$LAB^*LCH^*_{Ma}$ : 49 76 31

$lab^*olv^*_{Ma}$ : 1.0 0.0 0.0


$lab^*rgb^*_{Ma}$ : 1.0 0.09 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

$u^*_d = o00y$   
 $LAB^*cmy^n^*$

ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>	
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>	
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>	
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>	
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>	
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>	
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>	
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>	
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>	
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>	
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>	
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>	
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>	
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>	
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>	
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>	




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.132$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = o25y$   $u^*_e = r33j$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96a; CIELAB data						
$u^*_d$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$	
O <sub>M</sub>	48.75	65.16	40.76	76.86	32	
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97	
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161	
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237	
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299	
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354	
N <sub>M</sub>	18.89	0.5	0.77	0.92	57	
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104	
O <sub>M</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_Ma$ : 59 47 51  
 $LAB^*LCH^*_Ma$ : 59 69 47  
 $lab^*olv^*_Ma$ : 1.0 0.25 0.0  
 $lab^*rgb^*_Ma$ : 1.0 0.33 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

$u^*_d = o25y$   
 $LAB^*cmy^n^*$

ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.178$

data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_d = o50y$   $u^*_e = r57j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS19\_96a; CIELAB data

$u^*_d$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354
N <sub>M</sub>	18.89	0.5	0.77	0.92	57
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104
O <sub>M</sub>	39.92	58.74	27.99	65.07	25
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma$ : 68 30 62

$LAB^*LCH^*Ma$ : 68 69 63

$lab^*olv^*Ma$ : 1.0 0.5 0.0

$lab^*rgb^*Ma$ : 1.0 0.58 0.0

triangle lightness  $t^*$

%Gamut

$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$


$g^*_{C,rel} = 57$

$u^*_d = o50y$

$LAB^*cmyn^*$

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	48	r33j
o50y	68.32	30.09	61.62	68.58	64	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.223$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = o75y$   $u^*_e = r81j$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96a; CIELAB data						
$u^*_d$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$	
O <sub>M</sub>	48.75	65.16	40.76	76.86	32	
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97	
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161	
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237	
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299	
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354	
N <sub>M</sub>	18.89	0.5	0.77	0.92	57	
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104	
O <sub>M</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 78 12 73  
 $LAB^*LCH^*_{Ma}$ : 78 74 80  
 $lab^*olv^*_{Ma}$ : 1.0 0.75 0.0  
 $lab^*rgb^*_{Ma}$ : 1.0 0.82 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

$u^*_d = o75y$   
 $LAB^*cmy^n^*$

ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.269$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = y00l$   $u^*_e = j06g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; CIELAB data

$u^*_d$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354
W <sub>M</sub>	18.89	0.5	0.77	0.92	57
N <sub>M</sub>	96.9	-0.57	2.23	2.3	104
O <sub>M</sub>	39.92	58.74	27.99	65.07	25
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 91 -10 87  
 $LAB^*LCH^*_{Ma}$ : 91 88 96  
 $lab^*olv^*_{Ma}$ : 1.0 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.94 1.0 0.0

triangle lightness  $t^*$   
 %Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	48	r33j
o50y	68.32	30.09	61.62	68.58	64	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r




BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF  
 application for evaluation and measurement of printer or monitor systems  
 BAM material: code=rh4ta

See for similar files: <http://www.ps.bam.de/Ee42/>;  
 Technical information: <http://www.ps.bam.de>  
 Version 2.1, io=1,1, ColSpx=1

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.314$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = y25l$   $u^*_e = j29g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96a; CIELAB data						
$u^*_d$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$	
O <sub>M</sub>	48.75	65.16	40.76	76.86	32	
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97	
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161	
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237	
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299	
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354	
N <sub>M</sub>	18.89	0.5	0.77	0.92	57	
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104	
O <sub>M</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 79 -28 66$   
 $LAB^*LCH^*_Ma: 79 72 113$   
 $lab^*olv^*_Ma: 0.75 1.0 0.0$   
 $lab^*rgb^*_Ma: 0.7 1.0 0.0$

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.36$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = y50l$   $u^*_e = j53g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96a; CIELAB data						
$u^*_d$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$	
O <sub>M</sub>	48.75	65.16	40.76	76.86	32	
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97	
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161	
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237	
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299	
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354	
W <sub>M</sub>	18.89	0.5	0.77	0.92	57	
N <sub>M</sub>	96.9	-0.57	2.23	2.3	104	
O <sub>M</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_Ma$ : 69 -41 50  
 $LAB^*LCH^*_Ma$ : 69 65 129  
 $lab^*olv^*_Ma$ : 0.5 1.0 0.0  
 $lab^*rgb^*_Ma$ : 0.47 1.0 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

$u^*_d = y50l$   
 $LAB^*cmy^n^*$

ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>	
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>	
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>	
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>	
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>	
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>	
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>	
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>	
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>	
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>	
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>	
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>	
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>	
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>	
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>	
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>	




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/ .PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.406$   
 data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$   
 Hue texts:  
 $u^*_d = y75l$   $u^*_e = j76g$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96a; CIELAB data						
$u^*_d$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$	
O <sub>M</sub>	48.75	65.16	40.76	76.86	32	
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97	
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161	
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237	
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299	
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354	
W <sub>M</sub>	18.89	0.5	0.77	0.92	57	
N <sub>M</sub>	96.9	-0.57	2.23	2.3	104	
O <sub>M</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$ : 61 -53 36  
 $LAB^*LCH^*_Ma$ : 61 64 145  
 $lab^*olv^*_Ma$ : 0.25 1.0 0.0  
 $lab^*rgb^*_Ma$ : 0.23 1.0 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>	
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>	
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>	
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>	
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>	
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>	
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>	
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>	
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>	
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>	
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>	
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>	
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>	
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>	
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>	
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>	




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.451$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = 100c$   $u^*_e = g00b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96a; CIELAB data					
$u^*_d$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354
N <sub>M</sub>	18.89	0.5	0.77	0.92	57
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104
O <sub>M</sub>	39.92	58.74	27.99	65.07	25
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 53 -65 21  
 $LAB^*LCH^*_{Ma}$ : 53 69 162  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 0.0  
 $lab^*rgb^*_{Ma}$ : 0.0 1.0 0.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

$u^*_d = 100c$   
 $LAB^*cmy^n^*$

ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>	
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>	
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>	
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>	
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>	
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>	
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>	
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>	
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>	
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>	
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>	
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>	
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>	
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>	
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>	
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>	




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/ .PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.556$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = 150c$   $u^*_e = g34b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96a; CIELAB data					
$u^*_d$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354
N <sub>M</sub>	18.89	0.5	0.77	0.92	57
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104
O <sub>M</sub>	39.92	58.74	27.99	65.07	25
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):


$LAB^*LAB^*_Ma$ : 57 -45 -17  
 $LAB^*LCH^*_Ma$ : 57 48 200  
 $lab^*olv^*_Ma$ : 0.0 1.0 0.5  
 $lab^*rgb^*_Ma$ : 0.0 1.0 0.69

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

$u^*_d = 150c$   
 $LAB^*cmy^n^*$

ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>	
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>	
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>	
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>	
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>	
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>	
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>	
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>	
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>	
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>	
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>	
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>	
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>	
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>	
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>	
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>	



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1


BAM registration: 20081001-Ee42/10L/L42E00NP.PS/ .PDF BAM material: code=rh4ta  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.661$

data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:

$u^*_d = c00v$   $u^*_e = g69b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96a; CIELAB data						
$u^*_d$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$	
O <sub>M</sub>	48.75	65.16	40.76	76.86	32	
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97	
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161	
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237	
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299	
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354	
N <sub>M</sub>	18.89	0.5	0.77	0.92	57	
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104	
O <sub>M</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 60 -29 -46  
 $LAB^*LCH^*_{Ma}$ : 60 55 237  
 $lab^*olv^*_{Ma}$ : 0.0 1.0 1.0  
 $lab^*rgb^*_{Ma}$ : 0.0 0.62 1.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>	
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>	
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>	
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>	
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>	
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>	
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>	
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>	
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>	
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>	
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>	
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>	
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>	
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>	
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>	
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>	



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/ .PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems




Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.745$

data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:

$u^*_d = c50v$   $u^*_e = g96b$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96a; CIELAB data					
$u^*_d$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354
N <sub>M</sub>	18.89	0.5	0.77	0.92	57
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104
O <sub>M</sub>	39.92	58.74	27.99	65.07	25
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):


$LAB^*LAB^*_Ma$ : 43 -2 -45  
 $LAB^*LCH^*_Ma$ : 43 45 268  
 $lab^*olv^*_Ma$ : 0.0 0.5 1.0  
 $lab^*rgb^*_Ma$ : 0.0 0.07 1.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

$u^*_d = c50v$   
 $LAB^*cmy^n^*$

ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>	
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>	
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>	
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>	
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>	
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>	
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>	
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>	
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>	
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>	
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>	
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>	
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>	
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>	
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>	
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>	



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/ .PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.828$

data for any colour:

$lab^*tch^*$  and  $lab^*icu^*$


Hue texts:

$u^*_d = v00m$   $u^*_e = b23r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness  $t^*$



ORS19_96a; CIELAB data						
$u^*_d$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$	
O <sub>M</sub>	48.75	65.16	40.76	76.86	32	
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97	
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161	
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237	
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299	
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354	
N <sub>M</sub>	18.89	0.5	0.77	0.92	57	
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104	
O <sub>M</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$ : 28 24 -44

$LAB^*LCH^*_{Ma}$ : 28 50 298

$lab^*olv^*_{Ma}$ : 0.0 0.0 1.0


$lab^*rgb^*_{Ma}$ : 0.46 0.0 1.0

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

$u^*_d = v00m$   
 $LAB^*cmy^n^*$

ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>	
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>	
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>	
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>	
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>	
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>	
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>	
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>	
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>	
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>	
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>	
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>	
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>	
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>	
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>	
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>	




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/ .PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.904$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = v50m$   $u^*_e = b47r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354
N <sub>M</sub>	18.89	0.5	0.77	0.92	57
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104
O <sub>M</sub>	39.92	58.74	27.99	65.07	25
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 37\ 44\ -30$   
 $LAB^*LCH^*_Ma: 37\ 53\ 325$   
 $lab^*olv^*_Ma: 0.5\ 0.0\ 1.0$   
 $lab^*rgb^*_Ma: 0.94\ 0.0\ 1.0$


triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

$u^*_d = v50m$   
 $LAB^*cmy^n^*$

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
<i>o00y</i>	48.75	65.07	39.43	76.08	31	<i>r08j</i>
<i>o25y</i>	59.04	46.67	51.1	69.21	48	<i>r33j</i>
<i>o50y</i>	68.32	30.09	61.62	68.58	64	<i>r57j</i>
<i>o75y</i>	78.23	12.39	72.85	73.9	80	<i>r81j</i>
<i>y00l</i>	90.92	-10.29	87.24	87.85	97	<i>j06g</i>
<i>y25l</i>	78.57	-28.11	65.75	71.51	113	<i>j29g</i>
<i>y50l</i>	69.46	-41.25	49.92	64.75	130	<i>j53g</i>
<i>y75l</i>	61.32	-52.99	35.76	63.92	146	<i>j76g</i>
<i>l00c</i>	52.69	-65.44	20.75	68.65	162	<i>g00b</i>
<i>l50c</i>	56.55	-45.12	-16.57	48.07	200	<i>g34b</i>
<i>c00v</i>	59.61	-28.98	-46.22	54.56	238	<i>g69b</i>
<i>c50v</i>	43.33	-1.54	-45.13	45.16	268	<i>g96b</i>
<i>v00m</i>	28.39	23.63	-44.13	50.06	298	<i>b23r</i>
<i>v50m</i>	36.9	43.84	-30.24	53.26	325	<i>b47r</i>
<i>m00o</i>	49.58	73.93	-9.56	74.55	353	<i>b71r</i>
<i>m50o</i>	49.17	69.55	14.68	71.08	12	<i>b88r</i>




See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.98$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = m00o$   $u^*_e = b71r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19_96a; CIELAB data						
$u^*_d$	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$	
O <sub>M</sub>	48.75	65.16	40.76	76.86	32	
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97	
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161	
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237	
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299	
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354	
N <sub>M</sub>	18.89	0.5	0.77	0.92	57	
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104	
O <sub>M</sub>	39.92	58.74	27.99	65.07	25	
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92	
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162	
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):


$LAB^*LAB^*_{Ma}$ : 50 74 -10  
 $LAB^*LCH^*_{Ma}$ : 50 75 352  
 $lab^*olv^*_{Ma}$ : 1.0 0.0 1.0  
 $lab^*rgb^*_{Ma}$ : 1.0 0.0 0.58

triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

$u^*_d = m00o$   
 $LAB^*cmy^n^*$

ORS19_96a; adapted (a) CIELAB data							
$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$	
o00y	48.75	65.07	39.43	76.08	31	r08j	
o25y	59.04	46.67	51.1	69.21	48	r33j	
o50y	68.32	30.09	61.62	68.58	64	r57j	
o75y	78.23	12.39	72.85	73.9	80	r81j	
y00l	90.92	-10.29	87.24	87.85	97	j06g	
y25l	78.57	-28.11	65.75	71.51	113	j29g	
y50l	69.46	-41.25	49.92	64.75	130	j53g	
y75l	61.32	-52.99	35.76	63.92	146	j76g	
l00c	52.69	-65.44	20.75	68.65	162	g00b	
l50c	56.55	-45.12	-16.57	48.07	200	g34b	
c00v	59.61	-28.98	-46.22	54.56	238	g69b	
c50v	43.33	-1.54	-45.13	45.16	268	g96b	
v00m	28.39	23.63	-44.13	50.06	298	b23r	
v50m	36.9	43.84	-30.24	53.26	325	b47r	
m00o	49.58	73.93	-9.56	74.55	353	b71r	
m50o	49.17	69.55	14.68	71.08	12	b88r	




See for similar files: <http://www.ps.bam.de/Ee42/>; <http://www.ps.bam.de>  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/ .PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System ORS19\_96a for relative CIELAB hue  $h^* = lab^*h^* = h_{ab}/360 = 0.033$   
 data for any colour:  
 $lab^*tch^*$  and  $lab^*icu^*$

Hue texts:  
 $u^*_d = m500$   $u^*_e = b88r$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $t^*$



ORS19\_96a; CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	48.75	65.16	40.76	76.86	32
Y <sub>M</sub>	90.92	-10.78	89.36	90.01	97
L <sub>M</sub>	52.69	-65.4	22.15	69.05	161
C <sub>M</sub>	59.61	-29.04	-44.69	53.3	237
V <sub>M</sub>	28.39	24.0	-43.18	49.4	299
M <sub>M</sub>	49.58	74.01	-8.22	74.47	354
N <sub>M</sub>	18.89	0.5	0.77	0.92	57
W <sub>M</sub>	96.9	-0.57	2.23	2.3	104
O <sub>M</sub>	39.92	58.74	27.99	65.07	25
Y <sub>M</sub>	81.26	-2.89	71.56	71.62	92
L <sub>M</sub>	52.23	-42.42	13.6	44.55	162
V <sub>M</sub>	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$ : 49 70 15  
 $LAB^*LCH^*_Ma$ : 49 71 11  
 $lab^*olv^*_Ma$ : 1.0 0.0 0.5  
 $lab^*rgb^*_Ma$ : 1.0 0.0 0.24


triangle lightness  $t^*$

%Gamut  
 $u^*_{rel} = 89$   
 %Regularity  
 $g^*_{H,rel} = 72$   
 $g^*_{C,rel} = 57$

$u^*_d = m500$   
 $LAB^*cmy^n^*$

ORS19\_96a; adapted (a) CIELAB data

$u^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_e$
o00y	48.75	65.07	39.43	76.08	31	r08j
o25y	59.04	46.67	51.1	69.21	48	r33j
o50y	68.32	30.09	61.62	68.58	64	r57j
o75y	78.23	12.39	72.85	73.9	80	r81j
y00l	90.92	-10.29	87.24	87.85	97	j06g
y25l	78.57	-28.11	65.75	71.51	113	j29g
y50l	69.46	-41.25	49.92	64.75	130	j53g
y75l	61.32	-52.99	35.76	63.92	146	j76g
l00c	52.69	-65.44	20.75	68.65	162	g00b
l50c	56.55	-45.12	-16.57	48.07	200	g34b
c00v	59.61	-28.98	-46.22	54.56	238	g69b
c50v	43.33	-1.54	-45.13	45.16	268	g96b
v00m	28.39	23.63	-44.13	50.06	298	b23r
v50m	36.9	43.84	-30.24	53.26	325	b47r
m00o	49.58	73.93	-9.56	74.55	353	b71r
m50o	49.17	69.55	14.68	71.08	12	b88r



See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de](http://www.ps.bam.de)  
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSPx=1

BAM registration: 20081001-Ee42/10L/L42E00NP.PS/.PDF BAM material: code=rhadata  
 application for evaluation and measurement of printer or monitor systems

*LAB\*cmyn\**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k				
01	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
02	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
03	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
04	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
05	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
06	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
07	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
08	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
09	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
11	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
12	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
13	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
14	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
16	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
17	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
18	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
19	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
21	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
22	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
23	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
24	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
26	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
27	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

See for similar files: <http://www.ps.bam.de/Ee42/>; [www.ps.bam.de Version 2.1, io=1,1, ColsPx=1](http://www.ps.bam.de/Version%202.1,%20io=1,1,%20ColsPx=1)