




Input and output: Colorimetric Printer Reflective System FRS09\_92aM  
 data for any colour:  
 $lab^*ich^*$  and  $lab^*ica^*$   
 elementary hue text:  
 $u^* = 16$  hues ( $r=0$ ,  $r=25$ );  $u^* = 10$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $r^*$




Input and output: Colorimetric Printer Reflective System FRS09\_92aM relative CIELAB hue  $h^* = lab^*h^* = h_{30}/360 = 25/360 = 0.071$   
 data for any colour:  
 $lab^*ich^*$  and  $lab^*ica^*$   
 elementary hue text:  
 $u^* = r=0$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $r^*$




Input and output: Colorimetric Printer Reflective System FRS09\_92aM relative CIELAB hue  $h^* = lab^*h^* = h_{30}/360 = 25/360 = 0.071$   
 data for any colour:  
 $lab^*ich^*$  and  $lab^*ica^*$   
 elementary hue text:  
 $u^* = r=0$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $r^*$




Input and output: Colorimetric Printer Reflective System FRS09\_92aM relative CIELAB hue  $h^* = lab^*h^* = h_{30}/360 = 42/360 = 0.117$   
 data for any colour:  
 $lab^*ich^*$  and  $lab^*ica^*$   
 elementary hue text:  
 $u^* = 25$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $r^*$




Input and output: Colorimetric Printer Reflective System FRS09\_92aM relative CIELAB hue  $h^* = lab^*h^* = h_{30}/360 = 42/360 = 0.117$   
 data for any colour:  
 $lab^*ich^*$  and  $lab^*ica^*$   
 elementary hue text:  
 $u^* = 25$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $r^*$




Input and output: Colorimetric Printer Reflective System FRS09\_92aM relative CIELAB hue  $h^* = lab^*h^* = h_{30}/360 = 59/360 = 0.164$   
 data for any colour:  
 $lab^*ich^*$  and  $lab^*ica^*$   
 elementary hue text:  
 $u^* = 25$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $r^*$




Input and output: Colorimetric Printer Reflective System FRS09\_92aM relative CIELAB hue  $h^* = lab^*h^* = h_{30}/360 = 59/360 = 0.164$   
 data for any colour:  
 $lab^*ich^*$  and  $lab^*ica^*$   
 elementary hue text:  
 $u^* = r=0$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $r^*$




Input and output: Colorimetric Printer Reflective System FRS09\_92aM relative CIELAB hue  $h^* = lab^*h^* = h_{30}/360 = 59/360 = 0.164$   
 data for any colour:  
 $lab^*ich^*$  and  $lab^*ica^*$   
 elementary hue text:  
 $u^* = r=0$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $r^*$




Input and output: Colorimetric Printer Reflective System FRS09\_92aM relative CIELAB hue  $h^* = lab^*h^* = h_{30}/360 = 59/360 = 0.164$   
 data for any colour:  
 $lab^*ich^*$  and  $lab^*ica^*$   
 elementary hue text:  
 $u^* = 25$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $r^*$




Input and output: Colorimetric Printer Reflective System FRS09\_92aM relative CIELAB hue  $h^* = lab^*h^* = h_{30}/360 = 59/360 = 0.164$   
 data for any colour:  
 $lab^*ich^*$  and  $lab^*ica^*$   
 elementary hue text:  
 $u^* = 25$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $r^*$




Input and output: Colorimetric Printer Reflective System FRS09\_92aM relative CIELAB hue  $h^* = lab^*h^* = h_{30}/360 = 110/360 = 0.305$   
 data for any colour:  
 $lab^*ich^*$  and  $lab^*ica^*$   
 elementary hue text:  
 $u^* = 25$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $r^*$




Input and output: Colorimetric Printer Reflective System FRS09\_92aM relative CIELAB hue  $h^* = lab^*h^* = h_{30}/360 = 110/360 = 0.305$   
 data for any colour:  
 $lab^*ich^*$  and  $lab^*ica^*$   
 elementary hue text:  
 $u^* = r=0$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $r^*$




Input and output: Colorimetric Printer Reflective System FRS09\_92aM relative CIELAB hue  $h^* = lab^*h^* = h_{30}/360 = 110/360 = 0.305$   
 data for any colour:  
 $lab^*ich^*$  and  $lab^*ica^*$   
 elementary hue text:  
 $u^* = r=0$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $r^*$






Input and output: Colorimetric Printer Reflective System FRS09\_92aM relative CIELAB hue  $h^* = lab^*h^* = h_{30}/360 = 110/360 = 0.305$   
 data for any colour:  
 $lab^*ich^*$  and  $lab^*ica^*$   
 elementary hue text:  
 $u^* = 25$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $r^*$







Input and output: Colorimetric Printer Reflective System FRS09\_92aM relative CIELAB hue  $h^* = lab^*h^* = h_{30}/360 = 110/360 = 0.305$   
 data for any colour:  
 $lab^*ich^*$  and  $lab^*ica^*$   
 elementary hue text:  
 $u^* = 25$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $r^*$







Input and output: Colorimetric Printer Reflective System FR509\_92aM  
 data for any colour:  
 $lab^{*}ich^{*}$  and  $lab^{*}icu^{*}$   
 elementary hue text:  
 $u^{*} = 16$  hues ( $r=0.7$ ,  $r=2.5$ ), ...,  $b=75$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $l^{*}$



Input and output: Colorimetric Printer Reflective System FR509\_92aM for relative CIELAB hue  $h^{*} = lab^{*}h^{*} = h_{30}/360 = 25/360 = 0.071$   
 data for any colour:  
 $lab^{*}ich^{*}$  and  $lab^{*}icu^{*}$   
 elementary hue text:  
 $u^{*} = r=0.7$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $l^{*}$



Input and output: Colorimetric Printer Reflective System FR509\_92aM for relative CIELAB hue  $h^{*} = lab^{*}h^{*} = h_{30}/360 = 42/360 = 0.117$   
 data for any colour:  
 $lab^{*}ich^{*}$  and  $lab^{*}icu^{*}$   
 elementary hue text:  
 $u^{*} = 25$   
 contrast reduction factor:  
 $c_R = 1.0$   
 triangle lightness  $l^{*}$




Input and output: Colorimetric Printer Reflective System FR509\_92aM  
 data for any colour:  
 $lab^{*}ich^{*}$  and  $lab^{*}icu^{*}$   
 elementary hue text:  
 $u^{*} = 16$  hues (R07, R25), ..., B75  
 contrast reduction factor:  
 $c_{R} = 1.0$

FR509\_92aM; adapted (a) CIE LAB data  
 $L^{*}$   $a^{*}$   $b^{*}$   $C_{ab}^{*}$   $h_{ab}^{*}$

D50	35.67	63.32	30.17	70.15	25
R25	39.12	54.56	49.45	73.64	42
G50	50.84	39.15	64.89	75.79	59
F75	64.01	21.26	82.83	85.52	76
Y90	83.18	-4.37	108.53	108.62	92
C100	66.73	-29.88	83.06	88.28	110
M110	54.03	-48.3	63.49	79.78	127
J127	44.73	-60.32	42.64	73.88	145
I145	40.79	-49.07	15.74	51.54	162
H162	39.92	58.74	27.99	65.07	25
G178	42.28	-39.69	-6.71	40.27	190
F190	51.85	-32.32	-24.34	40.48	217
E217	67.50	-46.92	-17.28	-36.01	244
D244	80.07	37.91	1.28	-42.34	272
C272	85.23	23.81	30.38	-52.25	300
B300	29.52	69.06	-42.13	80.9	329
R329	36.48	71.47	-3.68	71.57	357

FR509\_92aM; adapted (a) CIE LAB data  
 $L^{*}$   $a^{*}$   $b^{*}$   $C_{ab}^{*}$   $h_{ab}^{*}$

D50	35.67	63.32	30.17	70.15	25
R25	39.12	54.56	49.45	73.64	42
G50	50.84	39.15	64.89	75.79	59
F75	64.01	21.26	82.83	85.52	76
Y90	83.18	-4.37	108.53	108.62	92
C100	66.73	-29.88	83.06	88.28	110
M110	54.03	-48.3	63.49	79.78	127
J127	44.73	-60.32	42.64	73.88	145
I145	40.79	-49.07	15.74	51.54	162
H162	39.92	58.74	27.99	65.07	25
G178	42.28	-39.69	-6.71	40.27	190
F190	51.85	-32.32	-24.34	40.48	217
E217	67.50	-46.92	-17.28	-36.01	244
D244	80.07	37.91	1.28	-42.34	272
C272	85.23	23.81	30.38	-52.25	300
B300	29.52	69.06	-42.13	80.9	329
R329	36.48	71.47	-3.68	71.57	357




Input and output: Colorimetric Printer Reflective System FR509\_92aM  
 data for any colour:  
 $lab^{*}ich^{*}$  and  $lab^{*}icu^{*}$   
 elementary hue text:  
 $u^{*} = 250$   
 contrast reduction factor:  
 $c_{R} = 1.0$   
 triangle lightness  $l^{*}$

FR509\_92aM; adapted (a) CIE LAB data  
 $L^{*}$   $a^{*}$   $b^{*}$   $C_{ab}^{*}$   $h_{ab}^{*}$

D50	35.67	63.32	30.17	70.15	25
R25	39.12	54.56	49.45	73.64	42
G50	50.84	39.15	64.89	75.79	59
F75	64.01	21.26	82.83	85.52	76
Y90	83.18	-4.37	108.53	108.62	92
C100	66.73	-29.88	83.06	88.28	110
M110	54.03	-48.3	63.49	79.78	127
J127	44.73	-60.32	42.64	73.88	145
I145	40.79	-49.07	15.74	51.54	162
H162	39.92	58.74	27.99	65.07	25
G178	42.28	-39.69	-6.71	40.27	190
F190	51.85	-32.32	-24.34	40.48	217
E217	67.50	-46.92	-17.28	-36.01	244
D244	80.07	37.91	1.28	-42.34	272
C272	85.23	23.81	30.38	-52.25	300
B300	29.52	69.06	-42.13	80.9	329
R329	36.48	71.47	-3.68	71.57	357

FR509\_92aM; adapted (a) CIE LAB data  
 $L^{*}$   $a^{*}$   $b^{*}$   $C_{ab}^{*}$   $h_{ab}^{*}$

D50	35.67	63.32	30.17	70.15	25
R25	39.12	54.56	49.45	73.64	42
G50	50.84	39.15	64.89	75.79	59
F75	64.01	21.26	82.83	85.52	76
Y90	83.18	-4.37	108.53	108.62	92
C100	66.73	-29.88	83.06	88.28	110
M110	54.03	-48.3	63.49	79.78	127
J127	44.73	-60.32	42.64	73.88	145
I145	40.79	-49.07	15.74	51.54	162
H162	39.92	58.74	27.99	65.07	25
G178	42.28	-39.69	-6.71	40.27	190
F190	51.85	-32.32	-24.34	40.48	217
E217	67.50	-46.92	-17.28	-36.01	244
D244	80.07	37.91	1.28	-42.34	272
C272	85.23	23.81	30.38	-52.25	300
B300	29.52	69.06	-42.13	80.9	329
R329	36.48	71.47	-3.68	71.57	357




Input and output: Colorimetric Printer Reflective System FR509\_92aM  
 data for any colour:  
 $lab^{*}ich^{*}$  and  $lab^{*}icu^{*}$   
 elementary hue text:  
 $u^{*} = 250$   
 contrast reduction factor:  
 $c_{R} = 1.0$   
 triangle lightness  $l^{*}$

FR509\_92aM; adapted (a) CIE LAB data  
 $L^{*}$   $a^{*}$   $b^{*}$   $C_{ab}^{*}$   $h_{ab}^{*}$

D50	35.67	63.32	30.17	70.15	25
R25	39.12	54.56	49.45	73.64	42
G50	50.84	39.15	64.89	75.79	59
F75	64.01	21.26	82.83	85.52	76
Y90	83.18	-4.37	108.53	108.62	92
C100	66.73	-29.88	83.06	88.28	110
M110	54.03	-48.3	63.49	79.78	127
J127	44.73	-60.32	42.64	73.88	145
I145	40.79	-49.07	15.74	51.54	162
H162	39.92	58.74	27.99	65.07	25
G178	42.28	-39.69	-6.71	40.27	190
F190	51.85	-32.32	-24.34	40.48	217
E217	67.50	-46.92	-17.28	-36.01	244
D244	80.07	37.91	1.28	-42.34	272
C272	85.23	23.81	30.38	-52.25	300
B300	29.52	69.06	-42.13	80.9	329
R329	36.48	71.47	-3.68	71.57	357

FR509\_92aM; adapted (a) CIE LAB data  
 $L^{*}$   $a^{*}$   $b^{*}$   $C_{ab}^{*}$   $h_{ab}^{*}$

D50	35.67	63.32	30.17	70.15	25
R25	39.12	54.56	49.45	73.64	42
G50	50.84	39.15	64.89	75.79	59
F75	64.01	21.26	82.83	85.52	76
Y90	83.18	-4.37	108.53	108.62	92
C100	66.73	-29.88	83.06	88.28	110
M110	54.03	-48.3	63.49	79.78	127
J127	44.73	-60.32	42.64	73.88	145
I145	40.79	-49.07	15.74	51.54	162
H162	39.92	58.74	27.99	65.07	25
G178	42.28	-39.69	-6.71	40.27	190
F190	51.85	-32.32	-24.34	40.48	217
E217	67.50	-46.92	-17.28	-36.01	244
D244	80.07	37.91	1.28	-42.34	272
C272	85.23	23.81	30.38	-52.25	300
B300	29.52	69.06	-42.13	80.9	329
R329	36.48	71.47	-3.68	71.57	357




Input and output: Colorimetric Printer Reflective System FR509\_92aM relative CIE LAB hue  $h^{*} = lab^{*}h^{*} = h_{30}/360 = 25/360 = 0.071$   
 data for any colour:  
 $lab^{*}ich^{*}$  and  $lab^{*}icu^{*}$   
 elementary hue text:  
 $u^{*} = R07$   
 contrast reduction factor:  
 $c_{R} = 1.0$   
 triangle lightness  $l^{*}$

FR509\_92aM; adapted (a) CIE LAB data  
 $L^{*}$   $a^{*}$   $b^{*}$   $C_{ab}^{*}$   $h_{ab}^{*}$

D50	35.67	63.32	30.17	70.15	25
R25	39.12	54.56	49.45	73.64	42
G50	50.84	39.15	64.89	75.79	59
F75	64.01	21.26	82.83	85.52	76
Y90	83.18	-4.37	108.53	108.62	92
C100	66.73	-29.88	83.06	88.28	110
M110	54.03	-48.3	63.49	79.78	127
J127	44.73	-60.32	42.64	73.88	145
I145	40.79	-49.07	15.74	51.54	162
H162	39.92	58.74	27.99	65.07	25
G178	42.28	-39.69	-6.71	40.27	190
F190	51.85	-32.32	-24.34	40.48	217
E217	67.50	-46.92	-17.28	-36.01	244
D244	80.07	37.91	1.28	-42.34	272
C272	85.23	23.81	30.38	-52.25	300
B300	29.52	69.06	-42.13	80.9	329
R329	36.48	71.47	-3.68	71.57	357

FR509\_92aM; adapted (a) CIE LAB data  
 $L^{*}$   $a^{*}$   $b^{*}$   $C_{ab}^{*}$   $h_{ab}^{*}$

D50	35.67	63.32	30.17	70.15	25
R25	39.12	54.56	49.45	73.64	42
G50	50.84	39.15	64.89	75.79	59
F75	64.01	21.26	82.83	85.52	76
Y90	83.18	-4.37	108.53	108.62	92
C100	66.73	-29.88	83.06	88.28	110
M110	54.03	-48.3	63.49	79.78	127
J127	44.73	-60.32	42.64	73.88	145
I145	40.79	-49.07	15.74	51.54	162
H162	39.92	58.74	27.99	65.07	25
G178	42.28	-39.69	-6.71	40.27	190
F190	51.85	-32.32	-24.34	40.48	217
E217	67.50	-46.92	-17.28	-36.01	244
D244	80.07	37.91	1.28	-42.34	272
C272	85.23	23.81	30.38	-52.25	300
B300	29.52	69.06	-42.13	80.9	329
R329	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FR509\_92aM relative CIE LAB hue  $h^{*} = lab^{*}h^{*} = h_{30}/360 = 62/360 = 0.172$   
 data for any colour:  
 $lab^{*}ich^{*}$  and  $lab^{*}icu^{*}$   
 elementary hue text:  
 $u^{*} = R75$   
 contrast reduction factor:  
 $c_{R} = 1.0$   
 triangle lightness  $l^{*}$

FR509\_92aM; adapted (a) CIE LAB data  
 $L^{*}$   $a^{*}$   $b^{*}$   $C_{ab}^{*}$   $h_{ab}^{*}$

D50	35.67	63.32	30.17	70.15	25
R25	39.12	54.56	49.45	73.64	42
G50	50.84	39.15	64.89	75.79	59
F75	64.01	21.26	82.83	85.52	76
Y90	83.18	-4.37	108.53	108.62	92
C100	66.73	-29.88	83.06	88.28	110
M110	54.03	-48.3	63.49	79.78	127
J127	44.73	-60.32	42.64	73.88	145
I145	40.79	-49.07	15.74	51.54	162
H162	39.92	58.74	27.99	65.07	25
G178	42.28	-39.69	-6.71	40.27	190
F190	51.85	-32.32	-24.34	40.48	217
E217	67.50	-46.92	-17.28	-36.01	244
D244	80.07	37.91	1.28	-42.34	272
C272	85.23	23.81	30.38	-52.25	300
B300	29.52	69.06	-42.13	80.9	329
R329	36.48	71.47	-3.68	71.57	357

FR509\_92aM; adapted (a) CIE LAB data  
 $L^{*}$   $a^{*}$   $b^{*}$   $C_{ab}^{*}$   $h_{ab}^{*}$

D50	35.67	63.32	30.17	70.15	25
R25	39.12	54.56	49.45	73.64	42
G50	50.84	39.15	64.89	75.79	59
F75	64.01	21.26	82.83	85.52	76
Y90	83.18	-4.37	108.53</		



