




Input and output:
 Colorimetric Printer Reflective System ORS20_95a
 data for any colour:
 $lab^*_{tch^*}$ and $lab^*_{icu^*}$
 elementary hue text:
 $u^* = 16$ hues $r00j, r25j, \dots, b75r$
 contrast reduction factor:
 $c_R = 0.96$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$

$u^* = r00j$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r00j$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 49\ 64\ 30$

$LAB^*LCH^*Ma: 49\ 71\ 25$

$lab^*rgb^*Ma: 1.0\ 0.0\ 0.0$

$lab^*olv^*Ma: 1.0\ 0.0\ 0.16$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357

triangle lightness t^*



%Gamut

$u^*_{rel} = 83$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$

$u^* = r25j$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r25j$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 50 46

$LAB^*LCH^*_{Ma}$: 56 68 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.17 0.0

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357

triangle lightness t^*



%Gamut

$u^*_{rel} = 83$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$

$u^* = r50j$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r50j$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 65\ 34\ 56$

$LAB^*LCH^*Ma: 65\ 66\ 59$

$lab^*rgb^*Ma: 1.0\ 0.5\ 0.0$

$lab^*olv^*Ma: 1.0\ 0.4\ 0.0$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357

triangle lightness t^*



%Gamut

$u^*_{rel} = 83$

%Regularity

$g^*_{H,rel} = 72$


$g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$
 data for any colour:

$u^* = r75j$

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = r75j$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data



	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 75 17 67
 $LAB^*LCH^*_{Ma}$: 75 69 76
 $lab^*rgb^*_{Ma}$: 1.0 0.75 0.0
 $lab^*olv^*_{Ma}$: 1.0 0.63 0.0

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357




%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$
 data for any colour:

$u^* = j00g$

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = j00g$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data



	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 87 -2 80$
 $LAB^*LCH^*Ma: 87 80 92$
 $lab^*rgb^*Ma: 1.0 1.0 0.0$
 $lab^*olv^*Ma: 1.0 0.91 0.0$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 110/360 = 0.305$

$u^* = j25g$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j25g$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 81 -23 67

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 81 71 110

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.75 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.73 1.0 0.0

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357

triangle lightness t^*



%Gamut

$u^*_{\text{rel}} = 83$

%Regularity

$g^*_{\text{H,rel}} = 72$


$g^*_{\text{C,rel}} = 57$



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$
 data for any colour:

$u^* = j50g$

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = j50g$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data



	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 71 -37 50
 $LAB^*LCH^*_{Ma}$: 71 63 127
 $lab^*rgb^*_{Ma}$: 0.5 1.0 0.0
 $lab^*olv^*_{Ma}$: 0.47 1.0 0.0

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$

$u^* = j75g$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j75g$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 62 -49 35$

$LAB^*LCH^*Ma: 62 61 145$

$lab^*rgb^*Ma: 0.25 1.0 0.0$

$lab^*olv^*Ma: 0.24 1.0 0.0$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357

triangle lightness t^*



%Gamut

$u^*_{rel} = 83$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g00b$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 53 -62 20

$LAB^*LCH^*_{Ma}$: 53 66 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.0

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357

triangle lightness t^*



%Gamut

$u^*_{rel} = 83$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 190/360 = 0.527$

$u^* = g25b$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g25b$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}: 56 \ -47 \ -7$

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}: 56 \ 48 \ 190$

$\text{lab}^*\text{rgb}^*_{\text{Ma}}: 0.0 \ 1.0 \ 0.5$

$\text{lab}^*\text{olv}^*_{\text{Ma}}: 0.0 \ 1.0 \ 0.44$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357

triangle lightness t^*



%Gamut

$u^*_{\text{rel}} = 83$

%Regularity

$g^*_{\text{H,rel}} = 72$

$g^*_{\text{C,rel}} = 57$



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$

$u^* = g50b$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g50b$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 58 \ -36 \ -27$

$LAB^*LCH^*_{Ma}: 58 \ 46 \ 217$

$lab^*rgb^*_{Ma}: 0.0 \ 1.0 \ 1.0$

$lab^*olv^*_{Ma}: 0.0 \ 1.0 \ 0.74$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357

triangle lightness t^*



%Gamut

$u^*_{rel} = 83$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 244/360 = 0.679$

$u^* = g75b$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g75b$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 55 \ -20 \ -43$

$LAB^*LCH^*_{Ma}: 55 \ 49 \ 244$

$lab^*rgb^*_{Ma}: 0.0 \ 0.5 \ 1.0$

$lab^*olv^*_{Ma}: 0.0 \ 0.87 \ 1.0$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357

triangle lightness t^*



%Gamut

$u^*_{rel} = 83$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$

$u^* = b00r$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b00r$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 42 \ 1 \ -42$



$LAB^*LCH^*Ma: 42 \ 43 \ 272$

$lab^*rgb^*Ma: 0.0 \ 0.0 \ 1.0$

$lab^*olv^*Ma: 0.0 \ 0.42 \ 1.0$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$

$u^* = b25r$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b25r$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 29 24 -40



LAB^*LCH^*Ma : 29 48 300

lab^*rgb^*Ma : 0.5 0.0 1.0

lab^*olv^*Ma : 0.03 0.0 1.0

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b50r$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 38 45 -26



$LAB^*LCH^*_{Ma}$: 38 52 329

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.46 0.0 1.0

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b75r$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 49\ 70\ -3$



$LAB^*LCH^*_{Ma}: 49\ 70\ 357$

$lab^*rgb^*_{Ma}: 1.0\ 0.0\ 0.5$


$lab^*olv^*_{Ma}: 1.0\ 0.0\ 0.88$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357




%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$





Input and output:
 Colorimetric Printer Reflective System ORS20_95a
 data for any colour:
*lab*tch** and *lab*icu**
 elementary hue text:
*u** = 16 hues *r00j*, *r25j*, ..., *b75r*
 contrast reduction factor:
 $c_R = 0.96$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$

$u^* = r00j$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r00j$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 49 64 30

LAB^*LCH^*Ma : 49 71 25

lab^*rgb^*Ma : 1.0 0.0 0.0

lab^*olv^*Ma : 1.0 0.0 0.16

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357

triangle lightness t^*



%Gamut

$u^*_{rel} = 83$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r25j$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 50 46

$LAB^*LCH^*_{Ma}$: 56 68 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.17 0.0

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357

triangle lightness t^*



%Gamut

$u^*_{rel} = 83$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r50j$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 65 34 56

$LAB^*LCH^*_{Ma}$: 65 66 59

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.4 0.0

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357

triangle lightness t^*



%Gamut

$u^*_{rel} = 83$

%Regularity

$g^*_{H,rel} = 72$


$g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$
 data for any colour:

$u^* = r75j$

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = r75j$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data



	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 75 17 67
 $LAB^*LCH^*_{Ma}$: 75 69 76
 $lab^*rgb^*_{Ma}$: 1.0 0.75 0.0
 $lab^*olv^*_{Ma}$: 1.0 0.63 0.0

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$

$u^* = j00g$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j00g$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 87 -2 80

$LAB^*LCH^*_{Ma}$: 87 80 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.91 0.0

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357

triangle lightness t^*



%Gamut

$u^*_{rel} = 83$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j25g$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 81 -23 67



$LAB^*LCH^*_{Ma}$: 81 71 110

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.73 1.0 0.0

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j50g$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 71 -37 50



$LAB^*LCH^*_{Ma}$: 71 63 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.47 1.0 0.0

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j75g$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 62 -49 35$



$LAB^*LCH^*Ma: 62 61 145$

$lab^*rgb^*Ma: 0.25 1.0 0.0$

$lab^*olv^*Ma: 0.24 1.0 0.0$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$
 data for any colour:

$u^* = g00b$

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g00b$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 53 -62 20

$LAB^*LCH^*_{Ma}$: 53 66 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.0

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357

triangle lightness t^*



%Gamut

$u^*_{rel} = 83$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g25b$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 56 -47 -7$

$LAB^*LCH^*_{Ma}: 56 48 190$

$lab^*rgb^*_{Ma}: 0.0 1.0 0.5$

$lab^*olv^*_{Ma}: 0.0 1.0 0.44$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357

triangle lightness t^*



%Gamut

$u^*_{rel} = 83$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g50b$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 58 -36 -27$



$LAB^*LCH^*_{Ma}: 58 46 217$

$lab^*rgb^*_{Ma}: 0.0 1.0 1.0$

$lab^*olv^*_{Ma}: 0.0 1.0 0.74$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g75b$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 55 \ -20 \ -43$



$LAB^*LCH^*_{Ma}: 55 \ 49 \ 244$

$lab^*rgb^*_{Ma}: 0.0 \ 0.5 \ 1.0$

$lab^*olv^*_{Ma}: 0.0 \ 0.87 \ 1.0$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut

$u^*_{rel} = 83$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b00r$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 42 \ 1 \ -42$



$LAB^*LCH^*_{Ma}: 42 \ 43 \ 272$

$lab^*rgb^*_{Ma}: 0.0 \ 0.0 \ 1.0$

$lab^*olv^*_{Ma}: 0.0 \ 0.42 \ 1.0$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut

$u^*_{rel} = 83$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b25r$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 29 24 -40



$LAB^*LCH^*_{Ma}$: 29 48 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.03 0.0 1.0

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b50r$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 38\ 45\ -26$



$LAB^*LCH^*_{Ma}: 38\ 52\ 329$

$lab^*rgb^*_{Ma}: 1.0\ 0.0\ 1.0$

$lab^*olv^*_{Ma}: 0.46\ 0.0\ 1.0$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b75r$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 49\ 70\ -3$

$LAB^*LCH^*_{Ma}: 49\ 70\ 357$

$lab^*rgb^*_{Ma}: 1.0\ 0.0\ 0.5$

$lab^*olv^*_{Ma}: 1.0\ 0.0\ 0.88$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357

triangle lightness t^*



%Gamut


$u^*_{rel} = 83$

%Regularity

$g^*_{H,rel} = 72$


$g^*_{C,rel} = 57$







Input and output:
 Colorimetric Printer Reflective System ORS20_95a
 data for any colour:
*lab*tch** and *lab*icu**
 elementary hue text:
*u** = 16 hues *r00j*, *r25j*, ..., *b75r*
 contrast reduction factor:
 $c_R = 0.96$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357




%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 25/360 = 0.071$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = r00j$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 49 64 30
 $\text{LAB}^*\text{LCH}^*_{Ma}$: 49 71 25
 $\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.0 0.0
 $\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.0 0.16

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

$u^* = r00j$
 lab^*rgb^*

lab^*rgb^*

$i^* = 1.00$

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r25j$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 50 46

$LAB^*LCH^*_{Ma}$: 56 68 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.17 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$


%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = r50j$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 65 34 56
 LAB^*LCH^*Ma : 65 66 59
 lab^*rgb^*Ma : 1.0 0.5 0.0
 lab^*olv^*Ma : 1.0 0.4 0.0

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

$u^* = r50j$
 lab^*rgb^*

lab^*rgb^*

$i^* = 1.00$

$i^* = 0.80$

brilliantness i^*


$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = r75j$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 75\ 17\ 67$
 $LAB^*LCH^*Ma: 75\ 69\ 76$
 $lab^*rgb^*Ma: 1.0\ 0.75\ 0.0$
 $lab^*olv^*Ma: 1.0\ 0.63\ 0.0$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j00g$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 87 -2 80$

$LAB^*LCH^*_Ma: 87 80 92$

$lab^*rgb^*_Ma: 1.0 1.0 0.0$

$lab^*olv^*_Ma: 1.0 0.91 0.0$

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$


%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = j25g$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 81 -23 67
 LAB^*LCH^*Ma : 81 71 110
 lab^*rgb^*Ma : 0.75 1.0 0.0
 lab^*olv^*Ma : 0.73 1.0 0.0

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j50g$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 71 -37 50

$LAB^*LCH^*_{Ma}$: 71 63 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.47 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$


%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 145/360 = 0.402$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = j75g$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data



	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*\text{Ma}$: 62 -49 35
 $\text{LAB}^*\text{LCH}^*\text{Ma}$: 62 61 145
 $\text{lab}^*\text{rgb}^*\text{Ma}$: 0.25 1.0 0.0
 $\text{lab}^*\text{olv}^*\text{Ma}$: 0.24 1.0 0.0

ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = g00b$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data



	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 53 -62 20
 $LAB^*LCH^*_{Ma}$: 53 66 162
 $lab^*rgb^*_{Ma}$: 0.0 1.0 0.0
 $lab^*olv^*_{Ma}$: 0.0 1.0 0.0


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 190/360 = 0.527$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = g25b$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}: 56 \ -47 \ -7$
 $\text{LAB}^*\text{LCH}^*_{Ma}: 56 \ 48 \ 190$
 $\text{lab}^*\text{rgb}^*_{Ma}: 0.0 \ 1.0 \ 0.5$
 $\text{lab}^*\text{olv}^*_{Ma}: 0.0 \ 1.0 \ 0.44$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

lab^*rgb^*

$i^*=1,00$

$i^*=0,80$


brilliantness i^*

$i^*=0,40$

$i^*=0,20$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = g50b$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data



	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 58 -36 -27$
 $LAB^*LCH^*_Ma: 58 46 217$
 $lab^*rgb^*_Ma: 0.0 1.0 1.0$
 $lab^*olv^*_Ma: 0.0 1.0 0.74$


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 244/360 = 0.679$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = g75b$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 55 -20 -43
 $LAB^*LCH^*_{Ma}$: 55 49 244
 $lab^*rgb^*_{Ma}$: 0.0 0.5 1.0
 $lab^*olv^*_{Ma}$: 0.0 0.87 1.0

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b00r$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 42 \ 1 \ -42$

$LAB^*LCH^*Ma: 42 \ 43 \ 272$

$lab^*rgb^*Ma: 0.0 \ 0.0 \ 1.0$

$lab^*olv^*Ma: 0.0 \ 0.42 \ 1.0$

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$


%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = b25r$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data



	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 29 24 -40
 $LAB^*LCH^*_{Ma}$: 29 48 300
 $lab^*rgb^*_{Ma}$: 0.5 0.0 1.0
 $lab^*olv^*_{Ma}$: 0.03 0.0 1.0

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 329/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b50r$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}: 38\ 45\ -26$

$\text{LAB}^*\text{LCH}^*_{Ma}: 38\ 52\ 329$

$\text{lab}^*\text{rgb}^*_{Ma}: 1.0\ 0.0\ 1.0$

$\text{lab}^*\text{olv}^*_{Ma}: 0.46\ 0.0\ 1.0$

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$



%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 357/360 = 0.992$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = b75r$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 49 70 -3
 $\text{LAB}^*\text{LCH}^*_{Ma}$: 49 70 357
 $\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.0 0.5
 $\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.0 0.88

ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$



Input and output:
 Colorimetric Printer Reflective System ORS20_95a
 data for any colour:
*lab*tch** and *lab*icu**
 elementary hue text:
*u** = 16 hues *r00j*, *r25j*, ..., *b75r*
 contrast reduction factor:
 $c_R = 0.96$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r00j$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 49 64 30

$LAB^*LCH^*_Ma$: 49 71 25

$lab^*rgb^*_Ma$: 1.0 0.0 0.0

$lab^*olv^*_Ma$: 1.0 0.0 0.16

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$

%Regularity

$g^*_{H,rel} = 72$


$g^*_{C,rel} = 57$

$u^* = r00j$

$LAB^*LAB^*_a$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r25j$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 56\ 50\ 46$

$LAB^*LCH^*_Ma: 56\ 68\ 42$

$lab^*rgb^*_Ma: 1.0\ 0.25\ 0.0$

$lab^*olv^*_Ma: 1.0\ 0.17\ 0.0$

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$


%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = r50j$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 65 34 56
 $LAB^*LCH^*_Ma$: 65 66 59
 $lab^*rgb^*_Ma$: 1.0 0.5 0.0
 $lab^*olv^*_Ma$: 1.0 0.4 0.0


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = r75j$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 75 17 67
 $LAB^*LCH^*_Ma$: 75 69 76
 $lab^*rgb^*_Ma$: 1.0 0.75 0.0
 $lab^*olv^*_Ma$: 1.0 0.63 0.0

$u^* = r75j$
 $LAB^*LAB^*_a$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j00g$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 87 -2 80$

$LAB^*LCH^*_Ma: 87 80 92$

$lab^*rgb^*_Ma: 1.0 1.0 0.0$

$lab^*olv^*_Ma: 1.0 0.91 0.0$

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$

%Regularity

$g^*_{H,rel} = 72$


$g^*_{C,rel} = 57$

$u^* = j00g$

$LAB^*LAB^*_a$


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = j25g$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 81 -23 67
 $LAB^*LCH^*_Ma$: 81 71 110
 $lab^*rgb^*_Ma$: 0.75 1.0 0.0
 $lab^*olv^*_Ma$: 0.73 1.0 0.0

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j50g$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 71 -37 50$

$LAB^*LCH^*_Ma: 71 63 127$

$lab^*rgb^*_Ma: 0.5 1.0 0.0$

$lab^*olv^*_Ma: 0.47 1.0 0.0$

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$

%Regularity

$g^*_{H,rel} = 72$


$g^*_{C,rel} = 57$

$u^* = j50g$

$LAB^*LAB^*_a$


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = j75g$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 62 -49 35
 $LAB^*LCH^*_Ma$: 62 61 145
 $lab^*rgb^*_Ma$: 0.25 1.0 0.0
 $lab^*olv^*_Ma$: 0.24 1.0 0.0

$u^* = j75g$
 $LAB^*LAB^*_a$


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = g00b$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data



	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 53 -62 20
 $LAB^*LCH^*_Ma$: 53 66 162
 $lab^*rgb^*_Ma$: 0.0 1.0 0.0
 $lab^*olv^*_Ma$: 0.0 1.0 0.0


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = g25b$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 56 -47 -7$
 $LAB^*LCH^*_Ma: 56 48 190$
 $lab^*rgb^*_Ma: 0.0 1.0 0.5$
 $lab^*olv^*_Ma: 0.0 1.0 0.44$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g50b$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 58 -36 -27$

$LAB^*LCH^*_Ma: 58 46 217$

$lab^*rgb^*_Ma: 0.0 1.0 1.0$

$lab^*olv^*_Ma: 0.0 1.0 0.74$

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$

%Regularity

$g^*_{H,rel} = 72$



$g^*_{C,rel} = 57$

$u^* = g50b$

$LAB^*LAB^*_a$


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 244/360 = 0.679$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = g75b$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 55 -20 -43
 $LAB^*LCH^*_{Ma}$: 55 49 244
 $lab^*rgb^*_{Ma}$: 0.0 0.5 1.0
 $lab^*olv^*_{Ma}$: 0.0 0.87 1.0

$u^* = g75b$
 $LAB^*LAB^*_a$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$

$u^* = b00r$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b00r$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 42 \ 1 \ -42$

$LAB^*LCH^*_Ma: 42 \ 43 \ 272$

$lab^*rgb^*_Ma: 0.0 \ 0.0 \ 1.0$

$lab^*olv^*_Ma: 0.0 \ 0.42 \ 1.0$

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$


%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = b25r$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data



	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 29 24 -40
 $LAB^*LCH^*_Ma$: 29 48 300
 $lab^*rgb^*_Ma$: 0.5 0.0 1.0
 $lab^*olv^*_Ma$: 0.03 0.0 1.0

ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 329/360 = 0.913$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = b50r$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 38 45 -26
 $LAB^*LCH^*_Ma$: 38 52 329
 $lab^*rgb^*_Ma$: 1.0 0.0 1.0
 $lab^*olv^*_Ma$: 0.46 0.0 1.0

ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = b75r$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 49 70 -3
 $LAB^*LCH^*_Ma$: 49 70 357
 $lab^*rgb^*_Ma$: 1.0 0.0 0.5
 $lab^*olv^*_Ma$: 1.0 0.0 0.88

ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output:
Colorimetric Printer Reflective System ORS20_95a
data for any colour:



$lab^*_{tch^*}$ and $lab^*_{icu^*}$
elementary hue text:
 $u^* = 16$ hues $r00j, r25j, \dots, b75r$
contrast reduction factor:
 $c_R = 0.96$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
%Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r00j$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 49 64 30

$LAB^*LCH^*_Ma$: 49 71 25

$lab^*rgb^*_Ma$: 1.0 0.0 0.0

$lab^*olv^*_Ma$: 1.0 0.0 0.16

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$

%Regularity

$g^*_{H,rel} = 72$



$g^*_{C,rel} = 57$

$u^* = r00j$

$LAB^*LCH^*_a$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r25j$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 56 50 46

$LAB^*LCH^*_Ma$: 56 68 42

$lab^*rgb^*_Ma$: 1.0 0.25 0.0

$lab^*olv^*_Ma$: 1.0 0.17 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$


%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = r50j$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data



	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 65 34 56
 $LAB^*LCH^*_Ma$: 65 66 59
 $lab^*rgb^*_Ma$: 1.0 0.5 0.0
 $lab^*olv^*_Ma$: 1.0 0.4 0.0


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = r75j$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 75 17 67
 $LAB^*LCH^*_Ma$: 75 69 76
 $lab^*rgb^*_Ma$: 1.0 0.75 0.0
 $lab^*olv^*_Ma$: 1.0 0.63 0.0

$u^* = r75j$
 $LAB^*LCH^*_a$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

$LAB^*LCH^*_a$

$i^* = 1.00$

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$


$i^* = 0.20$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = j00g$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 87 -2 80$
 $LAB^*LCH^*Ma: 87 80 92$
 $lab^*rgb^*Ma: 1.0 1.0 0.0$
 $lab^*olv^*Ma: 1.0 0.91 0.0$

$u^* = j00g$
 $LAB^*LCH^*_a$


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = j25g$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data



	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 81 -23 67
 $LAB^*LCH^*_Ma$: 81 71 110
 $lab^*rgb^*_Ma$: 0.75 1.0 0.0
 $lab^*olv^*_Ma$: 0.73 1.0 0.0

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j50g$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 71 -37 50$

$LAB^*LCH^*_Ma: 71 63 127$

$lab^*rgb^*_Ma: 0.5 1.0 0.0$

$lab^*olv^*_Ma: 0.47 1.0 0.0$

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$

%Regularity

$g^*_{H,rel} = 72$


$g^*_{C,rel} = 57$

$u^* = j50g$

$LAB^*LCH^*_a$


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 145/360 = 0.402$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = j75g$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data



	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 62 -49 35
 $\text{LAB}^*\text{LCH}^*_{Ma}$: 62 61 145
 $\text{lab}^*\text{rgb}^*_{Ma}$: 0.25 1.0 0.0
 $\text{lab}^*\text{olv}^*_{Ma}$: 0.24 1.0 0.0

ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = g00b$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data



	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 53 -62 20
 $LAB^*LCH^*_{Ma}$: 53 66 162
 $lab^*rgb^*_{Ma}$: 0.0 1.0 0.0
 $lab^*olv^*_{Ma}$: 0.0 1.0 0.0

ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = g25b$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data



	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 56 \ -47 \ -7$
 $LAB^*LCH^*_{Ma}: 56 \ 48 \ 190$
 $lab^*rgb^*_{Ma}: 0.0 \ 1.0 \ 0.5$
 $lab^*olv^*_{Ma}: 0.0 \ 1.0 \ 0.44$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$

$u^* = g50b$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g50b$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 58 -36 -27$

$LAB^*LCH^*_Ma: 58 46 217$

$lab^*rgb^*_Ma: 0.0 1.0 1.0$

$lab^*olv^*_Ma: 0.0 1.0 0.74$

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$


%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 244/360 = 0.679$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = g75b$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 55 -20 -43$
 $LAB^*LCH^*_Ma: 55 49 244$
 $lab^*rgb^*_Ma: 0.0 0.5 1.0$
 $lab^*olv^*_Ma: 0.0 0.87 1.0$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b00r$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 42\ 1\ -42$

$LAB^*LCH^*_Ma: 42\ 43\ 272$

$lab^*rgb^*_Ma: 0.0\ 0.0\ 1.0$

$lab^*olv^*_Ma: 0.0\ 0.42\ 1.0$

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$

%Regularity

$g^*_{H,rel} = 72$


$g^*_{C,rel} = 57$

$u^* = b00r$

$LAB^*LCH^*_a$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 300/360 = 0.834$

$u^* = b25r$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b25r$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}: 29\ 24\ -40$

$\text{LAB}^*\text{LCH}^*_{Ma}: 29\ 48\ 300$

$\text{lab}^*\text{rgb}^*_{Ma}: 0.5\ 0.0\ 1.0$

$\text{lab}^*\text{olv}^*_{Ma}: 0.03\ 0.0\ 1.0$

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$



%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 329/360 = 0.913$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = b50r$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 38 45 -26
 $LAB^*LCH^*_Ma$: 38 52 329
 $lab^*rgb^*_Ma$: 1.0 0.0 1.0
 $lab^*olv^*_Ma$: 0.46 0.0 1.0

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

$u^* = b50r$
 $LAB^*LCH^*_a$

$LAB^*LCH^*_a$

$i^* = 1,00$

$i^* = 0,80$

$i^* = 0,60$

$i^* = 0,40$

$i^* = 0,20$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$

$u^* = b75r$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b75r$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 49\ 70\ -3$

$LAB^*LCH^*_{Ma}: 49\ 70\ 357$

$lab^*rgb^*_{Ma}: 1.0\ 0.0\ 0.5$

$lab^*olv^*_{Ma}: 1.0\ 0.0\ 0.88$

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$


%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357





Input and output:
 Colorimetric Printer Reflective System ORS20_95a
 data for any colour:
*lab*tch** and *lab*icu**
 elementary hue text:
*u** = 16 hues *r00j*, *r25j*, ..., *b75r*
 contrast reduction factor:
 $c_R = 0.96$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357




%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = r00j$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 49 64 30
 LAB^*LCH^*Ma : 49 71 25
 lab^*rgb^*Ma : 1.0 0.0 0.0
 lab^*olv^*Ma : 1.0 0.0 0.16

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r25j$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 56\ 50\ 46$

$LAB^*LCH^*Ma: 56\ 68\ 42$

$lab^*rgb^*Ma: 1.0\ 0.25\ 0.0$

$lab^*olv^*Ma: 1.0\ 0.17\ 0.0$

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$


%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$
 data for any colour:

$u^* = r50j$
 lab^*tch^*

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = r50j$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 65 34 56
 LAB^*LCH^*Ma : 65 66 59
 lab^*rgb^*Ma : 1.0 0.5 0.0
 lab^*olv^*Ma : 1.0 0.4 0.0

ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



triangle lightness t^*
 %Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = r75j$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 75 17 67
 $LAB^*LCH^*_Ma$: 75 69 76
 $lab^*rgb^*_Ma$: 1.0 0.75 0.0
 $lab^*olv^*_Ma$: 1.0 0.63 0.0

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j00g$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 87 -2 80$

$LAB^*LCH^*_Ma: 87 80 92$

$lab^*rgb^*_Ma: 1.0 1.0 0.0$

$lab^*olv^*_Ma: 1.0 0.91 0.0$

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$


%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = j25g$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data



	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 81 -23 67$
 $LAB^*LCH^*Ma: 81 71 110$
 $lab^*rgb^*Ma: 0.75 1.0 0.0$
 $lab^*olv^*Ma: 0.73 1.0 0.0$


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = j50g$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 71 -37 50$
 $LAB^*LCH^*_Ma: 71 63 127$
 $lab^*rgb^*_Ma: 0.5 1.0 0.0$
 $lab^*olv^*_Ma: 0.47 1.0 0.0$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

$u^* = j50g$
 lab^*tch^*

lab^*tch^*

$i^* = 1.00$

$i^* = 0.80$


brilliantness i^*

$i^* = 0.40$

$i^* = 0.20$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = j75g$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data



	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 62 -49 35$
 $LAB^*LCH^*Ma: 62 61 145$
 $lab^*rgb^*Ma: 0.25 1.0 0.0$
 $lab^*olv^*Ma: 0.24 1.0 0.0$

ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
%Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = g00b$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data



	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 53 -62 20
 $LAB^*LCH^*_{Ma}$: 53 66 162
 $lab^*rgb^*_{Ma}$: 0.0 1.0 0.0
 $lab^*olv^*_{Ma}$: 0.0 1.0 0.0

ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = g25b$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 56 -47 -7$
 $LAB^*LCH^*_Ma: 56 48 190$
 $lab^*rgb^*_Ma: 0.0 1.0 0.5$
 $lab^*olv^*_Ma: 0.0 1.0 0.44$

ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
%Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = g50b$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data



	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 58 -36 -27
 $LAB^*LCH^*_{Ma}$: 58 46 217
 $lab^*rgb^*_{Ma}$: 0.0 1.0 1.0
 $lab^*olv^*_{Ma}$: 0.0 1.0 0.74

ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 244/360 = 0.679$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = g75b$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data



	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 55 \ -20 \ -43$
 $LAB^*LCH^*_{Ma}: 55 \ 49 \ 244$
 $lab^*rgb^*_{Ma}: 0.0 \ 0.5 \ 1.0$
 $lab^*olv^*_{Ma}: 0.0 \ 0.87 \ 1.0$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$

$u^* = b00r$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b00r$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 42 \ 1 \ -42$

$LAB^*LCH^*_Ma: 42 \ 43 \ 272$

$lab^*rgb^*_Ma: 0.0 \ 0.0 \ 1.0$

$lab^*olv^*_Ma: 0.0 \ 0.42 \ 1.0$

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$


%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$

$u^* = b25r$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b25r$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 29 24 -40

$LAB^*LCH^*_{Ma}$: 29 48 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.03 0.0 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$


%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 329/360 = 0.913$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = b50r$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data



	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 38 45 -26
 $\text{LAB}^*\text{LCH}^*_{Ma}$: 38 52 329
 $\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.0 1.0
 $\text{lab}^*\text{olv}^*_{Ma}$: 0.46 0.0 1.0

ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = b75r$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 49\ 70\ -3$
 $LAB^*LCH^*Ma: 49\ 70\ 357$
 $lab^*rgb^*Ma: 1.0\ 0.0\ 0.5$
 $lab^*olv^*Ma: 1.0\ 0.0\ 0.88$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357




%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

Input and output:
Colorimetric Printer Reflective System ORS20_95a
data for any colour:



lab^*tch^* and lab^*icu^*
elementary hue text:
 $u^* = 16$ hues $r00j, r25j, \dots, b75r$
contrast reduction factor:
 $c_R = 0.96$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
%Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r00j$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 49\ 64\ 30$

$LAB^*LCH^*Ma: 49\ 71\ 25$

$lab^*rgb^*Ma: 1.0\ 0.0\ 0.0$

$lab^*olv^*Ma: 1.0\ 0.0\ 0.16$

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$


%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r25j$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 50 46

$LAB^*LCH^*_{Ma}$: 56 68 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.17 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$


%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 59/360 = 0.164$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = r50j$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*\text{Ma}$: 65 34 56
 $\text{LAB}^*\text{LCH}^*\text{Ma}$: 65 66 59
 $\text{lab}^*\text{rgb}^*\text{Ma}$: 1.0 0.5 0.0
 $\text{lab}^*\text{olv}^*\text{Ma}$: 1.0 0.4 0.0

ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 76/360 = 0.21$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = r75j$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 75 17 67
 $\text{LAB}^*\text{LCH}^*_{Ma}$: 75 69 76
 $\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.75 0.0
 $\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.63 0.0

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j00g$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 87 -2 80$

$LAB^*LCH^*Ma: 87 80 92$

$lab^*rgb^*Ma: 1.0 1.0 0.0$

$lab^*olv^*Ma: 1.0 0.91 0.0$

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$


%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 110/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j25g$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*\text{Ma}$: 81 -23 67

$\text{LAB}^*\text{LCH}^*\text{Ma}$: 81 71 110

$\text{lab}^*\text{rgb}^*\text{Ma}$: 0.75 1.0 0.0

$\text{lab}^*\text{olv}^*\text{Ma}$: 0.73 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 83$


%Regularity

$g^*_{H,\text{rel}} = 72$

$g^*_{C,\text{rel}} = 57$


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = j50g$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 71 -37 50$
 $LAB^*LCH^*Ma: 71 63 127$
 $lab^*rgb^*Ma: 0.5 1.0 0.0$
 $lab^*olv^*Ma: 0.47 1.0 0.0$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 145/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j75g$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*\text{Ma}$: 62 -49 35

$\text{LAB}^*\text{LCH}^*\text{Ma}$: 62 61 145

$\text{lab}^*\text{rgb}^*\text{Ma}$: 0.25 1.0 0.0

$\text{lab}^*\text{olv}^*\text{Ma}$: 0.24 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$


%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = g00b$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 53 -62 20$
 $LAB^*LCH^*_{Ma}: 53 66 162$
 $lab^*rgb^*_{Ma}: 0.0 1.0 0.0$
 $lab^*olv^*_{Ma}: 0.0 1.0 0.0$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357

triangle lightness t^*


%Gamut

$u^*_{rel} = 83$

%Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = g25b$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 56 -47 -7$
 $LAB^*LCH^*Ma: 56 48 190$
 $lab^*rgb^*Ma: 0.0 1.0 0.5$
 $lab^*olv^*Ma: 0.0 1.0 0.44$


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 217/360 = 0.603$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = g50b$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}: 58 \ -36 \ -27$
 $\text{LAB}^*\text{LCH}^*_{Ma}: 58 \ 46 \ 217$
 $\text{lab}^*\text{rgb}^*_{Ma}: 0.0 \ 1.0 \ 1.0$
 $\text{lab}^*\text{olv}^*_{Ma}: 0.0 \ 1.0 \ 0.74$

ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 244/360 = 0.679$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = g75b$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


$LAB^*LAB^*_Ma: 55 -20 -43$
 $LAB^*LCH^*_Ma: 55 49 244$
 $lab^*rgb^*_Ma: 0.0 0.5 1.0$
 $lab^*olv^*_Ma: 0.0 0.87 1.0$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357

triangle lightness t^*

%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$

$u^* = b00r$

data for any colour:

lab^*ch^* and lab^*icu^*


elementary hue text:

$u^* = b00r$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 42 \ 1 \ -42$

$LAB^*LCH^*Ma: 42 \ 43 \ 272$

$lab^*rgb^*Ma: 0.0 \ 0.0 \ 1.0$

$lab^*olv^*Ma: 0.0 \ 0.42 \ 1.0$

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$


%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$

$u^* = b25r$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b25r$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 29\ 24\ -40$

$LAB^*LCH^*_Ma: 29\ 48\ 300$

$lab^*rgb^*_Ma: 0.5\ 0.0\ 1.0$

$lab^*olv^*_Ma: 0.03\ 0.0\ 1.0$

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$


%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 329/360 = 0.913$
 data for any colour:

lab^*ch^* and lab^*icu^*
 elementary hue text:
 $u^* = b50r$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 38 45 -26
 $LAB^*LCH^*_Ma$: 38 52 329
 $lab^*rgb^*_Ma$: 1.0 0.0 1.0
 $lab^*olv^*_Ma$: 0.46 0.0 1.0

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357




%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$
 data for any colour:

$u^* = b75r$
 lab^*icu^*

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = b75r$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	62.56	37.91	73.15	31
Y _{Ma}	90.92	-9.88	83.88	84.46	97
L _{Ma}	52.69	-62.9	19.95	66.0	162
C _{Ma}	59.61	-27.85	-44.43	52.45	238
V _{Ma}	28.39	22.72	-42.42	48.13	298
M _{Ma}	49.58	71.08	-9.19	71.67	353
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


$LAB^*LAB^*Ma: 49\ 70\ -3$
 $LAB^*LCH^*Ma: 49\ 70\ 357$
 $lab^*rgb^*Ma: 1.0\ 0.0\ 0.5$
 $lab^*olv^*Ma: 1.0\ 0.0\ 0.88$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357

triangle lightness t^*


%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$



Input and output:
Colorimetric Printer Reflective System ORS20_95a
data for any colour:



$lab^*_{tch^*}$ and $lab^*_{icu^*}$
elementary hue text:
 $u^* = 16$ hues $r00j, r25j, \dots, b75r$
contrast reduction factor:
 $c_R = 0.96$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
%Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

ORS20_95; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r00j$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	48.75	62.65	39.19	73.89	32
Y_M	90.92	-10.35	85.91	86.53	97
L_M	52.69	-62.87	21.3	66.38	161
C_M	59.61	-27.91	-42.96	51.24	237
V_M	28.39	23.07	-41.5	47.5	299
M_M	49.58	71.15	-7.89	71.59	354
N_M	20.0	0.47	0.76	0.89	58
W_M	95.0	-0.51	2.11	2.17	104
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 49\ 64\ 30$

$LAB^*LCH^*_Ma: 49\ 71\ 25$

$lab^*rgb^*_Ma: 1.0\ 0.0\ 0.0$

$lab^*olv^*_Ma: 1.0\ 0.0\ 0.16$

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$

%Regularity



$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

$u^* = r00j$


LAB^*LAB^*

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = r25j$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*




ORS20_95; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 50 46
 $LAB^*LCH^*_{Ma}$: 56 68 42
 $lab^*rgb^*_{Ma}$: 1.0 0.25 0.0
 $lab^*olv^*_{Ma}$: 1.0 0.17 0.0

$u^* = r25j$
 LAB^*LAB^*

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r50j$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 65\ 34\ 56$

$LAB^*LCH^*_{Ma}: 65\ 66\ 59$

$lab^*rgb^*_{Ma}: 1.0\ 0.5\ 0.0$

$lab^*olv^*_{Ma}: 1.0\ 0.4\ 0.0$

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$

%Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

$u^* = r50j$


LAB^*LAB^*

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = r75j$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*




ORS20_95; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 75\ 17\ 67$
 $LAB^*LCH^*_{Ma}: 75\ 69\ 76$
 $lab^*rgb^*_{Ma}: 1.0\ 0.75\ 0.0$
 $lab^*olv^*_{Ma}: 1.0\ 0.63\ 0.0$

$u^* = r75j$
 LAB^*LAB^*

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

LAB^*LAB^*

$i^*=1,00$

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j00g$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 87 -2 80$

$LAB^*LCH^*_{Ma}: 87 80 92$

$lab^*rgb^*_{Ma}: 1.0 1.0 0.0$

$lab^*olv^*_{Ma}: 1.0 0.91 0.0$

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$

%Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

$u^* = j00g$

LAB^*LAB^*

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j25g$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 81 -23 67$

$LAB^*LCH^*_{Ma}: 81 71 110$

$lab^*rgb^*_{Ma}: 0.75 1.0 0.0$

$lab^*olv^*_{Ma}: 0.73 1.0 0.0$

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$

%Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

$u^* = j25g$


LAB^*LAB^*

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = j50g$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*





ORS20_95; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	48.75	62.65	39.19	73.89	32
Y_M	90.92	-10.35	85.91	86.53	97
L_M	52.69	-62.87	21.3	66.38	161
C_M	59.61	-27.91	-42.96	51.24	237
V_M	28.39	23.07	-41.5	47.5	299
M_M	49.58	71.15	-7.89	71.59	354
N_M	20.0	0.47	0.76	0.89	58
W_M	95.0	-0.51	2.11	2.17	104
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 71 \ -37 \ 50$
 $LAB^*LCH^*_Ma: 71 \ 63 \ 127$
 $lab^*rgb^*_Ma: 0.5 \ 1.0 \ 0.0$
 $lab^*olv^*_Ma: 0.47 \ 1.0 \ 0.0$

$u^* = j50g$
 LAB^*LAB^*

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j75g$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 62 -49 35$

$LAB^*LCH^*Ma: 62 61 145$

$lab^*rgb^*Ma: 0.25 1.0 0.0$

$lab^*olv^*Ma: 0.24 1.0 0.0$

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$

%Regularity



$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

$u^* = j75g$


LAB^*LAB^*

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = g00b$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*




ORS20_95; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


$LAB^*LAB^*_Ma: 53 -62 20$
 $LAB^*LCH^*_Ma: 53 66 162$
 $lab^*rgb^*_Ma: 0.0 1.0 0.0$
 $lab^*olv^*_Ma: 0.0 1.0 0.0$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = g25b$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*





ORS20_95; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 56 -47 -7$
 $LAB^*LCH^*_{Ma}: 56 48 190$
 $lab^*rgb^*_{Ma}: 0.0 1.0 0.5$
 $lab^*olv^*_{Ma}: 0.0 1.0 0.44$

$u^* = g25b$
 LAB^*LAB^*

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357




%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

brilliantness i^*

brilliantness i^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = g50b$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*




ORS20_95; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 58 -36 -27$
 $LAB^*LCH^*_{Ma}: 58 46 217$
 $lab^*rgb^*_{Ma}: 0.0 1.0 1.0$
 $lab^*olv^*_{Ma}: 0.0 1.0 0.74$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

LAB^*LAB^*

$i^* = 1.00$

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

brilliantness i^*


brilliantness i^*

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 244/360 = 0.679$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = g75b$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*




ORS20_95; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 55 -20 -43$
 $LAB^*LCH^*_{Ma}: 55 49 244$
 $lab^*rgb^*_{Ma}: 0.0 0.5 1.0$
 $lab^*olv^*_{Ma}: 0.0 0.87 1.0$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 272/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b00r$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}: 42 \ 1 \ -42$

$\text{LAB}^*\text{LCH}^*_{Ma}: 42 \ 43 \ 272$

$\text{lab}^*\text{rgb}^*_{Ma}: 0.0 \ 0.0 \ 1.0$

$\text{lab}^*\text{olv}^*_{Ma}: 0.0 \ 0.42 \ 1.0$

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$

%Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

$u^* = b00r$


LAB^*LAB^*

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = b25r$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*





ORS20_95; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 29\ 24\ -40$
 $LAB^*LCH^*_{Ma}: 29\ 48\ 300$
 $lab^*rgb^*_{Ma}: 0.5\ 0.0\ 1.0$
 $lab^*olv^*_{Ma}: 0.03\ 0.0\ 1.0$

$u^* = b25r$
 LAB^*LAB^*

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 329/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b50r$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 38\ 45\ -26$

$LAB^*LCH^*_Ma: 38\ 52\ 329$

$lab^*rgb^*_Ma: 1.0\ 0.0\ 1.0$

$lab^*olv^*_Ma: 0.46\ 0.0\ 1.0$

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$

%Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

$u^* = b50r$

LAB^*LAB^*

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b75r$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 49\ 70\ -3$

$LAB^*LCH^*Ma: 49\ 70\ 357$

$lab^*rgb^*Ma: 1.0\ 0.0\ 0.5$

$lab^*olv^*Ma: 1.0\ 0.0\ 0.88$

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$

%Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

$u^* = b75r$

LAB^*LAB^*


ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*LAB*						
01	20.0	24.1	28.2	32.3	36.3	40.4	44.5	48.6	52.7	23.6	28.9	33.0	37.0	41.1	45.2	49.3	53.4	57.5	27.2	32.5	37.7	41.8	45.9	50.0	54.1	58.2	62.3	66.4	70.5	74.6	78.7	82.8	86.9	91.0	95.1	99.2	20.0	20.0	20.0	20.0				
02	0.5	-7.3	-15.3	-23.2	-31.1	-39.0	-46.9	-54.9	-62.8	2.2	-0.8	-8.7	-16.6	-24.5	-32.5	-40.4	-48.3	-56.2	27.0	6.9	-2.1	-10.1	-18.0	-25.9	-33.8	-41.7	-49.6	-57.5	-65.4	-73.3	-81.2	-89.1	-97.0	-104.9	-112.8	-120.7	-128.6	0.5	0.5	0.5	0.5			
03	0.8	3.3	5.9	8.5	11.0	13.6	16.2	18.7	21.3	3.6	11.4	14.0	16.5	19.1	21.7	24.2	26.8	29.4	10.4	16.2	22.0	24.6	27.2	29.7	32.3	34.9	37.4	40.0	42.6	45.1	47.7	50.2	52.8	55.3	57.9	60.4	63.0	65.5	68.1	0.8	0.8	0.8	0.8	
04	21.1	25.0	29.0	33.1	37.2	41.3	45.4	49.5	53.6	23.7	29.4	33.5	37.5	41.6	45.7	49.8	53.9	58.0	27.3	33.0	38.2	42.3	46.4	50.5	54.6	58.7	62.8	66.9	71.0	75.1	79.2	83.3	87.4	91.5	95.6	99.7	103.8	21.1	21.1	21.1	21.1			
05	3.4	-3.0	-10.9	-18.8	-26.7	-34.7	-42.6	-50.5	-58.4	3.3	7.5	11.7	15.8	19.9	24.0	28.1	32.2	36.3	17.1	8.1	-0.9	-8.8	-16.7	-24.6	-32.5	-40.4	-48.3	-56.2	-64.1	-72.0	-79.9	-87.8	-95.7	-103.6	-111.5	-119.4	-127.3	3.4	3.4	3.4	3.4			
06	-4.4	-4.6	-2.0	0.4	3.0	5.6	8.1	10.7	13.3	3.0	0.2	3.9	3.5	6.1	8.6	11.2	13.8	16.3	18.9	4.5	5.7	11.6	14.1	16.7	19.3	21.8	24.4	27.0	29.6	32.1	34.7	37.2	39.8	42.3	44.9	47.4	50.0	52.5	55.1	57.6	-4.4	-4.4	-4.4	-4.4
07	22.1	26.0	29.9	34.0	38.1	42.2	46.3	50.3	54.4	24.8	30.4	34.3	38.4	42.5	46.6	50.7	54.8	58.8	27.4	33.1	38.6	44.1	49.6	55.1	60.6	66.1	71.6	77.1	82.6	88.1	93.6	99.1	104.6	110.1	115.6	121.1	126.6	22.1	22.1	22.1	22.1			
08	6.1	-0.2	-6.5	-14.4	-22.4	-30.3	-38.2	-46.1	-54.0	12.1	3.2	-3.1	-11.0	-18.9	-26.9	-34.8	-42.7	-50.6	18.1	9.2	0.2	-7.6	-15.5	-23.4	-31.4	-39.3	-47.2	-55.1	-63.0	-70.9	-78.8	-86.7	-94.6	-102.5	-110.4	-118.3	-126.2	6.1	6.1	6.1	6.1			
09	-9.7	-9.9	-10.1	-7.5	-4.9	-2.4	0.3	2.7	5.2	5.5	4.3	4.4	-1.9	0.6	3.2	5.7	8.3	10.9	-1.3	-0.1	1.1	3.7	6.2	8.8	11.4	13.9	16.5	19.1	21.7	24.3	26.9	29.5	32.1	34.7	37.3	39.9	42.5	45.1	47.7	-9.7	-9.7	-9.7	-9.7	
10	23.2	27.1	31.0	34.9	38.9	43.0	47.1	51.2	55.3	25.8	31.5	35.4	39.3	43.4	47.5	51.5	55.6	59.7	28.4	34.1	39.8	43.7	47.8	51.9	56.0	60.0	64.1	68.1	72.2	76.3	80.4	84.5	88.6	92.7	96.8	100.9	105.0	109.1	113.2	23.2	23.2	23.2	23.2	
11	8.9	2.6	-3.7	-10.1	-18.0	-25.9	-33.8	-41.7	-49.7	14.9	6.0	-0.3	-6.7	-14.6	-22.5	-30.4	-38.3	-46.2	22.0	12.0	3.0	-3.2	-11.1	-19.0	-27.0	-34.9	-42.8	-50.7	-58.6	-66.5	-74.4	-82.3	-90.2	-98.1	-106.0	-113.9	-121.8	8.9	8.9	8.9	8.9			
12	-15.0	-15.2	-15.4	-15.5	-13.0	-10.4	-7.8	-5.3	-2.7	-10.8	9.5	-9.7	-9.9	-7.3	-4.8	-2.2	0.3	2.8	-6.6	-5.3	-4.2	-4.3	-1.7	0.8	3.3	5.9	8.5	11.1	13.7	16.3	18.9	21.5	24.1	26.7	29.3	31.9	34.5	37.1	-15.0	-15.0	-15.0	-15.0		
13	24.2	28.1	32.0	35.9	39.8	43.9	48.0	52.1	56.2	26.8	32.5	36.4	40.4	44.4	48.3	52.4	56.5	60.6	29.5	35.2	40.8	44.8	48.7	52.8	56.8	60.9	65.0	69.1	73.2	77.3	81.4	85.5	89.6	93.7	97.8	101.9	106.0	110.1	114.2	24.2	24.2	24.2	24.2	
14	11.8	5.4	-0.9	-7.2	-13.6	-21.5	-29.5	-37.4	-45.3	17.8	8.8	2.4	-3.8	-12.0	-20.1	-28.0	-36.0	-44.0	31.0	14.8	5.9	0.4	-6.8	-14.7	-22.6	-30.5	-38.4	-46.3	-54.2	-62.1	-70.0	-77.9	-85.8	-93.7	-101.6	-109.5	-117.4	-125.3	11.8	11.8	11.8	11.8		
15	-20.3	-20.5	-20.6	-20.8	-21.0	-18.4	-15.9	-13.3	-10.7	-16.1	14.8	-15.0	-15.2	-15.4	-12.8	-10.2	-7.4	-5.1	-11.9	-10.6	-9.4	-9.6	-9.7	-7.2	-4.6	-2.0	0.4	2.8	5.2	7.6	10.0	12.4	14.8	17.2	19.6	22.0	24.4	26.8	-20.3	-20.3	-20.3	-20.3		
16	25.3	29.1	33.1	37.0	40.9	44.8	48.8	52.9	57.0	27.9	33.6	37.5	41.4	45.3	49.2	53.3	57.4	61.4	30.5	36.2	41.9	45.8	49.7	53.6	57.7	61.8	65.9	70.0	74.1	78.2	82.3	86.4	90.5	94.6	98.7	102.8	106.9	111.0	115.1	25.3	25.3	25.3	25.3	
17	14.6	8.2	1.9	-4.4	-10.8	-17.2	-23.5	-30.0	-36.4	20.6	11.6	5.3	-1.0	-7.4	-13.8	-21.7	-29.6	-37.5	26.7	17.7	8.7	2.3	-4.0	-10.3	-16.6	-22.9	-29.2	-35.5	-41.8	-48.1	-54.4	-60.7	-67.0	-73.3	-79.6	-85.9	-92.2	-98.5	-104.8	14.6	14.6	14.6	14.6	
18	-25.6	-25.7	-25.9	-26.1	-26.3	-26.5	-23.9	-21.3	-18.8	21.4	-20.3	-20.5	-20.7	-20.8	-18.3	-15.7	-13.1	-10.6	-8.0	-15.9	-14.7	-14.8	-15.0	-15.2	-12.6	-10.1	-7.5	-4.9	-2.4	0.1	2.6	5.1	7.6	10.1	12.6	15.1	17.6	-25.6	-25.6	-25.6	-25.6			
19	16.3	30.2	34.1	38.0	41.9	45.8	49.7	53.6	57.5	28.9	34.6	38.5	42.4	46.3	50.2	54.1	58.2	62.3	31.6	37.3	42.9	46.8	50.8	54.7	58.6	62.6	66.7	70.8	74.9	79.0	83.1	87.2	91.3	95.4	99.5	103.6	107.7	111.8	115.9	120.0	16.3	16.3	16.3	16.3
20	17.4	11.1	4.7	-1.6	-8.0	-14.3	-20.7	-28.6	-36.5	22.4	14.5	8.1	1.2	-4.6	-10.9	-17.3	-23.7	-30.1	29.4	20.5	11.5	5.1	-1.1	-7.5	-13.9	-21.8	-29.7	-37.6	-45.5	-53.4	-61.3	-69.2	-77.1	-85.0	-92.9	-100.8	-108.7	-116.6	17.4	17.4	17.4	17.4		
21	-30.8	-31.0	-31.2	-31.4	-31.6	-31.7	-31.9	-29.4	-26.8	-26.6	-25.4	-25.6	-25.8	-25.9	-26.1	-26.3	-23.7	-21.2	-22.4	-21.2	-19.9	-20.1	-20.3	-20.5	-20.7	-18.1	-15.5	-12.9	-10.3	-7.7	-5.1	-2.5	0.1	2.6	5.1	7.6	10.1	-30.8	-30.8	-30.8	-30.8			
22	27.3	31.2	35.1	39.1	43.0	46.9	50.8	54.7	58.7	30.0	35.7	39.6	43.5	47.4	51.3	55.2	59.1	63.2	32.6	38.3	44.0	47.9	51.8	55.7	59.6	63.5	67.4	71.3	75.2	79.1	83.0	86.9	90.8	94.7	98.6	102.5	106.4	110.3	114.2	27.3	27.3	27.3	27.3	
23	20.2	13.9	7.5	1.1	-5.1	-11.5	-17.9	-24.3	-30.7	22.6	13.3	17.0	4.5	-1.7	-8.1	-14.5	-20.8	-28.3	32.3	23.3	14.3	8.0	1.6	-4.7	-11.0	-17.4	-23.8	-30.2	-36.6	-43.0	-49.4	-55.8	-62.2	-68.6	-75.0	-81.4	-87.8	-94.2	-100.6	20.2	20.2	20.2	20.2	
24	-36.1	-36.3	-36.5	-36.7	-36.9	-37.1	-37.2	-34.8	-31.9	-30.7	-30.9	-31.0	-31.2	-31.4	-31.6	-31.8	-29.2	-27.7	-26.5	-25.2	-25.4	-25.6	-25.8	-25.9	-26.1	-26.3	-26.5	-26.7	-26.9	-27.1	-27.3	-27.5	-27.7	-27.9	-28.1	-28.3	-28.5	-28.7	-36.1	-36.1	-36.1	-36.1		
25	28.4	32.3	36.2	40.1	44.0	47.9	51.8	55.7	59.6	31.0	36.7	40.6	44.5	48.4	52.3	56.2	60.1	64.0	33.7	39.4	45.0	48.9	52.8	56.7	60.7	64.6	68.5	72.5	76.4	80.4	84.3	88.3	92.2	96.2	100.1	104.1	108.0	112.0	28.4	28.4	28.4	28.4		
26	23.1	16.7	10.3	4.0	-2.3	-8.7	-15.1	-21.4	-27.8	21.0	13.7	7.4	1.0	-5.3	-11.6	-18.0	-24.4	-30.7	26.1	17.2	10.8	4.4	-1.9	-8.2	-14.6	-21.0	-27.4	-33.8	-40.2	-46.6	-53.0	-59.4	-65.8	-72.2	-78.6	-85.0	-91.4	-97.8	-104.2	23.1	23.1	23.1	23.1	
27	-41.4	-41.6	-41.8	-41.9	-42.1	-42.3	-42.5	-42.7	-42.9	-37.2	-36.0	-36.1	-36.3	-36.5	-36.7	-36.9	-37.0	-37.2	-33.0	-31.8	-30.5	-30.7	-30.9	-31.0	-31.2	-31.4	-31.6	-31.8	-32.0	-32.2	-32.4	-32.6	-32.8	-33.0	-33.2	-33.4	-33.6	-33.8	-41.4	-41.4	-41.4	-41.4		
28	30.8	36.1	41.3	46.6	50.7	54.8	58.9	62.9	67.0	34.4	39.6	44.9	50.2	55.5	59.5	63.6	67.7	71.8	38.0	43.2	48.5	53.8	59.1	64.3	68.4	72.5	76.6	80.7	84.8	88.9	93.0	97.1	101.2	105.3	109.4	113.5	117.6	121.7	30.8	30.8	30.8	30.8		
29	23.8	14.7	5.5	-3.5	-11.4	-19.3	-27.2	-35.2	-43.1	15.5	22.4	14.3	4.2	-4.8	-12.8	-20.7	-28.6	-36.5	39.3	30.2	21.1	12.0	2.8	-6.2	-14.1	-22.0	-29.9	-37.8	-45.7	-53.6	-61.5	-69.4	-77.3	-85.2	-93.1	-101.0	-108.9	-116.8	23.8	23.8	23.8	23.8		
30	15.2	20.1	26.8	32.7	35.3	37.8	40.4	43.0	45.5	20.0	25.8	31.6	37.5	43.3	45.9	48.5	51.0	53.6	24.8	30.6	36.4	42.3	48.1	54.0	56.5	59.1	61.7	64.3	66.9	69.5	72.1	74.7	77.3	79.9	82.5	85.1	87.7	15.2	15.2	15.2	15.2			
31	30.9	36.6	41.8	47.1	51.2	55.3	59.4	63.4	67.5	34.5	40.2	45.4	50.7	56.0	61.3	64.1	68.2	72.3	38.1	43.8	49.0	54.3	59.6	64.8	68.9	73.0	77.1	81.2	85.3	89.4	93.5	97.6	101.7	105.8	109.9	114.0	118.1	122.2	30.9	30.9	30.9	30.9		
32	24.8	15.9	6.8	-2.3	-10.2	-18.1	-26.0	-33.9	-41.8	32.6	23.7	14.5	5.4	-3.6	-11.5	-19.5	-27.4	-35.4	34.0	31.4	2																							



Input and output:
 Colorimetric Printer Reflective System ORS20_95a
 data for any colour:
*lab*tch** and *lab*icu**
 elementary hue text:
*u** = 16 hues *r00j*, *r25j*, ..., *b75r*
 contrast reduction factor:
 $c_R = 0.96$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

ORS20_95a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r00j$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 49\ 64\ 30$

$LAB^*LCH^*Ma: 49\ 71\ 25$

$lab^*rgb^*Ma: 1.0\ 0.0\ 0.0$

$lab^*olv^*Ma: 1.0\ 0.0\ 0.16$

triangle lightness t^*

%Gamut


$u^*_{rel} = 83$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r25j$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 56\ 50\ 46$

$LAB^*LCH^*_Ma: 56\ 68\ 42$

$lab^*rgb^*_Ma: 1.0\ 0.25\ 0.0$

$lab^*olv^*_Ma: 1.0\ 0.17\ 0.0$

triangle lightness t^*

%Gamut


$u^*_{rel} = 83$

%Regularity

$g^*_{H,rel} = 72$


$g^*_{C,rel} = 57$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = r50j$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; CIELAB data

	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 65\ 34\ 56$
 $LAB^*LCH^*Ma: 65\ 66\ 59$
 $lab^*rgb^*Ma: 1.0\ 0.5\ 0.0$
 $lab^*olv^*Ma: 1.0\ 0.4\ 0.0$

$u^* = r50j$
 lab^*rgb^*


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = r75j$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; CIELAB data


	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 75 17 67
 LAB^*LCH^*Ma : 75 69 76
 lab^*rgb^*Ma : 1.0 0.75 0.0
 lab^*olv^*Ma : 1.0 0.63 0.0

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



triangle lightness t^*
 %Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

lab^*rgb^*
 $i^*=1,00$
 $i^*=0,80$
 $i^*=0,60$
 $i^*=0,40$
 $i^*=0,20$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j00g$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; CIELAB data

	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 87 -2 80$

$LAB^*LCH^*Ma: 87 80 92$

$lab^*rgb^*Ma: 1.0 1.0 0.0$

$lab^*olv^*Ma: 1.0 0.91 0.0$

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$


%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j25g$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 81 -23 67$

$LAB^*LCH^*Ma: 81 71 110$

$lab^*rgb^*Ma: 0.75 1.0 0.0$

$lab^*olv^*Ma: 0.73 1.0 0.0$

triangle lightness t^*

%Gamut



$u^*_{rel} = 83$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j50g$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 71 \ -37 \ 50$

$LAB^*LCH^*Ma: 71 \ 63 \ 127$

$lab^*rgb^*Ma: 0.5 \ 1.0 \ 0.0$

$lab^*olv^*Ma: 0.47 \ 1.0 \ 0.0$

triangle lightness t^*

%Gamut


$u^*_{rel} = 83$

%Regularity

$g^*_{H,rel} = 72$


$g^*_{C,rel} = 57$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 145/360 = 0.402$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = j75g$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*




ORS20_95a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*\text{Ma}$: 62 -49 35
 $\text{LAB}^*\text{LCH}^*\text{Ma}$: 62 61 145
 $\text{lab}^*\text{rgb}^*\text{Ma}$: 0.25 1.0 0.0
 $\text{lab}^*\text{olv}^*\text{Ma}$: 0.24 1.0 0.0

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

$u^* = j75g$
 lab^*rgb^*

lab^*rgb^*

$i^* = 1.00$

$i^* = 0.80$


$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = g00b$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; CIELAB data



	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 53 -62 20$
 $LAB^*LCH^*Ma: 53 66 162$
 $lab^*rgb^*Ma: 0.0 1.0 0.0$
 $lab^*olv^*Ma: 0.0 1.0 0.0$


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = g25b$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; CIELAB data


	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	48.75	62.65	39.19	73.89	32
Y_M	90.92	-10.35	85.91	86.53	97
L_M	52.69	-62.87	21.3	66.38	161
C_M	59.61	-27.91	-42.96	51.24	237
V_M	28.39	23.07	-41.5	47.5	299
M_M	49.58	71.15	-7.89	71.59	354
N_M	20.0	0.47	0.76	0.89	58
W_M	95.0	-0.51	2.11	2.17	104
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 56 -47 -7$
 $LAB^*LCH^*Ma: 56 48 190$
 $lab^*rgb^*Ma: 0.0 1.0 0.5$
 $lab^*olv^*Ma: 0.0 1.0 0.44$


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = g50b$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*





ORS20_95a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


$LAB^*LAB^*Ma: 58 -36 -27$
 $LAB^*LCH^*Ma: 58 46 217$
 $lab^*rgb^*Ma: 0.0 1.0 1.0$
 $lab^*olv^*Ma: 0.0 1.0 0.74$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 244/360 = 0.679$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = g75b$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*




ORS20_95a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 55 -20 -43$
 $LAB^*LCH^*Ma: 55 49 244$
 $lab^*rgb^*Ma: 0.0 0.5 1.0$
 $lab^*olv^*Ma: 0.0 0.87 1.0$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b00r$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	48.75	62.65	39.19	73.89	32
Y_M	90.92	-10.35	85.91	86.53	97
L_M	52.69	-62.87	21.3	66.38	161
C_M	59.61	-27.91	-42.96	51.24	237
V_M	28.39	23.07	-41.5	47.5	299
M_M	49.58	71.15	-7.89	71.59	354
N_M	20.0	0.47	0.76	0.89	58
W_M	95.0	-0.51	2.11	2.17	104
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 42\ 1\ -42$

$LAB^*LCH^*Ma: 42\ 43\ 272$

$lab^*rgb^*Ma: 0.0\ 0.0\ 1.0$

$lab^*olv^*Ma: 0.0\ 0.42\ 1.0$

triangle lightness t^*

%Gamut


$u^*_{rel} = 83$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b25r$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 29\ 24\ -40$

$LAB^*LCH^*Ma: 29\ 48\ 300$

$lab^*rgb^*Ma: 0.5\ 0.0\ 1.0$

$lab^*olv^*Ma: 0.03\ 0.0\ 1.0$

triangle lightness t^*

%Gamut


$u^*_{rel} = 83$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 329/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b50r$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; CIELAB data

	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	48.75	62.65	39.19	73.89	32
Y_M	90.92	-10.35	85.91	86.53	97
L_M	52.69	-62.87	21.3	66.38	161
C_M	59.61	-27.91	-42.96	51.24	237
V_M	28.39	23.07	-41.5	47.5	299
M_M	49.58	71.15	-7.89	71.59	354
N_M	20.0	0.47	0.76	0.89	58
W_M	95.0	-0.51	2.11	2.17	104
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 38\ 45\ -26$

$LAB^*LCH^*_Ma: 38\ 52\ 329$

$lab^*rgb^*_Ma: 1.0\ 0.0\ 1.0$

$lab^*olv^*_Ma: 0.46\ 0.0\ 1.0$

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$


%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = b75r$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; CIELAB data


	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 49\ 70\ -3$
 $LAB^*LCH^*Ma: 49\ 70\ 357$
 $lab^*rgb^*Ma: 1.0\ 0.0\ 0.5$
 $lab^*olv^*Ma: 1.0\ 0.0\ 0.88$


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357





Input and output:
 Colorimetric Printer Reflective System ORS20_95a
 data for any colour:
 $lab^*_{tch^*}$ and $lab^*_{icu^*}$
 elementary hue text:
 $u^* = 16$ hues $r00j, r25j, \dots, b75r$
 contrast reduction factor:
 $c_R = 0.96$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

ORS20_95a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r00j$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	48.75	62.65	39.19	73.89	32
Y_M	90.92	-10.35	85.91	86.53	97
L_M	52.69	-62.87	21.3	66.38	161
C_M	59.61	-27.91	-42.96	51.24	237
V_M	28.39	23.07	-41.5	47.5	299
M_M	49.58	71.15	-7.89	71.59	354
N_M	20.0	0.47	0.76	0.89	58
W_M	95.0	-0.51	2.11	2.17	104
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 49\ 64\ 30$

$LAB^*LCH^*_Ma: 49\ 71\ 25$

$lab^*rgb^*_Ma: 1.0\ 0.0\ 0.0$

$lab^*olv^*_Ma: 1.0\ 0.0\ 0.16$

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$

%Regularity


$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

$u^* = r00j$

$LAB^*cmy^n^*$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$

$u^* = r25j$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r25j$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 56\ 50\ 46$

$LAB^*LCH^*_Ma: 56\ 68\ 42$

$lab^*rgb^*_Ma: 1.0\ 0.25\ 0.0$

$lab^*olv^*_Ma: 1.0\ 0.17\ 0.0$

triangle lightness t^*

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357


%Gamut

$u^*_{rel} = 83$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



$LAB^*cmy^n^*$

$i^*=1,00$

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

brilliantness i^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$

$u^* = r50j$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r50j$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	48.75	62.65	39.19	73.89	32
Y_M	90.92	-10.35	85.91	86.53	97
L_M	52.69	-62.87	21.3	66.38	161
C_M	59.61	-27.91	-42.96	51.24	237
V_M	28.39	23.07	-41.5	47.5	299
M_M	49.58	71.15	-7.89	71.59	354
N_M	20.0	0.47	0.76	0.89	58
W_M	95.0	-0.51	2.11	2.17	104
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 65\ 34\ 56$

$LAB^*LCH^*_Ma: 65\ 66\ 59$

$lab^*rgb^*_Ma: 1.0\ 0.5\ 0.0$

$lab^*olv^*_Ma: 1.0\ 0.4\ 0.0$

triangle lightness t^*

$\%Gamut$


$u^*_{rel} = 83$

$\%Regularity$

$g^*_{H,rel} = 72$


$g^*_{C,rel} = 57$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = r75j$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*




ORS20_95a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 75\ 17\ 67$
 $LAB^*LCH^*_Ma: 75\ 69\ 76$
 $lab^*rgb^*_Ma: 1.0\ 0.75\ 0.0$
 $lab^*olv^*_Ma: 1.0\ 0.63\ 0.0$

$u^* = r75j$
 $LAB^*cmy^n^*$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

$LAB^*cmy^n^*$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j00g$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 87 -2 80$

$LAB^*LCH^*_Ma: 87 80 92$

$lab^*rgb^*_Ma: 1.0 1.0 0.0$

$lab^*olv^*_Ma: 1.0 0.91 0.0$

triangle lightness t^*

$\%Gamut$


$u^*_{rel} = 83$

$\%Regularity$

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$

$u^* = j25g$

data for any colour:

$LAB^*cmy^n^*$

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j25g$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


$LAB^*LAB^*_Ma: 81 -23 67$

$LAB^*LCH^*_Ma: 81 71 110$

$lab^*rgb^*_Ma: 0.75 1.0 0.0$

$lab^*olv^*_Ma: 0.73 1.0 0.0$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$

$u^* = j50g$

data for any colour:

$LAB^*cmy^n^*$

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j50g$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	48.75	62.65	39.19	73.89	32
Y_M	90.92	-10.35	85.91	86.53	97
L_M	52.69	-62.87	21.3	66.38	161
C_M	59.61	-27.91	-42.96	51.24	237
V_M	28.39	23.07	-41.5	47.5	299
M_M	49.58	71.15	-7.89	71.59	354
N_M	20.0	0.47	0.76	0.89	58
W_M	95.0	-0.51	2.11	2.17	104
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


$LAB^*LAB^*_Ma: 71 -37 50$

$LAB^*LCH^*_Ma: 71 63 127$

$lab^*rgb^*_Ma: 0.5 1.0 0.0$

$lab^*olv^*_Ma: 0.47 1.0 0.0$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
%Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

$LAB^*cmy^n^*$

$i^*=1,00$

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$


$i^*=0,20$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = j75g$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	48.75	62.65	39.19	73.89	32
Y_M	90.92	-10.35	85.91	86.53	97
L_M	52.69	-62.87	21.3	66.38	161
C_M	59.61	-27.91	-42.96	51.24	237
V_M	28.39	23.07	-41.5	47.5	299
M_M	49.58	71.15	-7.89	71.59	354
N_M	20.0	0.47	0.76	0.89	58
W_M	95.0	-0.51	2.11	2.17	104
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):


$LAB^*LAB^*_Ma: 62 -49 35$
 $LAB^*LCH^*_Ma: 62 61 145$
 $lab^*rgb^*_Ma: 0.25 1.0 0.0$
 $lab^*olv^*_Ma: 0.24 1.0 0.0$

$u^* = j75g$
 $LAB^*cmy^n^*$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357


triangle lightness t^*

%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = g00b$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; CIELAB data


	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	48.75	62.65	39.19	73.89	32
Y_M	90.92	-10.35	85.91	86.53	97
L_M	52.69	-62.87	21.3	66.38	161
C_M	59.61	-27.91	-42.96	51.24	237
V_M	28.39	23.07	-41.5	47.5	299
M_M	49.58	71.15	-7.89	71.59	354
N_M	20.0	0.47	0.76	0.89	58
W_M	95.0	-0.51	2.11	2.17	104
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 53 -62 20$
 $LAB^*LCH^*_Ma: 53 66 162$
 $lab^*rgb^*_Ma: 0.0 1.0 0.0$
 $lab^*olv^*_Ma: 0.0 1.0 0.0$


ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = g25b$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; CIELAB data

	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIÉ}	39.92	58.74	27.99	65.07	25
J _{CIÉ}	81.26	-2.88	71.56	71.62	92
G _{CIÉ}	52.23	-42.41	13.6	44.55	162
B _{CIÉ}	30.57	1.41	-46.46	46.49	272


Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 56 -47 -7$
 $LAB^*LCH^*_Ma: 56 48 190$
 $lab^*rgb^*_Ma: 0.0 1.0 0.5$
 $lab^*olv^*_Ma: 0.0 1.0 0.44$

$u^* = g25b$
 $LAB^*cmy^n^*$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$

$u^* = g50b$

data for any colour:

$LAB^*c_{myn}^*$

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g50b$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIÉ}	39.92	58.74	27.99	65.07	25
J _{CIÉ}	81.26	-2.88	71.56	71.62	92
G _{CIÉ}	52.23	-42.41	13.6	44.55	162
B _{CIÉ}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 58 -36 -27$

$LAB^*LCH^*_{Ma}: 58 46 217$

$lab^*rgb^*_{Ma}: 0.0 1.0 1.0$

$lab^*olv^*_{Ma}: 0.0 1.0 0.74$

triangle lightness t^*

%Gamut


$u^*_{rel} = 83$

%Regularity

$g^*_{H,rel} = 72$


$g^*_{C,rel} = 57$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 244/360 = 0.679$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = g75b$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*




ORS20_95a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIÉ}	39.92	58.74	27.99	65.07	25
J _{CIÉ}	81.26	-2.88	71.56	71.62	92
G _{CIÉ}	52.23	-42.41	13.6	44.55	162
B _{CIÉ}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 55 -20 -43$
 $LAB^*LCH^*_Ma: 55 49 244$
 $lab^*rgb^*_Ma: 0.0 0.5 1.0$
 $lab^*olv^*_Ma: 0.0 0.87 1.0$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



%Gamut
 $u^*_{rel} = 83$
 %Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

$u^* = g75b$
 $LAB^*cmy^n^*$

$LAB^*cmy^n^*$

$i^* = 1,00$

$i^* = 0,80$

$i^* = 0,60$

$i^* = 0,40$

$i^* = 0,20$

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$

$u^* = b00r$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b00r$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; CIELAB data

	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIÉ}	39.92	58.74	27.99	65.07	25
J _{CIÉ}	81.26	-2.88	71.56	71.62	92
G _{CIÉ}	52.23	-42.41	13.6	44.55	162
B _{CIÉ}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 42 \ 1 \ -42$

$LAB^*LCH^*_Ma: 42 \ 43 \ 272$

$lab^*rgb^*_Ma: 0.0 \ 0.0 \ 1.0$

$lab^*olv^*_Ma: 0.0 \ 0.42 \ 1.0$

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$


%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$

$u^* = b25r$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b25r$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 29\ 24\ -40$

$LAB^*LCH^*_Ma: 29\ 48\ 300$

$lab^*rgb^*_Ma: 0.5\ 0.0\ 1.0$

$lab^*olv^*_Ma: 0.03\ 0.0\ 1.0$

triangle lightness t^*

%Gamut


$u^*_{rel} = 83$

%Regularity

$g^*_{H,rel} = 72$


$g^*_{C,rel} = 57$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 329/360 = 0.913$
 data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = b50r$
 contrast reduction factor:
 $c_R = 0.96$
 triangle lightness t^*



ORS20_95a; CIELAB data

	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272


Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 38\ 45\ -26$
 $LAB^*LCH^*_Ma: 38\ 52\ 329$
 $lab^*rgb^*_Ma: 1.0\ 0.0\ 1.0$
 $lab^*olv^*_Ma: 0.46\ 0.0\ 1.0$

$u^* = b50r$
 $LAB^*cmy^n^*$

ORS20_95a; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$

$u^* = b75r$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b75r$

contrast reduction factor:

$c_R = 0.96$

triangle lightness t^*



ORS20_95a; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	62.65	39.19	73.89	32
Y _M	90.92	-10.35	85.91	86.53	97
L _M	52.69	-62.87	21.3	66.38	161
C _M	59.61	-27.91	-42.96	51.24	237
V _M	28.39	23.07	-41.5	47.5	299
M _M	49.58	71.15	-7.89	71.59	354
N _M	20.0	0.47	0.76	0.89	58
W _M	95.0	-0.51	2.11	2.17	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*Ma: 49\ 70\ -3$

$LAB^*LCH^*Ma: 49\ 70\ 357$

$lab^*rgb^*Ma: 1.0\ 0.0\ 0.5$

$lab^*olv^*Ma: 1.0\ 0.0\ 0.88$

triangle lightness t^*

%Gamut

$u^*_{rel} = 83$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS20_95a; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.88	63.91	30.45	70.79	25
r25j	55.85	50.36	45.65	67.97	42
r50j	65.45	33.86	56.12	65.54	59
r75j	75.19	17.13	66.73	68.89	76
j00g	87.03	-3.21	79.64	79.7	92
j25g	80.72	-24.03	66.82	71.01	110
j50g	70.64	-38.01	49.96	62.78	127
j75g	61.93	-50.08	35.41	61.34	145
g00b	52.8	-62.76	20.12	65.91	162
g25b	55.7	-47.65	-8.05	48.34	190
g50b	57.82	-36.91	-27.79	46.22	217
g75b	55.5	-21.19	-44.16	49.0	244
b00r	41.6	1.31	-43.27	43.3	272
b25r	29.0	24.11	-41.46	47.97	300
b50r	38.04	44.73	-27.29	52.41	329
b75r	49.48	70.07	-3.61	70.16	357

