


Ein und Ausgabe:  
 Farbmimetrisches Drucker-Reflektiv-System FRS12\_95a

Daten für jede Farbe:  
 $u^*_e$  und Nummer *Nr.* = 00 .. 15

Elementar-Bunttextext:  
 $u^*_e = 16$  Bunttoene *r00j, r25j, ..., b75r*


Kontrastreduzierungsfaktor:  
 $c_R = 0.9$

FRS12_95a; adaptierte CIELAB-Daten						
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
<i>r00j</i>	44.18	56.95	27.14	63.08	25	<i>m8lo</i>
<i>r25j</i>	47.38	49.13	44.53	66.31	42	<i>o10y</i>
<i>r50j</i>	57.76	35.24	58.41	68.22	59	<i>o40y</i>
<i>r75j</i>	69.81	19.13	74.52	76.94	76	<i>o69y</i>
<i>j00g</i>	87.06	-3.94	97.58	97.66	92	<i>o98y</i>
<i>j25g</i>	72.25	-26.89	74.73	79.42	110	<i>y34l</i>
<i>j50g</i>	60.82	-43.48	57.15	71.81	127	<i>y69l</i>
<i>j75g</i>	52.51	-54.15	38.27	66.31	145	<i>l03c</i>
<i>g00b</i>	55.08	-44.06	14.13	46.27	162	<i>l23c</i>
<i>g25b</i>	57.22	-35.64	-6.03	36.15	190	<i>l55c</i>
<i>g50b</i>	58.9	-29.03	-21.86	36.34	217	<i>l87c</i>
<i>g75b</i>	54.42	-15.48	-32.25	35.77	244	<i>c20v</i>
<i>b00r</i>	46.36	1.15	-37.88	37.9	272	<i>c53v</i>
<i>b25r</i>	33.76	27.14	-46.69	54.01	300	<i>c87v</i>
<i>b50r</i>	38.71	61.92	-37.78	72.54	329	<i>v67m</i>
<i>b75r</i>	45.08	64.27	-3.32	64.36	357	<i>m33o</i>



%Umfang  
 $u^*_{rel} = 88$   
 %Regularität  
 $g^*_{H,rel} = 31$   
 $g^*_{C,rel} = 39$

FRS12_95a; adaptierte CIELAB-Daten					
Name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	43.8	53.91	39.75	66.98	36
Y <sub>Ma</sub>	87.58	-4.65	98.29	98.4	93
L <sub>Ma</sub>	51.95	-56.34	43.53	71.2	142
C <sub>Ma</sub>	59.62	-26.2	-28.62	38.8	228
V <sub>Ma</sub>	25.01	45.2	-52.8	69.51	311
M <sub>Ma</sub>	45.88	70.67	-29.93	76.75	337
N <sub>Ma</sub>	20.0	0.0	0.0	0.0	0
W <sub>Ma</sub>	95.0	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.74	27.99	65.07	25
J <sub>CIE</sub>	81.26	-2.89	71.56	71.62	92
G <sub>CIE</sub>	52.23	-42.42	13.6	44.55	162
B <sub>CIE</sub>	30.57	1.41	-46.47	46.49	272




Ein und Ausgabe:  
 Farbmimetrisches Drucker-Reflektiv-System FRS12\_95a

Daten für jede Farbe:  
 $u^*_e$  und Nummer *Nr.* = 00 .. 15

Elementar-Bunttextext:  
 $u^*_e = 16$  Bunttoene *r00j, r25j, ..., b75r*



Kontrastreduzierungsfaktor:  
 $c_R = 0.9$

FRS12_95a; adaptierte CIELAB-Daten						
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	44.18	56.95	27.14	63.08	25	m81o
r25j	47.38	49.13	44.53	66.31	42	o10y
r50j	57.76	35.24	58.41	68.22	59	o40y
r75j	69.81	19.13	74.52	76.94	76	o69y
j00g	87.06	-3.94	97.58	97.66	92	o98y
j25g	72.25	-26.89	74.73	79.42	110	y34l
j50g	60.82	-43.48	57.15	71.81	127	y69l
j75g	52.51	-54.15	38.27	66.31	145	l03c
g00b	55.08	-44.06	14.13	46.27	162	l23c
g25b	57.22	-35.64	-6.03	36.15	190	l55c
g50b	58.9	-29.03	-21.86	36.34	217	l87c
g75b	54.42	-15.48	-32.25	35.77	244	c20v
b00r	46.36	1.15	-37.88	37.9	272	c53v
b25r	33.76	27.14	-46.69	54.01	300	c87v
b50r	38.71	61.92	-37.78	72.54	329	v67m
b75r	45.08	64.27	-3.32	64.36	357	m33o



%Umfang  
 $u^*_{rel} = 88$   
 %Regularität  
 $g^*_{H,rel} = 31$   
 $g^*_{C,rel} = 39$

FRS12_95a; adaptierte CIELAB-Daten					
Name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	43.8	53.91	39.75	66.98	36
Y <sub>Ma</sub>	87.58	-4.65	98.29	98.4	93
L <sub>Ma</sub>	51.95	-56.34	43.53	71.2	142
C <sub>Ma</sub>	59.62	-26.2	-28.62	38.8	228
V <sub>Ma</sub>	25.01	45.2	-52.8	69.51	311
M <sub>Ma</sub>	45.88	70.67	-29.93	76.75	337
N <sub>Ma</sub>	20.0	0.0	0.0	0.0	0
W <sub>Ma</sub>	95.0	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.74	27.99	65.07	25
J <sub>CIE</sub>	81.26	-2.89	71.56	71.62	92
G <sub>CIE</sub>	52.23	-42.42	13.6	44.55	162
B <sub>CIE</sub>	30.57	1.41	-46.47	46.49	272



Ein und Ausgabe:  
 Farbmetrisches Drucker-Reflektiv-System FRS12\_95a

Daten für jede Farbe:

$u^*_e$  und Nummer  $Nr.$  = 00 .. 15

Elementar-Bunttextext:


$u^*_e = 16$  Bunttoene  $r00j, r25j, \dots, b75r$

Kontrastreduzierungsfaktor:

$c_R = 0.9$

FRS12\_95a; adaptierte CIELAB-Daten



$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
$r00j$	44.18	56.95	27.14	63.08	25	$m81o$
$r25j$	47.38	49.13	44.53	66.31	42	$o10y$
$r50j$	57.76	35.24	58.41	68.22	59	$o40y$
$r75j$	69.81	19.13	74.52	76.94	76	$o69y$
$j00g$	87.06	-3.94	97.58	97.66	92	$o98y$
$j25g$	72.25	-26.89	74.73	79.42	110	$y34l$
$j50g$	60.82	-43.48	57.15	71.81	127	$y69l$
$j75g$	52.51	-54.15	38.27	66.31	145	$l03c$
$g00b$	55.08	-44.06	14.13	46.27	162	$l23c$
$g25b$	57.22	-35.64	-6.03	36.15	190	$l55c$
$g50b$	58.9	-29.03	-21.86	36.34	217	$l87c$
$g75b$	54.42	-15.48	-32.25	35.77	244	$c20v$
$b00r$	46.36	1.15	-37.88	37.9	272	$c53v$
$b25r$	33.76	27.14	-46.69	54.01	300	$c87v$
$b50r$	38.71	61.92	-37.78	72.54	329	$v67m$
$b75r$	45.08	64.27	-3.32	64.36	357	$m33o$



%Umfang  
 $u^*_{rel} = 88$   
 %Regularität  
 $g^*_{H,rel} = 31$   
 $g^*_{C,rel} = 39$

FRS12\_95a; adaptierte CIELAB-Daten

Name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	43.8	53.91	39.75	66.98	36
Y <sub>Ma</sub>	87.58	-4.65	98.29	98.4	93
L <sub>Ma</sub>	51.95	-56.34	43.53	71.2	142
C <sub>Ma</sub>	59.62	-26.2	-28.62	38.8	228
V <sub>Ma</sub>	25.01	45.2	-52.8	69.51	311
M <sub>Ma</sub>	45.88	70.67	-29.93	76.75	337
N <sub>Ma</sub>	20.0	0.0	0.0	0.0	0
W <sub>Ma</sub>	95.0	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.74	27.99	65.07	25
J <sub>CIE</sub>	81.26	-2.89	71.56	71.62	92
G <sub>CIE</sub>	52.23	-42.42	13.6	44.55	162
B <sub>CIE</sub>	30.57	1.41	-46.47	46.49	272




Ein und Ausgabe:  
 Farbmetrisches Drucker-Reflektiv-System FRS12\_95a

Daten für jede Farbe:  
 $u^*_e$  und Nummer  $Nr. = 00 \dots 15$

Elementar-Bunttextext:  
 $u^*_e = 16$  Bunttoene  $r00j, r25j, \dots, b75r$



Kontrastreduzierungsfaktor:  
 $c_R = 0.9$

FRS12_95a; adaptierte CIELAB-Daten						
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
<i>r00j</i>	44.18	56.95	27.14	63.08	25	<i>m81o</i>
<i>r25j</i>	47.38	49.13	44.53	66.31	42	<i>o10y</i>
<i>r50j</i>	57.76	35.24	58.41	68.22	59	<i>o40y</i>
<i>r75j</i>	69.81	19.13	74.52	76.94	76	<i>o69y</i>
<i>j00g</i>	87.06	-3.94	97.58	97.66	92	<i>o98y</i>
<i>j25g</i>	72.25	-26.89	74.73	79.42	110	<i>y34l</i>
<i>j50g</i>	60.82	-43.48	57.15	71.81	127	<i>y69l</i>
<i>j75g</i>	52.51	-54.15	38.27	66.31	145	<i>l03c</i>
<i>g00b</i>	55.08	-44.06	14.13	46.27	162	<i>l23c</i>
<i>g25b</i>	57.22	-35.64	-6.03	36.15	190	<i>l55c</i>
<i>g50b</i>	58.9	-29.03	-21.86	36.34	217	<i>l87c</i>
<i>g75b</i>	54.42	-15.48	-32.25	35.77	244	<i>c20v</i>
<i>b00r</i>	46.36	1.15	-37.88	37.9	272	<i>c53v</i>
<i>b25r</i>	33.76	27.14	-46.69	54.01	300	<i>c87v</i>
<i>b50r</i>	38.71	61.92	-37.78	72.54	329	<i>v67m</i>
<i>b75r</i>	45.08	64.27	-3.32	64.36	357	<i>m33o</i>



%Umfang  
 $u^*_{rel} = 88$   
 %Regularität  
 $g^*_{H,rel} = 31$   
 $g^*_{C,rel} = 39$

FRS12_95a; adaptierte CIELAB-Daten					
Name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	43.8	53.91	39.75	66.98	36
Y <sub>Ma</sub>	87.58	-4.65	98.29	98.4	93
L <sub>Ma</sub>	51.95	-56.34	43.53	71.2	142
C <sub>Ma</sub>	59.62	-26.2	-28.62	38.8	228
V <sub>Ma</sub>	25.01	45.2	-52.8	69.51	311
M <sub>Ma</sub>	45.88	70.67	-29.93	76.75	337
N <sub>Ma</sub>	20.0	0.0	0.0	0.0	0
W <sub>Ma</sub>	95.0	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.74	27.99	65.07	25
J <sub>CIE</sub>	81.26	-2.89	71.56	71.62	92
G <sub>CIE</sub>	52.23	-42.42	13.6	44.55	162
B <sub>CIE</sub>	30.57	1.41	-46.47	46.49	272



Ein und Ausgabe:  
Farbmetrisches Drucker-Reflektiv-System FRS12\_95a

Daten für jede Farbe:

$u^*_e$  und Nummer  $Nr.$  = 00 .. 15

Elementar-Bunttextext:


$u^*_e = 16$  Bunttoene  $r00j, r25j, \dots, b75r$

Kontrastreduzierungsfaktor:

$c_R = 0.9$

FRS12\_95a; adaptierte CIELAB-Daten

$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
<i>r00j</i>	44.18	56.95	27.14	63.08	25	<i>m81o</i>
<i>r25j</i>	47.38	49.13	44.53	66.31	42	<i>o10y</i>
<i>r50j</i>	57.76	35.24	58.41	68.22	59	<i>o40y</i>
<i>r75j</i>	69.81	19.13	74.52	76.94	76	<i>o69y</i>
<i>j00g</i>	87.06	-3.94	97.58	97.66	92	<i>o98y</i>
<i>j25g</i>	72.25	-26.89	74.73	79.42	110	<i>y34l</i>
<i>j50g</i>	60.82	-43.48	57.15	71.81	127	<i>y69l</i>
<i>j75g</i>	52.51	-54.15	38.27	66.31	145	<i>l03c</i>
<i>g00b</i>	55.08	-44.06	14.13	46.27	162	<i>l23c</i>
<i>g25b</i>	57.22	-35.64	-6.03	36.15	190	<i>l55c</i>
<i>g50b</i>	58.9	-29.03	-21.86	36.34	217	<i>l87c</i>
<i>g75b</i>	54.42	-15.48	-32.25	35.77	244	<i>c20v</i>
<i>b00r</i>	46.36	1.15	-37.88	37.9	272	<i>c53v</i>
<i>b25r</i>	33.76	27.14	-46.69	54.01	300	<i>c87v</i>
<i>b50r</i>	38.71	61.92	-37.78	72.54	329	<i>v67m</i>
<i>b75r</i>	45.08	64.27	-3.32	64.36	357	<i>m33o</i>



%Umfang

$u^*_{rel} = 88$



%Regularität

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12\_95a; adaptierte CIELAB-Daten

Name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	43.8	53.91	39.75	66.98	36
Y <sub>Ma</sub>	87.58	-4.65	98.29	98.4	93
L <sub>Ma</sub>	51.95	-56.34	43.53	71.2	142
C <sub>Ma</sub>	59.62	-26.2	-28.62	38.8	228
V <sub>Ma</sub>	25.01	45.2	-52.8	69.51	311
M <sub>Ma</sub>	45.88	70.67	-29.93	76.75	337
N <sub>Ma</sub>	20.0	0.0	0.0	0.0	0
W <sub>Ma</sub>	95.0	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.74	27.99	65.07	25
J <sub>CIE</sub>	81.26	-2.89	71.56	71.62	92
G <sub>CIE</sub>	52.23	-42.42	13.6	44.55	162
B <sub>CIE</sub>	30.57	1.41	-46.47	46.49	272



Ein und Ausgabe:  
Farbmetrisches Drucker-Reflektiv-System FRS12\_95a

Daten für jede Farbe:

$u^*_e$  und Nummer  $Nr.$  = 00 .. 15


Elementar-Bunttextext:

$u^*_e = 16$  Bunttoene  $r00j, r25j, \dots, b75r$

Kontrastreduzierungsfaktor:

$c_R = 0.9$

FRS12_95a; adaptierte CIELAB-Daten						
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
<i>r00j</i>	44.18	56.95	27.14	63.08	25	<i>m81o</i>
<i>r25j</i>	47.38	49.13	44.53	66.31	42	<i>o10y</i>
<i>r50j</i>	57.76	35.24	58.41	68.22	59	<i>o40y</i>
<i>r75j</i>	69.81	19.13	74.52	76.94	76	<i>o69y</i>
<i>j00g</i>	87.06	-3.94	97.58	97.66	92	<i>o98y</i>
<i>j25g</i>	72.25	-26.89	74.73	79.42	110	<i>y34l</i>
<i>j50g</i>	60.82	-43.48	57.15	71.81	127	<i>y69l</i>
<i>j75g</i>	52.51	-54.15	38.27	66.31	145	<i>l03c</i>
<i>g00b</i>	55.08	-44.06	14.13	46.27	162	<i>l23c</i>
<i>g25b</i>	57.22	-35.64	-6.03	36.15	190	<i>l55c</i>
<i>g50b</i>	58.9	-29.03	-21.86	36.34	217	<i>l87c</i>
<i>g75b</i>	54.42	-15.48	-32.25	35.77	244	<i>c20v</i>
<i>b00r</i>	46.36	1.15	-37.88	37.9	272	<i>c53v</i>
<i>b25r</i>	33.76	27.14	-46.69	54.01	300	<i>c87v</i>
<i>b50r</i>	38.71	61.92	-37.78	72.54	329	<i>v67m</i>
<i>b75r</i>	45.08	64.27	-3.32	64.36	357	<i>m33o</i>



%Umfang



$u^*_{rel} = 88$

%Regularität

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adaptierte CIELAB-Daten					
Name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	43.8	53.91	39.75	66.98	36
Y <sub>Ma</sub>	87.58	-4.65	98.29	98.4	93
L <sub>Ma</sub>	51.95	-56.34	43.53	71.2	142
C <sub>Ma</sub>	59.62	-26.2	-28.62	38.8	228
V <sub>Ma</sub>	25.01	45.2	-52.8	69.51	311
M <sub>Ma</sub>	45.88	70.67	-29.93	76.75	337
N <sub>Ma</sub>	20.0	0.0	0.0	0.0	0
W <sub>Ma</sub>	95.0	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.74	27.99	65.07	25
J <sub>CIE</sub>	81.26	-2.89	71.56	71.62	92
G <sub>CIE</sub>	52.23	-42.42	13.6	44.55	162
B <sub>CIE</sub>	30.57	1.41	-46.47	46.49	272



Ein und Ausgabe:  
 Farbmetrisches Drucker-Reflektiv-System FRS12\_95a

Daten für jede Farbe:

$u^*_e$  und Nummer  $Nr.$  = 00 .. 15

Elementar-Bunttextext:


$u^*_e = 16$  Bunttoene  $r00j, r25j, \dots, b75r$

Kontrastreduzierungsfaktor:

$c_R = 0.9$

**FRS12\_95a; adaptierte CIELAB-Daten**



$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
<i>r00j</i>	44.18	56.95	27.14	63.08	25	<i>m81o</i>
<i>r25j</i>	47.38	49.13	44.53	66.31	42	<i>o10y</i>
<i>r50j</i>	57.76	35.24	58.41	68.22	59	<i>o40y</i>
<i>r75j</i>	69.81	19.13	74.52	76.94	76	<i>o69y</i>
<i>j00g</i>	87.06	-3.94	97.58	97.66	92	<i>o98y</i>
<i>j25g</i>	72.25	-26.89	74.73	79.42	110	<i>y34l</i>
<i>j50g</i>	60.82	-43.48	57.15	71.81	127	<i>y69l</i>
<i>j75g</i>	52.51	-54.15	38.27	66.31	145	<i>l03c</i>
<i>g00b</i>	55.08	-44.06	14.13	46.27	162	<i>l23c</i>
<i>g25b</i>	57.22	-35.64	-6.03	36.15	190	<i>l55c</i>
<i>g50b</i>	58.9	-29.03	-21.86	36.34	217	<i>l87c</i>
<i>g75b</i>	54.42	-15.48	-32.25	35.77	244	<i>c20v</i>
<i>b00r</i>	46.36	1.15	-37.88	37.9	272	<i>c53v</i>
<i>b25r</i>	33.76	27.14	-46.69	54.01	300	<i>c87v</i>
<i>b50r</i>	38.71	61.92	-37.78	72.54	329	<i>v67m</i>
<i>b75r</i>	45.08	64.27	-3.32	64.36	357	<i>m33o</i>



%Umfang  
 $u^*_{rel} = 88$   
 %Regularität  
 $g^*_{H,rel} = 31$   
 $g^*_{C,rel} = 39$

**FRS12\_95a; adaptierte CIELAB-Daten**

Name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	43.8	53.91	39.75	66.98	36
Y <sub>Ma</sub>	87.58	-4.65	98.29	98.4	93
L <sub>Ma</sub>	51.95	-56.34	43.53	71.2	142
C <sub>Ma</sub>	59.62	-26.2	-28.62	38.8	228
V <sub>Ma</sub>	25.01	45.2	-52.8	69.51	311
M <sub>Ma</sub>	45.88	70.67	-29.93	76.75	337
N <sub>Ma</sub>	20.0	0.0	0.0	0.0	0
W <sub>Ma</sub>	95.0	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.74	27.99	65.07	25
J <sub>CIE</sub>	81.26	-2.89	71.56	71.62	92
G <sub>CIE</sub>	52.23	-42.42	13.6	44.55	162
B <sub>CIE</sub>	30.57	1.41	-46.47	46.49	272



Ein und Ausgabe:  
 Farbmetrisches Drucker-Reflektiv-System FRS12\_95a

Daten für jede Farbe:

$u^*_e$  und Nummer  $Nr.$  = 00 .. 15

Elementar-Bunttextext:


$u^*_e = 16$  Bunttoene  $r00j, r25j, \dots, b75r$

Kontrastreduzierungsfaktor:

$c_R = 0.9$

**FRS12\_95a; adaptierte CIELAB-Daten**



$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	44.18	56.95	27.14	63.08	25	m81o
r25j	47.38	49.13	44.53	66.31	42	o10y
r50j	57.76	35.24	58.41	68.22	59	o40y
r75j	69.81	19.13	74.52	76.94	76	o69y
j00g	87.06	-3.94	97.58	97.66	92	o98y
j25g	72.25	-26.89	74.73	79.42	110	y34l
j50g	60.82	-43.48	57.15	71.81	127	y69l
j75g	52.51	-54.15	38.27	66.31	145	l03c
g00b	55.08	-44.06	14.13	46.27	162	l23c
g25b	57.22	-35.64	-6.03	36.15	190	l55c
g50b	58.9	-29.03	-21.86	36.34	217	l87c
g75b	54.42	-15.48	-32.25	35.77	244	c20v
b00r	46.36	1.15	-37.88	37.9	272	c53v
b25r	33.76	27.14	-46.69	54.01	300	c87v
b50r	38.71	61.92	-37.78	72.54	329	v67m
b75r	45.08	64.27	-3.32	64.36	357	m33o



%Umfang  
 $u^*_{rel} = 88$   
 %Regularität  
 $g^*_{H,rel} = 31$   
 $g^*_{C,rel} = 39$

**FRS12\_95a; adaptierte CIELAB-Daten**

Name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
O <sub>Ma</sub>	43.8	53.91	39.75	66.98	36
Y <sub>Ma</sub>	87.58	-4.65	98.29	98.4	93
L <sub>Ma</sub>	51.95	-56.34	43.53	71.2	142
C <sub>Ma</sub>	59.62	-26.2	-28.62	38.8	228
V <sub>Ma</sub>	25.01	45.2	-52.8	69.51	311
M <sub>Ma</sub>	45.88	70.67	-29.93	76.75	337
N <sub>Ma</sub>	20.0	0.0	0.0	0.0	0
W <sub>Ma</sub>	95.0	0.0	0.0	0.0	0
R <sub>CIE</sub>	39.92	58.74	27.99	65.07	25
J <sub>CIE</sub>	81.26	-2.89	71.56	71.62	92
G <sub>CIE</sub>	52.23	-42.42	13.6	44.55	162
B <sub>CIE</sub>	30.57	1.41	-46.47	46.49	272





Ein und Ausgabe:  
 Farbmimetrisches Drucker-Reflektiv-System FRS12\_95a

Daten für jede Farbe:

$u^*_e$  und Nummer  $Nr.$  = 00 .. 15


Elementar-Bunttextext:

$u^*_e = 16$  Bunttoene  $r00j, r25j, \dots, b75r$

Kontrastreduzierungsfaktor:



$c_R = 0.9$

FRS12_95a; adaptierte CIELAB-Daten							
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$	
r00j	44.18	56.95	27.14	63.08	25	m81o	
r25j	47.38	49.13	44.53	66.31	42	o10y	
r50j	57.76	35.24	58.41	68.22	59	o40y	
r75j	69.81	19.13	74.52	76.94	76	o69y	
j00g	87.06	-3.94	97.58	97.66	92	o98y	
j25g	72.25	-26.89	74.73	79.42	110	y34l	
j50g	60.82	-43.48	57.15	71.81	127	y69l	
j75g	52.51	-54.15	38.27	66.31	145	l03c	
g00b	55.08	-44.06	14.13	46.27	162	l23c	
g25b	57.22	-35.64	-6.03	36.15	190	l55c	
g50b	58.9	-29.03	-21.86	36.34	217	l87c	
g75b	54.42	-15.48	-32.25	35.77	244	c20v	
b00r	46.36	1.15	-37.88	37.9	272	c53v	
b25r	33.76	27.14	-46.69	54.01	300	c87v	
b50r	38.71	61.92	-37.78	72.54	329	v67m	
b75r	45.08	64.27	-3.32	64.36	357	m33o	



%Umfang  
 $u^*_{rel} = 88$   
 %Regularität  
 $g^*_{H,rel} = 31$   
 $g^*_{C,rel} = 39$

FRS12_95; CIELAB-Daten					
Name	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	43.8	54.41	32.95	63.61	31
Y <sub>M</sub>	87.58	-4.04	90.02	90.11	93
L <sub>M</sub>	51.95	-55.83	36.46	66.68	147
C <sub>M</sub>	59.62	-25.67	-35.94	44.17	234
V <sub>M</sub>	25.01	45.64	-58.96	74.57	308
M <sub>M</sub>	45.88	71.17	-36.79	80.12	333
N <sub>M</sub>	20.0	0.43	-5.99	6.01	274
W <sub>M</sub>	95.0	0.62	-8.52	8.54	274
R <sub>CIE</sub>	39.92	58.74	27.99	65.07	25
J <sub>CIE</sub>	81.26	-2.89	71.56	71.62	92
G <sub>CIE</sub>	52.23	-42.42	13.6	44.55	162
B <sub>CIE</sub>	30.57	1.41	-46.47	46.49	272



Ein und Ausgabe:  
 Farbmetrisches Drucker-Reflektiv-System FRS12\_95a


Daten für jede Farbe:  
 $u^*_e$  und Nummer  $Nr. = 00 \dots 15$

Elementar-Bunttextext:  
 $u^*_e = 16$  Bunttoene  $r00j, r25j, \dots, b75r$

Kontrastreduzierungsfaktor:  
 $c_R = 0.9$

**FRS12\_95a; adaptierte CIELAB-Daten**



$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
<i>r00j</i>	44.18	56.95	27.14	63.08	25	<i>m81o</i>
<i>r25j</i>	47.38	49.13	44.53	66.31	42	<i>o10y</i>
<i>r50j</i>	57.76	35.24	58.41	68.22	59	<i>o40y</i>
<i>r75j</i>	69.81	19.13	74.52	76.94	76	<i>o69y</i>
<i>j00g</i>	87.06	-3.94	97.58	97.66	92	<i>o98y</i>
<i>j25g</i>	72.25	-26.89	74.73	79.42	110	<i>y34l</i>
<i>j50g</i>	60.82	-43.48	57.15	71.81	127	<i>y69l</i>
<i>j75g</i>	52.51	-54.15	38.27	66.31	145	<i>l03c</i>
<i>g00b</i>	55.08	-44.06	14.13	46.27	162	<i>l23c</i>
<i>g25b</i>	57.22	-35.64	-6.03	36.15	190	<i>l55c</i>
<i>g50b</i>	58.9	-29.03	-21.86	36.34	217	<i>l87c</i>
<i>g75b</i>	54.42	-15.48	-32.25	35.77	244	<i>c20v</i>
<i>b00r</i>	46.36	1.15	-37.88	37.9	272	<i>c53v</i>
<i>b25r</i>	33.76	27.14	-46.69	54.01	300	<i>c87v</i>
<i>b50r</i>	38.71	61.92	-37.78	72.54	329	<i>v67m</i>
<i>b75r</i>	45.08	64.27	-3.32	64.36	357	<i>m33o</i>



%Umfang  
 $u^*_{rel} = 88$   
 %Regularität  
 $g^*_{H,rel} = 31$   
 $g^*_{C,rel} = 39$

**FRS12\_95a; CIELAB-Daten**

Name	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	43.8	54.41	32.95	63.61	31
Y <sub>M</sub>	87.58	-4.04	90.02	90.11	93
L <sub>M</sub>	51.95	-55.83	36.46	66.68	147
C <sub>M</sub>	59.62	-25.67	-35.94	44.17	234
V <sub>M</sub>	25.01	45.64	-58.96	74.57	308
M <sub>M</sub>	45.88	71.17	-36.79	80.12	333
N <sub>M</sub>	20.0	0.43	-5.99	6.01	274
W <sub>M</sub>	95.0	0.62	-8.52	8.54	274
R <sub>CIE</sub>	39.92	58.74	27.99	65.07	25
J <sub>CIE</sub>	81.26	-2.89	71.56	71.62	92
G <sub>CIE</sub>	52.23	-42.42	13.6	44.55	162
B <sub>CIE</sub>	30.57	1.41	-46.47	46.49	272




Ein und Ausgabe:  
 Farbmetrisches Drucker-Reflektiv-System FRS12\_95a

Daten für jede Farbe:  
 $u^*_e$  und Nummer  $Nr. = 00 \dots 15$

Elementar-Bunttextext:  
 $u^*_e = 16$  Bunttoene  $r00j, r25j, \dots, b75r$

Kontrastreduzierungsfaktor:  
 $c_R = 0.9$

FRS12_95a; adaptierte CIELAB-Daten						
$u^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	$u^*_d$
r00j	44.18	56.95	27.14	63.08	25	m81o
r25j	47.38	49.13	44.53	66.31	42	o10y
r50j	57.76	35.24	58.41	68.22	59	o40y
r75j	69.81	19.13	74.52	76.94	76	o69y
j00g	87.06	-3.94	97.58	97.66	92	o98y
j25g	72.25	-26.89	74.73	79.42	110	y34l
j50g	60.82	-43.48	57.15	71.81	127	y69l
j75g	52.51	-54.15	38.27	66.31	145	l03c
g00b	55.08	-44.06	14.13	46.27	162	l23c
g25b	57.22	-35.64	-6.03	36.15	190	l55c
g50b	58.9	-29.03	-21.86	36.34	217	l87c
g75b	54.42	-15.48	-32.25	35.77	244	c20v
b00r	46.36	1.15	-37.88	37.9	272	c53v
b25r	33.76	27.14	-46.69	54.01	300	c87v
b50r	38.71	61.92	-37.78	72.54	329	v67m
b75r	45.08	64.27	-3.32	64.36	357	m33o



%Umfang  
 $u^*_{rel} = 88$   
 %Regularität  
 $g^*_{H,rel} = 31$   
 $g^*_{C,rel} = 39$

FRS12_95a; CIELAB-Daten					
Name	$L^*=L^*$	$a^*$	$b^*$	$C^*_{ab}$	$h^*_{ab}$
O <sub>M</sub>	43.8	54.41	32.95	63.61	31
Y <sub>M</sub>	87.58	-4.04	90.02	90.11	93
L <sub>M</sub>	51.95	-55.83	36.46	66.68	147
C <sub>M</sub>	59.62	-25.67	-35.94	44.17	234
V <sub>M</sub>	25.01	45.64	-58.96	74.57	308
M <sub>M</sub>	45.88	71.17	-36.79	80.12	333
N <sub>M</sub>	20.0	0.43	-5.99	6.01	274
W <sub>M</sub>	95.0	0.62	-8.52	8.54	274
R <sub>CIE</sub>	39.92	58.74	27.99	65.07	25
J <sub>CIE</sub>	81.26	-2.89	71.56	71.62	92
G <sub>CIE</sub>	52.23	-42.42	13.6	44.55	162
B <sub>CIE</sub>	30.57	1.41	-46.47	46.49	272

