



# LMS\_R17M3 cone excitation

$$\log \left[ \frac{l_{R17M3,s}(\lambda)}{\{0,5\bar{l}_{R17M3,s}(\lambda)+0,5\bar{m}_{R17M3,s}(\lambda)\}} \right]$$




# LMS\_R17M3 cone excitation

$$\log \left[ \frac{l_{R17M3,s}(\lambda)}{0,5\bar{l}_{R17M3,s}(\lambda)+0,5\bar{m}_{R17M3,s}(\lambda)} \right]$$




# LMS\_R17M3 cone excitation

$$\log \left[ \frac{l_{R17M3,s}(\lambda)}{\{0,5\bar{l}_{R17M3,s}(\lambda)+0,5\bar{m}_{R17M3,s}(\lambda)\}} \right]$$




# LMS\_R17M3 cone excitation

$$\log \left[ \frac{l_{R17M3,s}(\lambda)}{\{0,5\bar{l}_{R17M3,s}(\lambda)+0,5\bar{m}_{R17M3,s}(\lambda)\}} \right]$$




# LMS\_R17M3 cone excitation

$$\log \left[ \frac{l_{R17M3,s}(\lambda)}{\{0,5\bar{l}_{R17M3,s}(\lambda)+0,5\bar{m}_{R17M3,s}(\lambda)\}} \right]$$



# LMS\_R17M3 cone excitation

$$\log \left[ \frac{l_{R17M3,s}(\lambda)}{\{0,5\bar{l}_{R17M3,s}(\lambda)+0,5\bar{m}_{R17M3,s}(\lambda)\}} \right]$$




$$C00: \Sigma \bar{m}_{R17M3,s}(\lambda) = 103,15$$

$$x_{R17M3,s} = 0,2904$$

$$y_{R17M3,s} = 0,2946$$

# LMS\_R17M3 cone excitation

$$\log \left[ \frac{l_{R17M3,s}(\lambda)}{\{0,5\bar{l}_{R17M3,s}(\lambda)+0,5\bar{m}_{R17M3,s}(\lambda)\}} \right]$$



# LMS\_R17M3 cone excitation

$$\log \left[ \frac{l_{R17M3,s}(\lambda)}{\{0,5\bar{l}_{R17M3,s}(\lambda)+0,5\bar{m}_{R17M3,s}(\lambda)\}} \right]$$

