



LMS_R17M3 cone excitation

$$\log \sqrt{\bar{R}_{17M3,s}(\lambda) / \{0,5\bar{l}_{R17M3,s}(\lambda) + 0,5\bar{m}_{R17M3,s}(\lambda)\}}$$




LMS_R17M3 cone excitation

$$\log \sqrt{\bar{r}_{R17M3,s}(\lambda) / \{0,5\bar{l}_{R17M3,s}(\lambda) + 0,5\bar{m}_{R17M3,s}(\lambda)\}}$$




LMS_R17M3 cone excitation

$$\log \frac{\bar{r}_{R17M3,s}(\lambda)}{\{0,5\bar{l}_{R17M3,s}(\lambda)+0,5\bar{m}_{R17M3,s}(\lambda)\}}$$




LMS_R17M3 cone excitation

$$\log \frac{\bar{r}_{R17M3,s}(\lambda)}{\{0,5\bar{l}_{R17M3,s}(\lambda)+0,5\bar{m}_{R17M3,s}(\lambda)\}}$$




LMS_R17M3 cone excitation

$$\log \frac{\bar{r}_{R17M3,s}(\lambda)}{\{0,5\bar{l}_{R17M3,s}(\lambda)+0,5\bar{m}_{R17M3,s}(\lambda)\}}$$




LMS_R17M3 cone excitation

$$\log \frac{\bar{r}_{R17M3,s}(\lambda)}{\{0,5\bar{l}_{R17M3,s}(\lambda)+0,5\bar{m}_{R17M3,s}(\lambda)\}}$$



LMS_R17M3 cone excitation

$$\log \sqrt{\bar{r}_{R17M3,s}(\lambda) / \{0,5\bar{l}_{R17M3,s}(\lambda) + 0,5\bar{m}_{R17M3,s}(\lambda)\}}$$



LMS_R17M3 cone excitation

$$\log \frac{\bar{r}_{R17M3,s}(\lambda)}{\{0,5\bar{l}_{R17M3,s}(\lambda)+0,5\bar{m}_{R17M3,s}(\lambda)\}}$$

