

Optimal colours (o) RYGCBM of maximum (m) $C_{AB,10}$; D65, $Y_m=510_770$, CIEXYZ

<i>Code</i>	X_{10}	Y_{10}	Z_{10}	x_{10}	y_{10}	z_{10}	$h_{xy,10}$	i_d	λ_d	i_c	λ_c
R _{me} 570_770	50.05	30.91	0.38	0.6152	0.38	0.0047	237.0	38	591	15	478
Y _{me} 510_770	69.07	73.92	1.69	0.4773	0.5109	0.0117	225.3	33	565	13	465
G _{me} 470_570	21.16	55.69	19.95	0.2186	0.5753	0.206	211.0	23	515	-1	515c
C _m 380_570	35.6	59.43	96.6	0.1858	0.3101	0.504	214.4	15	478	38	591
B _{me} 380_510	16.59	16.42	95.29	0.1293	0.1279	0.7426	226.8	13	465	33	565
M _m 570_470	64.49	34.64	77.01	0.3661	0.1966	0.4371	245.1	-1	515c	23	515
R _o 570_440	55.88	31.63	28.92	0.4799	0.2716	0.2483	240.3	-1	484c	16	484
G _o 520_570	19.35	43.35	1.69	0.3005	0.6731	0.0263	216.8	27	538	-1	538c
W ₁ 380_770	85.33	90.0	96.6	0.3137	0.3309	0.3552	226.5	-1	494c	18	494

Optimal colours (o) RYGCBM of maximum (m) $C_{AB,10}$; D50, $Y_m=510_770$, CIEXYZ

<i>Code</i>	X_{10}	Y_{10}	Z_{10}	x_{10}	y_{10}	z_{10}	$h_{xy,10}$	i_d	λ_d	i_c	λ_c
R _{me} 570_770	55.92	34.03	0.29	0.6196	0.3771	0.0032	238.2	38	592	16	480
Y _{me} 510_770	74.98	76.39	1.52	0.4903	0.4996	0.0099	227.3	33	567	13	466
G _{me} 470_570	20.9	53.47	16.89	0.229	0.5858	0.1851	211.5	22	513	-1	513c
C _m 380_570	31.46	56.31	73.27	0.1953	0.3496	0.4549	213.8	16	480	38	592
B _{me} 380_510	12.41	13.95	72.03	0.1262	0.1418	0.7319	225.5	13	466	33	567
M _m 570_470	66.48	36.87	56.64	0.4155	0.2304	0.354	244.4	-1	512c	22	512
R _o 570_440	59.87	34.52	19.66	0.5248	0.3026	0.1724	240.6	-1	486c	17	486
G _o 520_570	19.39	42.7	1.52	0.3048	0.6711	0.024	216.5	27	538	-1	538c
W ₁ 380_770	87.05	90.0	73.27	0.3477	0.3595	0.2927	225.9	22	512	-1	512c

Optimal colours (o) RYGCBM of maximum (m) $C_{AB,10}$; P45, $Y_m=510_770$, CIEXYZ

<i>Code</i>	X_{10}	Y_{10}	Z_{10}	x_{10}	y_{10}	z_{10}	$h_{xy,10}$	i_d	λ_d	i_c	λ_c
R _{me} 570_770	59.68	36.21	0.27	0.6205	0.3765	0.0028	237.8	38	592	16	480
Y _{me} 510_770	78.48	77.47	1.45	0.4986	0.4921	0.0092	226.5	33	568	13	466
G _{me} 470_570	20.5	51.56	15.31	0.2346	0.59	0.1752	211.4	22	512	-1	512c
C _m 380_570	30.48	54.12	68.22	0.1994	0.3541	0.4463	213.4	16	480	38	592
B _{me} 380_510	11.69	12.87	67.04	0.1276	0.1405	0.7318	224.6	13	466	33	568
M _m 570_470	69.66	38.77	53.16	0.431	0.2399	0.3289	243.7	-1	512c	22	512
R _o 570_440	63.89	36.73	20.87	0.5258	0.3023	0.1718	240.4	-1	487c	17	487
G _o 520_570	19.15	41.6	1.45	0.3078	0.6687	0.0233	215.9	27	538	-1	538c
W ₁ 380_770	89.82	90.0	68.22	0.3621	0.3628	0.275	225.0	-1	482c	16	482

Optimal colours (o) RYGCBM of maximum (m) $C_{AB,10}$; A00, $Y_m=510_770$, CIEXYZ

<i>Code</i>	X_{10}	Y_{10}	Z_{10}	x_{10}	y_{10}	z_{10}	$h_{xy,10}$	i_d	λ_d	i_c	λ_c
R _{me} 570_770	77.22	45.27	0.12	0.6297	0.3691	0.001	238.2	39	595	17	487
Y _{me} 510_770	95.07	82.39	1.05	0.5325	0.4615	0.0058	227.5	34	574	14	470
G _{me} 470_570	19.0	43.89	9.23	0.2634	0.6084	0.128	211.3	21	508	-1	508c
C _m 380_570	23.19	45.06	31.67	0.232	0.4509	0.3169	211.9	17	487	39	595
B _{me} 380_510	5.36	7.95	30.75	0.1216	0.1805	0.6977	221.0	14	470	34	574
M _m 570_470	81.4	46.44	22.56	0.5412	0.3087	0.1499	240.9	-1	508c	21	508
R _o 570_440	78.74	45.46	7.55	0.5976	0.345	0.0573	239.2	45	625	18	491
G _o 520_570	18.23	37.46	1.05	0.3212	0.6601	0.0185	213.9	27	539	-1	539c
W ₁ 380_770	100.03	89.99	31.67	0.4511	0.4059	0.1428	221.9	23	515	-1	515c

Optimal colours (o) RYGCBM of maximum (m) $C_{AB,10}$; E00, $Y_m=510_770$, CIEXYZ

<i>Code</i>	X_{10}	Y_{10}	Z_{10}	x_{10}	y_{10}	z_{10}	$h_{xy,10}$	i_d	λ_d	i_c	λ_c
R _{me} 570_770	56.08	34.14	0.36	0.619	0.3769	0.0039	236.3	38	592	15	478
Y _{me} 510_770	74.66	75.51	1.58	0.4919	0.4975	0.0104	224.0	33	567	12	464
G _{me} 470_570	20.5	52.83	17.64	0.2253	0.5806	0.1939	210.6	22	514	-1	514c
C _m 380_570	34.25	56.19	90.0	0.1898	0.3114	0.4987	213.6	15	478	38	592
B _{me} 380_510	15.68	14.83	88.77	0.1314	0.1243	0.7441	225.2	12	464	33	567
M _m 570_470	69.83	37.51	72.7	0.3878	0.2083	0.4037	244.2	-1	514c	22	514
R _o 570_440	62.35	34.91	30.95	0.4862	0.2723	0.2413	239.9	-1	485c	17	485
G _o 520_570	18.92	41.7	1.58	0.3041	0.6703	0.0255	215.7	27	538	-1	538c
W ₁ 380_770	89.99	89.99	90.0	0.3333	0.3333	0.3333	225.0	17	489	-1	489c

Optimal colours (o) *RYGCBM* of maximum (m) $C_{AB,10}$; C00, $Y_m=510_770$, CIEXYZ

<i>Code</i>	X_{10}	Y_{10}	Z_{10}	x_{10}	y_{10}	z_{10}	$h_{xy,10}$	i_d	λ_d	i_c	λ_c
R _{me} 570_770	50.84	31.42	0.41	0.6149	0.38	0.005	235.8	38	591	15	477
Y _{me} 510_770	69.88	73.26	1.62	0.4826	0.506	0.0112	224.2	33	566	12	464
G _{me} 470_570	21.28	54.91	20.99	0.2189	0.565	0.2159	210.6	23	515	-1	515c
C _m 380_570	37.04	58.92	104.53	0.1847	0.2938	0.5213	214.2	15	477	38	591
B _{me} 380_510	18.02	17.08	103.32	0.1302	0.1234	0.7463	226.2	12	464	33	566
M _m 570_470	66.6	35.42	83.93	0.3581	0.1904	0.4513	244.5	-1	515c	23	515
R _o 570_440	57.44	32.24	32.79	0.4689	0.2632	0.2677	239.5	-1	484c	16	484
G _o 520_570	19.37	42.19	1.62	0.3065	0.6676	0.0257	216.5	27	539	-1	539c
W ₁ 380_770	87.55	90.0	104.53	0.3103	0.319	0.3705	225.7	31	557	13	468

Optimal colours (o) RYGCBM of maximum (m) $C_{AB,10}$; P00, $Y_m=510_770$, CIEXYZ

<i>Code</i>	X_{10}	Y_{10}	Z_{10}	x_{10}	y_{10}	z_{10}	$h_{xy,10}$	i_d	λ_d	i_c	λ_c
R _{me} 570_770	61.39	36.95	0.29	0.6223	0.3746	0.0029	236.9	38	593	15	479
Y _{me} 510_770	79.84	77.36	1.44	0.5032	0.4876	0.0091	225.1	33	569	13	465
G _{me} 470_570	20.16	50.65	15.4	0.2338	0.5874	0.1786	210.9	22	513	-1	513c
C _m 380_570	31.09	53.38	73.12	0.1973	0.3387	0.4639	213.1	15	479	38	593
B _{me} 380_510	12.66	12.98	71.97	0.1297	0.133	0.7372	224.1	13	465	33	569
M _m 570_470	72.32	39.68	57.99	0.4254	0.2334	0.3411	243.5	-1	513c	22	513
R _o 570_440	66.21	37.55	23.83	0.5189	0.2942	0.1867	239.9	-1	486c	17	486
G _o 520_570	18.8	40.75	1.44	0.3082	0.668	0.0237	215.3	27	538	-1	538c
W ₁ 380_770	92.13	89.99	73.12	0.3609	0.3525	0.2864	224.3	41	607	16	483

Optimal colours (o) RYGCBM of maximum (m) $C_{AB,10}$; Q00, $Y_m=510_770$, CIEXYZ

<i>Code</i>	X_{10}	Y_{10}	Z_{10}	x_{10}	y_{10}	z_{10}	$h_{xy,10}$	i_d	λ_d	i_c	λ_c
R _{me} 570_770	50.87	31.39	0.42	0.6152	0.3796	0.0051	235.7	38	591	15	476
Y _{me} 510_770	69.58	73.69	1.72	0.4798	0.5082	0.0119	223.1	33	566	12	464
G _{me} 470_570	20.83	54.96	19.84	0.2178	0.5746	0.2074	210.3	23	516	-1	516c
C _m 380_570	37.34	58.95	106.58	0.184	0.2905	0.5253	214.2	15	476	38	591
B _{me} 380_510	18.65	16.65	105.28	0.1326	0.1184	0.7488	226.5	12	464	33	566
M _m 570_470	67.38	35.37	87.13	0.3548	0.1862	0.4588	244.9	-1	516c	23	516
R _o 570_440	58.56	32.33	37.93	0.4545	0.2509	0.2944	239.9	-1	485c	17	485
G _o 520_570	19.04	42.64	1.72	0.3003	0.6724	0.0272	216.1	27	538	-1	538c
W ₁ 380_770	87.88	90.0	106.58	0.3089	0.3163	0.3746	225.6	-1	487c	17	487