

Optimal colours (o) RYGCBM of maximum (m) $C_{AB,10}$; D65, $Y_m=510_770$, Y_{AB_77}

<i>Code</i>	Y_{10}	A_{10}	B_{10}	$C_{AB,10}$	a_{10}	b_{10}	$h_{AB,10}$	i_d	λ_d	i_c	λ_c
R _{me} 570_770	30.91	20.73	13.11	24.53	1.6189	-0.0049	32.3	38	591	15	478
Y _{me} 510_770	73.92	-1.01	31.06	31.07	0.9343	-0.0091	91.8	33	565	13	468
G _{me} 470_570	55.69	-31.64	15.93	35.42	0.3799	-0.1432	153.2	23	517	-1	517c
C _m 380_570	59.43	-20.73	-13.12	24.54	0.5991	-0.6501	212.3	15	478	38	591
B _{me} 380_510	16.42	1.02	-31.06	31.08	1.0105	-2.3212	271.8	13	465	32	562
M _m 570_470	34.64	31.64	-15.93	35.42	1.8614	-0.8891	333.2	-1	503c	20	503
R _o 570_440	31.63	25.89	2.01	25.96	1.7664	-0.3656	4.4	-1	483c	16	483
G _o 520_570	43.35	-21.75	17.93	28.19	0.4464	-0.0156	140.4	27	538	-1	538c
W ₁ 380_770	90.0	0.0	0.0	0.01	0.9481	-0.4293	0.0	38	594	15	478

Optimal colours (o) RYGCBM of maximum (m) $C_{AB,10}$; D50, $Y_m=510_770$, Y_{AB_77}

<i>Code</i>	Y_{10}	A_{10}	B_{10}	$C_{AB,10}$	a_{10}	b_{10}	$h_{AB,10}$	i_d	λ_d	i_c	λ_c
R _{me} 570_770	34.03	23.0	10.96	25.48	1.643	-0.0034	25.4	38	592	16	483
Y _{me} 510_770	76.39	1.08	24.26	24.29	0.9814	-0.008	87.4	33	567	13	469
G _{me} 470_570	53.47	-30.81	10.65	32.6	0.3909	-0.1264	160.9	21	508	-1	508c
C _m 380_570	56.31	-22.99	-10.97	25.48	0.5588	-0.5204	205.5	15	479	35	579
B _{me} 380_510	13.95	-1.07	-24.26	24.29	0.8899	-2.0648	267.4	13	466	33	565
M _m 570_470	36.87	30.81	-10.65	32.6	1.803	-0.6145	340.9	-1	531c	26	531
R _o 570_440	34.52	26.47	3.37	26.69	1.7341	-0.2278	7.2	-1	490c	18	490
G _o 520_570	42.7	-21.91	13.29	25.63	0.4541	-0.0143	148.7	27	538	-1	538c
W ₁ 380_770	90.0	0.0	0.0	0.01	0.9672	-0.3256	51.0	6	430	32	560

Optimal colours (o) *RYGCBM* of maximum (m) $C_{AB,10}$; P45, $Y_m=510_770$, Y_{AB_77}

<i>Code</i>	Y_{10}	A_{10}	B_{10}	$C_{AB,10}$	a_{10}	b_{10}	$h_{AB,10}$	i_d	λ_d	i_c	λ_c
R _{me} 570_770	36.21	23.53	10.87	25.92	1.6478	-0.003	24.7	38	593	16	484
Y _{me} 510_770	77.47	1.16	22.91	22.94	1.013	-0.0074	87.0	33	568	13	467
G _{me} 470_570	51.56	-30.95	9.5	32.38	0.3976	-0.1188	162.9	21	505	-1	505c
C _m 380_570	54.12	-23.53	-10.87	25.92	0.5632	-0.5041	204.8	15	479	35	579
B _{me} 380_510	12.87	-1.15	-22.91	22.94	0.9082	-2.0831	267.1	13	466	33	568
M _m 570_470	38.77	30.96	-9.5	32.38	1.7964	-0.5483	342.9	-1	543c	28	543
R _o 570_440	36.73	27.22	2.78	27.36	1.739	-0.2273	5.8	-1	495c	19	495
G _o 520_570	41.6	-22.37	12.03	25.4	0.4603	-0.0139	151.7	27	538	-1	538c
W ₁ 380_770	90.0	0.0	0.0	0.01	0.998	-0.3032	2.9	13	465	33	568

Optimal colours (o) RYGCBM of maximum (m) $C_{AB,10}$; A00, $Y_m=510_770$, Y_{AB_77}

<i>Code</i>	Y_{10}	A_{10}	B_{10}	$C_{AB,10}$	a_{10}	b_{10}	$h_{AB,10}^{i_d}$	λ_d	i_c	λ_c
R _{me} 570_770	45.27	26.9	6.32	27.63	1.7057	-0.0011	13.2	-1 594c	38	594
Y _{me} 510_770	82.39	3.49	11.18	11.71	1.1538	-0.0051	72.6	14 473	34	574
G _{me} 470_570	43.89	-29.78	2.48	29.88	0.433	-0.0841	175.2	18 494	31	557
C _m 380_570	45.06	-26.9	-6.32	27.63	0.5145	-0.2811	193.2	16 483	33	568
B _{me} 380_510	7.95	-3.48	-11.18	11.71	0.6737	-1.5458	252.6	14 470	35	575
M _m 570_470	46.44	29.78	-2.48	29.88	1.7528	-0.1943	355.2	-1 584c	36	584
R _o 570_440	45.46	28.2	3.37	28.4	1.7319	-0.0664	6.8	-1 589c	37	589
G _o 520_570	37.46	-23.41	4.85	23.91	0.4865	-0.0112	168.2	20 503	29	545
W ₁ 380_770	89.99	0.0	0.0	0.01	1.1115	-0.1407	1.9	14 471	35	575

Optimal colours (o) RYGCBM of maximum (m) $C_{AB,10}$; E00, $Y_m=510_770$, Y_{AB_77}

<i>Code</i>	Y_{10}	A_{10}	B_{10}	$C_{AB,10}$	a_{10}	b_{10}	$h_{AB,10}$	i_d	λ_d	i_c	λ_c
R _{me} 570_770	34.14	21.94	13.51	25.77	1.6424	-0.0042	31.6	38	592	15	478
Y _{me} 510_770	75.51	-0.83	29.57	29.58	0.9887	-0.0084	91.6	33	567	12	464
G _{me} 470_570	52.83	-32.32	14.07	35.25	0.388	-0.1336	156.4	23	515	-1	515c
C _m 380_570	56.19	-21.94	-13.52	25.77	0.6094	-0.6406	211.6	15	478	38	592
B _{me} 380_510	14.83	0.84	-29.57	29.58	1.057	-2.393	271.6	12	464	33	567
M _m 570_470	37.51	32.32	-14.07	35.25	1.8615	-0.7752	336.4	-1	514c	22	514
R _o 570_440	34.91	27.43	1.58	27.48	1.7856	-0.3545	3.3	-1	485c	17	485
G _o 520_570	41.7	-22.77	16.05	27.86	0.4537	-0.0152	144.8	27	538	-1	538c
W ₁ 380_770	89.99	0.0	0.0	0.01	0.9999	-0.4	14.8	40	604	15	479

Optimal colours (o) RYGCBM of maximum (m) $C_{AB,10}$; C00, $Y_m=510_770$, YAB_77

<i>Code</i>	Y_{10}	A_{10}	B_{10}	$C_{AB,10}$	a_{10}	b_{10}	$h_{AB,10}$	i_d	λ_d	i_c	λ_c
R _{me} 570_770	31.42	20.27	14.43	24.88	1.6181	-0.0053	35.4	38	591	15	476
Y _{me} 510_770	73.26	-1.39	33.38	33.41	0.9537	-0.0088	92.3	33	566	13	466
G _{me} 470_570	54.91	-32.14	17.11	36.41	0.3875	-0.1528	151.9	23	518	-1	518c
C _m 380_570	58.92	-20.27	-14.43	24.89	0.6287	-0.7096	215.4	15	477	40	601
B _{me} 380_510	17.08	1.4	-33.39	33.42	1.0552	-2.4192	272.4	12	464	32	564
M _m 570_470	35.42	32.14	-17.11	36.41	1.8802	-0.9477	331.9	-1	500c	20	500
R _o 570_440	32.24	26.07	1.86	26.14	1.7814	-0.4068	4.0	-1	481c	16	481
G _o 520_570	42.19	-21.67	18.95	28.78	0.4591	-0.0154	138.8	27	539	-1	539c
W ₁ 380_770	90.0	0.0	0.0	0.01	0.9728	-0.4645	11.8	35	575	14	471

Optimal colours (o) RYGCBM of maximum (m) $C_{AB,10}$; P00, $Y_m=510_770$, Y_{AB_77}

<i>Code</i>	Y_{10}	A_{10}	B_{10}	$C_{AB,10}$	a_{10}	b_{10}	$h_{AB,10}$	i_d	λ_d	i_c	λ_c
R _{me} 570_770	36.95	23.56	11.89	26.39	1.6612	-0.0031	26.7	38	593	16	482
Y _{me} 510_770	77.36	0.64	24.56	24.57	1.032	-0.0074	88.5	33	569	12	463
G _{me} 470_570	50.65	-31.68	10.29	33.32	0.3981	-0.1216	161.9	21	507	-1	507c
C _m 380_570	53.38	-23.55	-11.89	26.39	0.5824	-0.5478	206.7	15	479	36	584
B _{me} 380_510	12.98	-0.63	-24.56	24.57	0.9749	-2.2162	268.5	13	465	34	570
M _m 570_470	39.68	31.69	-10.29	33.32	1.8222	-0.5844	341.9	-1	541c	28	541
R _o 570_440	37.55	27.76	2.67	27.89	1.7632	-0.2538	5.4	-1	492c	18	492
G _o 520_570	40.75	-22.91	12.66	26.18	0.4613	-0.0141	151.0	27	538	-1	538c
W ₁ 380_770	89.99	0.0	0.0	0.01	1.0237	-0.325	4.1	14	470	34	573

Optimal colours (o) RYGCBM of maximum (m) $C_{AB,10}$; Q00, $Y_m=510_770$, Y_{AB_77}

<i>Code</i>	Y_{10}	A_{10}	B_{10}	$C_{AB,10}$	a_{10}	b_{10}	$h_{AB,10}$	i_d	λ_d	i_c	λ_c
R _{me} 570_770	31.39	20.22	14.69	25.0	1.6207	-0.0054	36.0	38	591	15	476
Y _{me} 510_770	73.69	-2.37	34.21	34.3	0.9442	-0.0093	93.9	33	566	13	465
G _{me} 470_570	54.96	-32.84	18.1	37.5	0.379	-0.1444	151.1	23	519	-1	519c
C _m 380_570	58.95	-20.22	-14.7	25.0	0.6334	-0.7231	216.0	15	477	40	604
B _{me} 380_510	16.65	2.38	-34.22	34.3	1.1198	-2.5284	273.9	12	463	32	564
M _m 570_470	35.37	32.84	-18.09	37.5	1.9049	-0.9853	331.1	-1	499c	19	499
R _o 570_440	32.33	26.98	0.14	26.98	1.811	-0.4693	0.3	-1	482c	16	482
G _o 520_570	42.64	-22.6	19.51	29.85	0.4465	-0.0161	139.1	27	538	-1	538c
W ₁ 380_770	90.0	0.0	0.0	0.01	0.9764	-0.4736	357.9	34	573	14	470