


$XYZ_{10} = 95.04, 100.0, 108.89$
 $A_2 = 2.5 (a_2 - a_{20}) Y$
 $B_2 = 2.5 B_2 (b_2 - b_{20}) Y$
 $a_2 = a_{20} [(x - x_c) / y]$
 $b_2 = b_{20} [z / y]$
 $a_{20} = 1, b_{20} = -0.4$
 $x_c = 0.110, B_2 = 0.800$
 $C_{AB2} = [A_2^2 + B_2^2]^{1/2}$
6 Ostwald colours (o)
 of maximum (m) C_{AB} in
 linear colour space (C_{AB2}, Y)

Illumin. D65, $Y_W = 100, Y_N = 10$
 Name Range x_1 y_1 z_1 x_2 y_2 z_2 x_3 y_3 z_3
 R 507.775 63.21 44.18 10.0 0.5337 0.373 596 4
 Y 492.775 93.93 94.84 17.06 0.4135 0.4969 570 463
 G 496.567 25.32 60.76 17.02 0.2455 0.8053 538 536
 C 380.567 41.44 65.92 108.89 0.1916 0.3048 499 398
 M 570.496 27.15 15.26 102.80 0.1788 0.1051 605 570
 M 507.496 79.33 49.34 102.70 0.3426 0.3121 533 535
 W 380.775 95.04 100.0 108.89 0.9147 0.2339 1000
 N 380.775 9.5 10.0 10.88 0.3127 0.329 100
 Z 380.775 17.1 18.0 19.6 0.6127 0.329 188


Parameter:
Y & Name
Illuminant D65
 $Y_W = 100, Y_N = 10$



$XYZ_{10} = 96.42, 100.0, 121.89$
 $A_2 = 2.5 (a_2 - a_{20}) Y$
 $B_2 = 2.5 B_2 (b_2 - b_{20}) Y$
 $a_2 = a_{20} [(x - x_c) / y]$
 $b_2 = b_{20} [z / y]$
 $a_{20} = 1, b_{20} = -0.4$
 $x_c = 0.110, B_2 = 1.000$
 $C_{AB2} = [A_2^2 + B_2^2]^{1/2}$
6 Ostwald colours (o)
 of maximum (m) C_{AB} in
 linear colour space (C_{AB2}, Y)

Illumin. D50, $Y_W = 100, Y_N = 10$
 Name Range x_1 y_1 z_1 x_2 y_2 z_2 x_3 y_3 z_3
 R 570.775 68.08 46.05 8.27 0.3557 0.579 996 4
 Y 496.775 84.45 94.64 12.16 0.4415 0.4948 573 468
 G 496.570 26.11 58.68 12.12 0.2094 0.6055 538 536
 C 380.570 38.08 64.05 82.46 0.2061 0.3409 491 398
 M 380.496 27.15 15.46 78.67 0.1874 0.1334 468 573
 M 570.496 80.52 51.42 78.71 0.3808 0.2446 538 538
 W 380.775 96.42 100.0 82.49 0.3457 0.3885 1000
 N 380.775 9.64 10.0 8.24 0.3456 0.3588 100
 Z 380.775 17.35 18.0 14.84 0.3457 0.3588 188


Parameter:
Y & Name
Illuminant D50
 $Y_W = 100, Y_N = 10$



$XYZ_{10} = 100.93, 100.0, 64.68$
 $A_2 = 2.5 (a_2 - a_{20}) Y$
 $B_2 = 2.5 B_2 (b_2 - b_{20}) Y$
 $a_2 = a_{20} [(x - x_c) / y]$
 $b_2 = b_{20} [z / y]$
 $a_{20} = 1, b_{20} = -0.4$
 $x_c = 0.110, B_2 = 1.300$
 $C_{AB2} = [A_2^2 + B_2^2]^{1/2}$
6 Ostwald colours (o)
 of maximum (m) C_{AB} in
 linear colour space (C_{AB2}, Y)

Illumin. P40, $Y_W = 100, Y_N = 10$
 Name Range x_1 y_1 z_1 x_2 y_2 z_2 x_3 y_3 z_3
 R 507.775 63.21 47.65 10.0 0.5773 0.3708 600 493
 Y 498.775 91.64 95.82 10.18 0.4636 0.4848 576 468
 G 498.573 28.53 58.83 10.14 0.2925 0.6033 540 540
 C 380.573 37.83 63.01 64.65 0.2285 0.3807 493 398
 M 380.498 19.49 14.28 61.04 0.2055 0.1506 468 576
 M 573.498 82.6 51.61 41.08 0.4236 0.2629 540 540
 W 380.775 100.93 100.0 64.68 0.3799 0.3764 1000
 N 380.775 10.10 10.0 6.46 0.3799 0.3764 100
 Z 380.775 18.16 18.0 11.64 0.3799 0.3764 188


Parameter:
Y & Name
Illuminant P40
 $Y_W = 100, Y_N = 10$



$XYZ_{10} = 109.84, 99.99, 35.58$
 $A_2 = 2.5 (a_2 - a_{20}) Y$
 $B_2 = 2.5 B_2 (b_2 - b_{20}) Y$
 $a_2 = a_{20} [(x - x_c) / y]$
 $b_2 = b_{20} [z / y]$
 $a_{20} = 1, b_{20} = -0.4$
 $x_c = 0.110, B_2 = 2.500$
 $C_{AB2} = [A_2^2 + B_2^2]^{1/2}$
6 Ostwald colours (o)
 of maximum (m) C_{AB} in
 linear colour space (C_{AB2}, Y)

Illumin. A00, $Y_W = 100, Y_N = 10$
 Name Range x_1 y_1 z_1 x_2 y_2 z_2 x_3 y_3 z_3
 R 507.775 68.08 45.71 13.48 0.3209 0.371 996 501
 Y 504.775 105.0286 39.5 6.09 0.507 0.4654 581 474
 G 504.579 33.2 57.71 5.65 0.3437 0.5976 547 547
 C 380.579 38.03 61.33 35.54 0.2819 0.4549 499 605
 M 380.584 15.93 11.71 31.48 0.2523 0.172 474 581
 M 579.584 87.25 52.39 33.32 0.5052 0.3016 547 547
 W 380.775 109.84 99.99 35.58 0.4475 0.4074 1000
 N 380.775 10.98 9.99 3.55 0.4475 0.4074 100
 Z 380.775 19.77 17.99 6.4 0.4475 0.4074 188


Parameter:
Y & Name
Illuminant A00
 $Y_W = 100, Y_N = 10$



$XYZ_{10} = 100.0, 100.0, 100.0$
 $A_2 = 2.5 (a_2 - a_{20}) Y$
 $B_2 = 2.5 B_2 (b_2 - b_{20}) Y$
 $a_2 = a_{20} [(x - x_c) / y]$
 $b_2 = b_{20} [z / y]$
 $a_{20} = 1, b_{20} = -0.4$
 $x_c = 0.110, B_2 = 0.900$
 $C_{AB2} = [A_2^2 + B_2^2]^{1/2}$
6 Ostwald colours (o)
 of maximum (m) C_{AB} in
 linear colour space (C_{AB2}, Y)

Illumin. E00, $Y_W = 100, Y_N = 10$
 Name Range x_1 y_1 z_1 x_2 y_2 z_2 x_3 y_3 z_3
 R 507.775 68.04 46.4 10.4 0.5097 0.368 489 489
 Y 494.775 85.05 95.34 15.49 0.4341 0.4867 573 463
 G 494.570 26.12 59.04 15.45 0.2601 0.5863 536 536
 C 380.570 41.6 63.7 99.96 0.2009 0.311 499 398
 M 380.494 25.06 14.76 94.61 0.1864 0.1098 463 573
 M 570.494 83.9 51.06 94.65 0.3654 0.2229 536 536
 W 380.775 100.0 100.0 100.0 0.3333 0.3333 1000
 N 380.775 10.0 10.0 0.3333 0.3333 100
 Z 380.775 18.0 18.0 18.0 0.3333 0.3333 188


Parameter:
Y & Name
Illuminant E00
 $Y_W = 100, Y_N = 10$



$XYZ_{10} = 98.07, 100.0, 118.22$
 $A_2 = 2.5 (a_2 - a_{20}) Y$
 $B_2 = 2.5 B_2 (b_2 - b_{20}) Y$
 $a_2 = a_{20} [(x - x_c) / y]$
 $b_2 = b_{20} [z / y]$
 $a_{20} = 1, b_{20} = -0.4$
 $x_c = 0.110, B_2 = 0.700$
 $C_{AB2} = [A_2^2 + B_2^2]^{1/2}$
6 Ostwald colours (o)
 of maximum (m) C_{AB} in
 linear colour space (C_{AB2}, Y)

Illumin. C00, $Y_W = 100, Y_N = 10$
 Name Range x_1 y_1 z_1 x_2 y_2 z_2 x_3 y_3 z_3
 R 507.775 64.91 45.26 11.6 0.3209 0.371 996 481
 Y 492.775 80.42 94.63 18.17 0.4162 0.4897 571 463
 G 492.567 25.41 59.36 18.12 0.2469 0.5768 535 536
 C 380.567 43.07 64.74 118.19 0.1905 0.2864 487 596
 M 380.492 27.56 15.47 112.0 0.1777 0.0999 463 571
 M 570.492 82.97 50.74 112.04 0.3060 0.2668 535 535
 W 380.775 98.07 100.0 118.22 0.3161 0.3161 1000
 N 380.775 9.8 10.0 11.82 0.3161 0.3161 100
 Z 380.775 17.65 18.0 21.28 0.3161 0.3161 188


Parameter:
Y & Name
Illuminant C00
 $Y_W = 100, Y_N = 10$



$XYZ_{10} = 102.06, 100.0, 81.06$
 $A_2 = 2.5 (a_2 - a_{20}) Y$
 $B_2 = 2.5 B_2 (b_2 - b_{20}) Y$
 $a_2 = a_{20} [(x - x_c) / y]$
 $b_2 = b_{20} [z / y]$
 $a_{20} = 1, b_{20} = -0.4$
 $x_c = 0.110, B_2 = 1.000$
 $C_{AB2} = [A_2^2 + B_2^2]^{1/2}$
6 Ostwald colours (o)
 of maximum (m) C_{AB} in
 linear colour space (C_{AB2}, Y)

Illumin. P00, $Y_W = 100, Y_N = 10$
 Name Range x_1 y_1 z_1 x_2 y_2 z_2 x_3 y_3 z_3
 R 572.775 72.33 46.21 11.7 0.5688 0.3664 601 491
 Y 496.775 90.07 95.81 11.7 0.4576 0.4828 575 467
 G 496.572 28.05 58.54 11.66 0.2854 0.5958 541 541
 C 380.572 40.05 63.51 81.02 0.2169 0.344 491 391
 M 380.496 22.3 15.06 77.55 0.1914 0.1311 467 575
 M 572.496 84.33 51.5 77.59 0.396 0.2515 541 541
 W 380.775 102.06 100.0 81.06 0.3604 0.3531 1000
 N 380.775 10.2 10.0 8.1 0.3604 0.3531 100
 Z 380.775 18.37 18.0 14.59 0.3604 0.3531 188

Parameter:
Y & Name
Illuminant P00
 $Y_W = 100, Y_N = 10$



$XYZ_{10} = 97.93, 100.0, 118.95$
 $A_2 = 2.5 (a_2 - a_{20}) Y$
 $B_2 = 2.5 B_2 (b_2 - b_{20}) Y$
 $a_2 = a_{20} [(x - x_c) / y]$
 $b_2 = b_{20} [z / y]$
 $a_{20} = 1, b_{20} = -0.4$
 $x_c = 0.110, B_2 = 0.700$
 $C_{AB2} = [A_2^2 + B_2^2]^{1/2}$
6 Ostwald colours (o)
 of maximum (m) C_{AB} in
 linear colour space (C_{AB2}, Y)

Illumin. Q00, $Y_W = 100, Y_N = 10$
 Name Range x_1 y_1 z_1 x_2 y_2 z_2 x_3 y_3 z_3
 R 507.775 64.71 45.59 12.0 0.3511 0.371 996 477
 Y 492.775 87.97 94.93 18.20 0.4139 0.4913 570 462
 G 492.567 25.14 59.93 18.25 0.2433 0.58 535 536
 C 380.567 43.11 65.01 118.92 0.1898 0.2863 487 596
 M 380.492 27.85 15.17 112.08 0.1789 0.0974 462 570
 M 570.492 82.68 50.17 112.70 0.3066 0.2642 535 535
 W 380.775 97.93 100.0 118.95 0.309 0.3155 1000
 N 380.775 9.79 10.0 11.89 0.309 0.3155 100
 Z 380.775 17.62 18.0 21.41 0.309 0.3155 188

Parameter:
Y & Name
Illuminant Q00
 $Y_W = 100, Y_N = 10$

