


XYZ₂=97.06, 99.99, 104.57

A₁ = 2.5 (a₂ - a_{2m}) Y
B₁ = 2.5 B₂ (b₂ - b_{2m}) Y
a₂ = a<sub>2m} [(x - x_c)/y]
b₂ = b<sub>2m} [z/y]
a_{2m} = 1, b_{2m} = -0.4
Y = 0.110, B₂ = 0.800
C_{AB,2} = [A₁² + B₁²]^{1/2}
6 Oswald colours (o)
of maximum (m) C_{AB} in
linear colour space (C_{AB,2} Y)</sub></sub>

Illumin. P60, Y_w=100, Y_c=10
Name Range X₁ Y₁ Z₁ X₂ Y₂ Z₂ X₃ Y₃ Z₃
R₁ 509.775 66.22 46.07 11.01 0.5388 0.5748 906.493
Y₁ 494.775 81.47 95.13 16.33 0.4222 0.493 571 463
G₁ 494.568 25.06 59.16 16.28 0.2493 0.5886 535 535c
C₁ 380.568 40.66 64.03 104.570 0.1943 3.906 489 996
M₁ 380.496 25.82 14.97 98.81 0.1825 0.1075 663 571
M₂ 506.494 81.82 50.94 98.86 0.3532 0.2199 535 535s
W₁ 380.775 97.45 99.99 104.570 0.1218 0.3315 1000
N₁ 380.775 9.71 9.99 10.45 0.218 0.3315 100
Z₁ 380.775 17.47 17.99 18.82 0.3218 0.3315 188

Parameter:
Y & Name
Illuminant P60
Y_w=100, Y_c=10




Parameter:
Y & Name
Illuminant P60
Y_w=100, Y_c=10

XYZ₂=97.45, 100.0, 95.98

A₁ = 2.5 (a₂ - a_{2m}) Y
B₁ = 2.5 B₂ (b₂ - b_{2m}) Y
a₂ = a<sub>2m} [(x - x_c)/y]
b₂ = b<sub>2m} [z/y]
a_{2m} = 1, b_{2m} = -0.4
Y = 0.110, B₂ = 0.900
C_{AB,2} = [A₁² + B₁²]^{1/2}
6 Oswald colours (o)
of maximum (m) C_{AB} in
linear colour space (C_{AB,2} Y)</sub></sub>

Illumin. P55, Y_w=100, Y_c=10
Name Range X₁ Y₁ Z₁ X₂ Y₂ Z₂ X₃ Y₃ Z₃
R₁ 509.775 67.41 46.23 11.01 0.5403 0.5747 997 50
Y₁ 494.775 83.23 95.26 15.02 0.43 0.4922 572 464
G₁ 494.569 25.07 59.13 14.98 0.2572 0.5926 536 536c
C₁ 380.569 39.9 63.87 95.94 0.1997 0.1919 490 397
M₁ 380.492 24.07 14.84 96.66 0.1857 0.1145 668 572
M₂ 509.484 81.63 50.97 90.7 0.3655 0.2282 536 536
W₁ 380.775 97.45 100.0 95.98 0.3321 0.3407 1000
N₁ 380.775 9.74 10.0 9.59 0.3321 0.3407 100
Z₁ 380.775 17.54 18.00 17.27 0.3321 0.3407 188

Parameter:
Y & Name
Illuminant P55
Y_w=100, Y_c=10




Parameter:
Y & Name
Illuminant P55
Y_w=100, Y_c=10

XYZ₂=98.12, 100.0, 86.5

A₁ = 2.5 (a₂ - a_{2m}) Y
B₁ = 2.5 B₂ (b₂ - b_{2m}) Y
a₂ = a<sub>2m} [(x - x_c)/y]
b₂ = b<sub>2m} [z/y]
a_{2m} = 1, b_{2m} = -0.4
Y = 0.110, B₂ = 1.000
C_{AB,2} = [A₁² + B₁²]^{1/2}
6 Oswald colours (o)
of maximum (m) C_{AB} in
linear colour space (C_{AB,2} Y)</sub></sub>

Illumin. P50, Y_w=100, Y_c=10
Name Range X₁ Y₁ Z₁ X₂ Y₂ Z₂ X₃ Y₃ Z₃
R₁ 509.775 65.25 46.25 11.01 0.5617 0.6033 601 491
Y₁ 495.775 83.35 94.55 12.37 0.4439 0.4917 573 467
G₁ 495.570 29.46 62.08 12.33 0.2836 0.5976 542 542c
C₁ 380.570 42.24 67.54 86.47 0.2152 0.3441 601 491
M₁ 380.497 22.48 15.52 82.47 0.1872 0.1284 467 573
M₂ 570.495 78.57 40.82 82.91 0.375 0.2292 542 542
W₁ 380.775 98.12 100.0 86.5 0.3447 0.3513 1000
N₁ 380.775 9.81 10.0 8.65 0.3447 0.3513 100
Z₁ 380.775 17.66 18.00 15.57 0.3447 0.3513 188

Parameter:
Y & Name
Illuminant P50
Y_w=100, Y_c=10



Parameter:
Y & Name
Illuminant P50
Y_w=100, Y_c=10

XYZ₂=99.22, 100.0, 76.07

A₁ = 2.5 (a₂ - a_{2m}) Y
B₁ = 2.5 B₂ (b₂ - b_{2m}) Y
a₂ = a<sub>2m} [(x - x_c)/y]
b₂ = b<sub>2m} [z/y]
a_{2m} = 1, b_{2m} = -0.4
Y = 0.110, B₂ = 1.100
C_{AB,2} = [A₁² + B₁²]^{1/2}
6 Oswald colours (o)
of maximum (m) C_{AB} in
linear colour space (C_{AB,2} Y)</sub></sub>

Illumin. P45, Y_w=100, Y_c=10
Name Range X₁ Y₁ Z₁ X₂ Y₂ Z₂ X₃ Y₃ Z₃
R₁ 497.775 68.58 45.11 7.75 0.5682 0.1145 668 572
Y₁ 497.775 88.11 95.27 11.47 0.4521 0.4889 574 467
G₁ 497.572 28.59 60.26 11.43 0.285 0.6009 541 541c
C₁ 380.572 39.69 65.0 76.04 0.2196 0.3596 492 600
M₁ 380.497 23.12 14.63 73.29 0.1951 0.137 467 574
M₂ 572.497 80.64 49.84 72.03 0.3976 0.2457 541 541
W₁ 380.775 99.2 100.0 76.07 0.3603 0.3632 1000
N₁ 380.775 9.92 10.0 7.6 0.3603 0.3632 100
Z₁ 380.775 17.82 18.00 13.69 0.3603 0.3632 188

Parameter:
Y & Name
Illuminant P45
Y_w=100, Y_c=10


Parameter:
Y & Name
Illuminant P45
Y_w=100, Y_c=10

XYZ₂=100.93, 100.0, 64.68

A₁ = 2.5 (a₂ - a_{2m}) Y
B₁ = 2.5 B₂ (b₂ - b_{2m}) Y
a₂ = a<sub>2m} [(x - x_c)/y]
b₂ = b<sub>2m} [z/y]
a_{2m} = 1, b_{2m} = -0.4
Y = 0.110, B₂ = 1.300
C_{AB,2} = [A₁² + B₁²]^{1/2}
6 Oswald colours (o)
of maximum (m) C_{AB} in
linear colour space (C_{AB,2} Y)</sub></sub>

Illumin. P40, Y_w=100, Y_c=10
Name Range X₁ Y₁ Z₁ X₂ Y₂ Z₂ X₃ Y₃ Z₃
R₁ 492.775 73.7 47.05 6.57 0.5773 0.7038 600 493
Y₁ 498.775 91.64 95.82 10.18 0.4636 0.4848 576 468
G₁ 498.573 28.53 58.83 10.14 0.2925 0.6033 540 540c
C₁ 380.573 37.83 63.01 64.65 0.2285 0.3807 493 600
M₁ 380.498 19.49 14.28 61.04 0.2055 0.1506 468 576
M₂ 573.498 82.6 51.27 61.08 0.4236 0.2829 540 540
W₁ 380.775 103.93100 64.68 0.3799 0.3764 1000
N₁ 380.775 10.09 10.0 6.46 0.3799 0.3764 100
Z₁ 380.775 18.66 18.00 11.64 0.3799 0.3764 188

Parameter:
Y & Name
Illuminant P40
Y_w=100, Y_c=10



Parameter:
Y & Name
Illuminant P40
Y_w=100, Y_c=10

XYZ₂=103.66, 99.99, 52.43

A₁ = 2.5 (a₂ - a_{2m}) Y
B₁ = 2.5 B₂ (b₂ - b_{2m}) Y
a₂ = a<sub>2m} [(x - x_c)/y]
b₂ = b<sub>2m} [z/y]
a_{2m} = 1, b_{2m} = -0.4
Y = 0.110, B₂ = 1.800
C_{AB,2} = [A₁² + B₁²]^{1/2}
6 Oswald colours (o)
of maximum (m) C_{AB} in
linear colour space (C_{AB,2} Y)</sub></sub>

Illumin. P35, Y_w=100, Y_c=10
Name Range X₁ Y₁ Z₁ X₂ Y₂ Z₂ X₃ Y₃ Z₃
R₁ 500.775 75.31 44.69 73.29 0.9911 0.1932 608 576
Y₁ 500.775 96.26 95.08 74.09 0.4841 0.4781 578 472
G₁ 500.575 33.41 61.08 74.06 0.3277 0.599 548 548c
C₁ 380.575 40.82 66.01 52.4 0.2561 0.4145 496 605
M₁ 380.500 17.88 15.02 50.02 0.215 0.1807 472 578
M₂ 575.500 97.31 49.02 50.06 0.4484 0.2725 548 548
W₁ 380.775 103.66999 52.43 0.4047 0.3904 1000
N₁ 380.775 10.36 9.99 5.24 0.4047 0.3904 100
Z₁ 380.775 18.66 18.00 9.43 0.4047 0.3904 188

Parameter:
Y & Name
Illuminant P35
Y_w=100, Y_c=10

Parameter:
Y & Name
Illuminant P35
Y_w=100, Y_c=10

XYZ₂=108.04, 100.0, 39.55

A₁ = 2.5 (a₂ - a_{2m}) Y
B₁ = 2.5 B₂ (b₂ - b_{2m}) Y
a₂ = a<sub>2m} [(x - x_c)/y]
b₂ = b<sub>2m} [z/y]
a_{2m} = 1, b_{2m} = -0.4
Y = 0.110, B₂ = 2.500
C_{AB,2} = [A₁² + B₁²]^{1/2}
6 Oswald colours (o)
of maximum (m) C_{AB} in
linear colour space (C_{AB,2} Y)</sub></sub>

Illumin. P30, Y_w=100, Y_c=10
Name Range X₁ Y₁ Z₁ X₂ Y₂ Z₂ X₃ Y₃ Z₃
R₁ 578.775 81.18 48.41 4.03 0.6074 0.8244 608 472
Y₁ 580.775 102.6196 33 63 0.4999 0.4693 580 473
G₁ 503.578 32.34 57.98 6.26 0.3348 0.6033 546 546c
C₁ 380.578 37.77 61.66 39.51 0.2718 0.4437 498 604
M₁ 380.500 16.34 13.77 37.24 0.2426 0.2045 473 580
M₂ 578.500 86.62 52.12 37.28 0.492 0.2961 546 546
W₁ 380.775 108.04100 39.55 0.4643 0.4048 1000
N₁ 380.775 10.10 10.0 3.95 0.4643 0.4038 100
Z₁ 380.775 19.44 18.00 7.11 0.4643 0.4038 188

Parameter:
Y & Name
Illuminant P30
Y_w=100, Y_c=10

Parameter:
Y & Name
Illuminant P30
Y_w=100, Y_c=10

XYZ₂=115.18, 100.0, 26.59

A₁ = 2.5 (a₂ - a_{2m}) Y
B₁ = 2.5 B₂ (b₂ - b_{2m}) Y
a₂ = a<sub>2m} [(x - x_c)/y]
b₂ = b<sub>2m} [z/y]
a_{2m} = 1, b_{2m} = -0.4
Y = 0.110, B₂ = 3.700
C_{AB,2} = [A₁² + B₁²]^{1/2}
6 Oswald colours (o)
of maximum (m) C_{AB} in
linear colour space (C_{AB,2} Y)</sub></sub>

Illumin. P25, Y_w=100, Y_c=10
Name Range X₁ Y₁ Z₁ X₂ Y₂ Z₂ X₃ Y₃ Z₃
R₁ 582.775 83.18 48.13 2.71 0.6268 0.8338 580 472
Y₁ 582.775 101.6962 24 40 0.5268 0.4538 581 473
G₁ 506.582 31.17 58.16 4.05 0.3737 0.5853 552 552c
C₁ 380.582 40.64 61.97 26.56 0.3146 0.4797 502 608
M₁ 380.506 15.13 13.9 25.9 0.2791 0.2563 478 581
M₂ 580.775 109.609 26.59 0.5104 0.52 0.5375 0.3113 552 552
W₁ 380.775 115.18100 26.59 0.4764 0.4136 1000
N₁ 380.775 11.51 10.0 2.65 0.4764 0.4136 100
Z₁ 380.775 20.73 18.00 4.78 0.4764 0.4136 188

Parameter:
Y & Name
Illuminant P25
Y_w=100, Y_c=10

Parameter:
Y & Name
Illuminant P25
Y_w=100, Y_c=10