

Optimalfarben (o) RYGBCM von maximalem (m) C_{AB,10}; D65, Y_m=510_770, CIEXYZ

Table with 12 columns: Code, X10, Y10, Z10, x10, y10, z10, h_{xy,10}, id, λ_d, i_c, λ_c. Rows include R_{me}, Y_{me}, G_{me}, C_m, B_{me}, M_m, R_o, G_o, W₁.

0-001030-L0 BG920-1N_1

Optimalfarben (o) RYGBCM von maximalem (m) C_{AB,10}; D65, Y_m=510_770, YAB_77

Table with 12 columns: Code, Y10, A10, B10, C_{AB,10}, a10, b10, h_{AB,10}, id, λ_d, i_c, λ_c. Rows include R_{me}, Y_{me}, G_{me}, C_m, B_{me}, M_m, R_o, G_o, W₁.

0-001030-L0 BG920-3N_1

Optimalfarben (o) RYGBCM von maximalem (m) C_{AB,10}; D65, Y_m=510_770, CIELAB_76


Table with 12 columns: Code, L*10, a*10, b*10, C*_{ab,10}, a'10, b'10, h_{ab,10}, id, λ*_d, i_c, λ_c. Rows include R_{me}, Y_{me}, G_{me}, C_m, B_{me}, M_m, R_o, G_o, W₁.

0-001030-L0 BG920-5N_1


Optimalfarben (o) RYGBCM von maximalem (m) C_{AB,10}; D65, Y_m=510_770, LABHNU1_79

Table with 12 columns: Code, L*10, A*10, B*10, C*_{ab,10}, a'10, b'10, h_{ab,10}, id, λ*_d, i_c, λ_c. Rows include R_{me}, Y_{me}, G_{me}, C_m, B_{me}, M_m, R_o, G_o, W₁.


0-001030-L0 BG920-7N_1




0-001030-L0 BG921-1N_1




0-001030-L0 BG921-3N_1




0-001030-L0 BG921-5N_1




0-001030-L0 BG921-7N_1




0-001030-L0 BG921-2N_1



0-001030-L0 BG921-4N_1



0-001030-L0 BG921-6N_1



0-001030-L0 BG921-8N_1

Optimalfarben (o) RYGBCM von maximalem (m) C_{AB,10}; D50, Y_m=510_770, CIEXYZ

Table with 12 columns: Code, X10, Y10, Z10, x10, y10, z10, h_{xy,10}, id, λd, ic, λc. Rows include R_{me}, Y_{me}, G_{me}, C_m, B_{me}, M_m, R_o, G_o, W₁.

Optimalfarben (o) RYGBCM von maximalem (m) C_{AB,10}; D50, Y_m=510_770, YAB_77









Table with 12 columns: Code, Y10, A10, B10, C_{AB,10}, a10, b10, h_{AB,10}, id, λd, ic, λc. Rows include R_{me}, Y_{me}, G_{me}, C_m, B_{me}, M_m, R_o, G_o, W₁.

Optimalfarben (o) RYGBCM von maximalem (m) C_{AB,10}; D50, Y_m=510_770, CIELAB_76

Table with 12 columns: Code, L*10, a*10, b*10, C*_{ab,10}, a'10, b'10, h_{ab,10}, id, λ*_d, ic, λ*c. Rows include R_{me}, Y_{me}, G_{me}, C_m, B_{me}, M_m, R_o, G_o, W₁.

Optimalfarben (o) RYGBCM von maximalem (m) C_{AB,10}; D50, Y_m=510_770, LABHNU1_79

Table with 12 columns: CodeD65, L*10, A*10, B*10, C*_{ab,10}, a'10, b'10, h_{ab,10}, id, λ*_d, ic, λ*c. Rows include R_{me}, Y_{me}, G_{me}, C_m, B_{me}, M_m, R_o, G_o, W₁.



Optimalfarben (o) RYGBCM von maximalem (m) C_{AB,10}; P45, Y_m=510_770, CIEXYZ

Code	X ₁₀	Y ₁₀	Z ₁₀	x ₁₀	y ₁₀	z ₁₀	h _{xy,10}	i _d	λ _d	i _c	λ _c
R _{me} 570_770	59.68	36.21	0.27	0.6205	0.3765	0.0028	237.8	38	592	16	480
Y _{me} 510_770	78.48	77.47	1.45	0.4986	0.4921	0.0092	226.5	33	568	13	466
G _{me} 470_570	20.5	51.56	15.31	0.2346	0.59	0.1752	211.4	22	512	-1	512c
C _m 380_570	30.48	54.12	68.22	0.1994	0.3541	0.4463	213.4	16	480	38	592
B _{me} 380_510	11.69	12.87	67.04	0.1276	0.1405	0.7318	224.6	13	466	33	568
M _m 570_470	69.66	38.77	53.16	0.431	0.2399	0.3289	243.7	-1	512c	22	512
R _o 570_440	63.89	36.73	20.87	0.5258	0.3023	0.1718	240.4	-1	487c	17	487
G _o 520_570	19.15	41.6	1.45	0.3078	0.6687	0.0233	215.9	27	538	-1	538c
W ₁ 380_770	89.82	90.0	68.22	0.3621	0.3628	0.275	225.0	-1	482c	16	482

Optimalfarben (o) RYGBCM von maximalem (m) C_{AB,10}; P45, Y_m=510_770, YAB_77









Code	Y ₁₀	A ₁₀	B ₁₀	C _{AB,10}	a ₁₀	b ₁₀	h _{ab,10}	i _d	λ _d	i _c	λ _c
R _{me} 570_770	36.21	23.53	10.87	25.92	1.6478	-0.003	24.7	38	593	16	484
Y _{me} 510_770	77.47	1.16	22.91	22.94	1.013	-0.0074	87.0	33	568	13	467
G _{me} 470_570	51.56	-30.95	9.5	32.38	0.3976	-0.1188	162.9	21	505	-1	505c
C _m 380_570	54.12	-23.53	-10.87	25.92	0.5632	-0.5041	204.8	15	479	35	579
B _{me} 380_510	12.87	-1.15	-22.91	22.94	0.9082	-2.0831	267.1	13	466	33	568
M _m 570_470	38.77	30.96	-9.5	32.38	1.7964	-0.5483	342.9	-1	543c	28	543
R _o 570_440	36.73	27.22	2.78	27.36	1.739	-0.2273	5.8	-1	495c	19	495
G _o 520_570	41.6	-22.37	12.03	25.4	0.4603	-0.0139	151.7	27	538	-1	538c
W ₁ 380_770	90.0	0.0	0.0	0.0	0.998	-0.3032	2.9	13	465	33	568

Optimalfarben (o) RYGBCM von maximalem (m) C_{AB,10}; P45, Y_m=510_770, CIELAB_76

Code	L* ₁₀	a* ₁₀	b* ₁₀	C* _{ab,10}	a' ₁₀	b' ₁₀	h _{ab,10}	i _d	λ* _d	i _c	λ*c
R _{me} 570_770	66.69	64.83	110.73	128.32	0.2546	-0.0185	59.6	39	596	14	470
Y _{me} 510_770	90.54	2.29	130.08	130.1	0.2165	-0.0251	88.9	33	569	13	465
G _{me} 470_570	77.02	-105.89	43.0	114.29	0.1585	-0.063	157.8	23	515	-1	515c
C _m 380_570	78.54	-70.73	-30.1	76.87	0.178	-0.1021	203.0	15	477	-1	477c
B _{me} 380_510	42.58	-7.8	-90.97	91.3	0.2088	-0.1638	265.0	13	466	34	572
M _m 570_470	68.59	78.9	-31.84	85.08	0.2621	-0.105	338.0	-1	515c	23	515
R _o 570_440	67.08	72.81	13.11	73.98	0.2592	-0.0782	10.2	-1	482c	16	482
G _o 520_570	70.6	-84.83	95.7	127.89	0.1664	-0.0308	131.5	27	538	8	441
W ₁ 380_770	96.0	0.0	0.0	0.0	0.2154	-0.0861	0.0	-1	490c	18	490

Optimalfarben (o) RYGBCM von maximalem (m) C_{AB,10}; P45, Y_m=510_770, LABHNU1_79

CodeD65	L* ₁₀	A* ₁₀	B* ₁₀	C* _{ab,10}	a' ₁₀	b' ₁₀	h _{ab,10}	i _d	λ* _d	i _c	λ*c
R _{me} 570_770	66.69	71.66	57.3	91.75	0.1765	-0.0465	38.6	38	593	15	475
Y _{me} 510_770	90.54	2.13	71.75	71.78	0.1342	-0.0475	88.2	33	568	13	465
G _{me} 470_570	77.02	-74.48	31.04	80.69	0.0931	-0.0645	157.3	21	508	4	423
C _m 380_570	78.54	-54.81	-23.89	59.79	0.1042	-0.0938	203.5	16	480	43	619
B _{me} 380_510	42.58	-7.01	-75.89	76.22	0.1272	-0.1459	264.7	13	466	34	570
M _m 570_470	68.59	90.06	-25.37	93.57	0.1864	-0.0961	344.2	-1	501c	20	501
R _o 570_440	67.08	82.1	9.94	82.7	0.1826	-0.0752	6.9	-1	486c	17	486
G _o 520_570	70.6	-62.09	55.99	83.61	0.0973	-0.0488	137.9	27	537	9	449
W ₁ 380_770	96.0	0.0	0.0	0.0	0.1332	-0.0811	9.4	33	568	13	465



Optimalfarben (o) RYGBCM von maximalem (m) C_{AB,10}; A00, Y_m=510_770, CIEXYZ

Table with 11 columns: Code, X10, Y10, Z10, x10, y10, z10, h_{xy,10}, id, λ_d, i_c, λ_c. Rows include R_{me}, Y_{me}, G_{me}, C_m, B_{me}, M_m, R_o, G_o, W₁.

0-001330-L0 BG920-1N_4

Optimalfarben (o) RYGBCM von maximalem (m) C_{AB,10}; A00, Y_m=510_770, YAB_77

Table with 11 columns: Code, Y10, A10, B10, C_{AB,10}, a10, b10, h_{AB,10}, id, λ_d, i_c, λ_c. Rows include R_{me}, Y_{me}, G_{me}, C_m, B_{me}, M_m, R_o, G_o, W₁.

0-001330-L0 BG920-3N_4

Optimalfarben (o) RYGBCM von maximalem (m) C_{AB,10}; A00, Y_m=510_770, CIELAB_76


Table with 11 columns: Code, L*10, a*10, b*10, C*_{ab,10}, a'10, b'10, h_{ab,10}, id, λ*_d, i_c, λ*c. Rows include R_{me}, Y_{me}, G_{me}, C_m, B_{me}, M_m, R_o, G_o, W₁.

0-001330-L0 BG920-5N_4


Optimalfarben (o) RYGBCM von maximalem (m) C_{AB,10}; A00, Y_m=510_770, LABHNU1_79

Table with 11 columns: CodeD65, L*10, A*10, B*10, C*_{ab,10}, a'10, b'10, h_{ab,10}, id, λ*_d, i_c, λ*c. Rows include R_{me}, Y_{me}, G_{me}, C_m, B_{me}, M_m, R_o, G_o, W₁.


0-001330-L0 BG920-7N_4




0-001330-L0 BG921-1N_4




0-001330-L0 BG921-3N_4




0-001330-L0 BG921-5N_4




0-001330-L0 BG921-7N_4




0-001330-L0 BG921-2N_4



0-001330-L0 BG921-4N_4



0-001330-L0 BG921-6N_4



0-001330-L0 BG921-8N_4

Technische Information: http://farbe.li.tu-berlin.de/BG92/BG92.HTM

TUB-Registrierung: 20170801-BG92/BG92L0NP.PDF / .PS Anwendung für Messung von Display-Ausgabe TUB-Material: Code=rhaktat

Optimalfarben (o) RYGBCM von maximalem (m) C_{AB,10}; E00, Y_m=510_770, CIEXYZ

Table with 11 columns: Code, X10, Y10, Z10, x10, y10, z10, h_{xy,10}, id, λ_d, i_c, λ_c. Rows include R_{me}, Y_{me}, G_{me}, C_m, B_{me}, M_m, R_o, G_o, W_l.

0-001430-L0 BG920-1N_5

Optimalfarben (o) RYGBCM von maximalem (m) C_{AB,10}; E00, Y_m=510_770, YAB_77

Table with 11 columns: Code, Y10, A10, B10, C_{AB,10}, a10, b10, h_{AB,10}, id, λ_d, i_c, λ_c. Rows include R_{me}, Y_{me}, G_{me}, C_m, B_{me}, M_m, R_o, G_o, W_l.

0-001430-L0 BG920-3N_5

Optimalfarben (o) RYGBCM von maximalem (m) C_{AB,10}; E00, Y_m=510_770, CIELAB_76


Table with 11 columns: Code, L*10, a*10, b*10, C*_{ab,10}, a'10, b'10, h_{ab,10}, id, λ*_d, i_c, λ*c. Rows include R_{me}, Y_{me}, G_{me}, C_m, B_{me}, M_m, R_o, G_o, W_l.

0-001430-L0 BG920-5N_5


Optimalfarben (o) RYGBCM von maximalem (m) C_{AB,10}; E00, Y_m=510_770, LABHNU1_79

Table with 11 columns: CodeD65, L*10, A*10, B*10, C*_{ab,10}, a'10, b'10, h_{ab,10}, id, λ*_d, i_c, λ*c. Rows include R_{me}, Y_{me}, G_{me}, C_m, B_{me}, M_m, R_o, G_o, W_l.


0-001430-L0 BG920-7N_5




0-001430-L0 BG921-1N_5




0-001430-L0 BG921-3N_5




0-001430-L0 BG921-5N_5




0-001430-L0 BG921-7N_5




0-001430-L0 BG921-2N_5



0-001430-L0 BG921-4N_5



0-001430-L0 BG921-6N_5



0-001430-L0 BG921-8N_5

Optimalfarben (o) RYGBCM von maximalem (m) C_{AB,10}; C00, Y_m=510_770, CIEXYZ

Code	X ₁₀	Y ₁₀	Z ₁₀	x ₁₀	y ₁₀	z ₁₀	h _{xy,10}	i _d	λ _d	i _c	λ _c
R _{me} 570_770	50.84	31.42	0.41	0.6149	0.38	0.005	235.8	38	591	15	477
Y _{me} 510_770	69.88	73.26	1.62	0.4826	0.506	0.0112	224.2	33	566	12	464
G _{me} 470_570	21.28	54.91	20.99	0.2189	0.565	0.2159	210.6	23	515	-1	515c
C _m 380_570	37.04	58.92	104.53	0.1847	0.2938	0.5213	214.2	15	477	38	591
B _{me} 380_510	18.02	17.08	103.32	0.1302	0.1234	0.7463	226.2	12	464	33	566
M _m 570_470	66.6	35.42	83.93	0.3581	0.1904	0.4513	244.5	-1	515c	23	515
R _o 570_440	57.44	32.24	32.79	0.4689	0.2632	0.2677	239.5	-1	484c	16	484
G _o 520_570	19.37	42.19	1.62	0.3065	0.6676	0.0257	216.5	27	539	-1	539c
W _i 380_770	87.55	90.0	104.53	0.3103	0.319	0.3705	225.7	31	557	13	468

0-001530-L0 BG920-1N_6

Optimalfarben (o) RYGBCM von maximalem (m) C_{AB,10}; C00, Y_m=510_770, YAB_77

Code	Y ₁₀	A ₁₀	B ₁₀	C _{AB,10}	a ₁₀	b ₁₀	h _{AB,10}	i _d	λ _d	i _c	λ _c
R _{me} 570_770	31.42	20.27	14.43	24.88	1.6181	-0.0053	35.4	38	591	15	476
Y _{me} 510_770	73.26	-1.39	33.38	33.41	0.9537	-0.0088	92.3	33	566	13	466
G _{me} 470_570	54.91	-32.14	17.11	36.41	0.3875	-0.1528	151.9	23	518	-1	518c
C _m 380_570	58.92	-20.27	-14.43	24.89	0.6287	-0.7096	215.4	15	477	40	601
B _{me} 380_510	17.08	1.4	-33.39	33.42	1.0552	-2.4192	272.4	12	464	32	564
M _m 570_470	35.42	32.14	-17.11	36.41	1.8802	-0.9477	331.9	-1	500c	20	500
R _o 570_440	32.24	26.07	1.86	26.14	1.7814	-0.4068	4.0	-1	481c	16	481
G _o 520_570	42.19	-21.67	18.95	28.78	0.4591	-0.0154	138.8	27	539	-1	539c
W _i 380_770	90.0	0.0	0.0	0.01	0.9728	-0.4645	11.8	35	575	14	471

0-001530-L0 BG920-3N_6

Optimalfarben (o) RYGBCM von maximalem (m) C_{AB,10}; C00, Y_m=510_770, CIELAB_76


Code	L* ₁₀	a* ₁₀	b* ₁₀	C* _{ab,10}	a' ₁₀	b' ₁₀	h _{ab,10}	i _d	λ* _d	i _c	λ* _c
R _{me} 570_770	62.87	62.81	101.88	119.69	0.2553	-0.0194	58.3	40	602	13	469
Y _{me} 510_770	88.58	-2.96	131.98	132.02	0.214	-0.023	91.2	33	566	13	465
G _{me} 470_570	78.99	-108.1550	69.69	119.44	0.1585	-0.0595	154.8	22	512	-1	512c
C _m 380_570	81.25	-56.75	-25.42	62.18	0.1862	-0.0992	204.1	15	475	-1	475c
B _{me} 380_510	48.37	7.61	-81.36	81.71	0.2213	-0.1493	275.3	12	464	32	562
M _m 570_470	66.08	86.88	-37.95	94.81	0.2684	-0.1093	336.4	-1	511c	22	511
R _o 570_440	63.55	76.58	5.93	76.81	0.2636	-0.0824	4.4	-1	482c	16	482
G _o 520_570	71.0	-83.01	101.69	131.27	0.1677	-0.0277	129.2	27	535	9	449
W _i 380_770	96.0	0.0	0.0	0.0	0.2154	-0.0861	87.5	33	567	13	465

0-001530-L0 BG920-5N_6


Optimalfarben (o) RYGBCM von maximalem (m) C_{AB,10}; C00, Y_m=510_770, LABHNU1_79

CodeD65	L* ₁₀	A* ₁₀	B* ₁₀	C* _{ab,10}	a' ₁₀	b' ₁₀	h _{ab,10}	i _d	λ* _d	i _c	λ* _c
R _{me} 570_770	62.87	67.86	70.27	97.69	0.1745	-0.047	45.9	38	592	14	472
Y _{me} 510_770	88.58	-2.66	91.59	91.63	0.1302	-0.0478	91.6	33	566	13	465
G _{me} 470_570	78.99	-74.15	44.4	86.42	0.0925	-0.0682	149.0	21	508	8	441
C _m 380_570	81.25	-44.62	-24.01	50.67	0.1085	-0.1039	208.2	15	476	44	621
B _{me} 380_510	48.37	7.06	-79.32	79.63	0.137	-0.1532	275.0	12	464	32	564
M _m 570_470	66.08	99.32	-36.18	105.7	0.192	-0.1136	339.9	3	416	19	497
R _o 570_440	63.55	85.77	5.48	85.95	0.1854	-0.0881	3.6	-1	484c	16	484
G _o 520_570	71.0	-59.6	73.86	94.91	0.0972	-0.0491	128.8	27	537	11	455
W _i 380_770	96.0	0.0	0.0	0.0	0.1315	-0.0915	9.4	33	567	13	465


0-001530-L0 BG920-7N_6




0-001530-L0 BG921-1N_6




0-001530-L0 BG921-3N_6




0-001530-L0 BG921-5N_6




0-001530-L0 BG921-7N_6




0-001530-L0 BG921-2N_6



0-001530-L0 BG921-4N_6



0-001530-L0 BG921-6N_6



0-001530-L0 BG921-8N_6



Siehe ähnliche Dateien: <http://farbe.li.tu-berlin.de/BG92/BG92.HTM>
 Technische Information: <http://farbe.li.tu-berlin.de/oder/130.149.60.45/~farbmeterik>

TUB-Registrierung: 20170801-BG92/BG92L0NP.PDF / .PS
 Anwendung für Messung von Display-Ausgabe
 TUB-Material: Code=rhata

Optimalfarben (o) RYGBCM von maximalem (m) C_{AB,10}; P00; Y_m=510_770, CIEXYZ

Code	X ₁₀	Y ₁₀	Z ₁₀	x ₁₀	y ₁₀	z ₁₀	h _{xy,10}	i _d	λ _d	i _c	λ _c
R _{me} 570_770	61.39	36.95	0.29	0.6223	0.3746	0.0029	236.9	38	593	15	479
Y _{me} 510_770	79.84	77.36	1.44	0.5032	0.4876	0.0091	225.1	33	569	13	465
G _{me} 470_570	20.16	50.65	15.4	0.2338	0.5874	0.1786	210.9	22	513	-1	513c
C _m 380_570	31.09	53.38	73.12	0.1973	0.3387	0.4639	213.1	15	479	38	593
B _{me} 380_510	12.66	12.98	71.97	0.1297	0.133	0.7372	224.1	13	465	33	569
M _m 570_470	72.32	39.68	57.99	0.4254	0.2334	0.3411	243.5	-1	513c	22	513
R _o 570_440	66.21	37.55	23.83	0.5189	0.2942	0.1867	239.9	-1	486c	17	486
G _o 520_570	18.8	40.75	1.44	0.3082	0.668	0.0237	215.3	27	538	-1	538c
W ₁ 380_770	92.13	89.99	73.12	0.3609	0.3525	0.2864	224.3	41	607	16	483



0-001630-L0 BG920-1N_7



Optimalfarben (o) RYGBCM von maximalem (m) C_{AB,10}; P00; Y_m=510_770, YAB_77

Code	Y ₁₀	A ₁₀	B ₁₀	C _{AB,10}	a ₁₀	b ₁₀	h _{AB,10}	i _d	λ _d	i _c	λ _c
R _{me} 570_770	36.95	23.56	11.89	26.39	1.6612	-0.0031	86.7	38	593	16	482
Y _{me} 510_770	77.36	0.64	24.56	24.57	1.032	-0.0074	28.5	33	569	12	463
G _{me} 470_570	50.65	-31.68	10.29	33.32	0.3981	-0.1216	161.9	21	507	-1	507c
C _m 380_570	53.38	-23.55	-11.89	26.39	0.5824	-0.5478	206.7	15	479	36	584
B _{me} 380_510	12.98	-0.63	-24.56	24.57	0.9749	-2.2162	268.5	13	465	34	570
M _m 570_470	39.68	31.69	-10.29	33.32	1.8222	-0.5844	341.9	-1	541c	28	541
R _o 570_440	37.55	27.76	2.67	27.89	1.7632	-0.2538	5.4	-1	492c	18	492
G _o 520_570	40.75	-22.91	12.66	26.18	0.4613	-0.0141	151.0	27	538	-1	538c
W ₁ 380_770	89.99	0.0	0.0	0.01	1.0237	-0.325	4.1	14	470	34	573



0-001630-L0 BG920-3N_7



Optimalfarben (o) RYGBCM von maximalem (m) C_{AB,10}; P00; Y_m=510_770, CIELAB_76

Code	L* ₁₀	a* ₁₀	b* ₁₀	C* _{ab,10}	a* ₁₀	b* ₁₀	h _{ab,10}	i _d	λ _d	i _c	λ _c
R _{me} 570_770	67.25	62.82	111.39	127.89	0.2532	-0.0184	60.5	39	597	13	469
Y _{me} 510_770	90.49	1.23	131.29	131.29	0.216	-0.0245	89.4	33	569	13	465
G _{me} 470_570	76.47	-107.6244	51.116	116.46	0.1572	-0.0621	157.5	23	515	-1	515c
C _m 380_570	78.11	-69.49	-30.84	76.03	0.1785	-0.1025	203.9	15	476	-1	476c
B _{me} 380_510	42.76	-4.08	-90.76	90.85	0.2119	-0.1634	267.4	13	465	34	571
M _m 570_470	69.25	77.85	-31.75	84.08	0.2611	-0.1048	337.8	-1	514c	22	514
R _o 570_440	67.69	71.66	11.4	72.56	0.2582	-0.0793	9.0	-1	482c	16	482
G _o 520_570	70.0	-86.46	95.97	129.17	0.1652	-0.0303	132.0	27	538	8	440
W ₁ 380_770	96.0	0.0	0.0	0.0	0.2154	-0.0861	11.1	-1	480c	16	480



0-001630-L0 BG920-5N_7



Optimalfarben (o) RYGBCM von maximalem (m) C_{AB,10}; P00; Y_m=510_770, LABHNU1_79

CodeD65	L* ₁₀	A* ₁₀	B* ₁₀	C* _{ab,10}	a* ₁₀	b* ₁₀	h _{ab,10}	i _d	λ _d	i _c	λ _c
R _{me} 570_770	67.25	70.77	60.23	92.94	0.1774	-0.0465	40.4	38	593	15	475
Y _{me} 510_770	90.49	1.17	75.05	75.06	0.1354	-0.0475	89.1	33	569	13	465
G _{me} 470_570	76.47	-77.15	33.14	83.96	0.0932	-0.0648	156.7	21	508	5	425
C _m 380_570	78.11	-55.37	-25.23	60.85	0.1054	-0.0961	204.4	15	479	44	621
B _{me} 380_510	42.76	-3.82	-77.75	77.85	0.1316	-0.1489	267.1	13	465	34	570
M _m 570_470	69.25	90.77	-26.05	94.44	0.1881	-0.098	343.9	-1	500c	20	500
R _o 570_440	67.69	82.53	8.95	83.01	0.1842	-0.0774	6.1	-1	486c	17	486
G _o 520_570	70.0	-64.49	58.21	86.88	0.0974	-0.0489	137.9	27	537	9	449
W ₁ 380_770	96.0	0.0	0.0	0.0	0.1349	-0.0827	9.4	33	569	13	465

0-001630-L0 BG920-7N_7



TUB-Prüfvorlage BG92; Farbmessung Ostwald-Optimalfarben; K=25:1 Eingabe: w/rgb/cmyk -> rgb
 Farbenräume CIEXYZ, YAB_77, CIELAB, LABHNU1_79; 8 Lichtarten Dxx; CIE 10 Grad

TUB-Registrierung: 20170801-BG92/BG92L0NP.PDF / .PS
 Anwendung für Messung von Display-Ausgabe

TUB-Material: Code=rh4ta

Optimalfarben (o) RYGBCM von maximalem (m) C_{AB,10}; Q00, Y_m=510_770, CIEXYZ

Code	X ₁₀	Y ₁₀	Z ₁₀	x ₁₀	y ₁₀	z ₁₀	<i>h</i> _{xy,10}	i _d	λ _d	i _c	λ _c
R _{me} 570_770	50.87	31.39	0.42	0.6152	0.3796	0.0051	235.7	38	591	15	476
Y _{me} 510_770	69.58	73.69	1.72	0.4798	0.5082	0.0119	223.1	33	566	12	464
G _{me} 470_570	20.83	54.96	19.84	0.2178	0.5746	0.2074	210.3	23	516	-1	516c
C _m 380_570	37.34	58.95	106.58	0.184	0.2905	0.5253	214.2	15	476	38	591
B _{me} 380_510	18.65	16.65	105.28	0.1326	0.1184	0.7488	226.5	12	464	33	566
M _m 570_470	67.38	35.37	87.13	0.3548	0.1862	0.4588	244.9	-1	516c	23	516
R _o 570_440	58.56	32.33	37.93	0.4545	0.2509	0.2944	239.9	-1	485c	17	485
G _o 520_570	19.04	42.64	1.72	0.3003	0.6724	0.0272	216.1	27	538	-1	538c
W _i 380_770	87.88	90.0	106.58	0.3089	0.3163	0.3746	225.6	-1	487c	17	487

Optimalfarben (o) RYGBCM von maximalem (m) C_{AB,10}; Q00, Y_m=510_770, YAB_77









Code	Y ₁₀	A ₁₀	B ₁₀	C _{AB,10}	a ₁₀	b ₁₀	<i>h</i> _{AB,10}	i _d	λ _d	i _c	λ _c
R _{me} 570_770	31.39	20.22	14.69	25.0	1.6207	-0.0054	36.0	38	591	15	476
Y _{me} 510_770	73.69	-2.37	34.21	34.3	0.9442	-0.0093	93.9	33	566	13	465
G _{me} 470_570	54.96	-32.84	18.1	37.5	0.379	-0.1444	151.1	23	519	-1	519c
C _m 380_570	58.95	-20.22	-14.7	25.0	0.6334	-0.7231	216.0	15	477	40	604
B _{me} 380_510	16.65	2.38	-34.22	34.3	1.1198	-2.5284	273.9	12	463	32	564
M _m 570_470	35.37	32.84	-18.09	37.5	1.9049	-0.9853	331.1	-1	499c	19	499
R _o 570_440	32.33	26.98	0.14	26.98	1.811	-0.4693	0.3	-1	482c	16	482
G _o 520_570	42.64	-22.6	19.51	29.85	0.4465	-0.0161	139.1	27	538	-1	538c
W _i 380_770	90.0	0.0	0.0	0.01	0.9764	-0.4736	357.9	34	573	14	470

Optimalfarben (o) RYGBCM von maximalem (m) C_{AB,10}; Q00, Y_m=510_770, CIELAB_76

Code	L* ₁₀	a* ₁₀	b* ₁₀	C* _{ab,10}	a' ₁₀	b' ₁₀	<i>h</i> _{ab,10}	i _d	λ* _d	i _c	λ* _c
R _{me} 570_770	62.84	62.51	101.71	119.38	0.2551	-0.0194	58.4	40	603	13	469
Y _{me} 510_770	88.78	-5.03	131.69	131.78	0.213	-0.0233	92.1	33	565	13	465
G _{me} 470_570	79.02	-110.7953	55.5	123.05	0.1571	-0.058	154.2	22	513	-1	513c
C _m 380_570	81.27	-56.3	-25.39	61.76	0.1865	-0.0992	204.2	15	475	-1	475c
B _{me} 380_510	47.83	12.2	-82.25	83.25	0.2255	-0.1506	278.8	12	464	31	559
M _m 570_470	66.04	88.21	-39.1	96.49	0.2692	-0.11	336.0	-1	511c	22	511
R _o 570_440	63.62	78.45	0.42	78.45	0.2647	-0.0859	0.3	-1	485c	17	485
G _o 520_570	71.32	-86.37	101.59	133.34	0.166	-0.0279	130.3	26	534	9	448
W _i 380_770	96.0	0.0	0.0	0.0	0.2154	-0.0861	354.3	-1	492c	18	492

Optimalfarben (o) RYGBCM von maximalem (m) C_{AB,10}; Q00, Y_m=510_770, LABHNU1_79

CodeD65	L* ₁₀	A* ₁₀	B* ₁₀	C* _{ab,10}	a' ₁₀	b' ₁₀	<i>h</i> _{ab,10}	i _d	λ* _d	i _c	λ* _c
R _{me} 570_770	62.84	67.73	71.03	98.15	0.1747	-0.047	46.3	38	592	14	472
Y _{me} 510_770	88.78	-4.5	92.64	92.75	0.1296	-0.0479	92.7	33	565	13	465
G _{me} 470_570	79.02	-75.71	47.09	89.16	0.0919	-0.0673	148.1	21	509	8	442
C _m 380_570	81.27	-44.49	-24.17	50.63	0.1088	-0.1045	208.5	15	476	44	622
B _{me} 380_510	47.83	12.2	-80.81	81.72	0.1413	-0.1554	278.5	12	464	32	562
M _m 570_470	66.04	101.58	-37.58	108.31	0.1936	-0.115	339.6	3	418	19	497
R _o 570_440	63.62	88.62	0.39	88.62	0.1874	-0.0918	0.2	-1	485c	17	485
G _o 520_570	71.32	-61.7	74.77	96.95	0.0964	-0.0493	129.5	27	536	11	455
W _i 380_770	96.0	0.0	0.0	0.0	0.1317	-0.0921	355.2	-1	489c	17	489



Siehe ähnliche Dateien: http://farbe.li.tu-berlin.de/BG92/BG92.HTM
Technische Information: http://farbe.li.tu-berlin.de oder http://130.149.60.45/~farbmeterik