

HPE\_CIE02-cone sensitivity  $\bar{y}_{\max}(\lambda)=1$


$$\bar{m}_{02,1}(\lambda) = \mathbf{B}_{21}\bar{x}_{02,1}(\lambda) + \mathbf{B}_{22}\bar{y}_{02,1}(\lambda) + \mathbf{B}_{23}\bar{z}_{02,1}(\lambda)$$

$$\mathbf{B}_{2j} \quad -0,2298 \quad 1,1834 \quad 0,0464 \quad (\lambda \sim 545)$$

$$\text{D65: } \Sigma \bar{m}_{02,1}(\lambda) = 21,04$$

$$x_{02,1} = 0,3126$$

$$y_{02,1} = 0,3289$$



HPE\_CIE02-cone sensitivity  $\bar{y}_{\max}(\lambda)=1$


$$\bar{m}_{02,1}(\lambda) = \mathbf{B}_{21}\bar{x}_{02,1}(\lambda) + \mathbf{B}_{22}\bar{y}_{02,1}(\lambda) + \mathbf{B}_{23}\bar{z}_{02,1}(\lambda)$$

$$\mathbf{B}_{2j} \quad -0,2298 \quad 1,1834 \quad 0,0464 \quad (\lambda \sim 545)$$

$$\text{D50: } \Sigma \bar{m}_{02,1}(\lambda) = 20,76$$

$$x_{02,1} = 0,3456$$

$$y_{02,1} = 0,3584$$



HPE\_CIE02-cone sensitivity  $\bar{y}_{\max}(\lambda)=1$


$$\bar{m}_{02,1}(\lambda) = \mathbf{B}_{21}\bar{x}_{02,1}(\lambda) + \mathbf{B}_{22}\bar{y}_{02,1}(\lambda) + \mathbf{B}_{23}\bar{z}_{02,1}(\lambda)$$

$$\mathbf{B}_{2j} \quad -0,2298 \quad 1,1834 \quad 0,0464 \quad (\lambda \sim 545)$$

$$\text{P40: } \Sigma \bar{m}_{02,1}(\lambda) = 20,92$$

$$x_{02,1} = 0,3799$$

$$y_{02,1} = 0,3764$$



HPE\_CIE02-cone sensitivity  $\bar{y}_{\max}(\lambda)=1$


$$\bar{m}_{02,1}(\lambda) = \mathbf{B}_{21}\bar{x}_{02,1}(\lambda) + \mathbf{B}_{22}\bar{y}_{02,1}(\lambda) + \mathbf{B}_{23}\bar{z}_{02,1}(\lambda)$$

$$\mathbf{B}_{2j} \quad -0,2298 \quad 1,1834 \quad 0,0464 \quad (\lambda \sim 545)$$

$$A00: \Sigma \bar{m}_{02,1}(\lambda) = 21,20$$

$$x_{02,1} = 0,4474$$

$$y_{02,1} = 0,4073$$



HPE\_CIE02-cone sensitivity  $\bar{y}_{\max}(\lambda)=1$


$$\bar{m}_{02,1}(\lambda) = \mathbf{B}_{21}\bar{x}_{02,1}(\lambda) + \mathbf{B}_{22}\bar{y}_{02,1}(\lambda) + \mathbf{B}_{23}\bar{z}_{02,1}(\lambda)$$

$$\mathbf{B}_{2j} \quad -0,2298 \quad 1,1834 \quad 0,0464 \quad (\lambda \sim 545)$$

$$E00: \Sigma \bar{m}_{02,1}(\lambda) = 21,37$$

$$x_{02,1} = 0,3332$$

$$y_{02,1} = 0,3332$$



HPE\_CIE02-cone sensitivity  $\bar{y}_{\max}(\lambda)=1$


$$\bar{m}_{02,1}(\lambda) = \mathbf{B}_{21}\bar{x}_{02,1}(\lambda) + \mathbf{B}_{22}\bar{y}_{02,1}(\lambda) + \mathbf{B}_{23}\bar{z}_{02,1}(\lambda)$$

$$\mathbf{B}_{2j} \quad -0,2298 \quad 1,1834 \quad 0,0464 \quad (\lambda \sim 545)$$

$$\text{C00: } \Sigma \bar{m}_{02,1}(\lambda) = 20,41$$

$$x_{02,1} = 0,3100$$

$$y_{02,1} = 0,3161$$



HPE\_CIE02-cone sensitivity  $\bar{y}_{\max}(\lambda)=1$


$$\bar{m}_{02,1}(\lambda) = \mathbf{B}_{21}\bar{x}_{02,1}(\lambda) + \mathbf{B}_{22}\bar{y}_{02,1}(\lambda) + \mathbf{B}_{23}\bar{z}_{02,1}(\lambda)$$

$$\mathbf{B}_{2j} \quad -0,2298 \quad 1,1834 \quad 0,0464 \quad (\lambda \sim 545)$$

$$P00: \quad \Sigma \bar{m}_{02,1}(\lambda) = 21,27$$

$$x_{02,1} = 0,3604$$

$$y_{02,1} = 0,3531$$



HPE\_CIE02-cone sensitivity  $\bar{y}_{\max}(\lambda)=1$

$$\bar{m}_{02,1}(\lambda) = \mathbf{B}_{21}\bar{x}_{02,1}(\lambda) + \mathbf{B}_{22}\bar{y}_{02,1}(\lambda) + \mathbf{B}_{23}\bar{z}_{02,1}(\lambda)$$

$$\mathbf{B}_{2j} \quad -0,2298 \quad 1,1834 \quad 0,0464 \quad (\lambda \sim 545)$$

$$Q00: \Sigma \bar{m}_{02,1}(\lambda) = 21,57$$

$$x_{02,1} = 0,3070$$

$$y_{02,1} = 0,3106$$

