

HPE\_CIE02-cone sensitivity  $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{02,1}(\lambda) = \mathbf{B}_{31} \bar{x}_{02,1}(\lambda) + \mathbf{B}_{32} \bar{y}_{02,1}(\lambda) + \mathbf{B}_{33} \bar{z}_{02,1}(\lambda)$$

$$\mathbf{B}_{3j} \quad 0,000 \quad 0,000 \quad 1,000 \quad (\lambda \sim 445)$$

$$\text{D65: } \Sigma \bar{s}_{02,1}(\lambda) = 22,56$$

$$x_{02,1} = 0,3126$$

$$y_{02,1} = 0,3289$$



HPE\_CIE02-cone sensitivity  $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{02,1}(\lambda) = \mathbf{B}_{31} \bar{x}_{02,1}(\lambda) + \mathbf{B}_{32} \bar{y}_{02,1}(\lambda) + \mathbf{B}_{33} \bar{z}_{02,1}(\lambda)$$

$$\mathbf{B}_{3j} \quad 0,000 \quad 0,000 \quad 1,000 \quad (\lambda \sim 445)$$

$$\text{D50: } \Sigma \bar{s}_{02,1}(\lambda) = 17,12$$

$$x_{02,1} = 0,3456$$

$$y_{02,1} = 0,3584$$



HPE\_CIE02-cone sensitivity  $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{02,1}(\lambda) = \mathbf{B}_{31} \bar{x}_{02,1}(\lambda) + \mathbf{B}_{32} \bar{y}_{02,1}(\lambda) + \mathbf{B}_{33} \bar{z}_{02,1}(\lambda)$$

$$\mathbf{B}_{3j} \quad 0,000 \quad 0,000 \quad 1,000 \quad (\lambda \sim 445)$$

$$\text{P40: } \Sigma \bar{s}_{02,1}(\lambda) = 13,79$$

$$x_{02,1} = 0,3799$$

$$y_{02,1} = 0,3764$$



HPE\_CIE02-cone sensitivity  $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{02,1}(\lambda) = \mathbf{B}_{31}\bar{x}_{02,1}(\lambda) + \mathbf{B}_{32}\bar{y}_{02,1}(\lambda) + \mathbf{B}_{33}\bar{z}_{02,1}(\lambda)$$

$$\mathbf{B}_{3j} \quad 0,000 \quad 0,000 \quad 1,000 \quad (\lambda \sim 445)$$

$$\text{A00: } \Sigma \bar{s}_{02,1}(\lambda) = 7,96$$

$$x_{02,1} = 0,4474$$

$$y_{02,1} = 0,4073$$



HPE\_CIE02-cone sensitivity  $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{02,1}(\lambda) = \mathbf{B}_{31} \bar{x}_{02,1}(\lambda) + \mathbf{B}_{32} \bar{y}_{02,1}(\lambda) + \mathbf{B}_{33} \bar{z}_{02,1}(\lambda)$$

$$\mathbf{B}_{3j} \quad 0,000 \quad 0,000 \quad 1,000 \quad (\lambda \sim 445)$$

$$E00: \quad \Sigma \bar{s}_{02,1}(\lambda) = 21,37$$

$$x_{02,1} = 0,3332$$

$$y_{02,1} = 0,3332$$



HPE\_CIE02-cone sensitivity  $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{02,1}(\lambda) = \mathbf{B}_{31} \bar{x}_{02,1}(\lambda) + \mathbf{B}_{32} \bar{y}_{02,1}(\lambda) + \mathbf{B}_{33} \bar{z}_{02,1}(\lambda)$$

$$\mathbf{B}_{3j} \quad 0,000 \quad 0,000 \quad 1,000 \quad (\lambda \sim 445)$$

$$\text{C00: } \Sigma \bar{s}_{02,1}(\lambda) = 23,82$$

$$x_{02,1} = 0,3100$$

$$y_{02,1} = 0,3161$$



HPE\_CIE02-cone sensitivity  $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{02,1}(\lambda) = \mathbf{B}_{31} \bar{x}_{02,1}(\lambda) + \mathbf{B}_{32} \bar{y}_{02,1}(\lambda) + \mathbf{B}_{33} \bar{z}_{02,1}(\lambda)$$

$$\mathbf{B}_{3j} \quad 0,000 \quad 0,000 \quad 1,000 \quad (\lambda \sim 445)$$

$$P00: \quad \Sigma \bar{s}_{02,1}(\lambda) = 17,48$$

$$x_{02,1} = 0,3604$$

$$y_{02,1} = 0,3531$$



HPE\_CIE02-cone sensitivity  $\bar{y}_{\max}(\lambda)=1$

$$\bar{s}_{02,1}(\lambda) = \mathbf{B}_{31}\bar{x}_{02,1}(\lambda) + \mathbf{B}_{32}\bar{y}_{02,1}(\lambda) + \mathbf{B}_{33}\bar{z}_{02,1}(\lambda)$$

$$\mathbf{B}_{3j} \quad 0,000 \quad 0,000 \quad 1,000 \quad (\lambda \sim 445)$$

$$Q00: \Sigma \bar{s}_{02,1}(\lambda) = 26,19$$

$$x_{02,1} = 0,3070$$

$$y_{02,1} = 0,3106$$

