


# HPE\_CIE02 YB-cone sensitivity

$$T_{02,n}(\lambda) = [\mathbf{B}_{11}\bar{x}_{02,s}(\lambda) + \mathbf{B}_{12}\bar{y}_{02,s}(\lambda) + \mathbf{B}_{13}\bar{z}_{02,s}(\lambda)] / 4,36$$

$$\mathbf{B}_{1j} \quad 0,3897 \quad 0,6889 \quad -0,0786 \quad (\lambda \sim 570)$$

$$\lambda_{1,m,2} = 515, 565, 623 \quad \text{D65: } \Sigma T_{02,s}(\lambda) = 97,36$$




# HPE\_CIE02 YB-cone sensitivity

$$\bar{T}_{02,n}(\lambda) = [\mathbf{B}_{11}\bar{x}_{02,s}(\lambda) + \mathbf{B}_{12}\bar{y}_{02,s}(\lambda) + \mathbf{B}_{13}\bar{z}_{02,s}(\lambda)]/4,50$$

$$\mathbf{B}_{1j} \quad 0,3897 \quad 0,6889 \quad -0,0786 \quad (\lambda \sim 570)$$

$$\lambda_{1,m,2} = 518, 580, 626 \quad \text{D50: } \Sigma \bar{T}_{02,s}(\lambda) = 99,98$$




# HPE\_CIE02 YB-cone sensitivity

$$T_{02,n}(\lambda) = [\mathbf{B}_{11}\bar{x}_{02,s}(\lambda) + \mathbf{B}_{12}\bar{y}_{02,s}(\lambda) + \mathbf{B}_{13}\bar{z}_{02,s}(\lambda)] / 4,75$$

$$\mathbf{B}_{1j} \quad 0,3897 \quad 0,6889 \quad -0,0786 \quad (\lambda \sim 570)$$

$$\lambda_{1,m,2} = 523, 580, 629 \quad \text{P40: } \Sigma T_{02,s}(\lambda) = 103,14$$




# HPE\_CIE02 YB-cone sensitivity

$$\bar{T}_{02,n}(\lambda) = [\mathbf{B}_{11}\bar{x}_{02,s}(\lambda) + \mathbf{B}_{12}\bar{y}_{02,s}(\lambda) + \mathbf{B}_{13}\bar{z}_{02,s}(\lambda)] / 5,19$$

$$\mathbf{B}_{1j} \quad 0,3897 \quad 0,6889 \quad -0,0786 \quad (\lambda \sim 570)$$

$$\lambda_{1,m,2} = 532, 590, 634 \quad A00: \Sigma \bar{T}_{02,s}(\lambda) = 108,90$$




# HPE\_CIE02 YB-cone sensitivity

$$\bar{T}_{02,n}(\lambda) = [\mathbf{B}_{11}\bar{x}_{02,s}(\lambda) + \mathbf{B}_{12}\bar{y}_{02,s}(\lambda) + \mathbf{B}_{13}\bar{z}_{02,s}(\lambda)] / 4,48$$

$$\mathbf{B}_{1j} \quad 0,3897 \quad 0,6889 \quad -0,0786 \quad (\lambda \sim 570)$$

$$\lambda_{1,m,2} = 518, 575, 627 \quad \text{E00: } \Sigma \bar{T}_{02,s}(\lambda) = 100,00$$




# HPE\_CIE02 YB-cone sensitivity

$$T_{02,n}(\lambda) = [\mathbf{B}_{11}\bar{x}_{02,s}(\lambda) + \mathbf{B}_{12}\bar{y}_{02,s}(\lambda) + \mathbf{B}_{13}\bar{z}_{02,s}(\lambda)] / 4,58$$

$$\mathbf{B}_{1j} \quad 0,3897 \quad 0,6889 \quad -0,0786 \quad (\lambda \sim 570)$$

$$\lambda_{1,m,2} = 519, 565, 622 \quad \text{C00: } \Sigma T_{02,s}(\lambda) = 97,81$$




# HPE\_CIE02 YB-cone sensitivity

$$\bar{T}_{02,n}(\lambda) = [\mathbf{B}_{11}\bar{x}_{02,s}(\lambda) + \mathbf{B}_{12}\bar{y}_{02,s}(\lambda) + \mathbf{B}_{13}\bar{z}_{02,s}(\lambda)] / 4,63$$

$$\mathbf{B}_{1j} \quad 0,3897 \quad 0,6889 \quad -0,0786 \quad (\lambda \sim 570)$$

$$\lambda_{1,m,2} = 521, 580, 629 \quad \text{P00: } \Sigma \bar{T}_{02,s}(\lambda) = 102,29$$



# HPE\_CIE02 YB-cone sensitivity

$$T_{02,n}(\lambda) = [\mathbf{B}_{11}\bar{x}_{02,s}(\lambda) + \mathbf{B}_{12}\bar{y}_{02,s}(\lambda) + \mathbf{B}_{13}\bar{z}_{02,s}(\lambda)] / 4,35$$

$$\mathbf{B}_{1j} \quad 0,3897 \quad 0,6889 \quad -0,0786 \quad (\lambda \sim 570)$$

$$\lambda_{1,m,2} = 515, 570, 624 \quad Q00: \Sigma T_{02,s}(\lambda) = 97,73$$

