

HPE_CIEF02_X-cone sensitivity $Y_{\text{sum}}=100$

$$\bar{o}_{F02_X,n}(\lambda) = [\mathbf{B}_{21}\bar{x}_{F02_X,s}(\lambda) + \mathbf{B}_{22}\bar{y}_{F02_X,s}(\lambda) + \mathbf{B}_{23}\bar{z}_{F02_X,s}(\lambda)] / 4,65$$

$$\mathbf{B}_{2j} \quad -0,4170 \quad 1,1772 \quad 0,0786 \quad (\lambda \sim 545)$$

$$\lambda_{1,m,2} = 502, 545, 585 \quad D65: \Sigma \bar{m}_{F02_X,s}(\lambda) = 86,66$$

$$\bar{g}_{F02_X,n}(\lambda) = \bar{m}_{F02_X,n}(\lambda) / 0,88, \quad \bar{d}_{g1F02_X,n}(\lambda) = \bar{g}_{F02_X,n}(\lambda) / 0,88$$

$$\bar{o}_{F02_X,n}(\lambda) = 2 * 0,88 [\bar{l}_{F02_X,n}(\lambda) - \bar{m}_{F02_X,n}(\lambda)], \quad \bar{d}_{g2F02_X,n}(\lambda) = \bar{o}_{F02_X,n}(\lambda) / 0,88$$

