

Table with columns: n_rgb, rgb -> rgb*, h_rgb, [L*, C*ab, hab]Ma,e. The table contains 100 rows of color data and 100 columns of color data.

KE640-7N, 1, table rgb->rgb*-3 - LCH*a of 1090 colours with 9x9x9 (=729) colour grid; elementary colour coordinates rgb*3; display reflection Lr=0%: Page 1/5

TUB-test chart KE64; 1080 rgb* colours with 9x9x9 grid
LCD display: CIELAB data of colours Ma

input: `rgb->rgb* setrgbcolor`
output: `no change compared to input`

TUB registration: 20100801-KE64/KE64L0NA.TXT /PS
application for measurement of printer or monitor systems

TUB material: code=rha4ta

See original or copy: <http://web.me.com/klaus.richter/KE64/KE64L0NA.TXT> /PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

http://130.149.60.45/~farbmetrik/KE64/KE64LONA.TXT /PS; start output; Reflection; Lr=0%
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D), Page 3/5

Table with 46 columns: n_rgb, rgb -> rgb%, h_rgb, [L*, C*ab, hab]Ma,e repeated 4 times. Contains 46 rows of color data and reflection values.

TUB registration: 20100801-KE64/KE64LONA.TXT /PS
application for measurement of printer or monitor systems

TUB material: code=rh4t4

See original or copy: http://web.me.com/klaus.richter/KE64/KE64LONA.TXT /PS
Technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

KE640-7N, 3, table rgb->rgb*3 - LCH*a of 1090 colours with 9x9x9 (=729) colour grid; elementary colour coordinates rgb*3; display reflection Lr=0%: Page 3/5

TUB-test chart KE64; 1080 rgb* colours with 9x9x9 grid
LECD display: CIELAB data of colours Ma

input: rgb->rgb* setrgbcolor
output: no change compared to input

See original or copy: <http://web.me.com/klaus.richter/KE64/KE64L0NA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n _{rgb}	rgb → rgb*	h _{rgb}	[L*, C* _{ab} , h _{ab}] _{Ma,e}
972	0.0 0.0 0.0	0.0	51.73 83.56 357.0
973	0.125 0.125 0.125	0.0	51.73 83.56 357.0
974	0.25 0.25 0.25	0.0	51.73 83.56 357.0
975	0.375 0.375 0.375	0.0	51.73 83.56 357.0
976	0.5 0.5 0.5	0.0	51.73 83.56 357.0
977	0.625 0.625 0.625	0.0	51.73 83.56 357.0
978	0.75 0.75 0.75	0.0	51.73 83.56 357.0
979	0.875 0.875 0.875	0.0	51.73 83.56 357.0
980	1.0 1.0 1.0	0.0	51.73 83.56 357.0
981	0.0 0.0 0.0	0.0	51.73 83.56 357.0
982	0.125 0.125 0.125	0.0	51.73 83.56 357.0
983	0.25 0.25 0.25	0.0	51.73 83.56 357.0
984	0.375 0.375 0.375	0.0	51.73 83.56 357.0
985	0.5 0.5 0.5	0.0	51.73 83.56 357.0
986	0.625 0.625 0.625	0.0	51.73 83.56 357.0
987	0.75 0.75 0.75	0.0	51.73 83.56 357.0
988	0.875 0.875 0.875	0.0	51.73 83.56 357.0
989	1.0 1.0 1.0	0.0	51.73 83.56 357.0
990	0.0 0.0 0.0	0.0	51.73 83.56 357.0
991	0.125 0.125 0.125	0.0	51.73 83.56 357.0
992	0.25 0.25 0.25	0.0	51.73 83.56 357.0
993	0.375 0.375 0.375	0.0	51.73 83.56 357.0
994	0.5 0.5 0.5	0.0	51.73 83.56 357.0
995	0.625 0.625 0.625	0.0	51.73 83.56 357.0
996	0.75 0.75 0.75	0.0	51.73 83.56 357.0
997	0.875 0.875 0.875	0.0	51.73 83.56 357.0
998	1.0 1.0 1.0	0.0	51.73 83.56 357.0
999	0.0 0.0 0.0	0.0	51.73 83.56 357.0
1000	0.125 0.125 0.125	0.0	51.73 83.56 357.0
1001	0.25 0.25 0.25	0.0	51.73 83.56 357.0
1002	0.375 0.375 0.375	0.0	51.73 83.56 357.0
1003	0.5 0.5 0.5	0.0	51.73 83.56 357.0
1004	0.625 0.625 0.625	0.0	51.73 83.56 357.0
1005	0.75 0.75 0.75	0.0	51.73 83.56 357.0
1006	0.875 0.875 0.875	0.0	51.73 83.56 357.0
1007	1.0 1.0 1.0	0.0	51.73 83.56 357.0

TUB registration: 20110801-KE64/KE64L0NA.TXT /.PS
 application for measurement of printer or monitor systems

TUB material: code=rh4ta

See original or copy: <http://web.me.com/klaus.richter/KE64/KE64L0NA.TXT> /PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n _{rgb}	rgb → rgb*	h _{rgb}	[L*, C* _{ab} , h _{ab}].Ma,e
1008	0.0 0.0 0.0	0.0	51.73 83.56 357.0
1009	0.066 0.066 0.066	0.0	51.73 83.56 357.0
1010	0.133 0.133 0.133	0.0	51.73 83.56 357.0
1011	0.2 0.2 0.2	0.0	51.73 83.56 357.0
1012	0.266 0.266 0.266	0.0	51.73 83.56 357.0
1013	0.333 0.333 0.333	0.0	51.73 83.56 357.0
1014	0.4 0.4 0.4	0.0	51.73 83.56 357.0
1015	0.466 0.466 0.466	0.0	51.73 83.56 357.0
1016	0.533 0.533 0.533	0.0	51.73 83.56 357.0
1017	0.6 0.6 0.6	0.0	51.73 83.56 357.0
1018	0.666 0.666 0.666	0.0	51.73 83.56 357.0
1019	0.734 0.734 0.734	0.0	51.73 83.56 357.0
1020	0.8 0.8 0.8	0.0	51.73 83.56 357.0
1021	0.866 0.866 0.866	0.0	51.73 83.56 357.0
1022	0.933 0.933 0.933	0.0	51.73 83.56 357.0
1023	1.0 1.0 1.0	0.0	51.73 83.56 357.0
1024	0.0 0.0 0.0	0.0	51.73 83.56 357.0
1025	0.066 0.066 0.066	0.0	51.73 83.56 357.0
1026	0.133 0.133 0.133	0.0	51.73 83.56 357.0
1027	0.2 0.2 0.2	0.0	51.73 83.56 357.0
1028	0.266 0.266 0.266	0.0	51.73 83.56 357.0
1029	0.333 0.333 0.333	0.0	51.73 83.56 357.0
1030	0.4 0.4 0.4	0.0	51.73 83.56 357.0
1031	0.466 0.466 0.466	0.0	51.73 83.56 357.0
1032	0.533 0.533 0.533	0.0	51.73 83.56 357.0
1033	0.6 0.6 0.6	0.0	51.73 83.56 357.0
1034	0.666 0.666 0.666	0.0	51.73 83.56 357.0
1035	0.734 0.734 0.734	0.0	51.73 83.56 357.0
1036	0.8 0.8 0.8	0.0	51.73 83.56 357.0
1037	0.866 0.866 0.866	0.0	51.73 83.56 357.0
1038	0.933 0.933 0.933	0.0	51.73 83.56 357.0
1039	1.0 1.0 1.0	0.0	51.73 83.56 357.0
1040	0.0 0.0 0.0	0.0	51.73 83.56 357.0
1041	0.066 0.066 0.066	0.0	51.73 83.56 357.0
1042	0.133 0.133 0.133	0.0	51.73 83.56 357.0
1043	0.2 0.2 0.2	0.0	51.73 83.56 357.0
1044	0.266 0.266 0.266	0.0	51.73 83.56 357.0
1045	0.333 0.333 0.333	0.0	51.73 83.56 357.0
1046	0.4 0.4 0.4	0.0	51.73 83.56 357.0
1047	0.466 0.466 0.466	0.0	51.73 83.56 357.0
1048	0.533 0.533 0.533	0.0	51.73 83.56 357.0
1049	0.6 0.6 0.6	0.0	51.73 83.56 357.0
1050	0.666 0.666 0.666	0.0	51.73 83.56 357.0
1051	0.734 0.734 0.734	0.0	51.73 83.56 357.0
1052	0.8 0.8 0.8	0.0	51.73 83.56 357.0
1053	0.866 0.866 0.866	0.0	51.73 83.56 357.0
1054	0.933 0.933 0.933	0.0	51.73 83.56 357.0
1055	1.0 1.0 1.0	0.0	51.73 83.56 357.0
1056	0.0 0.0 0.0	0.0	51.73 83.56 357.0
1057	0.066 0.066 0.066	0.0	51.73 83.56 357.0
1058	0.133 0.133 0.133	0.0	51.73 83.56 357.0
1059	0.2 0.2 0.2	0.0	51.73 83.56 357.0
1060	0.266 0.266 0.266	0.0	51.73 83.56 357.0
1061	0.333 0.333 0.333	0.0	51.73 83.56 357.0
1062	0.4 0.4 0.4	0.0	51.73 83.56 357.0
1063	0.466 0.466 0.466	0.0	51.73 83.56 357.0
1064	0.533 0.533 0.533	0.0	51.73 83.56 357.0
1065	0.6 0.6 0.6	0.0	51.73 83.56 357.0
1066	0.666 0.666 0.666	0.0	51.73 83.56 357.0
1067	0.734 0.734 0.734	0.0	51.73 83.56 357.0
1068	0.8 0.8 0.8	0.0	51.73 83.56 357.0
1069	0.866 0.866 0.866	0.0	51.73 83.56 357.0
1070	0.933 0.933 0.933	0.0	51.73 83.56 357.0
1071	1.0 1.0 1.0	0.0	51.73 83.56 357.0
1072	0.0 0.0 0.0	0.0	51.73 83.56 357.0
1073	1.0 1.0 1.0	0.0	51.73 83.56 357.0
1074	1.0 0.0 0.0	30.0	50.49 87.9 25.5
1075	0.0 1.0 1.0	210.0	79.7 45.34 27.0
1076	1.0 1.0 0.0	90.0	83.47 100.08 92.3
1077	0.0 0.0 1.0	270.0	58.88 59.94 271.7
1078	0.0 1.0 0.0	150.0	85.38 66.23 162.2
1079	1.0 0.0 1.0	330.0	56.15 111.45 328.6

TUB registration: 20100801-KE64/KE64L0NA.TXT /PS
 application for measurement of printer or monitor systems
 TUB material: code=rh4ta