

See original or copy: http://web.me.com/Klaus_richter/LE15/LE15LONA.TXT /PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

% 100[L*a*b*] _{FadIn}	i s no.	% 0 0000 #	% 0 0001 #	% 0 0002 #	% 0 0003 #	% 0 0004 #	% 0 0005 #	% 0 0006 #	% 0 0007 #	% 0 0008 #	% 0 0009 #	% 0 0010 #	% 0 0011 #	% 0 0012 #	% 0 0013 #	% 0 0014 #	% 0 0015 #	% 0 0016 #	% 0 0017 #	% 0 0018 #	% 0 0019 #	% 0 0020 #	% 0 0021 #	% 0 0022 #	% 0 0023 #	% 0 0024 #	% 0 0025 #	% 0 0026 #	% 0 0027 #	% 0 0028 #	% 0 0029 #	% 0 0030 #	% 0 0031 #	% 0 0032 #	% 0 0033 #	% 0 0034 #	% 0 0035 #	% 0 0036 #	% 0 0037 #	% 0 0038 #	% 0 0039 #	% 0 0040 #	% 0 0041 #	% 0 0042 #	% 0 0043 #	% 0 0044 #	% 0 0045 #	% 0 0046 #	% 0 0047 #	% 0 0048 #	% 0 0049 #	% 0 0050 #	% 0 0051 #	% 0 0052 #	% 0 0053 #	% 0 0054 #	% 0 0055 #	% 0 0056 #	% 0 0057 #	% 0 0058 #	% 0 0059 #	% 0 0060 #	% 0 0061 #	% 0 0062 #	% 0 0063 #	% 0 0064 #	% 0 0065 #	% 0 0066 #	% 0 0067 #	% 0 0068 #	% 0 0069 #	% 0 0070 #	% 0 0071 #	% 0 0072 #	% 0 0073 #	% 0 0074 #	% 0 0075 #	% 0 0076 #	% 0 0077 #	% 0 0078 #	% 0 0079 #	% 0 0080 #	% 0 0081 #	% 0 0082 #	% 0 0083 #	% 0 0084 #	% 0 0085 #	% 0 0086 #	% 0 0087 #	% 0 0088 #	% 0 0089 #	% 0 0090 #	% 0 0091 #	% 0 0092 #	% 0 0093 #	% 0 0094 #	% 0 0095 #	% 0 0096 #	% 0 0097 #	% 0 0098 #	% 0 0099 #	% 0 0100 #	% 0 0101 #	% 0 0102 #	% 0 0103 #	% 0 0104 #	% 0 0105 #	% 0 0106 #	% 0 0107 #	% 0 0108 #	% 0 0109 #	% 0 0110 #	% 0 0111 #	% 0 0112 #	% 0 0113 #	% 0 0114 #	% 0 0115 #	% 0 0116 #	% 0 0117 #	% 0 0118 #	% 0 0119 #	% 0 0120 #	% 0 0121 #	% 0 0122 #	% 0 0123 #	% 0 0124 #	% 0 0125 #	% 0 0126 #	% 0 0127 #	% 0 0128 #	% 0 0129 #	% 0 0130 #	% 0 0131 #	% 0 0132 #	% 0 0133 #	% 0 0134 #	% 0 0135 #	% 0 0136 #	% 0 0137 #	% 0 0138 #	% 0 0139 #	% 0 0140 #	% 0 0141 #	% 0 0142 #	% 0 0143 #	% 0 0144 #	% 0 0145 #	% 0 0146 #	% 0 0147 #	% 0 0148 #	% 0 0149 #	% 0 0150 #	% 0 0151 #	% 0 0152 #	% 0 0153 #	% 0 0154 #	% 0 0155 #	% 0 0156 #	% 0 0157 #	% 0 0158 #	% 0 0159 #	% 0 0160 #	% 0 0161 #	% 0 0162 #	% 0 0163 #	% 0 0164 #	% 0 0165 #	% 0 0166 #	% 0 0167 #	% 0 0168 #	% 0 0169 #	% 0 0170 #	% 0 0171 #	% 0 0172 #	% 0 0173 #	% 0 0174 #	% 0 0175 #	% 0 0176 #	% 0 0177 #	% 0 0178 #	% 0 0179 #	% 0 0180 #	% 0 0181 #	% 0 0182 #	% 0 0183 #	% 0 0184 #	% 0 0185 #	% 0 0186 #	% 0 0187 #	% 0 0188 #	% 0 0189 #	% 0 0190 #	% 0 0191 #	% 0 0192 #	% 0 0193 #	% 0 0194 #	% 0 0195 #	% 0 0196 #	% 0 0197 #	% 0 0198 #	% 0 0199 #	% 0 0200 #	% 0 0201 #	% 0 0202 #	% 0 0203 #	% 0 0204 #	% 0 0205 #	% 0 0206 #	% 0 0207 #	% 0 0208 #	% 0 0209 #	% 0 0210 #	% 0 0211 #	% 0 0212 #	% 0 0213 #	% 0 0214 #	% 0 0215 #	% 0 0216 #	% 0 0217 #	% 0 0218 #	% 0 0219 #	% 0 0220 #	% 0 0221 #	% 0 0222 #	% 0 0223 #	% 0 0224 #	% 0 0225 #	% 0 0226 #	% 0 0227 #	% 0 0228 #	% 0 0229 #	% 0 0230 #	% 0 0231 #	% 0 0232 #	% 0 0233 #	% 0 0234 #	% 0 0235 #	% 0 0236 #	% 0 0237 #	% 0 0238 #	% 0 0239 #	% 0 0240 #	% 0 0241 #	% 0 0242 #	% 0 0243 #	% 0 0244 #	% 0 0245 #	% 0 0246 #	% 0 0247 #	% 0 0248 #	% 0 0249 #	% 0 0250 #	% 0 0251 #	% 0 0252 #	% 0 0253 #	% 0 0254 #	% 0 0255 #	% 0 0256 #	% 0 0257 #	% 0 0258 #	% 0 0259 #	% 0 0260 #	% 0 0261 #	% 0 0262 #	% 0 0263 #	% 0 0264 #	% 0 0265 #	% 0 0266 #	% 0 0267 #	% 0 0268 #	% 0 0269 #	% 0 0270 #	% 0 0271 #	% 0 0272 #	% 0 0273 #	% 0 0274 #	% 0 0275 #	% 0 0276 #	% 0 0277 #	% 0 0278 #	% 0 0279 #	% 0 0280 #	% 0 0281 #	% 0 0282 #	% 0 0283 #	% 0 0284 #	% 0 0285 #	% 0 0286 #	% 0 0287 #	% 0 0288 #	% 0 0289 #	% 0 0290 #	% 0 0291 #	% 0 0292 #	% 0 0293 #	% 0 0294 #	% 0 0295 #	% 0 0296 #	% 0 0297 #	% 0 0298 #	% 0 0299 #	% 0 0300 #	% 0 0301 #	% 0 0302 #	% 0 0303 #	% 0 0304 #	% 0 0305 #	% 0 0306 #	% 0 0307 #	% 0 0308 #	% 0 0309 #	% 0 0310 #	% 0 0311 #	% 0 0312 #	% 0 0313 #	% 0 0314 #	% 0 0315 #	% 0 0316 #	% 0 0317 #	% 0 0318 #	% 0 0319 #	% 0 0320 #	% 0 0321 #	% 0 0322 #	% 0 0323 #	% 0 0324 #	% 0 0325 #	% 0 0326 #	% 0 0327 #	% 0 0328 #	% 0 0329 #	% 0 0330 #	% 0 0331 #	% 0 0332 #	% 0 0333 #	% 0 0334 #	% 0 0335 #	% 0 0336 #	% 0 0337 #	% 0 0338 #	% 0 0339 #	% 0 0340 #	% 0 0341 #	% 0 0342 #	% 0 0343 #	% 0 0344 #	% 0 0345 #	% 0 0346 #	% 0 0347 #	% 0 0348 #	% 0 0349 #	% 0 0350 #	% 0 0351 #	% 0 0352 #	% 0 0353 #	% 0 0354 #	% 0 0355 #	% 0 0356 #	% 0 0357 #	% 0 0358 #	% 0 0359 #	% 0 0360 #	% 0 0361 #	% 0 0362 #	% 0 0363 #	% 0 0364 #	% 0 0365 #	% 0 0366 #	% 0 0367 #	% 0 0368 #	% 0 0369 #	% 0 0370 #	% 0 0371 #	% 0 0372 #	% 0 0373 #	% 0 0374 #	% 0 0375 #	% 0 0376 #	% 0 0377 #	% 0 0378 #	% 0 0379 #	% 0 0380 #	% 0 0381 #	% 0 0382 #	% 0 0383 #	% 0 0384 #	% 0 0385 #	% 0 0386 #	% 0 0387 #	% 0 0388 #	% 0 0389 #	% 0 0390 #	% 0 0391 #	% 0 0392 #	% 0 0393 #	% 0 0394 #	% 0 0395 #	% 0 0396 #	% 0 0397 #	% 0 0398 #	% 0 0399 #	% 0 0400 #	% 0 0401 #	% 0 0402 #	% 0 0403 #	% 0 0404 #	% 0 0405 #	% 0 0406 #	% 0 0407 #	% 0 0408 #	% 0 0409 #	% 0 0410 #	% 0 0411 #	% 0 0412 #	% 0 0413 #	% 0 0414 #	% 0 0415 #	% 0 0416 #	% 0 0417 #	% 0 0418 #	% 0 0419 #	% 0 0420 #	% 0 0421 #	% 0 0422 #	% 0 0423 #	% 0 0424 #	% 0 0425 #	% 0 0426 #	% 0 0427 #	% 0 0428 #	% 0 0429 #	% 0 0430 #	% 0 0431 #	% 0 0432 #	% 0 0433 #	% 0 0434 #	% 0 0435 #	% 0 0436 #	% 0 0437 #	% 0 0438 #	% 0 0439 #	% 0 0440 #	% 0 0441 #	% 0 0442 #	% 0 0443 #	% 0 0444 #	% 0 0445 #	% 0 0446 #	% 0 0447 #	% 0 0448 #	% 0 0449 #	% 0 0450 #	% 0 0451 #	% 0 0452 #	% 0 0453 #	% 0 0454 #	% 0 0455 #	% 0 0456 #	% 0 0457 #	% 0 0458 #	% 0 0459 #	% 0 0460 #	% 0 0461 #	% 0 0462 #	% 0 0463 #	% 0 0464 #	% 0 0465 #	% 0 0466 #	% 0 0467 #	% 0 0468 #	% 0 0469 #	% 0 0470 #	% 0 0471 #	% 0 0472 #	% 0 0473 #	% 0 0474 #	% 0 0475 #	% 0 0476 #	% 0 0477 #	% 0 0478 #	% 0 0479 #	% 0 0480 #	% 0 0481 #	% 0 0482 #	% 0 0483 #	% 0 0484 #	% 0 0485 #	% 0 0486 #	% 0 0487 #	% 0 0488 #	% 0 0489 #	% 0 0490 #	% 0 0491 #	% 0 0492 #	% 0 0493 #	% 0 0494 #	% 0 0495 #	% 0 0496 #	% 0 0497 #	% 0 0498 #	% 0 0499 #	% 0 0500 #	% 0 0501 #	% 0 0502 #	% 0 0503 #	% 0 0504 #	% 0 0505 #	% 0 0506 #	% 0 0507 #	% 0 0508 #	% 0 0509 #	% 0 0510 #	% 0 0511 #	% 0 0512 #	% 0 0513 #	% 0 0514 #	% 0 0515 #	% 0 0516 #	% 0 0517 #	% 0 0518 #	% 0 0519 #	% 0 0520 #	% 0 0521 #	% 0 0522 #	% 0 0523 #	% 0 0524 #	% 0 0525 #	% 0 0526 #	% 0 0527 #	% 0 0528 #	% 0 0529 #	% 0 0530 #	% 0 0531 #	% 0 0532 #	% 0 0533 #	% 0 0534 #	% 0 0535 #	% 0 0536 #	% 0 0537 #	% 0 0538 #	% 0 0539 #	% 0 0540 #	% 0 0541 #	% 0 0542 #	% 0 0543 #	% 0 0544 #	% 0 0545 #	% 0 0546 #	% 0 0547 #	% 0 0548 #	% 0 0549 #	% 0 0550 #	% 0 0551 #	% 0 0552 #	% 0 0553 #	% 0 0554 #	% 0 0555 #	% 0 0556 #	% 0 0557 #	% 0 0558 #	% 0 0559 #	% 0 0560 #	% 0 0561 #	% 0 0562 #	% 0 0563 #	% 0 0564 #	% 0 0565 #	% 0 0566 #
--------------------------------	---------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------



% LE150-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Ym and normalized: Yn = Yw = 89; for standard sRGB display, Page 1/48; display type: sRGB_IEC_61966_2_1

TUB-test chart LE15; 1080 colours of sRGB display; Lr=0%; Fadin input: `rgb setrgbcolor`
LAB* data for input and intended output (Fadin, Fadit) and CIELAB diagrams output: no change

TUB registration: 20101101-LE15/LE15LONA.TXT /PS
application for measurement of printer or monitor systems

TUB material: code=rh4t4



% LE15_sRGB display 0%_Fadin



See original or copy: <http://web.me.com/Klaus.richter/LE15/LE15LONA.TXT /.PS>
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

















TUB registration: 20101101-LE15/LE15LONA.TXT /.PS
application for measurement of printer or monitor systems
TUB material: code=rh4ta

Table with columns: % 100[L*,a*,b*], Fadin, i s no., and multiple columns of numerical data representing color calibration values for various color patches.



See original or copy: <http://web.me.com/klaus.richter/LE15/LE15LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE15/LE15LONA.TXT /.PS
 application for measurement of printer or monitor systems
 TUB material: code=rh4ta



% LE15-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n = Y_w = 89$; for standard sRGB display, Page 3/48; display type: sRGB_IEC_61966_2_1

TUB-test chart LE15; 1080 colours of sRGB display; $Lr=0\%$; Fadin input: `rgb setrgbcolor`
 LAB* data for input and intended output (Fadin, Fadit) and CIELAB diagrams output: no change




See original or copy: <http://web.me.com/Klaus.richter/LE15/LE15LONA.TXT> /PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

Table with columns: % 100[L*,a*,b*], Fadin, i s no., and multiple columns of numerical data representing color calibration parameters for various color patches.

% LE150-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Ym and normalized: Yn = Yw = 89; for standard sRGB display, Page 5/48; display type: sRGB_IEC_61966_2_1

TUB-test chart LE15; 1080 colours of output of sRGB display; Lr=0%; Fadin input: rgb setrgbcolor
LAB* data for input and intended output (Fadin, Fadin) and CIELAB diagrams output: no change

















TUB registration: 20101101-LE15/LE15LONA.TXT /PS
application for measurement of printer or monitor systems
TUB material: code=rh4ta



See original or copy: <http://web.me.com/klaus.richter/LE15/LE15LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE15/LE15LONA.TXT /.PS
 application for measurement of printer or monitor systems

TUB material: code=rh4ta



% LE15-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n = Y_w = 89$; for standard sRGB display, Page 6/48; display type: sRGB_IEC_61966_2_1

















Table with columns: % 100(L*a*,b*)Fadin, i s no., and multiple columns of numerical data representing color measurements for various color patches.

TUB-test chart LE15; 1080 colours of sRGB display; Lr=0,6%; Fadin input: rgb setrgbcolor LAB* data for input and intended output (Fadin, Fadit) and CIELAB diagrams output: no change

TUB registration: 20101101-LE15/LE15LONA.TXT /PS application for measurement of printer or monitor systems

TUB material: code=rh4t4

See original or copy: http://web.me.com/Klaus_richter/LE15/LE15LONA.TXT /PS Technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



TUB registration: 20101101-LE15/LE15LONA.TXT /.PS
application for measurement of printer or monitor systems

TUB material: code=rh4t4

Table with columns: %100[L*,a*,b*]Fadit, i s no., and multiple columns of colorimetric data. The table contains numerous rows of numerical values representing colorimetric measurements.

















See original or copy: http://web.me.com/Klaus_richter/LE15/LE15LONA.TXT /.PS
Technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

% LE15-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Ym and normalized: Ym = Yw = 89; for standard sRGB display, Page 10/48; display type: sRGB_IEC_61966_2_1 % LE15_sRGB display 0,6% Fadit

See original or copy: <http://web.me.com/klaus.richter/LE15/LE15LONA.TXT> /PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE15/LE15LONA.TXT /PS
 application for measurement of printer or monitor systems

TUB material: code=rh4ta



% LE15-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n = Y_w = 89$; for standard sRGB display, Page 12/48; display type: sRGB_IEC_61966_2_1

% LE15_sRGB display 0,6%_Fadit

TUB registration: 20101101-LE15/LE15LONA.TXT /.PS
application for measurement of printer or monitor systems

















TUB material: code=rh4ta

Table with 10 columns: % 100[L*a*,b*], Fadin, i s no., and 8 columns of color data (005456 to 009333). Each row represents a color patch with its Lab values and a unique identifier.

See original or copy: http://web.me.com/Klaus.richter/LE15/LE15LONA.TXT /.PS
Technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

See original or copy: <http://web.me.com/klaus.richter/LE15/LE15LONA.TXT> /.PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE15/LE15LONA.TXT /.PS
application for measurement of printer or monitor systems
TUB material: code=rh4ta



% LE150-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Ym and normalized: Yn = Yw = 89; for standard sRGB display, Page 15/48; display type: sRGB_IEC_61966_2_1

% LE15_sRGB display 1.2%, Fadin

TUB-test chart LE15; 1080 colours of sRGB display; Lr=1,2%; Fadin input: rgb setrgbcolor
LAB* data for input and intended output (Fadin, Fadit) and CIELAB diagrams output: no change

See original or copy: <http://web.me.com/Klaus.richter/LE15/LE15LONA.TXT> /PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

Table with columns: % 100(L*,a*,b*)Fadit, i s n, and multiple columns of numerical data representing color calibration values for various color patches.

% LE150-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Ym and normalized: Yn = Yw = 89; for standard sRGB display, Page 16/48; display type: sRGB_IEC_61966_2_1

















TUB-test chart LE15; 1080 colours of sRGB display; Lr = 1,2%; Fadit input: rgb setrgbcolor
LAB* data for input and intended output (Fadin, Fadit) and CIELAB diagrams output: no change

TUB registration: 20101101-LE15/LE15LONA.TXT /PS
application for measurement of printer or monitor systems
TUB material: code=rh4t4

See original or copy: <http://web.me.com/klaus.richter/LE15/LE15LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE15/LE15LONA.TXT /.PS
 application for measurement of printer or monitor systems

TUB material: code=rh4ta



% LE150-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales; luminance factor measured: Y_m and normalized: $Y_n = Y_w = 89$; for standard sRGB display, Page 18/48; display type: sRGB_IEC_61966_2_1

% LE15_sRGB display 1.2%_Fadit

Table with columns: % 100[L*,a*,b*]FadIn, i s n, and multiple columns of numerical data representing color calibration parameters for various color patches.

See original or copy: http://web.me.com/Klaus_richter/LE15/LE15LONA.TXT /PS
Technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20101101-LE15/LE15LONA.TXT /PS
application for measurement of printer or monitor systems
TUB material: code=rh4t4

















Table with 5 columns of data, including color codes and numerical values. The table contains a large amount of data for color calibration, including values for L*, a*, b*, and other colorimetric parameters.

See original or copy: http://web.me.com/Klaus.richter/LE15/LE15LONA.TXT /.PS
Technical information: http://www.-ps.bam.de or http://130.149.60.45/~farbmetrik

See original or copy: <http://web.me.com/klaus.richter/LE15/LE15LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE15/LE15LONA.TXT /.PS
 application for measurement of printer or monitor systems

TUB material: code=rh4ta



% LE150-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n = Y_w = 89$; for standard sRGB display, Page 21/48; display type: sRGB_IEC_61966_2_1

















% LE15_sRGB display 2,5%_Fadin

TUB-test chart LE15; 1080 colours of sRGB display; $Lr=2,5\%$; Fadin input: *rgb setrgbcolor*
 LAB* data for input and intended output (Fadin, Fadit) and CIELAB diagrams output: no change

See original or copy: <http://web.me.com/klaus.richter/LE15/LE15LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE15/LE15LONA.TXT /.PS
 application for measurement of printer or monitor systems

TUB material: code=rh4ta



http://130.149.60.45/~farbmetrik/LE15/LE15LONA.TXT /PS; start output

N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D), page 25/48

Table with columns: %100[L,a*,b*]FadIn, i s no., and 1080 columns of numerical data representing color coordinates. The table is organized into 40 columns of 27 data points each.

TUB-test chart LE15; 1080 colours of sRGB display; Lr=5% ; Fadin input: rgb setrgbcolor LAB* data for input and intended output (Fadin, Fadit) and CIELAB diagrams output: no change

















See original or copy: http://web.me.com/Klaus.richter/LE15/LE15LONA.TXT /PS
Technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20101101-LE15/LE15LONA.TXT /PS
application for measurement of printer or monitor systems
TUB material: code=rh4ta

See original or copy: <http://web.me.com/klaus.richter/LE15/LE15LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE15/LE15LONA.TXT /.PS
 application for measurement of printer or monitor systems

TUB material: code=rh4ta



% LE15-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_m = Y_w = 89$; for standard sRGB display, Page 27/48; display type: sRGB_IEC_61966_2_1

TUB-test chart LE15; 1080 colours of sRGB display; $Lr=5\%$; Fadin
 LAB* data for input and intended output (Fadin, Fadit) and CIELAB diagrams output: no change
 input: `rgb setrgbcolor`

http://130.149.60.45/~farbmetrik/LE15/LE15LONA.TXT /PS; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D), page 28/48

See original or copy: <http://web.me.com/Klaus.richter/LE15/LE15LONA.TXT> /PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE15/LE15LONA.TXT /PS
application for measurement of printer or monitor systems
TUB material: code=rh4ta

Table with columns: %100(L,a*,b*)Fadit, i s no., and multiple columns of numerical data representing color calibration values.

% LE15-7N, Test chart with 1080 standard colors; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Ym and normalized: Yn = Yw = 89; for standard sRGB display, Page 28/48; display type: sRGB_IEC_61966_2_1

TUB-test chart LE15; 1080 colors of sRGB display; Lr=5%; Fadit: input: rgb setrgbcolor
LAB* data for input and intended output (Fadin, Fadit) and CIELAB diagrams output: no change

http://130.149.60.45/~farbmetrik/LE15/LE15LONA.TXT /PS; start output

N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D), page 29/48

TUB registration: 20101101-LE15/LE15LONA.TXT /PS
application for measurement of printer or monitor systems
TUB material: code=rh4ta

Table with columns for color patches, including Lab values (L, a, b) and percentage errors for red, green, blue, and magenta channels. The table contains data for 1080 color patches, with some patches highlighted in black. The text is mirrored across the page.

See original or copy: <http://web.me.com/Klaus.richter/LE15/LE15LONA.TXT /PS>
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

















% LE150-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Ym and normalized: Ym = Yw = 89; for standard sRGB display, Page 29/48; display type: sRGB_IEC_61966_2_1 % LE15_sRGB display 5% Fadit

TUB-test chart LE15; 1080 colours of sRGB display; Lr=5%; Fadit input: rgb setrgbcolor
LAB* data for input and intended output (FadIn, Fadit) and CIELAB diagrams output: no change

See original or copy: <http://web.me.com/klaus.richter/LE15/LE15LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE15/LE15LONA.TXT /.PS
 application for measurement of printer or monitor systems

TUB material: code=rh4ta



% LE150-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n = Y_w = 89$; for standard sRGB display, Page 30/48; display type: sRGB_IEC_61966_2_1

TUB-test chart LE15; 1080 colours of sRGB display; $Lr=5\%$; Fadit
 LAB* data for input and intended output (Fadin, Fadit) and CIELAB diagrams output: no change



TUB registration: 20101101-LE15/LE15LONA.TXT /PS
application for measurement of printer or monitor systems

TUB material: code=rh4t4

















Table with columns: % 100L*a*,b*, Fadin, i s no., and multiple columns of numerical data representing color and registration measurements.

See original or copy: http://web.me.com/Klaus.richter/LE15/LE15LONA.TXT /PS
Technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

See original or copy: <http://web.me.com/klaus.richter/LE15/LE15LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE15/LE15LONA.TXT /.PS
 application for measurement of printer or monitor systems

TUB material: code=rh4ta



% LE15-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_m = Y_w = 89$; for standard sRGB display, Page 33/48; display type: sRGB_IEC_61966_2_1

TUB-test chart LE15; 1080 colours of sRGB display; $L_r=10\%$; Fadin input: *rgb setrgbcolor*
 LAB* data for input and intended output (Fadin, Fadit) and CIELAB diagrams output: no change

http://130.149.60.45/~farbmetrik/LE15/LE15LONA.TXT /PS; start output

N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D), page 34/48

See original or copy: <http://web.me.com/Klaus.richter/LE15/LE15LONA.TXT> /PS
Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

Table with columns: %100[L*,a*,b*]Fadit, i s n o, and 1080 columns of colorimetric data for LE15-7N test chart.

% LE15-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Ym and normalized: Ym = Yw = 89; for standard sRGB display, Page 34/48; display type: sRGB_IEC_61966_2_1

TUB-test chart LE15; 1080 colours of sRGB display; Lr=10%; Fadit input: rgb setrgbcolor
LAB* data for input and intended output (Fadin, Fadit) and CIELAB diagrams output: no change

TUB registration: 20101101-LE15/LE15LONA.TXT /PS
application for measurement of printer or monitor systems
TUB material: code=rh4t4

http://130.149.60.45/~farbmetrik/LE15/LE15LONA.TXT /PS; start output

N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D), page 35/48




See original or copy: http://web.me.com/Klaus.richter/LE15/LE15LONA.TXT /PS
Technical information: http://www.-ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20101101-LE15/LE15LONA.TXT /PS
application for measurement of printer or monitor systems
TUB material: code=rh4ta

Table with columns: %100[L*a*,b*], Fadit, i s no., and multiple columns of numerical data representing color calibration measurements.

















% LE150-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Ym and normalized: Ym = Yw = 89; for standard sRGB display, Page 35/48; display type: sRGB_IEC_61966_2_1

TUB-test chart LE15; 1080 colours of sRGB display; Lr=10%; Fadit input: rgb setrgbcolor
LAB* data for input and intended output (Fadin, Fadit) and CIELAB diagrams output: no change



See original or copy: <http://web.me.com/klaus.richter/LE15/LE15LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE15/LE15LONA.TXT /.PS
 application for measurement of printer or monitor systems
 TUB material: code=rh4ta





% LE15-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n = Y_w = 89$; for standard sRGB display, Page 36/48; display type: sRGB_IEC_61966_2_1

TUB-test chart LE15; 1080 colours of sRGB display; $L_r=10\%$; Fadit
 LAB* data for input and intended output (Fadin, Fadit) and CIELAB diagrams output: no change



http://130.149.60.45/~farbmetrik/LE15/LE15L0NA.TXT /PS; start output
 N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D), page 37/48



See original or copy: http://web.me.com/Klaus_richter/LE15/LE15L0NA.TXT /PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE15/LE15L0NA.TXT /PS
 application for measurement of printer or monitor systems

TUB material: code=rh4t4

% 100(L*,a*,b*) _{FadIn}	i s n o	FadIn	% 100(L*,a*,b*) _{FadIt}
005201	000000	000000	005252 001014
005209	000195	-001510	005253 000159
005229	000195	-005133	005253 000296
005265	000438	-011103	005288 000534
005318	000786	-018884	005341 000877
005390	001236	-028033	005412 001320
005480	001777	-038100	005502 001853
005589	002392	-048653	005610 002460
005717	003066	-059422	005737 003126
005279	-00158	000113	005302 -00054
005287	-00103	-000036	005310 000000
005307	000036	-00398	005330 000136
005342	000277	-00988	005364 000373
005394	000624	-01769	005416 000715
005464	001173	-02688	005485 001157
005552	001613	-03696	005573 001689
005659	002228	-04754	005680 002296
005784	002902	-05833	005804 002963
005470	-00558	000390	005492 -00045
005478	-00484	000241	005499 -00041
005480	-00346	-00119	005518 -00035
005530	-00108	-00707	005551 -00102
005579	000234	-01488	005600 000325
005645	000680	-02408	005666 000764
005730	001216	-03419	005750 001293
005832	001830	-04481	005851 001900
005951	002505	-05567	005970 002567
005788	-001146	000845	005808 -01044
005795	-01093	000697	005814 -00992
005812	-00959	000338	005831 -00861
005842	-00727	-00245	005862 -00632
005887	-00391	-01023	005907 -00301
005948	000045	-01944	005967 000129
006026	000575	-02958	006045 000652
006121	001183	-04027	006139 001254
006232	001856	-05121	006249 001920
006219	-01929	001452	006237 -01830
006225	-01878	001306	006243 -01780
006241	-01750	000953	006258 -01654
006268	-01527	000374	006285 -01434
006308	-01204	-00397	006326 -01115
006363	-00780	-01315	006380 -00699
006433	-00264	-02331	006450 -00187
006518	000332	-03405	006535 000403
006619	000997	-04509	006635 001061
006743	002819	-06203	006759 002725
006749	-02771	002030	006764 -02678
006762	-02651	001684	006778 -02559
006786	-02440	001115	006801 -02351
006822	-02133	000352	006837 -02048
006870	-01730	-00559	006885 -01649
006932	-01234	-01573	006947 -01159
007008	-00657	-02650	007022 -00587
007097	-00008	-03761	007112 000055
007337	-03757	002967	007350 -03670
007341	-03713	002829	007355 -03626
007353	-03601	002492	007367 -03515
007374	-03405	001936	007387 -03321
007405	-03118	001187	007418 -03037
007447	-02739	000286	007461 -02661
007502	-02270	-00720	007515 -02197
007568	-01719	-01796	007581 -01651
007648	-01096	-02911	007660 -01033
007979	-04703	003801	007991 -04622
007983	-04663	003668	007995 -04582
007993	-04560	003343	008005 -04480
008011	-04380	002804	008023 -04301
008039	-04114	002072	008050 -04038
008076	-03761	001187	008087 -03689
008123	-03323	000191	008135 -03254
008182	-02804	-00877	008193 -02739
008251	-02212	-01990	008263 -02151
008655	-05633	004652	008665 -05559
008658	-05596	004525	008669 -05522
008667	-05503	004212	008678 -05429
008683	-05338	003692	008693 -05265
008707	-05094	002982	008717 -05104
008739	-04769	002117	008750 -04701
008781	-04362	001138	008791 -04297
008832	-03878	000080	008842 -03816
008894	-03321	-01026	008904 -03263
005284 000360 000129	005289 000412 -00020	005311 000544 -00383	005346 000772 -00974
005398 001101 -01756	005468 001528 -02676	005556 002042 -03685	005663 002630 -04744
005788 003276 -05824	006360 000201 000240	005367 000253 000090	005471 000171 000171
005486 000627 -000398	005457 000626 000248	005613 001252 000477	005631 001362 000114
005519 001099 -00704	005659 001316 -01486	005774 001834 -01259	005861 002246 000413
005635 001716 -02409	005720 002200 -03422	005856 002646 -03200	005966 003163 -04268
005822 002757 -04486	005954 003163 -04268	006070 003729 -05560	005781 000826 000876
005642 000244 000659	005649 000242 000510	005649 000242 000510	005649 000242 000510
005649 000242 000510	005649 000242 000510	005649 000242 000510	005649 000242 000510
005649 000242 000510	005649 000242 000510	005649 000242 000510	005649 000242 000510
005649 000242 000510	005649 000242 000510	005649 000242 000510	005649 000242 000510

















TUB-test chart LE15; 1080 colours of sRGB display; Lr=20%; Fadin input: `rgb setrgbcolor`
 LAB* data for input and intended output (Fadin, Fadit) and CIELAB diagrams output: no change



See original or copy: <http://web.me.com/klaus.richter/LE15/LE15LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE15/LE15LONA.TXT /.PS
 application for measurement of printer or monitor systems

TUB material: code=rh4ta



% LE150-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n = Y_w = 89$; for standard sRGB display, Page 39/48; display type: sRGB_IEC_61966_2_1

TUB-test chart LE15; 1080 colours of sRGB display; $L_r=20\%$; Fadin
 LAB* data for input and intended output (Fadin, Fadit) and CIELAB diagrams output: no change
 input: `rgb setrgbcolor`



















Table with 48 columns representing colorimetric data for 1080 standard colors. Columns include color number, Lab values (L*, a*, b*), and XYZ values (X, Y, Z) for sRGB, Fadin, and CIELAB color spaces. The data is organized into 10 groups of 48 colors each.

See original or copy: http://web.me.com/Klaus.richter/LE15/LE15LONA.TXT /.PS
Technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20101101-LE15/LE15LONA.TXT /.PS
application for measurement of printer or monitor systems
TUB material: code=rh4ta

See original or copy: <http://web.me.com/klaus.richter/LE15/LE15LONA.TXT> /PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE15/LE15LONA.TXT /PS
 application for measurement of printer or monitor systems
 TUB material: code=rh4ta



% LE15-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales; luminance factor measured: Y_m and normalized: $Y_n = Y_w = 89$; for standard sRGB display, Page 42/48; display type: sRGB_IEC_61966_2_1

















% LE15_sRGB display 20%_Fadit

TUB-test chart LE15; 1080 colours of sRGB display; $L_r=20\%$; Fadit
 LAB* data for input and intended output (Fadin, Fadit) and CIELAB diagrams output: no change
 input: *rgb setrgbcolor*

See original or copy: <http://web.me.com/klaus.richter/LE15/LE15LONA.TXT> /PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE15/LE15LONA.TXT /PS
 application for measurement of printer or monitor systems

TUB material: code=rh4ta



















% LE15-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales; luminance factor measured: Y_m and normalized: $Y_n = Y_w = 89$; for standard sRGB display, Page 45/48; display type: sRGB_IEC_61966_2_1

% LE15_sRGB display 40%_Fadin

See original or copy: <http://web.me.com/klaus.richter/LE15/LE15LONA.TXT> /.PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20101101-LE15/LE15LONA.TXT /.PS
 application for measurement of printer or monitor systems
 TUB material: code=rh4ta



% LE15-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales; luminance factor measured: Y_m and normalized: $Y_n = Y_w = 89$; for standard sRGB display, Page 48/48; display type: sRGB_IEC_61966_2_1

% LE15_sRGB display 40%_Fadit

TUB-test chart LE15; 1080 colours of sRGB display; $L_r=40\%$; Fadit
 LAB* data for input and intended output (Fadin, Fadit) and CIELAB diagrams output: no change
 input: `rgb setrgbcolor`

