

### PSL2-program code: definition and reproduction of 20 L\*-lightnesses

```
%%PS-Adobe-3.0 B7231-7n.eps 20.10.94
%%BoundingBox: 72 90 226 206
/FS [findfont exch scalefont setfont] bind def
/MM [72 25.4 div mul] def
/languagelevel where {pop languagelevel} {1} ifelse
/PSL2 exch def
/dictende {countmark 2 idiv dup dict begin {def}
  repeat pop currentdict end} bind def
%%EndProlog

72 90 translate 0.01 MM dup scale 20 setlinewidth

PSL12 2 eq
{ [ /CIEBasedA [
  /WhitePoint [1 1 1] %monochrome L*-color space for D65
  /RangeA [0 100] %CIEXYZ for white
  /DecodeA [16 add 116 div 3 exp] bind %CIELAB-L*-limits N/W
  dictende ] setcolorspace } if %standard-PSL2 L* setcolor

PSL12 1 eq
{ /setcolor {0.01 mul 0.4 exp setgray} def } if

/colqua {moveto s 0 rlineto 0 s rlineto s neg 0 rlineto %square
  closepath} bind def

/s 600 def /xw 1000 def /yw 800 def %square width and distances

50 setcolor %Graufeld mit L*=50 (mean CIELAB-lightness)
0 0 moveto 5400 0 rlineto 0 4000 rlineto %image size 54mm x 40mm
  -5400 0 rlineto closepath fill

/TR [250 /Times-ISOL1 FS] bind def %Times-Roman; Hoehe 2,5mm
/TI [250 /Times-ISOL1 FS] bind def %Times-Italic

1200 3720 moveto 100 setcolor
/TR (20 CIELAB ) show TI (L*-) show TR (lightness) show

550 400 translate %zero point lower left gray square

0 1 3 {/i exch def %line index i=0, 1, 2, 3
  0 1 4 {/j exch def %row index j=0, 1, 2, ..., 5
    /n i 5 mul j add def %serial number 0, 1, ..., 19
    /L* n 1 add 5 mul def %20 L*-lightness L*=5, ..., 100

    /x0 j xw mul def %x-position for square
    /y0 i yw mul def %y-position

    L* setcolor %CIELAB-L*-lightness
    x0 y0 colqua fill %xy0 fill square

    L* 50 eq {100 setcolor %special case square edge
      x0 y0 colqua stroke} if %xy0 square

    L* 4 string cvs dup stringwidth %x-, y-string length L*
    pop x0 exch sub 20 sub %x-position minus xl
    y0 100 add moveto %y-text-position

    100 setcolor show %text L* right justified W
    } for %end loop j
  } for %end loop i

showpage
```

### PSL2-program code: definition and reproduction of 20 L\*-colors

```
%%PS-Adobe-3.0 B7241-7n.eps 20.10.94
%%BoundingBox: 72 90 226 206
/FS [findfont exch scalefont setfont] bind def
/MM [72 25.4 div mul] def
/languagelevel where {pop languagelevel} {1} ifelse
/PSL2 exch def
/dictende {countmark 2 idiv dup dict begin {def}
  repeat pop currentdict end} bind def
%%EndProlog

72 90 translate 0.01 MM dup scale

PSL12 2 eq [ [ /CIEBasedABC [ %color space and limits D65
  /WhitePoint [0.9505 1 1.089] %CIEXYZ for D65
  /RangeABC [0 0.9505 0 1 0 1.0885] %CIEKXYZ-limits N/W
  /RangeLMW [0 0.9505 0 1 0 1.0885] dictende ] setcolorspace] if

PSL12 1 eq
{ {/setrgbcolor where %definition for PSL1-Geräte
  {question for PSL1 color device
  [pop setrgbcolor] %PSL1 color device
  [pop 0.4 exp setgray pop] ifelse } %PSL1 NW device
  /setcolor exch def } if

/LABDEF {/b* exch def /a* exch def /L* exch def} bind def
/X* [L* 16 add 116 div a* 500 div add] bind def
/Y* [L* 16 add 116 div b* 500 div add] bind def
/Z* [L* 16 add 116 div b* 200 div add] bind def
/DecodeXYZ* {dup 6 29 div ge {dup dup mul mul}
  { 4 29 div sub 108 841 div mul} ifelse } bind def
/X [X* DecodeXYZ* 0.9505 mul ] bind def
/Y [Y* DecodeXYZ*] bind def
/Z [Z* DecodeXYZ* 1.0890 mul ] bind def
/LABXYZ [LABDEF X Y Z] bind def

/s 600 def /xw 1000 def /yw 900 def %square width and distances

/colqua {moveto s 0 rlineto 0 s rlineto %square
  s neg 0 rlineto closepath fill} bind def

50 0 0 LABXYZ setcolor %gray square with L*=50 (mean CIELAB lightness)
0 0 moveto 5400 0 rlineto 0 4000 rlineto %image size 54mm x 40mm
  -5400 0 rlineto closepath fill

/TR [250 /Times-ISOL1 FS] bind def %Times-Roman; height 2,5mm
/TI [250 /Times-ISOL1 FS] bind def %Times-Italic

1200 3720 moveto 100 0 0 LABXYZ setcolor
TR (20 CIELAB ) show TI (L*a*-) show TR (colors) show

100 3720 moveto TI (L*) show
5100 100 moveto TI (a*) show TR

400 300 translate %zero point lower left test color

0 1 3 {/i exch def %for CIELAB-L*= 20, 40, 60, 80
  0 1 4 {/j exch def %for CIELAB-a*=0, 20, 40, 60, 80
    /LS i 1 add 20 mul def
    /aS j 20 mul def
    LS aS 0 LABXYZ setcolor %L*, a*, b*=0 -> XYZ
    j xw mul i yw mul colqua
    100 0 0 LABXYZ setcolor %writing W
    LS 4 string cvs dup stringwidth pop /xl exch def
    j xw mul xl sub 050 sub i yw mul 200 add moveto show
    aS 4 string cvs dup stringwidth pop /xl exch def
    } for %j
  } for %i

showpage
```