



See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
 Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1


TUB registration: 20110801-OE52/OE52L1NA.TXT /.PS
 application for output of displays: monitor systems or data projector systems
 TUB material: code=rh4ta




Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N




Radial grating (Siemens-star) N-Z



Radial grating (Siemens-star) W-Z


OE520-3N, Picture A1-020-0: Radial grating N-W, W-N, N-Z, W-Z; PS operator: $n^* n^* n^* 0$ setcmykcolor



Landolt-rings W-N


code: background-ring

OE521-1N, Picture A4-020-0: Landolt-rings W-N; PS operator: $n^* n^* n^* 0$ setcmykcolor




line raster diameter in lpi

OE521-3N, Picture A5-020-0: Line raster under 45° (or 135°); PS operator: $n^* n^* n^* 0$ setcmykcolor




OE520-5N, Picture A2-020-0: 5 equidistant L*-grey steps+N0+W1; PS operator: $n^* n^* n^* 0$ setcmykcolor



line raster diameter in lpi

OE521-5N, Picture A6-020-0: Line raster under 90° (or 0°); PS operator: $n^* n^* n^* 0$ setcmykcolor



OE520-7N, Picture A3-020-0: 16 visual equidistant L*-grey steps; PS operator: $n^* n^* n^* 0$ setcmykcolor

OE52: similar ME16 according to ISO 9241-306; DH
 Viewing Y contrast $Y_W:Y_N=88,9:0,31$; Y_N range 0,0 to <0,46

input: $cmy0 (->rgb*_d)$ setcmyk
 output 020-0: no change

