

See similar ISO test charts: http://www.ps.bam.de/24705TE, http://www.ps.bam.de/9241E
Technical information: http://www.ps.bam.de/33872E Version 2.1, io=1,1, CIELAB

TUB registration: 20110801-OE80/OE80L0NA.TXT /.PS TUB material: code=rha4ta
application for output of displays: monitor systems or data projector systems

OE800−7N-130-0: Test chart with 24x17=408 colours and digital equidistant 17 step colour scales; compare ISO/IEC 15775:1999; rgb colour data, patch size and grey layout: 8mm x 8mm, 247mm x 170mm, Page 1/3

OE80: Test chart 1 according to DIN 33872-1; 1MR, DEH
17 step equally spaced colours and three hue circles

input: *rgb (−>rgb*$_{de}$) setrgbcolor*
output 130-0: g_P=1.0; g_N=1.0



OE800−7N-131-0: Test chart with 24x17=408 colours and digital equidistant 17 step colour scales; compare ISO/IEC 15775:1999; rgb colour data, patch size and grey layout: 8mm x 8mm, 247mm x 170mm, Page 1/3

OE80: Test chart 1 according to DIN 33872-1; 1MR, DEH
17 step equally spaced colours and three hue circles

input: *rgb (−>rgb*de) setrgbcolor*
output 130-0: g_P=1.0; g_N=1.08

See similar ISO test charts: http://www.ps.bam.de/24705TE, http://www.ps.bam.de/9241E
Technical information: http://www.ps.bam.de/33872E Version 2.1, io=1,1, CIELAB

TUB registration: 20110801-OE80/OE80L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rha4ta



See similar ISO test charts: http://www.ps.bam.de/24705TE, http://www.ps.bam.de/9241E
Technical information: http://www.ps.bam.de/33872E Version 2.1, io=1,1, CIELAB

TUB registration: 20110801-OE80/OE80L0NA.TXT /.PS TUB material: code=rha4ta
application for output of displays: monitor systems or data projector systems

OE800−7N-132-0: Test chart with 24x17=408 colours and digital equidistant 17 step colour scales; compare ISO/IEC 15775:1999; rgb colour data, patch size and grey layout: 8mm x 8mm, 247mm x 170mm, Page 1/3

OE80: Test chart 1 according to DIN 33872-1; 1MR, DEH
17 step equally spaced colours and three hue circles

input: *rgb (−>rgb*$_{de}$) setrgbcolor*
output 130-0: g_P=1.0; g_N=1.17



See similar ISO test charts: http://www.ps.bam.de/24705TE, http://www.ps.bam.de/9241E
Technical information: http://www.ps.bam.de/33872E Version 2.1, io=1,1, CIELAB

TUB registration: 20110801-OE80/OE80L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rha4ta

OE800−7N-133-0: Test chart with 24x17=408 colours and digital equidistant 17 step colour scales; compare ISO/IEC 15775:1999; rgb colour data, patch size and grey layout: 8mm x 8mm, 247mm x 170mm, Page 1/3

OE80: Test chart 1 according to DIN 33872-1; 1MR, DEH
17 step equally spaced colours and three hue circles

input: *rgb (−>rgb*$_{de}$) setrgbcolor*
output 130-0: g_P=1.0; g_N=1.29



See similar ISO test charts: http://www.ps.bam.de/24705TE, http://www.ps.bam.de/9241E
Technical information: http://www.ps.bam.de/33872E Version 2.1, io=1,1, CIELAB

TUB registration: 20110801-OE80/OE80L0NA.TXT /.PS TUB material: code=rha4ta
application for output of displays: monitor systems or data projector systems

OE800−7N-134-0: Test chart with 24x17=408 colours and digital equidistant 17 step colour scales; compare ISO/IEC 15775:1999; rgb colour data, patch size and grey layout: 8mm x 8mm, 247mm x 170mm, Page 1/3

OE80: Test chart 1 according to DIN 33872-1; 1MR, DEH
17 step equally spaced colours and three hue circles

input: *rgb (−>rgb*$_{de}$) setrgbcolor*
output 130-0: g_P=1.0; g_N=1.42



See similar ISO test charts: http://www.ps.bam.de/24705TE, http://www.ps.bam.de/9241E
Technical information: http://www.ps.bam.de/33872E Version 2.1, io=1,1, CIELAB

TUB registration: 20110801-OE80/OE80L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rha4ta

OE800−7N-135-0: Test chart with 24x17=408 colours and digital equidistant 17 step colour scales; compare ISO/IEC 15775:1999; rgb colour data, patch size and grey layout: 8mm x 8mm, 247mm x 170mm, Page 1/3

OE80: Test chart 1 according to DIN 33872-1; 1MR, DEH
17 step equally spaced colours and three hue circles

input: *rgb (−>rgb*$_{de}$) setrgbcolor*
output 130-0: g_P=1.0; g_N=1.6



See similar ISO test charts: http://www.ps.bam.de/24705TE, http://www.ps.bam.de/9241E
Technical information: http://www.ps.bam.de/33872E Version 2.1, io=1,1, CIELAB

TUB registration: 20110801-OE80/OE80L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rha4ta

OE800−7N-136-0: Test chart with 24x17=408 colours and digital equidistant 17 step colour scales; compare ISO/IEC 15775:1999; rgb colour data, patch size and grey layout: 8mm x 8mm, 247mm x 170mm, Page 1/3

OE80: Test chart 1 according to DIN 33872-1; 1MR, DEH
17 step equally spaced colours and three hue circles

input: *rgb (−>rgb*$_{de}$) setrgbcolor*
output 130-0: g_P=1.0; g_N=1.81



See similar ISO test charts: http://www.ps.bam.de/24705TE, http://www.ps.bam.de/9241E
Technical information: http://www.ps.bam.de/33872E Version 2.1, io=1,1, CIELAB

TUB registration: 20110801-OE80/OE80L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rha4ta

OE800−7N-137-0: Test chart with 24x17=408 colours and digital equidistant 17 step colour scales; compare ISO/IEC 15775:1999; rgb colour data, patch size and grey layout: 8mm x 8mm, 247mm x 170mm, Page 1/3

OE80: Test chart 1 according to DIN 33872-1; 1MR, DEH
17 step equally spaced colours and three hue circles

input: *rgb (−>rgb*$_{de}$) setrgbcolor*
output 130-0: g_P=1.0; g_N=2.1