


Agreement with elementary hues (Yes/No decision)

Layout example: agreement with elementary hues



There are four elementary hues on each page: Red R, Yellow J (=french Jaune), Green G, and Blue B.

Input data 1 0 0 should produce Red R.

Input data 0 1 0 should produce Green G.

Input data 0 0 1 should produce Blue B.

Input data 1 1 0 should produce Yellow J.

The elementary hues Red R and Green G should locate on the horizontal axis.

The elementary hues Yellow J and Blue B should locate on the vertical axis.

This test uses a hue circle with 20 hues.

No. 00 and 10 should be Red R and Green G.

No. 05 and 15 should be Yellow J and Blue B.

Are no. 00, 05, 10, and 15 the four elementary hues R, J, G and B? underline: Yes/No

Only in case of "No":

Elementary Red R is hue step no. (e. g. 00, 01, 19) (neither yellowish nor blueish)

Elementary Yellow J is hue step no. (e. g. 05, 04, 06) (neither reddish nor greenish)

Elementary Green G is hue step no. (e. g. 10, 09, 11) (neither yellowish nor blueish)


Elementary Blue B is hue step no. (e. g. 15, 14, 16) (neither reddish nor greenish)

Result: Of the 4 elementary hues (e.g. three) are at the intended location

| i | LAB*ref | | l*out | | LAB*out | | LAB*out/c-ref | | | ΔE^* | Start output S1 |
|--|---------|-----|-------|------|---------|-----|---------------|-----|-----|---------------------------|---|
| 1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G |
| 2 | 6.36 | 0.0 | 0.0 | 0.07 | 6.36 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | |
| 3 | 12.72 | 0.0 | 0.0 | 0.13 | 12.72 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | |
| 4 | 19.08 | 0.0 | 0.0 | 0.2 | 19.08 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | |
| 5 | 25.44 | 0.0 | 0.0 | 0.27 | 25.44 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | |
| 6 | 31.8 | 0.0 | 0.0 | 0.33 | 31.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | |
| 7 | 38.16 | 0.0 | 0.0 | 0.4 | 38.16 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | |
| 8 | 44.52 | 0.0 | 0.0 | 0.47 | 44.52 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | |
| 9 | 50.89 | 0.0 | 0.0 | 0.53 | 50.89 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | |
| 10 | 57.25 | 0.0 | 0.0 | 0.6 | 57.25 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | |
| 11 | 63.61 | 0.0 | 0.0 | 0.67 | 63.61 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | |
| 12 | 69.97 | 0.0 | 0.0 | 0.73 | 69.97 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | |
| 13 | 76.33 | 0.0 | 0.0 | 0.8 | 76.33 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | |
| 14 | 82.69 | 0.0 | 0.0 | 0.87 | 82.69 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | |
| 15 | 89.05 | 0.0 | 0.0 | 0.93 | 89.05 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | Mean lightness difference (16 steps) |
| 16 | 95.41 | 0.0 | 0.0 | 1.0 | 95.41 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | $\Delta E^*_{\text{CIELAB}} = 0.0$ |
| 17 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | |
| 18 | 23.85 | 0.0 | 0.0 | 0.25 | 23.85 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | |
| 19 | 47.71 | 0.0 | 0.0 | 0.5 | 47.71 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | |
| 20 | 71.56 | 0.0 | 0.0 | 0.75 | 71.56 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | Mean lightness difference (5 steps) |
| 21 | 95.41 | 0.0 | 0.0 | 1.0 | 95.41 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | $\Delta L^*_{\text{CIELAB}} = 0.0$ |
| Mean colour reproduction index: | | | | | | | | | | $R^*_{\text{ab,m}} = 100$ | |

Agreement with elementary hues (Yes/No decision)

Layout example: agreement with elementary hues



There are four elementary hues on each page: Red R, Yellow J (=french Jaune), Green G, and Blue B.

Input data 1 0 0 should produce Red R.

Input data 0 1 0 should produce Green G.

Input data 0 0 1 should produce Blue B.

Input data 1 1 0 should produce Yellow J.

The elementary hues Red R and Green G should locate on the horizontal axis.

The elementary hues Yellow J and Blue B should locate on the vertical axis.

This test uses a hue circle with 20 hues.

No. 00 and 10 should be Red R and Green G.

No. 05 and 15 should be Yellow J and Blue B.

Are no. 00, 05, 10, and 15 the four elementary hues R, J, G and B? underline: Yes/No

Only in case of "No":

Elementary Red R is hue step no. (e. g. 00, 01, 19) (neither yellowish nor blueish)

Elementary Yellow J is hue step no. (e. g. 05, 04, 06) (neither reddish nor greenish)

Elementary Green G is hue step no. (e. g. 10, 09, 11) (neither yellowish nor blueish)


Elementary Blue B is hue step no. (e. g. 15, 14, 16) (neither reddish nor greenish)

Result: Of the 4 elementary hues (e.g. three) are at the intended location

| i | LAB*ref | | l*out | | LAB*out | | LAB*out/c-ref | | | ΔE^* | Start output S1 |
|--|---------|-----|-------|------|---------|-----|---------------|------|-----|--------------------------|---|
| 1 | 5.69 | 0.0 | 0.0 | 0.0 | 5.69 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G |
| 2 | 11.67 | 0.0 | 0.0 | 0.1 | 14.73 | 0.0 | 0.0 | 3.06 | 0.0 | 3.06 | |
| 3 | 17.65 | 0.0 | 0.0 | 0.18 | 21.96 | 0.0 | 0.0 | 4.3 | 0.0 | 4.3 | |
| 4 | 23.63 | 0.0 | 0.0 | 0.26 | 28.63 | 0.0 | 0.0 | 4.99 | 0.0 | 4.99 | |
| 5 | 29.62 | 0.0 | 0.0 | 0.33 | 34.96 | 0.0 | 0.0 | 5.34 | 0.0 | 5.34 | |
| 6 | 35.6 | 0.0 | 0.0 | 0.39 | 41.05 | 0.0 | 0.0 | 5.46 | 0.0 | 5.46 | |
| 7 | 41.58 | 0.0 | 0.0 | 0.46 | 46.96 | 0.0 | 0.0 | 5.38 | 0.0 | 5.38 | |
| 8 | 47.56 | 0.0 | 0.0 | 0.52 | 52.72 | 0.0 | 0.0 | 5.16 | 0.0 | 5.16 | |
| 9 | 53.54 | 0.0 | 0.0 | 0.59 | 58.36 | 0.0 | 0.0 | 4.82 | 0.0 | 4.82 | |
| 10 | 59.52 | 0.0 | 0.0 | 0.65 | 63.88 | 0.0 | 0.0 | 4.36 | 0.0 | 4.36 | |
| 11 | 65.5 | 0.0 | 0.0 | 0.71 | 69.32 | 0.0 | 0.0 | 3.82 | 0.0 | 3.82 | |
| 12 | 71.48 | 0.0 | 0.0 | 0.77 | 74.67 | 0.0 | 0.0 | 3.19 | 0.0 | 3.19 | |
| 13 | 77.47 | 0.0 | 0.0 | 0.83 | 79.95 | 0.0 | 0.0 | 2.49 | 0.0 | 2.49 | |
| 14 | 83.45 | 0.0 | 0.0 | 0.89 | 85.16 | 0.0 | 0.0 | 1.72 | 0.0 | 1.72 | |
| 15 | 89.43 | 0.0 | 0.0 | 0.94 | 90.31 | 0.0 | 0.0 | 0.89 | 0.0 | 0.89 | |
| 16 | 95.41 | 0.0 | 0.0 | 1.0 | 95.41 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | $\Delta E^*_{\text{CIELAB}} = 3.4$ |
| 17 | 5.69 | 0.0 | 0.0 | 0.0 | 5.69 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | |
| 18 | 28.12 | 0.0 | 0.0 | 0.31 | 33.4 | 0.0 | 0.0 | 5.28 | 0.0 | 5.28 | |
| 19 | 50.55 | 0.0 | 0.0 | 0.56 | 55.55 | 0.0 | 0.0 | 5.0 | 0.0 | 5.0 | |
| 20 | 72.98 | 0.0 | 0.0 | 0.78 | 76.0 | 0.0 | 0.0 | 3.02 | 0.0 | 3.02 | Mean lightness difference (5 steps) |
| 21 | 95.41 | 0.0 | 0.0 | 1.0 | 95.41 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | $\Delta L^*_{\text{CIELAB}} = 2.7$ |
| Mean colour reproduction index: | | | | | | | | | | $R^*_{\text{ab,m}} = 85$ | |

Agreement with elementary hues (Yes/No decision)

Layout example: agreement with elementary hues



There are four elementary hues on each page: Red R, Yellow J (=french Jaune), Green G, and Blue B.

Input data 1 0 0 should produce Red R.

Input data 0 1 0 should produce Green G.

Input data 0 0 1 should produce Blue B.

Input data 1 1 0 should produce Yellow J.

The elementary hues Red R and Green G should locate on the horizontal axis.

The elementary hues Yellow J and Blue B should locate on the vertical axis.

This test uses a hue circle with 20 hues.

No. 00 and 10 should be Red R and Green G.

No. 05 and 15 should be Yellow J and Blue B.

Are no. 00, 05, 10, and 15 the four elementary hues R, J, G and B? underline: Yes/No

Only in case of "No":

Elementary Red R is hue step no. (e. g. 00, 01, 19) (neither yellowish nor blueish)

Elementary Yellow J is hue step no. (e. g. 05, 04, 06) (neither reddish nor greenish)

Elementary Green G is hue step no. (e. g. 10, 09, 11) (neither yellowish nor blueish)


Elementary Blue B is hue step no. (e. g. 15, 14, 16) (neither reddish nor greenish)

Result: Of the 4 elementary hues (e.g. three) are at the intended location

| i | LAB*ref | | l*out | | LAB*out | | LAB*out/c-ref | | | ΔE^* | Start output S1 | |
|--|---------|-----|-------|------|---------|-----|---------------|------|-----|--------------------------|---|---|
| 1 | 10.99 | 0.0 | 0.0 | 0.0 | 10.99 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G | |
| 2 | 16.62 | 0.0 | 0.0 | 0.14 | 22.52 | 0.0 | 0.0 | 5.9 | 0.0 | 5.9 | | |
| 3 | 22.25 | 0.0 | 0.0 | 0.23 | 30.18 | 0.0 | 0.0 | 7.93 | 0.0 | 7.93 | | |
| 4 | 27.88 | 0.0 | 0.0 | 0.31 | 36.84 | 0.0 | 0.0 | 8.97 | 0.0 | 8.97 | | |
| 5 | 33.5 | 0.0 | 0.0 | 0.38 | 42.93 | 0.0 | 0.0 | 9.43 | 0.0 | 9.43 | | |
| 6 | 39.13 | 0.0 | 0.0 | 0.45 | 48.63 | 0.0 | 0.0 | 9.5 | 0.0 | 9.5 | | |
| 7 | 44.76 | 0.0 | 0.0 | 0.51 | 54.03 | 0.0 | 0.0 | 9.27 | 0.0 | 9.27 | | |
| 8 | 50.39 | 0.0 | 0.0 | 0.57 | 59.19 | 0.0 | 0.0 | 8.81 | 0.0 | 8.81 | | |
| 9 | 56.02 | 0.0 | 0.0 | 0.63 | 64.17 | 0.0 | 0.0 | 8.15 | 0.0 | 8.15 | | |
| 10 | 61.64 | 0.0 | 0.0 | 0.69 | 68.98 | 0.0 | 0.0 | 7.33 | 0.0 | 7.33 | | |
| 11 | 67.27 | 0.0 | 0.0 | 0.74 | 73.65 | 0.0 | 0.0 | 6.38 | 0.0 | 6.38 | | |
| 12 | 72.9 | 0.0 | 0.0 | 0.8 | 78.2 | 0.0 | 0.0 | 5.3 | 0.0 | 5.3 | | |
| 13 | 78.53 | 0.0 | 0.0 | 0.85 | 82.64 | 0.0 | 0.0 | 4.11 | 0.0 | 4.11 | | |
| 14 | 84.15 | 0.0 | 0.0 | 0.9 | 86.98 | 0.0 | 0.0 | 2.82 | 0.0 | 2.82 | | |
| 15 | 89.78 | 0.0 | 0.0 | 0.95 | 91.23 | 0.0 | 0.0 | 1.45 | 0.0 | 1.45 | | Mean lightness difference (16 steps) |
| 16 | 95.41 | 0.0 | 0.0 | 1.0 | 95.41 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | | $\Delta E^*_{\text{CIELAB}} = 6.0$ |
| 17 | 10.99 | 0.0 | 0.0 | 0.0 | 10.99 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | | |
| 18 | 32.1 | 0.0 | 0.0 | 0.36 | 41.45 | 0.0 | 0.0 | 9.36 | 0.0 | 9.36 | | |
| 19 | 53.2 | 0.0 | 0.0 | 0.6 | 61.7 | 0.0 | 0.0 | 8.5 | 0.0 | 8.5 | | |
| 20 | 74.31 | 0.0 | 0.0 | 0.81 | 79.32 | 0.0 | 0.0 | 5.01 | 0.0 | 5.01 | | Mean lightness difference (5 steps) |
| 21 | 95.41 | 0.0 | 0.0 | 1.0 | 95.41 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | | $\Delta L^*_{\text{CIELAB}} = 4.6$ |
| Mean colour reproduction index: | | | | | | | | | | $R^*_{\text{ab,m}} = 74$ | | |

Agreement with elementary hues (Yes/No decision)

Layout example: agreement with elementary hues



There are four elementary hues on each page: Red R, Yellow J (=french Jaune), Green G, and Blue B.

Input data 1 0 0 should produce Red R.

Input data 0 1 0 should produce Green G.

Input data 0 0 1 should produce Blue B.

Input data 1 1 0 should produce Yellow J.

The elementary hues Red R and Green G should locate on the horizontal axis.

The elementary hues Yellow J and Blue B should locate on the vertical axis.

This test uses a hue circle with 20 hues.

No. 00 and 10 should be Red R and Green G.

No. 05 and 15 should be Yellow J and Blue B.

Are no. 00, 05, 10, and 15 the four elementary hues R, J, G and B? underline: Yes/No

Only in case of "No":

Elementary Red R is hue step no. (e. g. 00, 01, 19) (neither yellowish nor blueish)

Elementary Yellow J is hue step no. (e. g. 05, 04, 06) (neither reddish nor greenish)

Elementary Green G is hue step no. (e. g. 10, 09, 11) (neither yellowish nor blueish)


Elementary Blue B is hue step no. (e. g. 15, 14, 16) (neither reddish nor greenish)

Result: Of the 4 elementary hues (e.g. three) are at the intended location

| i | LAB*ref | | l*out | | LAB*out | | LAB*out/c-ref | | | ΔE^* | Start output S1 |
|--|---------|-----|-------|------|---------|-----|---------------|-------|--------------------------|--------------|---|
| 1 | 18.01 | 0.0 | 0.0 | 0.0 | 18.01 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G |
| 2 | 23.17 | 0.0 | 0.0 | 0.17 | 31.35 | 0.0 | 0.0 | 8.18 | 0.0 | 8.18 | |
| 3 | 28.33 | 0.0 | 0.0 | 0.27 | 38.93 | 0.0 | 0.0 | 10.6 | 0.0 | 10.6 | |
| 4 | 33.49 | 0.0 | 0.0 | 0.35 | 45.23 | 0.0 | 0.0 | 11.74 | 0.0 | 11.74 | |
| 5 | 38.65 | 0.0 | 0.0 | 0.42 | 50.82 | 0.0 | 0.0 | 12.17 | 0.0 | 12.17 | |
| 6 | 43.81 | 0.0 | 0.0 | 0.49 | 55.93 | 0.0 | 0.0 | 12.12 | 0.0 | 12.12 | |
| 7 | 48.97 | 0.0 | 0.0 | 0.55 | 60.7 | 0.0 | 0.0 | 11.73 | 0.0 | 11.73 | |
| 8 | 54.13 | 0.0 | 0.0 | 0.61 | 65.2 | 0.0 | 0.0 | 11.07 | 0.0 | 11.07 | |
| 9 | 59.29 | 0.0 | 0.0 | 0.66 | 69.47 | 0.0 | 0.0 | 10.18 | 0.0 | 10.18 | |
| 10 | 64.45 | 0.0 | 0.0 | 0.72 | 73.56 | 0.0 | 0.0 | 9.11 | 0.0 | 9.11 | |
| 11 | 69.61 | 0.0 | 0.0 | 0.77 | 77.49 | 0.0 | 0.0 | 7.88 | 0.0 | 7.88 | |
| 12 | 74.77 | 0.0 | 0.0 | 0.82 | 81.29 | 0.0 | 0.0 | 6.52 | 0.0 | 6.52 | |
| 13 | 79.93 | 0.0 | 0.0 | 0.87 | 84.97 | 0.0 | 0.0 | 5.04 | 0.0 | 5.04 | |
| 14 | 85.09 | 0.0 | 0.0 | 0.91 | 88.54 | 0.0 | 0.0 | 3.45 | 0.0 | 3.45 | |
| 15 | 90.25 | 0.0 | 0.0 | 0.96 | 92.02 | 0.0 | 0.0 | 1.77 | 0.0 | 1.77 | |
| 16 | 95.41 | 0.0 | 0.0 | 1.0 | 95.41 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | $\Delta E^*_{\text{CIELAB}} = 7.6$ |
| 17 | 18.01 | 0.0 | 0.0 | 0.0 | 18.01 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | |
| 18 | 37.36 | 0.0 | 0.0 | 0.41 | 49.47 | 0.0 | 0.0 | 12.11 | 0.0 | 12.11 | |
| 19 | 56.71 | 0.0 | 0.0 | 0.64 | 67.36 | 0.0 | 0.0 | 10.65 | 0.0 | 10.65 | |
| 20 | 76.06 | 0.0 | 0.0 | 0.83 | 82.22 | 0.0 | 0.0 | 6.16 | 0.0 | 6.16 | Mean lightness difference (5 steps) |
| 21 | 95.41 | 0.0 | 0.0 | 1.0 | 95.41 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | $\Delta L^*_{\text{CIELAB}} = 5.8$ |
| Mean colour reproduction index: | | | | | | | | | $R^*_{\text{ab,m}} = 67$ | | |

Agreement with elementary hues (Yes/No decision)

Layout example: agreement with elementary hues



There are four elementary hues on each page: Red R, Yellow J (=french Jaune), Green G, and Blue B.

Input data 1 0 0 should produce Red R.

Input data 0 1 0 should produce Green G.

Input data 0 0 1 should produce Blue B.

Input data 1 1 0 should produce Yellow J.

The elementary hues Red R and Green G should locate on the horizontal axis.

The elementary hues Yellow J and Blue B should locate on the vertical axis.

This test uses a hue circle with 20 hues.

No. 00 and 10 should be Red R and Green G.

No. 05 and 15 should be Yellow J and Blue B.

Are no. 00, 05, 10, and 15 the four elementary hues R, J, G and B? underline: Yes/No

Only in case of "No":

Elementary Red R is hue step no. (e. g. 00, 01, 19) (neither yellowish nor blueish)

Elementary Yellow J is hue step no. (e. g. 05, 04, 06) (neither reddish nor greenish)

Elementary Green G is hue step no. (e. g. 10, 09, 11) (neither yellowish nor blueish)


Elementary Blue B is hue step no. (e. g. 15, 14, 16) (neither reddish nor greenish)

Result: Of the 4 elementary hues (e.g. three) are at the intended location

| i | LAB*ref | | l*out | LAB*out | | | LAB*out/c-ref | | ΔE^* | | Start output S1 |
|--|---------|-----|-------|---------|-------|-----|---------------|-------|--------------|--------------------------|---|
| 1 | 26.85 | 0.0 | 0.0 | 0.0 | 26.85 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G |
| 2 | 31.42 | 0.0 | 0.0 | 0.21 | 41.05 | 0.0 | 0.0 | 9.63 | 0.0 | 9.63 | |
| 3 | 35.99 | 0.0 | 0.0 | 0.31 | 48.1 | 0.0 | 0.0 | 12.11 | 0.0 | 12.11 | |
| 4 | 40.56 | 0.0 | 0.0 | 0.39 | 53.75 | 0.0 | 0.0 | 13.18 | 0.0 | 13.18 | |
| 5 | 45.13 | 0.0 | 0.0 | 0.46 | 58.64 | 0.0 | 0.0 | 13.51 | 0.0 | 13.51 | |
| 6 | 49.7 | 0.0 | 0.0 | 0.53 | 63.05 | 0.0 | 0.0 | 13.34 | 0.0 | 13.34 | |
| 7 | 54.27 | 0.0 | 0.0 | 0.59 | 67.09 | 0.0 | 0.0 | 12.82 | 0.0 | 12.82 | |
| 8 | 58.84 | 0.0 | 0.0 | 0.64 | 70.87 | 0.0 | 0.0 | 12.02 | 0.0 | 12.02 | |
| 9 | 63.41 | 0.0 | 0.0 | 0.69 | 74.42 | 0.0 | 0.0 | 11.01 | 0.0 | 11.01 | |
| 10 | 67.99 | 0.0 | 0.0 | 0.74 | 77.79 | 0.0 | 0.0 | 9.81 | 0.0 | 9.81 | |
| 11 | 72.56 | 0.0 | 0.0 | 0.79 | 81.01 | 0.0 | 0.0 | 8.46 | 0.0 | 8.46 | |
| 12 | 77.13 | 0.0 | 0.0 | 0.84 | 84.1 | 0.0 | 0.0 | 6.97 | 0.0 | 6.97 | |
| 13 | 81.7 | 0.0 | 0.0 | 0.88 | 87.07 | 0.0 | 0.0 | 5.37 | 0.0 | 5.37 | |
| 14 | 86.27 | 0.0 | 0.0 | 0.92 | 89.94 | 0.0 | 0.0 | 3.67 | 0.0 | 3.67 | |
| 15 | 90.84 | 0.0 | 0.0 | 0.96 | 92.71 | 0.0 | 0.0 | 1.88 | 0.0 | 1.88 | Mean lightness difference (16 steps) |
| 16 | 95.41 | 0.0 | 0.0 | 1.0 | 95.41 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | $\Delta E^*_{\text{CIELAB}} = 8.4$ |
| 17 | 26.85 | 0.0 | 0.0 | 0.0 | 26.85 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | |
| 18 | 43.99 | 0.0 | 0.0 | 0.45 | 57.47 | 0.0 | 0.0 | 13.48 | 0.0 | 13.48 | |
| 19 | 61.13 | 0.0 | 0.0 | 0.67 | 72.67 | 0.0 | 0.0 | 11.54 | 0.0 | 11.54 | |
| 20 | 78.27 | 0.0 | 0.0 | 0.85 | 84.85 | 0.0 | 0.0 | 6.58 | 0.0 | 6.58 | Mean lightness difference (5 steps) |
| 21 | 95.41 | 0.0 | 0.0 | 1.0 | 95.41 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | $\Delta L^*_{\text{CIELAB}} = 6.3$ |
| Mean colour reproduction index: | | | | | | | | | | $R^*_{\text{ab,m}} = 64$ | |

Agreement with elementary hues (Yes/No decision)

Layout example: agreement with elementary hues



There are four elementary hues on each page: Red R, Yellow J (=french Jaune), Green G, and Blue B.

Input data 1 0 0 should produce Red R.

Input data 0 1 0 should produce Green G.

Input data 0 0 1 should produce Blue B.

Input data 1 1 0 should produce Yellow J.

The elementary hues Red R and Green G should locate on the horizontal axis.

The elementary hues Yellow J and Blue B should locate on the vertical axis.

This test uses a hue circle with 20 hues.

No. 00 and 10 should be Red R and Green G.

No. 05 and 15 should be Yellow J and Blue B.

Are no. 00, 05, 10, and 15 the four elementary hues R, J, G and B? underline: Yes/No

Only in case of "No":

Elementary Red R is hue step no. (e. g. 00, 01, 19) (neither yellowish nor blueish)

Elementary Yellow J is hue step no. (e. g. 05, 04, 06) (neither reddish nor greenish)

Elementary Green G is hue step no. (e. g. 10, 09, 11) (neither yellowish nor blueish)


Elementary Blue B is hue step no. (e. g. 15, 14, 16) (neither reddish nor greenish)

Result: Of the 4 elementary hues (e.g. three) are at the intended location

| i | LAB*ref | l*out | LAB*out | LAB*out/c-ref | ΔE^* | Start output S1 |
|--|-----------|-------|---------|---------------|--------------------------|---|
| 1 | 37.99 0.0 | 0.0 | 0.0 | 37.99 0.0 | 0.0 | Specification according to |
| 2 | 41.81 0.0 | 0.0 | 0.24 | 51.79 0.0 | 0.0 | ISO/IEC 15775 Annex G |
| 3 | 45.64 0.0 | 0.0 | 0.35 | 57.87 0.0 | 0.0 | and DIN 33866-1 Annex G |
| 4 | 49.47 0.0 | 0.0 | 0.43 | 62.6 0.0 | 0.0 | |
| 5 | 53.3 0.0 | 0.0 | 0.5 | 66.63 0.0 | 0.0 | |
| 6 | 57.13 0.0 | 0.0 | 0.56 | 70.19 0.0 | 0.0 | |
| 7 | 60.96 0.0 | 0.0 | 0.62 | 73.44 0.0 | 0.0 | |
| 8 | 64.78 0.0 | 0.0 | 0.67 | 76.44 0.0 | 0.0 | |
| 9 | 68.61 0.0 | 0.0 | 0.72 | 79.23 0.0 | 0.0 | |
| 10 | 72.44 0.0 | 0.0 | 0.76 | 81.87 0.0 | 0.0 | |
| 11 | 76.27 0.0 | 0.0 | 0.81 | 84.37 0.0 | 0.0 | |
| 12 | 80.1 0.0 | 0.0 | 0.85 | 86.76 0.0 | 0.0 | |
| 13 | 83.93 0.0 | 0.0 | 0.89 | 89.05 0.0 | 0.0 | |
| 14 | 87.75 0.0 | 0.0 | 0.93 | 91.24 0.0 | 0.0 | |
| 15 | 91.58 0.0 | 0.0 | 0.96 | 93.36 0.0 | 0.0 | Mean lightness difference (16 steps) |
| 16 | 95.41 0.0 | 0.0 | 1.0 | 95.41 0.0 | 0.0 | $\Delta E^*_{\text{CIELAB}} = 8.2$ |
| 17 | 37.99 0.0 | 0.0 | 0.0 | 37.99 0.0 | 0.0 | |
| 18 | 52.34 0.0 | 0.0 | 0.48 | 65.67 0.0 | 0.0 | |
| 19 | 66.7 0.0 | 0.0 | 0.69 | 77.86 0.0 | 0.0 | |
| 20 | 81.05 0.0 | 0.0 | 0.86 | 87.34 0.0 | 0.0 | Mean lightness difference (5 steps) |
| 21 | 95.41 0.0 | 0.0 | 1.0 | 95.41 0.0 | 0.0 | $\Delta L^*_{\text{CIELAB}} = 6.2$ |
| Mean colour reproduction index: | | | | | $R^*_{\text{ab,m}} = 65$ | |

Agreement with elementary hues (Yes/No decision)

Layout example: agreement with elementary hues



There are four elementary hues on each page: Red R, Yellow J (=french Jaune), Green G, and Blue B.

Input data 1 0 0 should produce Red R.

Input data 0 1 0 should produce Green G.

Input data 0 0 1 should produce Blue B.

Input data 1 1 0 should produce Yellow J.

The elementary hues Red R and Green G should locate on the horizontal axis.

The elementary hues Yellow J and Blue B should locate on the vertical axis.

This test uses a hue circle with 20 hues.

No. 00 and 10 should be Red R and Green G.

No. 05 and 15 should be Yellow J and Blue B.

Are no. 00, 05, 10, and 15 the four elementary hues R, J, G and B? underline: Yes/No

Only in case of "No":

Elementary Red R is hue step no. (e. g. 00, 01, 19) (neither yellowish nor blueish)

Elementary Yellow J is hue step no. (e. g. 05, 04, 06) (neither reddish nor greenish)

Elementary Green G is hue step no. (e. g. 10, 09, 11) (neither yellowish nor blueish)


Elementary Blue B is hue step no. (e. g. 15, 14, 16) (neither reddish nor greenish)

Result: Of the 4 elementary hues (e.g. three) are at the intended location

| i | LAB*ref | | l*out | LAB*out | | | LAB*out/c-ref | | ΔE^* | Start output S1 | | |
|--|---------|-----|-------|---------|-------|-----|---------------|-------|--------------|--------------------------|---|---|
| 1 | 52.02 | 0.0 | 0.0 | 0.0 | 52.02 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G | |
| 2 | 54.91 | 0.0 | 0.0 | 0.27 | 63.82 | 0.0 | 0.0 | 8.91 | 0.0 | 8.91 | | |
| 3 | 57.8 | 0.0 | 0.0 | 0.38 | 68.49 | 0.0 | 0.0 | 10.69 | 0.0 | 10.69 | | |
| 4 | 60.7 | 0.0 | 0.0 | 0.46 | 72.03 | 0.0 | 0.0 | 11.34 | 0.0 | 11.34 | | |
| 5 | 63.59 | 0.0 | 0.0 | 0.53 | 75.0 | 0.0 | 0.0 | 11.41 | 0.0 | 11.41 | | |
| 6 | 66.48 | 0.0 | 0.0 | 0.59 | 77.61 | 0.0 | 0.0 | 11.12 | 0.0 | 11.12 | | |
| 7 | 69.37 | 0.0 | 0.0 | 0.64 | 79.95 | 0.0 | 0.0 | 10.57 | 0.0 | 10.57 | | |
| 8 | 72.27 | 0.0 | 0.0 | 0.69 | 82.1 | 0.0 | 0.0 | 9.83 | 0.0 | 9.83 | | |
| 9 | 75.16 | 0.0 | 0.0 | 0.74 | 84.09 | 0.0 | 0.0 | 8.93 | 0.0 | 8.93 | | |
| 10 | 78.05 | 0.0 | 0.0 | 0.78 | 85.96 | 0.0 | 0.0 | 7.91 | 0.0 | 7.91 | | |
| 11 | 80.95 | 0.0 | 0.0 | 0.82 | 87.72 | 0.0 | 0.0 | 6.78 | 0.0 | 6.78 | | |
| 12 | 83.84 | 0.0 | 0.0 | 0.86 | 89.4 | 0.0 | 0.0 | 5.56 | 0.0 | 5.56 | | |
| 13 | 86.73 | 0.0 | 0.0 | 0.9 | 91.0 | 0.0 | 0.0 | 4.26 | 0.0 | 4.26 | | |
| 14 | 89.62 | 0.0 | 0.0 | 0.93 | 92.53 | 0.0 | 0.0 | 2.9 | 0.0 | 2.9 | | |
| 15 | 92.52 | 0.0 | 0.0 | 0.97 | 93.99 | 0.0 | 0.0 | 1.48 | 0.0 | 1.48 | | Mean lightness difference (16 steps) |
| 16 | 95.41 | 0.0 | 0.0 | 1.0 | 95.41 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | | $\Delta E^*_{\text{CIELAB}} = 7.0$ |
| 17 | 52.02 | 0.0 | 0.0 | 0.0 | 52.02 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | | |
| 18 | 62.87 | 0.0 | 0.0 | 0.51 | 74.3 | 0.0 | 0.0 | 11.43 | 0.0 | 11.43 | | |
| 19 | 73.71 | 0.0 | 0.0 | 0.72 | 83.11 | 0.0 | 0.0 | 9.4 | 0.0 | 9.4 | | |
| 20 | 84.56 | 0.0 | 0.0 | 0.87 | 89.81 | 0.0 | 0.0 | 5.24 | 0.0 | 5.24 | Mean lightness difference (5 steps) | |
| 21 | 95.41 | 0.0 | 0.0 | 1.0 | 95.41 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | $\Delta L^*_{\text{CIELAB}} = 5.2$ | |
| Mean colour reproduction index: | | | | | | | | | | $R^*_{\text{ab,m}} = 70$ | | |

Agreement with elementary hues (Yes/No decision)

Layout example: agreement with elementary hues



There are four elementary hues on each page: Red R, Yellow J (=french Jaune), Green G, and Blue B.

Input data 1 0 0 should produce Red R.

Input data 0 1 0 should produce Green G.

Input data 0 0 1 should produce Blue B.

Input data 1 1 0 should produce Yellow J.

The elementary hues Red R and Green G should locate on the horizontal axis.

The elementary hues Yellow J and Blue B should locate on the vertical axis.

This test uses a hue circle with 20 hues.

No. 00 and 10 should be Red R and Green G.

No. 05 and 15 should be Yellow J and Blue B.

Are no. 00, 05, 10, and 15 the four elementary hues R, J, G and B? underline: Yes/No

Only in case of "No":

Elementary Red R is hue step no. (e. g. 00, 01, 19) (neither yellowish nor blueish)

Elementary Yellow J is hue step no. (e. g. 05, 04, 06) (neither reddish nor greenish)

Elementary Green G is hue step no. (e. g. 10, 09, 11) (neither yellowish nor blueish)

Elementary Blue B is hue step no. (e. g. 15, 14, 16) (neither reddish nor greenish)

Result: Of the 4 elementary hues (e.g. three) are at the intended location

| i | LAB*ref | | l*out | | LAB*out | | LAB*out/c-ref | | | ΔE^* | Start output S1 |
|--|---------|-----|-------|------|---------|-----|---------------|------|-----|--------------------------|---|
| 1 | 69.7 | 0.0 | 0.0 | 0.0 | 69.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G |
| 2 | 71.41 | 0.0 | 0.0 | 0.3 | 77.46 | 0.0 | 0.0 | 6.04 | 0.0 | 6.04 | |
| 3 | 73.13 | 0.0 | 0.0 | 0.41 | 80.24 | 0.0 | 0.0 | 7.11 | 0.0 | 7.11 | |
| 4 | 74.84 | 0.0 | 0.0 | 0.49 | 82.31 | 0.0 | 0.0 | 7.47 | 0.0 | 7.47 | |
| 5 | 76.55 | 0.0 | 0.0 | 0.56 | 84.02 | 0.0 | 0.0 | 7.47 | 0.0 | 7.47 | |
| 6 | 78.27 | 0.0 | 0.0 | 0.62 | 85.51 | 0.0 | 0.0 | 7.24 | 0.0 | 7.24 | |
| 7 | 79.98 | 0.0 | 0.0 | 0.67 | 86.84 | 0.0 | 0.0 | 6.86 | 0.0 | 6.86 | |
| 8 | 81.7 | 0.0 | 0.0 | 0.71 | 88.05 | 0.0 | 0.0 | 6.35 | 0.0 | 6.35 | |
| 9 | 83.41 | 0.0 | 0.0 | 0.76 | 89.17 | 0.0 | 0.0 | 5.76 | 0.0 | 5.76 | |
| 10 | 85.12 | 0.0 | 0.0 | 0.8 | 90.21 | 0.0 | 0.0 | 5.08 | 0.0 | 5.08 | |
| 11 | 86.84 | 0.0 | 0.0 | 0.84 | 91.19 | 0.0 | 0.0 | 4.35 | 0.0 | 4.35 | |
| 12 | 88.55 | 0.0 | 0.0 | 0.87 | 92.11 | 0.0 | 0.0 | 3.56 | 0.0 | 3.56 | |
| 13 | 90.27 | 0.0 | 0.0 | 0.91 | 92.99 | 0.0 | 0.0 | 2.73 | 0.0 | 2.73 | |
| 14 | 91.98 | 0.0 | 0.0 | 0.94 | 93.83 | 0.0 | 0.0 | 1.85 | 0.0 | 1.85 | |
| 15 | 93.7 | 0.0 | 0.0 | 0.97 | 94.64 | 0.0 | 0.0 | 0.94 | 0.0 | 0.94 | |
| 16 | 95.41 | 0.0 | 0.0 | 1.0 | 95.41 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | $\Delta E^*_{\text{CIELAB}} = 4.6$ |
| 17 | 69.7 | 0.0 | 0.0 | 0.0 | 69.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | |
| 18 | 76.13 | 0.0 | 0.0 | 0.54 | 83.62 | 0.0 | 0.0 | 7.5 | 0.0 | 7.5 | |
| 19 | 82.55 | 0.0 | 0.0 | 0.74 | 88.62 | 0.0 | 0.0 | 6.06 | 0.0 | 6.06 | |
| 20 | 88.98 | 0.0 | 0.0 | 0.88 | 92.34 | 0.0 | 0.0 | 3.35 | 0.0 | 3.35 | Mean lightness difference (5 steps) |
| 21 | 95.41 | 0.0 | 0.0 | 1.0 | 95.41 | 0.0 | 0.0 | 0.0 | 0.0 | 0.01 | $\Delta L^*_{\text{CIELAB}} = 3.4$ |
| Mean colour reproduction index: | | | | | | | | | | $R^*_{\text{ab,m}} = 80$ | |