

Input and Output: Offset Reflective System ORS18a

Data for any device (d) or elementary (e) colour:


$HIC^*_-$

hue text for the colours of this page:

$H^*_-$  = R00Y\_, R25Y\_, ..., B75R\_

ORS20a; adapted (a) CIELAB data



$H^*_-$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



%Gamut  
 $u^*_{rel} = 92$   
 %Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$

ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
R_.,Ma	47.9	65.3	50.5	82.6	37
Y_.,Ma	90.3	-10.2	91.7	92.3	96
G_.,Ma	50.9	-62.8	34.9	71.9	150
C_.,Ma	58.6	-30.3	-45.0	54.2	236
B_.,Ma	25.7	31.0	-44.4	54.2	305
M_.,Ma	48.1	75.2	-8.3	75.7	353
N_.,Ma	18.0	0.0	0.0	0.0	0
W_.,Ma	95.4	0.0	0.0	0.0	0
R_.,CIE	39.9	58.7	27.9	65.0	25
Y_.,CIE	81.2	-2.8	71.5	71.6	92
G_.,CIE	52.2	-42.4	13.6	44.5	162
B_.,CIE	30.5	1.4	-46.4	46.4	271



1-113030-L0 PE850-7N

TUB-test chart PE85; 16 step hue circle  
Test chart according to DIN 33872, 3D=1, de=1,  $cm\dot{y}k^*$

input:  $rgb/cmyk \rightarrow rgb/cmyk$   
output: no change

see similar files: http://130.149.60.45/~farbmetrik/PE85/PE85.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20150701-PE85/PE85LOFA.TXT /.PS  
application for measurement of offset print output

TUB material: code=rh4ta

Input and Output: Offset Reflective System ORS18a

Data for any device (d) or elementary (e) colour:


$HIC^*_e$

hue text for the colours of this page:

$H^*_e = R00Y_e, R25Y_e, \dots, B75R_e$

ORS20a; adapted (a) CIELAB data



$H^*_e$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_e	47.6	64.9	30.9	71.9	25
R25Y_100_100_e	51.5	54.2	47.2	71.9	41
R50Y_100_100_e	60.3	35.6	59.0	68.9	58
R75Y_100_100_e	70.4	17.0	72.2	74.1	76
Y00G_100_100_e	82.9	-3.5	87.8	87.9	92
Y25G_100_100_e	76.9	-25.5	75.9	80.1	108
Y50G_100_100_e	65.8	-41.4	54.4	68.3	127
Y75G_100_100_e	56.9	-56.3	38.1	68.0	145
G00B_100_100_e	52.4	-67.1	21.5	70.5	162
G25B_100_100_e	54.6	-53.2	-9.0	53.9	189
G50B_100_100_e	56.6	-39.7	-29.9	49.8	216
G75B_100_100_e	52.7	-21.1	-44.1	48.9	244
B00R_100_100_e	37.9	1.3	-45.4	45.4	271
B25R_100_100_e	26.7	26.6	-45.8	52.9	300
B50R_100_100_e	34.8	49.2	-30.0	57.7	328
B75R_100_100_e	47.3	71.5	-9.9	72.1	352



%Gamut  
 $u^*_{rel} = 92$   
 %Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
$R_{e, Ma}$	47.6	64.9	30.9	71.9	25
$Y_{e, Ma}$	82.9	-3.5	87.8	87.9	92
$G_{e, Ma}$	52.4	-67.1	21.5	70.5	162
$C_{e, Ma}$	56.6	-39.7	-29.9	49.8	216
$B_{e, Ma}$	37.9	1.3	-45.4	45.4	271
$M_{e, Ma}$	34.8	49.2	-30.0	57.7	328
$N_{e, Ma}$	17.7	0.0	0.0	0.0	0
$W_{e, Ma}$	95.4	0.0	0.0	0.0	0
$R_{e, CIE}$	39.9	58.7	27.9	65.0	25
$Y_{e, CIE}$	81.2	-2.8	71.5	71.6	92
$G_{e, CIE}$	52.2	-42.4	13.6	44.5	162
$B_{e, CIE}$	30.5	1.4	-46.4	46.4	271



see similar files: http://130.149.60.45/~farbmetrik/PE85/PE85.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20150701-PE85/PE85L0FA.TXT /.PS  
application for measurement of offset print output, separation cmyk6\* (CMYK)  
TUB material: code=rh4ta

1-113130-L0 PE850-73

TUB-test chart PE85; 16 step hue circle  
Test chart according to DIN 33872, 3D=1, de=1, cmyk\*

input: rgb/cmyk -> rgb<sub>de</sub>  
output: 3D-linearization to cmyk\*<sub>de</sub>

1-113130-F0


Input and Output: Offset Reflective System ORS18a

Data for any device (d) or elementary (e) colour:


$$HIC^*_e$$

hue text for the colours of this page:

$$H^*_e = R00Y_e, R25Y_e, \dots, B75R_e$$



%Gamut  
u\*<sub>rel</sub> = 92  
%Regularity  
g\*<sub>H,rel</sub> = 57  
g\*<sub>C,rel</sub> = 58





see similar files: <http://130.149.60.45/~farbmetrik/PE85/PE85.HTM>  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>


TUB registration: 20150701-PE85/PE85L0FA.TXT /.PS TUB material: code=rh4ta  
application for measurement of offset print output, separation cmyk\* (CMYK)

1-113230-L0 PE850-73

TUB-test chart PE85; 16 step hue circle  
Test chart according to DIN 33872, 3D=1, de=1, cmyk\*



input: *rgb/cmyk* -> *rgb<sub>de</sub>*  
output: 3D-linearization to *cmyk\*<sub>de</sub>*





see similar files: <http://130.149.60.45/~farbmetrik/PE85/PE85.HTM>  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-PE85/PE85L0FA.TXT /.PS TUB material: code=rh4ta  
application for measurement of offset print output, separation cmyk\* (CMYK)





1-113330-L0 PE850-73

TUB-test chart PE85; 16 step hue circle  
Test chart according to DIN 33872, 3D=1, de=1, cmyk\*

input: *rgb/cmyk* -> *rgb<sub>de</sub>*  
output: 3D-linearization to *cmyk\*<sub>de</sub>*




1=113330-F0





see similar files: <http://130.149.60.45/~farbmetrik/PE85/PE85.HTM>  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-PE85/PE85L0FA.TXT /.PS TUB material: code=rh4ta  
application for measurement of offset print output, separation cmyk\* (CMYK)




1-113430-L0 PE850-73

TUB-test chart PE85; 16 step hue circle  
Test chart according to DIN 33872, 3D=1, de=1, cmyk\*

input:  $rgb/cmyk \rightarrow rgb_{de}$   
output: 3D-linearization to  $cmyk^*_{de}$

1=113430-F0



Input and Output: Offset Reflective System ORS18a

Data for any device (d) or elementary (e) colour:


$$HIC^*_e$$

hue text for the colours of this page:

$$H^*_e = R00Y_e, R25Y_e, \dots, B75R_e$$

ORS20a; adapted (a) CIELAB data

$H^*_e$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	47.6	64.9	30.9	71.9
R25Y_100_100_e	51.5	54.2	47.2	71.9
R50Y_100_100_e	60.3	35.6	59.0	68.9
R75Y_100_100_e	70.4	17.0	72.2	74.1
Y00G_100_100_e	82.9	-3.5	87.8	87.9
Y25G_100_100_e	76.9	-25.5	75.9	80.1
Y50G_100_100_e	65.8	-41.4	54.4	68.3
Y75G_100_100_e	56.9	-56.3	38.1	68.0
G00B_100_100_e	52.4	-67.1	21.5	70.5
G25B_100_100_e	54.6	-53.2	-9.0	53.9
G50B_100_100_e	56.6	-39.7	-29.9	49.8
G75B_100_100_e	52.7	-21.1	-44.1	48.9
B00R_100_100_e	37.9	1.3	-45.4	45.4
B25R_100_100_e	26.7	26.6	-45.8	52.9
B50R_100_100_e	34.8	49.2	-30.0	57.7
B75R_100_100_e	47.3	71.5	-9.9	72.1



%Gamut

$u^*_{rel} = 92$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{e, Ma}$	47.6	64.9	30.9	71.9
$Y_{e, Ma}$	82.9	-3.5	87.8	87.9
$G_{e, Ma}$	52.4	-67.1	21.5	70.5
$C_{e, Ma}$	56.6	-39.7	-29.9	49.8
$B_{e, Ma}$	37.9	1.3	-45.4	45.4
$M_{e, Ma}$	34.8	49.2	-30.0	57.7
$N_{e, Ma}$	17.7	0.0	0.0	0
$W_{e, Ma}$	95.4	0.0	0.0	0
$R_{e, CIE}$	39.9	58.7	27.9	65.0
$Y_{e, CIE}$	81.2	-2.8	71.5	71.6
$G_{e, CIE}$	52.2	-42.4	13.6	44.5
$B_{e, CIE}$	30.5	1.4	-46.4	46.4







1-113530-L0 PE850-73

TUB-test chart PE85; 16 step hue circle  
 Test chart according to DIN 33872, 3D=1, de=1, cmyk\*

input:  $rgb/cmyk \rightarrow rgb_{de}$   
 output: 3D-linearization to  $cmyk^*_{de}$

1-113530-F0

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk\* D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM;  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;  
Six hue angles of the device colours RYGBM;  $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$ ; Six hue angles of the elementary colours RYGBM;  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



Output: Offset standard print; separation cmyk\* D65, page 7/35

input:  $rgb/cmyk \rightarrow rgbde$   
 output: 3D-linearization to  $cmyk^*_de$

I=113630-L0 PE850-73 LAB\*<sub>at0</sub>, YN=0%, XY<sub>Znw</sub>=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB\*<sub>nw</sub>=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

TUB-test chart PE85; 16 step hue circle  
 48 step hue circles;  $rgb-LabCh$ \*tables

















Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk\* D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>d</sub>; h<sub>ab,d</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBM<sub>d</sub>; h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb% <sub>s</sub>	rgb% <sub>d</sub>	rgb% <sub>e</sub>	LAB* <sub>s</sub> dxs361MI (x=LabCh)	LAB* <sub>d</sub> dxs361MI (x=LabCh)	LAB* <sub>e</sub> dxs361MI (x=LabCh)	rgb% <sub>s</sub> dd361MI	rgb% <sub>d</sub> dd361MI	rgb% <sub>e</sub> dd361MI
333	300	300	0.5	0.0	1.0	37.8	53.8	-26.3	59.9	333	333
334	301	301	0.516	0.0	1.0	38.3	54.5	-25.7	60.3	334	334
335	302	302	0.533	0.0	1.0	38.7	55.2	-25.2	60.6	335	335
336	303	303	0.55	0.0	1.0	39.1	55.8	-24.6	61.0	336	336
336	304	304	0.566	0.0	1.0	39.5	56.5	-24.0	61.4	336	336
337	305	304	0.583	0.0	1.0	39.9	57.2	-23.4	61.8	337	337
338	306	305	0.6	0.0	1.0	40.3	57.8	-22.8	62.2	338	338
339	307	306	0.616	0.0	1.0	40.7	58.5	-22.1	62.5	339	339
340	308	307	0.633	0.0	1.0	41.1	59.3	-21.4	63.0	340	340
341	309	308	0.65	0.0	1.0	41.4	60.3	-20.5	63.7	341	341
342	310	309	0.666	0.0	1.0	41.7	61.3	-19.7	64.3	342	342
343	311	310	0.683	0.0	1.0	41.9	62.2	-18.8	65.0	343	343
344	312	311	0.7	0.0	1.0	42.2	63.2	-17.8	65.6	344	344
345	313	312	0.716	0.0	1.0	42.5	64.1	-16.9	66.3	345	345
346	314	313	0.733	0.0	1.0	42.8	65.0	-15.9	66.9	346	346
347	315	314	0.75	0.0	1.0	43.1	65.9	-14.9	67.6	347	347
347	316	315	0.766	0.0	1.0	43.5	66.4	-14.5	68.0	347	347
348	317	316	0.783	0.0	1.0	43.8	66.9	-14.1	68.4	348	348
348	318	317	0.8	0.0	1.0	44.2	67.3	-13.7	68.7	348	348
348	319	318	0.816	0.0	1.0	44.6	67.8	-13.3	69.1	348	348
349	320	319	0.833	0.0	1.0	45.0	68.3	-12.9	69.5	349	349
349	321	320	0.85	0.0	1.0	45.3	68.8	-12.5	69.9	349	349
350	322	321	0.866	0.0	1.0	45.7	69.2	-12.1	70.3	350	350
350	323	322	0.883	0.0	1.0	46.1	69.7	-11.7	70.7	350	350
350	324	323	0.9	0.0	1.0	46.4	70.1	-11.2	71.0	350	350
351	325	324	0.916	0.0	1.0	46.7	70.6	-10.8	71.4	351	351
351	326	325	0.933	0.0	1.0	47.0	71.0	-10.3	71.8	351	351
352	327	326	0.95	0.0	1.0	47.3	71.5	-9.9	72.2	352	352
352	328	327	0.966	0.0	1.0	47.6	71.9	-9.4	72.5	352	352
352	329	328	0.983	0.0	1.0	47.9	72.4	-9.0	72.9	352	352
353	330	329	1.0	0.0	1.0	48.2	72.8	-8.5	73.3	353	353
353	331	330	0.983	48.2	72.7	-7.9	73.1	353			
354	332	331	0.966	48.2	72.5	-7.4	72.9	354			
354	333	332	0.95	48.2	72.4	-6.8	72.7	354			
355	334	333	0.933	48.2	72.2	-6.2	72.5	355			
355	335	334	0.916	48.2	72.0	-5.7	72.3	355			
355	336	335	0.9	48.2	71.9	-5.1	72.1	355			
356	337	336	0.883	48.2	71.7	-4.6	71.8	356			
356	338	337	0.866	48.2	71.5	-4.0	71.7	356			
357	339	338	0.85	48.2	71.4	-3.3	71.5	357			
357	340	339	0.833	48.2	71.3	-2.7	71.3	357			
358	341	340	0.816	48.2	71.1	-2.1	71.1	358			
358	342	339	0.8	48.2	70.9	-1.4	71.0	358			
359	343	340	0.783	48.1	70.8	-0.8	70.8	359			
359	344	341	0.766	48.1	70.6	-0.2	70.6	359			
360	345	342	0.75	48.1	70.4	0.3	70.4	360			

input: rgb/cmyk -> rgbde  
output: 3D-linearization to cmyk\*de

LAB\*ta0, YN=0%, XY,Znw=2.4,2.5,2.6,85.1,88.8,104.3, LAB\*rw=17.7,0.0,0.0,95.5,0.0,0.0

I=1131530-L0 PE850-73

I=H31530-F0

Output: Offset standard print; separation cmyk\* D65, page 16/36

















<http://130.149.60.45/~farbmetrik/PE85/PE85LOFA.TXT /.PS; 3D-linearization>  
F: 3D-linearization PE85/PE85LE30FA.DAT in file (F), page 25/33

n	HC*File	rgb*File	int*File	hsa*File	rgb**File	LabCM*File	cmyk**sep*File	rgb**File	hsa**File	rgb**File	LabCM*File	delta
405	R00Y_062_062a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.9	0.704	0.419	0.0	0.0
406	R00Y_062_062a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.898	0.502	0.425	0.0	0.0
407	R10Y_062_062a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.894	0.265	0.429	0.0	0.0
408	R10Y_062_062a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.876	0.023	0.479	0.0	0.0
409	B59K_062_062a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.879	0.0	0.457	0.0	0.0
410	B59K_062_062a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.876	0.0	0.479	0.0	0.0
411	B42K_075_075a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.876	0.0	0.341	0.0	0.0
412	B36K_087_087a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.876	0.0	0.188	0.0	0.0
413	B31R_100_100a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.853	0.0	0.0	0.0	0.0
414	B31R_100_100a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.853	0.0	0.0	0.0	0.0
415	R00Y_062_050a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.763	0.546	0.403	0.0	0.0
416	R26Y_062_050a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.763	0.362	0.412	0.0	0.0
417	R00Y_062_050a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.756	0.085	0.438	0.0	0.0
418	B61R_062_050a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.735	0.0	0.465	0.0	0.0
419	B59K_062_050a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.735	0.0	0.465	0.0	0.0
420	B40R_075_050a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.793	0.0	0.389	0.0	0.0
421	B34R_087_050a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.661	0.0	0.311	0.0	0.0
422	B39K_100_087a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.848	0.0	0.166	0.0	0.0
423	R38Y_062_062a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.712	0.898	0.424	0.0	0.0
424	R23Y_062_062a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.699	0.688	0.396	0.0	0.0
425	R18Y_062_057a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.622	0.418	0.396	0.0	0.0
426	R18Y_062_057a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.622	0.22	0.407	0.0	0.0
427	B63K_062_057a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.586	0.0	0.483	0.0	0.0
428	B63K_062_057a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.584	0.0	0.465	0.0	0.0
429	B38K_075_050a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.643	0.0	0.312	0.0	0.0
430	B38K_075_050a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.643	0.0	0.164	0.0	0.0
431	B38K_100_075a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.571	0.0	0.0	0.0	0.0
432	B61Y_062_057a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.556	0.72	0.407	0.0	0.0
433	B50Y_062_050a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.556	0.395	0.395	0.0	0.0
434	R31Y_062_057a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.543	0.535	0.395	0.0	0.0
435	R00Y_062_057a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.47	0.289	0.399	0.0	0.0
436	R00Y_062_057a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.456	0.057	0.426	0.0	0.0
437	B59K_062_057a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.415	0.0	0.471	0.0	0.0
438	B34R_075_057a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.491	0.0	0.32	0.0	0.0
439	B25K_075_057a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.541	0.0	0.173	0.0	0.0
440	R19K_100_062a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.536	0.0	0.002	0.0	0.0
441	R00Y_062_062a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.426	0.899	0.423	0.0	0.0
442	R67Y_062_057a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.402	0.754	0.41	0.0	0.0
443	R67Y_062_057a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.376	0.578	0.407	0.0	0.0
444	R00Y_062_057a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.354	0.39	0.406	0.0	0.0
445	R00Y_062_057a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.279	0.161	0.419	0.0	0.0
446	B59K_062_012a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.331	0.0	0.187	0.0	0.0
447	B25K_075_025a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.22	0.0	0.011	0.0	0.0
448	B13R_100_050a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.198	0.782	0.411	0.0	0.0
449	B11R_100_050a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.143	0.453	0.413	0.0	0.0
450	Y06G_062_050a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.088	0.254	0.428	0.0	0.0
451	Y06G_062_050a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.002	0.0	0.443	0.0	0.0
452	Y06G_062_057a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.102	0.0	0.332	0.0	0.0
453	Y06G_062_057a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.322	0.171	0.0	0.0	0.0
454	Y06G_062_012a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.332	0.0	0.024	0.0	0.0
455	Y06G_062_012a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.332	0.0	0.024	0.0	0.0
456	B00K_075_012a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.332	0.0	0.024	0.0	0.0
457	B00K_087_025a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.332	0.0	0.024	0.0	0.0
458	B00K_100_057a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.332	0.0	0.024	0.0	0.0
459	Y15G_075_057a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.332	0.0	0.024	0.0	0.0
460	Y15G_075_057a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.332	0.0	0.024	0.0	0.0
461	Y16G_075_057a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.332	0.0	0.024	0.0	0.0
462	Y16G_075_057a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.332	0.0	0.024	0.0	0.0
463	G00B_075_012a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.332	0.0	0.024	0.0	0.0
464	G00B_075_012a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.332	0.0	0.024	0.0	0.0
465	G00B_087_025a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.332	0.0	0.024	0.0	0.0
466	G51B_087_025a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.332	0.0	0.024	0.0	0.0
467	G84B_100_037a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.332	0.0	0.024	0.0	0.0
468	Y26G_087_087a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.332	0.0	0.024	0.0	0.0
469	Y31G_087_075a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.332	0.0	0.024	0.0	0.0
470	Y38G_087_062a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.332	0.0	0.024	0.0	0.0
471	Y50G_087_050a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.332	0.0	0.024	0.0	0.0
472	Y68G_087_037a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.332	0.0	0.024	0.0	0.0
473	G00B_087_057a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.332	0.0	0.024	0.0	0.0
474	G25B_087_025a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.332	0.0	0.024	0.0	0.0
475	G50B_087_025a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.332	0.0	0.024	0.0	0.0
476	Y36G_100_057a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.332	0.0	0.024	0.0	0.0
477	Y41G_100_087a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.332	0.0	0.024	0.0	0.0
478	Y50G_100_075a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.332	0.0	0.024	0.0	0.0
479	Y61G_100_062a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.332	0.0	0.024	0.0	0.0
480	Y16G_100_050a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.332	0.0	0.024	0.0	0.0
481	Y16G_100_050a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.332	0.0	0.024	0.0	0.0
482	G00B_100_050a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.332	0.0	0.024	0.0	0.0
483	G15B_100_037a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.332	0.0	0.024	0.0	0.0
484	G34B_100_037a	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.4	0.0	0.332	0.0	0.024	0.0	0.0
485	G50B_100_037a	0.625 0.0	0.625									

















http://130.149.60.45/~farbmetrik/PE85/PE85L0FA.TXT /.PS; 3D-linearization  
 F: 3D-linearization PE85/PE85LE30FA.DAT in file (F), page 33/33

n	HC*File	rgb*File	icT*File	hsa*File	rgb*File	LabCIP*File	cmyp*sep*File	cmyp*sep*Rate	delta	LabCIP*File	rgb*File	hsa*File	LabCIP*File	cmyp*sep*File	cmyp*sep*Rate	delta	LabCIP*File	rgb*File	hsa*File	LabCIP*File	cmyp*sep*File	cmyp*sep*Rate	delta	
1053	NW_086de	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.007	0.0	0.179	0.0	0.007	0.0	0.024	0.007	0.0	0.007	0.0	0.179	0.0	0.024	0.007	0.0
1054	NW_093de	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.005	0.0	0.084	0.0	0.005	0.0	0.02	0.005	0.0	0.005	0.0	0.084	0.0	0.02	0.005	0.0
1055	NW_100de	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1056	NW_006de	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1057	NW_006de	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1058	NW_013de	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1059	NW_026de	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1060	NW_026de	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1061	NW_033de	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1062	NW_046de	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1063	NW_046de	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1064	NW_053de	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1065	NW_066de	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1066	NW_066de	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1067	NW_073de	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1068	NW_086de	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1069	NW_086de	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1070	NW_093de	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1071	NW_100de	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1072	NW_100de	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1073	ROY_100_100de	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1074	ROY_100_100de	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1075	GS0B_100_100de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1076	Y06C_100_100de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1077	B06M_100_100de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1078	B08L_100_100de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1079	B50R_100_100de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

input: rgb/cmyk -> rgbde  
 output: 3D-linearization to cmyk\*de



I=113320-F0  
 PE850-TN, Page 33/33-F