

Input and Output: Offset Reflective System ORS18a

Data for any device (d) or elementary (e) colour:


HIC^*_-

hue text for the colours of this page:

H^*_- = R00Y_, R25Y_, ..., B75R_

ORS20a; adapted (a) CIELAB data



H^*_-	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



%Gamut
 $u^*_{rel} = 92$
 %Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R_.,Ma	47.9	65.3	50.5	82.6	37
Y_.,Ma	90.3	-10.2	91.7	92.3	96
G_.,Ma	50.9	-62.8	34.9	71.9	150
C_.,Ma	58.6	-30.3	-45.0	54.2	236
B_.,Ma	25.7	31.0	-44.4	54.2	305
M_.,Ma	48.1	75.2	-8.3	75.7	353
N_.,Ma	18.0	0.0	0.0	0.0	0
W_.,Ma	95.4	0.0	0.0	0.0	0
R_.,CIE	39.9	58.7	27.9	65.0	25
Y_.,CIE	81.2	-2.8	71.5	71.6	92
G_.,CIE	52.2	-42.4	13.6	44.5	162
B_.,CIE	30.5	1.4	-46.4	46.4	271



1-013030-L0 PE850-7N

TUB-test chart PE85; 16 step hue circle
Test chart according to DIN 33872, 3D=0, de=1, cmyk

input: *rgb/cmyk* -> *rgb/cmyk*
output: no change

see similar files: http://130.149.60.45/~farbmetrik/PE85/PE85.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20150701-PE85/PE85L0NA.TXT /.PS
application for measurement of offset print output

TUB material: code=rh4ta

Input and Output: Offset Reflective System ORS18a

Data for any device (d) or elementary (e) colour:


HIC^*_e

hue text for the colours of this page:

$H^*_e = R00Y_e, R25Y_e, \dots, B75R_e$

ORS20a; adapted (a) CIELAB data



H^*_e	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_e	47.6	64.9	30.9	71.9	25
R25Y_100_100_e	51.5	54.2	47.2	71.9	41
R50Y_100_100_e	60.3	35.6	59.0	68.9	58
R75Y_100_100_e	70.4	17.0	72.2	74.1	76
Y00G_100_100_e	82.9	-3.5	87.8	87.9	92
Y25G_100_100_e	76.9	-25.5	75.9	80.1	108
Y50G_100_100_e	65.8	-41.4	54.4	68.3	127
Y75G_100_100_e	56.9	-56.3	38.1	68.0	145
G00B_100_100_e	52.4	-67.1	21.5	70.5	162
G25B_100_100_e	54.6	-53.2	-9.0	53.9	189
G50B_100_100_e	56.6	-39.7	-29.9	49.8	216
G75B_100_100_e	52.7	-21.1	-44.1	48.9	244
B00R_100_100_e	37.9	1.3	-45.4	45.4	271
B25R_100_100_e	26.7	26.6	-45.8	52.9	300
B50R_100_100_e	34.8	49.2	-30.0	57.7	328
B75R_100_100_e	47.3	71.5	-9.9	72.1	352



%Gamut
 $u^*_{rel} = 92$
 %Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
$R_{e, Ma}$	47.6	64.9	30.9	71.9	25
$Y_{e, Ma}$	82.9	-3.5	87.8	87.9	92
$G_{e, Ma}$	52.4	-67.1	21.5	70.5	162
$C_{e, Ma}$	56.6	-39.7	-29.9	49.8	216
$B_{e, Ma}$	37.9	1.3	-45.4	45.4	271
$M_{e, Ma}$	34.8	49.2	-30.0	57.7	328
$N_{e, Ma}$	17.7	0.0	0.0	0.0	0
$W_{e, Ma}$	95.4	0.0	0.0	0.0	0
$R_{e, CIE}$	39.9	58.7	27.9	65.0	25
$Y_{e, CIE}$	81.2	-2.8	71.5	71.6	92
$G_{e, CIE}$	52.2	-42.4	13.6	44.5	162
$B_{e, CIE}$	30.5	1.4	-46.4	46.4	271



1-013130-L0 PE850-71



TUB-test chart PE85; 16 step hue circle
Test chart according to DIN 33872, 3D=0, de=1, cmyk

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmyk_e$

1-013130-F0

see similar files: http://130.149.60.45/~farbmetrik/PE85/PE85.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20150701-PE85/PE85L0NA.TXT /.PS
application for measurement of offset print output, separation cmyk6 (CMYK)
TUB material: code=rh4ta





1-013230-L0 PE850-71

TUB-test chart PE85; 16 step hue circle
Test chart according to DIN 33872, 3D=0, de=1, cmyk

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmyk_e$

1-013230-F0





Input and Output: Offset Reflective System ORS18a

Data for any device (d) or elementary (e) colour:


$$HIC^*_e$$

hue text for the colours of this page:

$$H^*_e = R00Y_e, R25Y_e, \dots, B75R_e$$

ORS20a; adapted (a) CIELAB data



H^*_e	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _e	47.6	64.9	30.9	71.9
R25Y_100_100 _e	51.5	54.2	47.2	71.9
R50Y_100_100 _e	60.3	35.6	59.0	68.9
R75Y_100_100 _e	70.4	17.0	72.2	74.1
Y00G_100_100 _e	82.9	-3.5	87.8	87.9
Y25G_100_100 _e	76.9	-25.5	75.9	80.1
Y50G_100_100 _e	65.8	-41.4	54.4	68.3
Y75G_100_100 _e	56.9	-56.3	38.1	68.0
G00B_100_100 _e	52.4	-67.1	21.5	70.5
G25B_100_100 _e	54.6	-53.2	-9.0	53.9
G50B_100_100 _e	56.6	-39.7	-29.9	49.8
G75B_100_100 _e	52.7	-21.1	-44.1	48.9
B00R_100_100 _e	37.9	1.3	-45.4	45.4
B25R_100_100 _e	26.7	26.6	-45.8	52.9
B50R_100_100 _e	34.8	49.2	-30.0	57.7
B75R_100_100 _e	47.3	71.5	-9.9	72.1



%Gamut
 $u^*_{rel} = 92$
 %Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{e, Ma}	47.6	64.9	30.9	71.9
Y _{e, Ma}	82.9	-3.5	87.8	87.9
G _{e, Ma}	52.4	-67.1	21.5	70.5
C _{e, Ma}	56.6	-39.7	-29.9	49.8
B _{e, Ma}	37.9	1.3	-45.4	45.4
M _{e, Ma}	34.8	49.2	-30.0	57.7
N _{e, Ma}	17.7	0.0	0.0	0
W _{e, Ma}	95.4	0.0	0.0	0
R _{e, CIE}	39.9	58.7	27.9	65.0
Y _{e, CIE}	81.2	-2.8	71.5	71.6
G _{e, CIE}	52.2	-42.4	13.6	44.5
B _{e, CIE}	30.5	1.4	-46.4	46.4



1-013530-L0 PE850-71

TUB-test chart PE85; 16 step hue circle
 Test chart according to DIN 33872, 3D=0, de=1, cmyk


input: $rgb/cmyk \rightarrow rgb_e$
 output: transfer to $cmyk_e$

1-013530-F0


http://130.149.60.45/~farbmetrik/PE85/PE85LONA.TXT /PS; transfer output
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 7/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_d: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours RYGBM_d: $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$


J=Y_d Yellow
 device CIELAB (a^*_d, b^*_d) chroma diagram



Y_e yellow
 elementary CIELAB (a^*_e, b^*_e) chroma diagram



standard CIELAB (a^*_s, b^*_s) chroma diagram



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_s -input values the CIELAB data LCH^*_s and LAB^*_s have been calculated.
- For the calculation of the standard hue angle h_{ms} use for any device values rgb^*_s the equation:
 $h_{ms} = \text{atan} [r^*_s \cos(30) + g^*_s \sin(150)] / [r^*_s \sin(30) + g^*_s \sin(150)] + b^*_s \sin(270)]$ (1)
- For the 48 or 360 equally spaced standard hue angles h_{ms} of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ms} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:
 $h_{48ab,si} = h_{abs,i} + j [h_{abs,i+1} - h_{abs,i}] / 8$ ($i = 0, 1, \dots, 5; j = 0, 1, \dots, 7$) (2)
 $h_{360ab,si} = h_{abs,i} + j [h_{abs,i+1} - h_{abs,i}] / 60$ ($i = 0, 1, \dots, 5; j = 0, 1, \dots, 59$) (3)
- For the 48 or 360 elementary hue angles h_{ms} of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ms} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:
 $h_{48ab,ei} = h_{abs,i} + j [h_{abs,i+1} - h_{abs,i}] / 8$ ($i = 0, 1, \dots, 5; j = 0, 1, \dots, 7$) (4)
 $h_{360ab,ei} = h_{abs,i} + j [h_{abs,i+1} - h_{abs,i}] / 60$ ($i = 0, 1, \dots, 5; j = 0, 1, \dots, 59$) (5)
- For any elementary hue angle h_{ms} there is a well defined device hue angle h_{ms} see the following tables, columns 1 to 4.
- The values rgb^*_s produce the output of the device-independent elementary hues

LAB*_{at0}, YN=0%, XY_{Znw}=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*_{nw}=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

TUB-test chart PE85; 16 step hue circle
 48 step hue circles; $rgb - LabCh$ *tables

PE850-71 I-013630-L0 PE850-71

input: $rgb/cmyk \rightarrow rgb_e$
 output: transfer to $cmyk_e$

Output: Offset standard print; separation cmyk6*: D65, page 7/33

http://130.149.60.45/~farbmetrik/PE85/PE85LONA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 8/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ab = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM; h_ab,d = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM; h_ab,e = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 10 columns: h_ab,d, h_ab,s, h_ab,e, Lab* ddx361M, Lab* ddx44M, Lab* ddx361M, Lab* ddx361M, Lab* ddx361M, Lab* ddx361M, Lab* ddx361M. The table contains numerical data for various colorimetric parameters across a range of hue angles.

input: rgb/cmyk -> rgbe output: transfer to cmyke

Output: Offset standard print; separation cmyk6*: D65, page 8/33

http://130.149.60.45/~farbmetrik/PE85/PE85LONA.TXT /.PS; transfer output
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 9/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy6*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_d; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
 Six hue angles of the device colours RYGBM_d; h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}		h _{ab,e}		h _{ab,s}		LAB* _d dx64M		LAB* _s dx64M (x=LabCh)		rgb* _d dx36IM		LAB* _s dx36IM		rgb* _d dx36IM							
L	A	B	L	A	B	L	A	B	L	A	B	L	A	B	L						
32.8	30.0	25.4	1.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25			
40.4	37.5	33.8	1.0	0.125	0.0	51.2	54.9	46.7	72.1	40.4	32.8	1.0	0.007	0.0	47.6	63.4	41.6	75.8	33		
50.0	45.0	42.1	1.0	0.25	0.0	56.0	44.4	53.0	69.1	50.0	40.4	1.0	0.148	0.0	52.1	53.0	48.1	71.6	42		
61.1	52.5	50.5	1.0	0.375	0.0	61.4	33.2	60.3	68.8	61.1	50.0	1.0	0.25	0.0	56.0	44.5	53.0	69.2	49		
71.4	60.0	58.8	1.0	0.5	0.0	67.2	22.6	67.6	71.2	71.4	61.1	1.0	0.35	0.0	60.3	35.6	59.0	69.0	58		
81.7	67.5	67.2	1.0	0.625	0.0	73.6	11.0	76.1	76.9	81.7	71.4	1.0	0.442	0.0	64.5	27.8	64.5	70.2	66		
88.5	75.0	75.6	1.0	0.75	0.0	79.2	2.0	83.0	83.1	88.5	81.7	1.0	0.55	0.0	69.8	18.3	71.3	73.6	75		
93.6	82.5	83.9	1.0	0.875	0.0	84.2	-5.7	89.4	89.6	93.6	88.5	1.0	0.655	0.0	75.0	9.0	77.9	78.5	83		
97.1	90.0	92.3	1.0	1.0	0.0	88.3	-11.9	95.1	95.8	97.1	93.6	1.0	0.842	0.0	83.0	-3.4	87.8	87.9	92		
100.3	97.5	101.0	1.0	0.875	1.0	0.0	85.8	-16.2	88.6	90.0	100.3	100.3	1.0	0.871	1.0	0.0	85.8	-16.2	88.4	89.9	100
103.3	105.0	109.7	1.0	0.0	82.9	-19.7	83.0	85.3	103.3	103.3	100.3	1.0	0.599	1.0	0.0	76.2	-26.6	74.3	78.9	109	
108.3	112.5	118.5	1.0	0.0	77.0	-25.2	76.3	80.4	108.3	108.3	103.3	1.0	0.455	1.0	0.0	71.4	-33.4	63.2	71.6	117	
115.3	120.0	127.2	1.0	0.0	72.7	-31.3	66.0	73.1	115.3	115.3	108.3	1.0	0.327	1.0	0.0	65.8	-41.3	54.4	68.4	127	
122.4	127.5	136.0	1.0	0.0	68.9	-36.9	58.1	68.8	122.4	122.4	115.3	1.0	0.244	1.0	0.0	60.7	-48.1	47.5	67.6	135	
134.9	135.0	144.7	1.0	0.0	60.8	-47.8	47.8	67.6	134.9	134.9	122.4	1.0	0.124	1.0	0.0	57.4	-54.9	38.9	67.4	144	
144.6	142.5	153.4	1.0	0.0	57.4	-54.9	38.9	67.3	144.6	144.6	134.9	1.0	0.047	1.0	0.0	54.0	-63.8	32.7	71.7	152	
157.7	150.0	162.2	1.0	0.0	51.9	-68.8	28.1	74.3	157.7	157.7	144.6	1.0	0.093	1.0	0.0	49.3	-70.5	21.5	70.5	162	
163.7	157.5	169.0	1.0	0.0	47.7	-79.0	16.3	79.1	163.7	163.7	157.7	1.0	0.209	1.0	0.0	43.8	-77.1	12.8	64.9	168	
170.9	165.0	175.9	1.0	0.0	42.7	-86.4	9.9	82.7	170.9	170.9	163.7	1.0	0.311	1.0	0.0	39.1	-82.3	7.3	59.9	175	
181.0	172.5	182.7	1.0	0.0	37.5	-91.0	5.6	91.0	181.0	181.0	170.9	1.0	0.387	1.0	0.0	35.2	-85.6	2.2	56.5	182	
193.5	180.0	189.6	1.0	0.0	33.3	-94.4	2.3	94.4	193.5	193.5	181.0	1.0	0.46	1.0	0.0	32.3	-87.8	0.0	54.0	189	
205.9	187.5	196.4	1.0	0.0	30.2	-96.4	1.0	100.0	205.9	205.9	193.5	1.0	0.524	1.0	0.0	30.0	-89.4	0.0	54.0	189	
218.4	195.0	203.2	1.0	0.0	27.5	-97.7	0.0	100.0	218.4	218.4	205.9	1.0	0.598	1.0	0.0	28.5	-90.9	0.0	50.0	195	
227.3	202.5	210.1	1.0	0.0	25.5	-98.3	0.0	100.0	227.3	227.3	218.4	1.0	0.662	1.0	0.0	27.5	-91.9	0.0	50.0	195	
236.1	210.0	216.9	1.0	0.0	24.3	-98.7	0.0	100.0	236.1	236.1	227.3	1.0	0.736	1.0	0.0	27.0	-92.5	0.0	50.0	195	
240.3	217.5	223.8	1.0	0.0	23.8	-98.9	0.0	100.0	240.3	240.3	236.1	1.0	0.819	1.0	0.0	26.8	-92.9	0.0	49.8	216	
245.8	225.0	230.6	1.0	0.0	23.8	-98.9	0.0	100.0	245.8	245.8	240.3	1.0	0.922	1.0	0.0	26.8	-93.2	0.0	49.8	216	
252.5	232.5	237.5	1.0	0.0	24.0	-98.7	0.0	100.0	252.5	252.5	245.8	1.0	0.974	1.0	0.0	27.0	-93.3	0.0	49.8	216	
262.3	240.0	244.3	1.0	0.0	24.5	-98.4	0.0	100.0	262.3	262.3	252.5	1.0	0.785	1.0	0.0	27.0	-93.3	0.0	49.8	216	
271.7	247.5	251.2	1.0	0.0	24.7	-98.3	0.0	100.0	271.7	271.7	262.3	1.0	0.659	1.0	0.0	26.8	-93.3	0.0	49.8	216	
281.6	255.0	258.0	1.0	0.0	25.0	-98.1	0.0	100.0	281.6	281.6	271.7	1.0	0.555	1.0	0.0	26.8	-93.3	0.0	49.8	216	
290.3	262.5	264.8	1.0	0.0	25.3	-97.9	0.0	100.0	290.3	290.3	281.6	1.0	0.472	1.0	0.0	26.8	-93.3	0.0	49.8	216	
296.4	270.0	271.7	1.0	0.0	25.3	-97.9	0.0	100.0	296.4	296.4	290.3	1.0	0.375	1.0	0.0	26.8	-93.3	0.0	49.8	216	
306.7	277.5	278.8	1.0	0.0	25.3	-97.9	0.0	100.0	306.7	306.7	296.4	1.0	0.291	1.0	0.0	26.8	-93.3	0.0	49.8	216	
312.7	285.0	285.9	1.0	0.0	25.3	-97.9	0.0	100.0	312.7	312.7	306.7	1.0	0.188	1.0	0.0	26.8	-93.3	0.0	49.8	216	
326.7	292.5	293.0	1.0	0.0	25.3	-97.9	0.0	100.0	326.7	326.7	312.7	1.0	0.079	1.0	0.0	26.8	-93.3	0.0	49.8	216	
333.9	300.0	300.1	1.0	0.0	25.3	-97.9	0.0	100.0	333.9	333.9	326.7	1.0	0.046	1.0	0.0	26.8	-93.3	0.0	49.8	216	
339.6	307.5	307.2	1.0	0.0	25.3	-97.9	0.0	100.0	339.6	339.6	333.9	1.0	0.126	1.0	0.0	26.8	-93.3	0.0	49.8	216	
347.2	315.0	314.3	1.0	0.0	25.3	-97.9	0.0	100.0	347.2	347.2	339.6	1.0	0.265	1.0	0.0	26.8	-93.3	0.0	49.8	216	
350.2	322.5	321.4	1.0	0.0	25.3	-97.9	0.0	100.0	350.2	350.2	347.2	1.0	0.324	1.0	0.0	26.8	-93.3	0.0	49.8	216	
353.3	330.0	328.6	1.0	0.0	25.3	-97.9	0.0	100.0	353.3	353.3	350.2	1.0	0.407	1.0	0.0	26.8	-93.3	0.0	49.8	216	
356.5	337.5	335.7	1.0	0.0	25.3	-97.9	0.0	100.0	356.5	356.5	353.3	1.0	0.529	1.0	0.0	26.8	-93.3	0.0	49.8	216	
360.3	345.0	342.8	1.0	0.0	25.3	-97.9	0.0	100.0	360.3	360.3	356.5	1.0	0.678	1.0	0.0	26.8	-93.3	0.0	49.8	216	
365.8	352.5	349.9	1.0	0.0	25.3	-97.9	0.0	100.0	365.8	365.8	360.3	1.0	0.842	1.0	0.0	26.8	-93.3	0.0	49.8	216	
371.6	360.0	357.0	1.0	0.0	25.3	-97.9	0.0	100.0	371.6	371.6	365.8	1.0	0.949	1.0	0.0	26.8	-93.3	0.0	49.8	216	
378.2	367.5	364.1	1.0	0.0	25.3	-97.9	0.0	100.0	378.2	378.2	371.6	1.0	0.765	1.0	0.0	26.8	-93.3	0.0	49.8	216	
383.9	375.0	371.2	1.0	0.0	25.3	-97.9	0.0	100.0	383.9	383.9	378.2	1.0	0.563	1.0	0.0	26.8	-93.3	0.0	49.8	216	
388.6	382.5	378.3	1.0	0.0	25.3	-97.9	0.0	100.0	388.6	388.6	383.9	1.0	0.408	1.0	0.0	26.8	-93.3	0.0	49.8	216	
392.8	390.0	385.4	1.0	0.0	25.3	-97.9	0.0	100.0	392.8	392.8	388.6	1.0	0.209	1.0	0.0	26.8	-93.3	0.0	49.8	216	

I-013830-L0 PE850-71 LAB*lab0, YN=0%, XY,Znw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*rw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0
 TUB-test chart PE85; 16 step hue circle
 48 step hue circles; rgb-LabCh*tables
 input: rgb/cmyk -> rgbe
 output: transfer to cmyke
 Output: Offset standard print; separation cmy6*: D65, page 9/33

http://130.149.60.45/~farbmetrik/PE85/PE85LONA.TXT /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 10/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy6*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_{id}: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_{id}: h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

	R_{45}	R_{30}	R_{15}	R_{0}	R_{15}	R_{30}	R_{45}	R_{135}	R_{150}	R_{165}	R_{210}	R_{225}	R_{270}	R_{315}	R_{330}
h _{ab,d}	32.8	30.0	25.5	25.5	30.0	32.8	32.8	30.0	25.5	25.5	30.0	32.8	30.0	25.5	25.5
h _{ab,s}	32.8	30.0	25.5	25.5	30.0	32.8	32.8	30.0	25.5	25.5	30.0	32.8	30.0	25.5	25.5
h _{ab,e}	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5
rgb* _{ds}	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
rgb* _d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
rgb* _s	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
rgb* _e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
lab* _{ds361MI}	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4
lab* _{d361MI}	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4
lab* _{s361MI}	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4
lab* _{e361MI}	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4
rgb* _{ds361MI}	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
rgb* _{d361MI}	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
rgb* _{s361MI}	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
rgb* _{e361MI}	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
lab* _{ds361MI}	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4
lab* _{d361MI}	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4
lab* _{s361MI}	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4
lab* _{e361MI}	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4	47.4
rgb* _{ds361MI}	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
rgb* _{d361MI}	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
rgb* _{s361MI}	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
rgb* _{e361MI}	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Input: rgb/cmyk -> rgbe
Output: transfer to cmyke

see similar files: http://130.149.60.45/~farbmetrik/PE85/PE85.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

PE850-71 LAB*_{tab}, YN=0%, XY_{Znw}=2.4, 2.5, 2.6, 85.1, 88.3, 104.3, LAB*_{rw}=17.7, 0.0, 0.0, 95.5, 0.0, 0.0
I-013930-I0 PE850-71 LAB*_{tab}, YN=0%, XY_{Znw}=2.4, 2.5, 2.6, 85.1, 88.3, 104.3, LAB*_{rw}=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

http://130.149.60.45/~farbmetrik/PE85/PE85LONA.TXT /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 13/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_d: h_{ab,ds}= 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{ds}	rgb [*] _{ds361MI}	LAB [*] _{ds361MI} (x=LabCh)	rgb [*] _{dd361MI}	LAB [*] _{dd361MI} (x=LabCh)	rgb [*] _{de361MI}	LAB [*] _{de361MI} (x=LabCh)	rgb [*] _{dd361MI}	rgb [*] _{de361MI}	rgb [*] _{ds}	rgb [*] _{de}
170	165	175	0.0	1.0	0.25	53.2	-61.9	9.8	62.7	170	0.0	1.0	0.25
172	166	176	0.0	1.0	0.266	53.4	-61.4	8.2	61.9	172	0.0	1.0	0.267
173	167	177	0.0	1.0	0.283	53.5	-60.8	6.7	61.2	173	0.0	1.0	0.283
175	168	178	0.0	1.0	0.3	53.6	-60.2	5.2	60.4	175	0.0	1.0	0.3
176	169	179	0.0	1.0	0.316	53.7	-59.5	3.7	59.6	176	0.0	1.0	0.317
177	170	180	0.0	1.0	0.333	53.8	-58.8	2.3	58.9	177	0.0	1.0	0.333
179	171	181	0.0	1.0	0.35	53.9	-58.1	0.9	58.1	179	0.0	1.0	0.35
180	172	182	0.0	1.0	0.366	54.0	-57.3	-0.4	57.3	180	0.0	1.0	0.367
181	173	183	0.0	1.0	0.383	54.1	-56.6	-1.8	56.6	181	0.0	1.0	0.383
183	174	184	0.0	1.0	0.4	54.2	-55.9	-3.5	56.0	183	0.0	1.0	0.4
185	175	185	0.0	1.0	0.416	54.3	-55.2	-5.0	55.5	185	0.0	1.0	0.417
186	176	186	0.0	1.0	0.433	54.4	-54.5	-6.6	54.9	186	0.0	1.0	0.433
188	177	186	0.0	1.0	0.45	54.5	-53.7	-8.0	54.3	188	0.0	1.0	0.45
190	178	187	0.0	1.0	0.466	54.6	-52.8	-9.5	53.7	190	0.0	1.0	0.467
191	179	188	0.0	1.0	0.483	54.7	-52.0	-10.9	53.1	191	0.0	1.0	0.483
193	180	189	0.0	1.0	0.5	54.8	-51.0	-12.3	52.5	193	0.0	1.0	0.5
195	181	190	0.0	1.0	0.516	54.9	-50.4	-13.7	52.2	195	0.0	1.0	0.517
196	182	191	0.0	1.0	0.533	55.1	-49.6	-15.0	51.9	196	0.0	1.0	0.533
198	183	192	0.0	1.0	0.55	55.2	-48.9	-16.3	51.6	198	0.0	1.0	0.55
200	184	193	0.0	1.0	0.566	55.3	-48.1	-17.6	51.2	200	0.0	1.0	0.567
201	185	194	0.0	1.0	0.583	55.5	-47.3	-18.9	50.9	201	0.0	1.0	0.583
203	186	195	0.0	1.0	0.6	55.6	-46.4	-20.1	50.6	203	0.0	1.0	0.6
205	187	195	0.0	1.0	0.616	55.7	-45.5	-21.3	50.3	205	0.0	1.0	0.617
206	188	196	0.0	1.0	0.633	55.8	-44.7	-22.5	50.1	206	0.0	1.0	0.633
208	189	197	0.0	1.0	0.65	56.0	-44.0	-23.8	50.1	208	0.0	1.0	0.65
210	190	198	0.0	1.0	0.666	56.1	-43.2	-25.0	50.0	210	0.0	1.0	0.667
211	191	199	0.0	1.0	0.683	56.2	-42.4	-26.3	49.9	211	0.0	1.0	0.683
213	192	200	0.0	1.0	0.7	56.3	-41.6	-27.5	49.9	213	0.0	1.0	0.7
215	193	201	0.0	1.0	0.716	56.5	-40.8	-28.6	49.8	215	0.0	1.0	0.717
216	194	202	0.0	1.0	0.733	56.6	-39.9	-29.8	49.8	216	0.0	1.0	0.733
218	195	203	0.0	1.0	0.75	56.7	-38.9	-30.9	49.7	218	0.0	1.0	0.75
219	196	204	0.0	1.0	0.766	56.8	-38.4	-31.7	49.8	219	0.0	1.0	0.767
220	197	205	0.0	1.0	0.783	56.9	-37.8	-32.6	49.9	220	0.0	1.0	0.783
221	198	206	0.0	1.0	0.8	57.0	-37.2	-33.5	50.1	221	0.0	1.0	0.8
223	199	206	0.0	1.0	0.816	57.1	-36.6	-34.3	50.2	223	0.0	1.0	0.817
224	200	207	0.0	1.0	0.833	57.3	-36.0	-35.2	50.3	224	0.0	1.0	0.833
225	201	208	0.0	1.0	0.85	57.4	-35.3	-36.0	50.4	225	0.0	1.0	0.85
226	202	209	0.0	1.0	0.866	57.5	-34.6	-36.8	50.6	226	0.0	1.0	0.867
227	203	210	0.0	1.0	0.883	57.6	-34.0	-37.7	50.8	227	0.0	1.0	0.883
229	204	211	0.0	1.0	0.9	57.7	-33.4	-38.6	51.0	229	0.0	1.0	0.9
230	205	212	0.0	1.0	0.916	57.8	-32.8	-39.4	51.3	230	0.0	1.0	0.917
231	206	213	0.0	1.0	0.933	57.9	-32.1	-40.3	51.6	231	0.0	1.0	0.933
232	207	214	0.0	1.0	0.95	58.0	-31.4	-41.2	51.8	232	0.0	1.0	0.95
233	208	215	0.0	1.0	0.966	58.1	-30.7	-42.0	52.1	233	0.0	1.0	0.967
235	209	216	0.0	1.0	0.983	58.2	-30.0	-42.9	52.3	235	0.0	1.0	0.983
236	210	216	0.0	1.0	1.0	58.3	-29.2	-43.7	52.6	236	0.0	1.0	1.0

I-0131230-L0 PE850-71 LAB*_{lab}, YN=0%, XY Znw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*_{nw}=17.7, 0.0, 0.0, 95.5, 0.0, 0.0
Output: Offset standard print; separation cmyk6*: D65, page 13/36

TUB-test chart PE85; 16 step hue circle
48 step hue circles; rgb-LabCh*tables
input: rgb/cmyk -> rgb
output: transfer to cmyk

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb ³⁶ _{ds}	rgb ³⁶ _{ds}	LAB ³⁶ _{ds361M} (x=LabCh)	LAB ³⁶ _{ds361MI} (x=LabCh)	rgb ³⁶ _{ds361MI}	LAB ³⁶ _{des361MI} (x=LabCh)	LAB ³⁶ _{des361MI} (x=LabCh)	rgb ³⁶ _{des361MI}	rgb ³⁶ _{des361MI}	rgb ³⁶ _{des361MI}										
281	255	258	0.0	0.25	1.0	33.3	9.4	-46.0	47.0	281	0.0	0.594	1.0	45.0	-9.4	-44.8	45.9	258	0.0	0.25	1.0	
282	256	258	0.0	0.233	1.0	32.7	10.5	-46.2	47.4	282	0.0	0.581	1.0	46.0	-11.1	-44.7	46.2	256	0.0	0.233	1.0	
283	257	259	0.0	0.216	1.0	32.0	11.5	-46.4	47.8	283	0.0	0.568	1.0	45.5	-10.3	-44.8	46.1	257	0.0	0.217	1.0	
285	258	260	0.0	0.2	1.0	31.4	12.5	-46.5	48.2	285	0.0	0.556	1.0	45.0	-9.5	-44.8	45.9	258	0.0	0.2	1.0	
286	259	261	0.0	0.183	1.0	30.8	13.6	-46.7	48.6	286	0.0	0.543	1.0	44.5	-8.6	-44.9	45.8	259	0.0	0.183	1.0	
287	260	262	0.0	0.166	1.0	30.1	14.7	-46.8	49.0	287	0.0	0.53	1.0	44.0	-7.8	-44.9	45.7	260	0.0	0.167	1.0	
288	261	263	0.0	0.15	1.0	29.5	15.8	-46.9	49.4	288	0.0	0.517	1.0	43.5	-7.0	-44.9	45.6	261	0.0	0.15	1.0	
289	262	264	0.0	0.133	1.0	28.9	16.8	-46.9	49.9	289	0.0	0.505	1.0	43.0	-6.2	-44.9	45.5	262	0.0	0.133	1.0	
290	263	265	0.0	0.116	1.0	28.3	17.8	-47.0	50.3	290	0.0	0.491	1.0	42.5	-5.4	-45.0	45.4	263	0.0	0.117	1.0	
291	264	266	0.0	0.1	1.0	27.9	18.6	-47.1	50.6	291	0.0	0.478	1.0	41.9	-4.6	-45.1	45.4	264	0.0	0.1	1.0	
292	265	267	0.0	0.083	1.0	27.5	19.4	-47.1	51.0	292	0.0	0.465	1.0	41.4	-3.9	-45.2	45.4	265	0.0	0.083	1.0	
293	266	268	0.0	0.066	1.0	27.0	20.2	-47.2	51.4	293	0.0	0.451	1.0	40.9	-3.1	-45.2	45.4	266	0.0	0.067	1.0	
293	267	269	0.0	0.049	1.0	26.6	21.0	-47.3	51.7	293	0.0	0.438	1.0	40.4	-2.3	-45.3	45.4	267	0.0	0.05	1.0	
294	268	269	0.0	0.033	1.0	26.2	21.8	-47.3	52.1	294	0.0	0.425	1.0	39.9	-1.5	-45.3	45.4	268	0.0	0.033	1.0	
295	269	270	0.0	0.016	1.0	25.7	22.6	-47.3	52.5	295	0.0	0.411	1.0	39.4	-0.7	-45.3	45.4	269	0.0	0.017	1.0	
296	270	271	0.0	0.0	1.0	25.3	23.5	-47.3	52.8	296	0.0	0.398	1.0	38.8	-0.0	-45.3	45.4	270	0.0	0.0	1.0	
297	271	272	0.016	0.0	1.0	25.8	24.6	-46.8	52.9	297	0.0	0.385	1.0	38.3	0.8	-45.3	45.4	271	0.0	0.017	1.0	
299	272	273	0.033	0.0	1.0	26.3	25.8	-46.2	52.9	299	0.0	0.371	1.0	37.8	1.6	-45.4	45.5	272	0.0	0.033	0.0	1.0
300	273	274	0.05	0.0	1.0	26.9	26.9	-45.6	52.9	300	0.0	0.359	1.0	37.3	2.4	-45.5	45.7	273	0.0	0.05	0.0	1.0
301	274	275	0.066	0.0	1.0	27.4	28.0	-45.0	53.0	301	0.0	0.346	1.0	36.9	3.2	-45.6	45.8	274	0.0	0.067	0.0	1.0
303	275	276	0.083	0.0	1.0	27.9	29.1	-44.3	53.0	303	0.0	0.334	1.0	36.4	4.0	-45.7	46.0	275	0.0	0.083	0.0	1.0
304	276	277	0.1	0.0	1.0	28.5	30.2	-43.6	53.1	304	0.0	0.321	1.0	36.0	4.8	-45.8	46.1	276	0.1	0.0	1.0	
306	277	278	0.116	0.0	1.0	29.0	31.2	-42.9	53.1	306	0.0	0.309	1.0	35.5	5.6	-45.8	46.3	277	0.1	0.0	1.0	
307	278	279	0.133	0.0	1.0	29.4	32.1	-42.3	53.1	307	0.0	0.296	1.0	35.0	6.5	-45.9	46.4	278	0.1	0.133	0.0	1.0
307	279	280	0.15	0.0	1.0	29.7	32.7	-41.9	53.2	307	0.0	0.283	1.0	34.6	7.3	-45.9	46.6	279	0.15	0.0	1.0	
308	280	281	0.166	0.0	1.0	30.0	33.3	-41.5	53.2	308	0.0	0.271	1.0	34.1	8.1	-45.9	46.7	280	0.166	0.0	1.0	
309	281	282	0.183	0.0	1.0	30.3	33.9	-41.0	53.2	309	0.0	0.258	1.0	33.6	8.9	-45.9	46.9	281	0.183	0.0	1.0	
310	282	283	0.2	0.0	1.0	30.6	34.5	-40.6	53.3	310	0.0	0.245	1.0	33.1	9.8	-46.0	47.1	282	0.2	0.0	1.0	
311	283	284	0.216	0.0	1.0	30.9	35.0	-40.1	53.3	311	0.0	0.231	1.0	32.6	10.7	-46.2	47.5	283	0.216	0.0	1.0	
311	284	285	0.233	0.0	1.0	31.2	35.6	-39.6	53.3	311	0.0	0.216	1.0	32.1	11.6	-46.3	47.8	284	0.233	0.0	1.0	
312	285	285	0.25	0.0	1.0	31.5	36.2	-39.2	53.4	312	0.0	0.202	1.0	31.5	12.5	-46.5	48.2	285	0.25	0.0	1.0	
314	286	286	0.266	0.0	1.0	31.8	37.8	-38.3	53.8	314	0.0	0.188	1.0	31.0	13.3	-46.6	48.5	285	0.25	0.0	1.0	
316	287	287	0.283	0.0	1.0	32.1	39.4	-37.4	54.3	316	0.0	0.175	1.0	30.5	14.2	-46.7	48.9	286	0.267	0.0	1.0	
318	288	288	0.3	0.0	1.0	32.4	40.9	-36.4	54.8	318	0.0	0.159	1.0	29.9	15.2	-46.8	49.3	288	0.3	0.0	1.0	
320	289	289	0.316	0.0	1.0	32.7	42.4	-35.5	55.3	320	0.0	0.145	1.0	29.4	16.2	-46.8	49.6	289	0.317	0.0	1.0	
322	290	290	0.333	0.0	1.0	33.0	43.9	-34.2	55.7	322	0.0	0.13	1.0	28.8	17.1	-46.9	50.0	290	0.333	0.0	1.0	
323	291	291	0.35	0.0	1.0	33.3	45.4	-33.1	56.2	323	0.0	0.112	1.0	28.3	18.1	-47.0	50.4	291	0.35	0.0	1.0	
325	292	292	0.366	0.0	1.0	33.6	46.9	-31.8	56.7	325	0.0	0.091	1.0	27.7	19.1	-47.1	50.9	292	0.367	0.0	1.0	
327	293	293	0.383	0.0	1.0	34.0	48.0	-30.9	57.1	327	0.0	0.07	1.0	27.2	20.1	-47.1	51.3	293	0.383	0.0	1.0	
328	294	294	0.4	0.0	1.0	34.6	48.9	-30.3	57.5	328	0.0	0.05	1.0	26.6	21.1	-47.2	51.8	294	0.4	0.0	1.0	
329	295	295	0.416	0.0	1.0	35.1	49.7	-29.7	57.9	329	0.0	0.029	1.0	26.1	22.1	-47.2	52.2	295	0.417	0.0	1.0	
330	296	296	0.433	0.0	1.0	35.7	50.5	-29.0	58.3	330	0.0	0.008	1.0	25.6	23.1	-47.3	52.7	296	0.433	0.0	1.0	
331	297	297	0.45	0.0	1.0	36.2	51.4	-28.4	58.7	331	0.007	0.0	1.0	25.0	24.0	-47.3	52.9	297	0.45	0.0	1.0	
332	298	298	0.466	0.0	1.0	36.7	52.2	-27.7	59.1	332	0.019	0.0	1.0	25.0	24.8	-46.6	52.9	298	0.467	0.0	1.0	
332	299	299	0.483	0.0	1.0	37.3	53.0	-27.0	59.5	332	0.031	0.0	1.0	26.3	25.7	-46.2	52.9	299	0.483	0.0	1.0	
333	300	300	0.5	0.0	1.0	37.8	53.8	-26.3	59.9	333	0.043	0.0	1.0	26.7	26.5	-45.8	53.0	300	0.5	0.0	1.0	

Data of Maximum color, M in colorimetric system Offset standard print; separation cmykn6*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_d: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

input: rgb/cmyk -> rgbe
output: transfer to cmyke

TUB-test chart PE85; 16 step hue circle
48 step hue circles; rgb-LabCh*tables

Output: Offset standard print; separation cmykn6*: D65, page 15/36

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6*₆, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_d; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM _d ; h _{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3		Six hue angles of the elementary colours RYGBM _e ; h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6										
h _{ab,d}	h _{ab,s}	LAB [*] _{361MI}	rgb [*] _{361MI}	LAB [*] _{dxs361MI} (x=LabCh)	rgb [*] _{dxs361MI} (x=LabCh)	LAB [*] _{des361MI} (x=LabCh)	rgb [*] _{des361MI}					
333	300	0.5	0.0	37.8	53.8	-26.3	59.9	333	0.5	0.0	1.0	
334	301	0.516	0.0	38.3	54.5	-25.7	60.3	334	0.517	0.0	1.0	
335	302	0.533	0.0	38.7	55.2	-25.2	60.6	335	0.533	0.0	1.0	
336	303	0.55	0.0	39.1	55.8	-24.6	61.0	336	0.55	0.0	1.0	
336	304	0.566	0.0	39.5	56.5	-24.0	61.4	336	0.567	0.0	1.0	
337	305	0.583	0.0	39.9	57.2	-23.4	61.8	337	0.583	0.0	1.0	
338	306	0.6	0.0	40.3	57.8	-22.8	62.2	338	0.6	0.0	1.0	
339	307	0.616	0.0	40.7	58.5	-22.1	62.5	339	0.617	0.0	1.0	
340	308	0.633	0.0	41.1	59.3	-21.4	63.0	340	0.633	0.0	1.0	
341	309	0.65	0.0	41.4	60.3	-20.5	63.7	341	0.65	0.0	1.0	
342	310	0.666	0.0	41.7	61.3	-19.7	64.3	342	0.667	0.0	1.0	
343	311	0.683	0.0	41.9	62.2	-18.8	65.0	343	0.683	0.0	1.0	
344	312	0.7	0.0	42.2	63.2	-17.8	65.6	344	0.7	0.0	1.0	
345	313	0.716	0.0	42.5	64.1	-16.9	66.3	345	0.717	0.0	1.0	
346	314	0.733	0.0	42.8	65.0	-15.9	66.9	346	0.733	0.0	1.0	
347	315	0.75	0.0	43.1	65.9	-14.9	67.6	347	0.75	0.0	1.0	
347	316	0.766	0.0	43.5	66.4	-14.5	68.0	347	0.767	0.0	1.0	
348	317	0.783	0.0	43.8	66.9	-14.1	68.4	348	0.783	0.0	1.0	
348	318	0.8	0.0	44.2	67.3	-13.7	68.7	348	0.8	0.0	1.0	
348	319	0.816	0.0	44.6	67.8	-13.3	69.1	348	0.817	0.0	1.0	
349	320	0.833	0.0	45.0	68.3	-12.9	69.5	349	0.833	0.0	1.0	
349	321	0.85	0.0	45.3	68.8	-12.5	69.9	349	0.85	0.0	1.0	
350	322	0.866	0.0	45.7	69.2	-12.1	70.3	350	0.867	0.0	1.0	
350	323	0.883	0.0	46.1	69.7	-11.7	70.7	350	0.883	0.0	1.0	
350	324	0.9	0.0	46.4	70.1	-11.2	71.0	350	0.9	0.0	1.0	
351	325	0.916	0.0	46.7	70.6	-10.8	71.4	351	0.917	0.0	1.0	
351	326	0.933	0.0	47.0	71.0	-10.3	71.8	351	0.933	0.0	1.0	
352	327	0.95	0.0	47.3	71.5	-9.9	72.2	352	0.95	0.0	1.0	
352	328	0.966	0.0	47.6	71.9	-9.4	72.5	352	0.967	0.0	1.0	
352	329	0.983	0.0	47.9	72.4	-9.0	72.9	352	0.983	0.0	1.0	
353	330	1.0	0.0	48.2	72.8	-8.5	73.3	353	1.0	0.0	1.0	
353	331	1.0	0.0	0.983	48.2	72.7	-7.9	73.1	353	0.983	0.0	0.983
354	332	1.0	0.0	0.966	48.2	72.5	-7.4	72.9	354	0.967	0.0	0.967
354	333	1.0	0.0	0.95	48.2	72.4	-6.8	72.7	354	0.95	0.0	0.95
355	334	1.0	0.0	0.933	48.2	72.2	-6.2	72.5	355	0.933	0.0	0.933
355	335	1.0	0.0	0.916	48.2	72.0	-5.7	72.3	355	0.917	0.0	0.917
355	336	1.0	0.0	0.9	48.2	71.9	-5.1	72.1	355	0.9	0.0	0.9
356	337	1.0	0.0	0.883	48.2	71.7	-4.6	71.8	356	0.883	0.0	0.883
356	338	1.0	0.0	0.866	48.2	71.5	-4.0	71.7	356	0.867	0.0	0.867
357	339	1.0	0.0	0.85	48.2	71.4	-3.3	71.5	357	0.85	0.0	0.85
357	340	1.0	0.0	0.833	48.2	71.3	-2.7	71.3	357	0.833	0.0	0.833
358	341	1.0	0.0	0.816	48.2	71.1	-2.1	71.1	358	0.817	0.0	0.817
358	342	1.0	0.0	0.8	48.2	70.9	-1.4	71.0	358	0.8	0.0	0.8
359	343	1.0	0.0	0.783	48.1	70.8	-0.8	70.8	359	0.783	0.0	0.783
359	344	1.0	0.0	0.766	48.1	70.6	-0.2	70.6	359	0.767	0.0	0.767
360	345	1.0	0.0	0.75	48.1	70.4	0.3	70.4	360	0.75	0.0	0.75




Input: rgb/cmyk -> rgb
Output: transfer to cmyk
Offset standard print; separation cmyk6*, D65, page 16/33

R _d	h _{a,b,d}	h _{a,b,s}	h _{ab,e}	RGB _{CM} d	LAB [*] ddx361MI (x=LabCh)	rgb [*] dds361MI	LAB [*] dds361MI (x=LabCh)	rgb [*] dds361MI	LAB [*] dex361MI (x=LabCh)	rgb [*] dds361MI	LAB [*] dex361MI (x=LabCh)	rgb [*] dds361MI	LAB [*] dex361MI (x=LabCh)	rgb [*] dds361MI	LAB [*] dex361MI (x=LabCh)	rgb [*] dds361MI	LAB [*] dex361MI (x=LabCh)	rgb [*] dds361MI	
360	0.0	0.0	0.75	48.1	70.4	0.3	70.4	360	0.0	0.0	0.75	48.1	70.4	0.3	70.4	360	0.0	0.0	0.75
361	0.0	0.0	0.733	48.1	70.3	1.3	70.3	361	0.0	0.0	0.733	48.1	70.3	1.3	70.3	361	0.0	0.0	0.733
362	0.0	0.0	0.716	48.1	70.1	2.2	70.1	362	0.0	0.0	0.716	48.1	70.1	2.2	70.1	362	0.0	0.0	0.716
363	0.0	0.0	0.698	48.1	69.9	3.1	69.9	363	0.0	0.0	0.698	48.1	69.9	3.1	69.9	363	0.0	0.0	0.698
364	0.0	0.0	0.666	48.0	69.5	4.9	69.7	364	0.0	0.0	0.666	48.0	69.5	4.9	69.7	364	0.0	0.0	0.666
365	0.0	0.0	0.65	48.0	69.3	5.7	69.5	365	0.0	0.0	0.65	48.0	69.3	5.7	69.5	365	0.0	0.0	0.65
366	0.0	0.0	0.616	48.0	68.8	7.5	69.2	366	0.0	0.0	0.616	48.0	68.8	7.5	69.2	366	0.0	0.0	0.616
367	0.0	0.0	0.583	47.9	68.6	8.4	69.2	367	0.0	0.0	0.583	47.9	68.6	8.4	69.2	367	0.0	0.0	0.583
368	0.0	0.0	0.566	47.9	68.4	9.3	69.2	368	0.0	0.0	0.566	47.9	68.4	9.3	69.2	368	0.0	0.0	0.566
369	0.0	0.0	0.55	47.8	68.2	11.2	69.2	369	0.0	0.0	0.55	47.8	68.2	11.2	69.2	369	0.0	0.0	0.55
370	0.0	0.0	0.533	47.8	68.1	12.1	69.1	370	0.0	0.0	0.533	47.8	68.1	12.1	69.1	370	0.0	0.0	0.533
371	0.0	0.0	0.516	47.7	67.9	13.1	69.1	371	0.0	0.0	0.516	47.7	67.9	13.1	69.1	371	0.0	0.0	0.516
372	0.0	0.0	0.483	47.7	67.5	15.0	69.2	372	0.0	0.0	0.483	47.7	67.5	15.0	69.2	372	0.0	0.0	0.483
373	0.0	0.0	0.466	47.7	67.3	16.1	69.2	373	0.0	0.0	0.466	47.7	67.3	16.1	69.2	373	0.0	0.0	0.466
374	0.0	0.0	0.45	47.7	67.2	17.1	69.3	374	0.0	0.0	0.45	47.7	67.2	17.1	69.3	374	0.0	0.0	0.45
375	0.0	0.0	0.433	47.7	67.0	18.2	69.4	375	0.0	0.0	0.433	47.7	67.0	18.2	69.4	375	0.0	0.0	0.433
376	0.0	0.0	0.416	47.7	66.7	19.2	69.5	376	0.0	0.0	0.416	47.7	66.7	19.2	69.5	376	0.0	0.0	0.416
377	0.0	0.0	0.4	47.7	66.5	20.3	69.5	377	0.0	0.0	0.4	47.7	66.5	20.3	69.5	377	0.0	0.0	0.4
378	0.0	0.0	0.383	47.7	66.3	21.3	69.6	378	0.0	0.0	0.383	47.7	66.3	21.3	69.6	378	0.0	0.0	0.383
379	0.0	0.0	0.366	47.7	66.1	22.3	69.7	379	0.0	0.0	0.366	47.7	66.1	22.3	69.7	379	0.0	0.0	0.366
380	0.0	0.0	0.35	47.7	66.0	23.2	69.9	380	0.0	0.0	0.35	47.7	66.0	23.2	69.9	380	0.0	0.0	0.35
381	0.0	0.0	0.333	47.7	65.8	24.2	70.2	381	0.0	0.0	0.333	47.7	65.8	24.2	70.2	381	0.0	0.0	0.333
382	0.0	0.0	0.316	47.7	65.7	25.1	70.4	382	0.0	0.0	0.316	47.7	65.7	25.1	70.4	382	0.0	0.0	0.316
383	0.0	0.0	0.3	47.7	65.6	26.0	70.6	383	0.0	0.0	0.3	47.7	65.6	26.0	70.6	383	0.0	0.0	0.3
384	0.0	0.0	0.283	47.7	65.4	27.0	70.8	384	0.0	0.0	0.283	47.7	65.4	27.0	70.8	384	0.0	0.0	0.283
385	0.0	0.0	0.266	47.7	65.2	27.9	71.0	385	0.0	0.0	0.266	47.7	65.2	27.9	71.0	385	0.0	0.0	0.266
386	0.0	0.0	0.25	47.7	65.0	28.9	71.2	386	0.0	0.0	0.25	47.7	65.0	28.9	71.2	386	0.0	0.0	0.25
387	0.0	0.0	0.233	47.6	65.0	29.7	71.5	387	0.0	0.0	0.233	47.6	65.0	29.7	71.5	387	0.0	0.0	0.233
388	0.0	0.0	0.216	47.6	64.9	30.5	71.8	388	0.0	0.0	0.216	47.6	64.9	30.5	71.8	388	0.0	0.0	0.216
389	0.0	0.0	0.2	47.6	64.9	31.4	72.1	389	0.0	0.0	0.2	47.6	64.9	31.4	72.1	389	0.0	0.0	0.2
390	0.0	0.0	0.183	47.5	64.8	32.2	72.4	390	0.0	0.0	0.183	47.5	64.8	32.2	72.4	390	0.0	0.0	0.183
391	0.0	0.0	0.166	47.5	64.7	33.0	72.7	391	0.0	0.0	0.166	47.5	64.7	33.0	72.7	391	0.0	0.0	0.166
392	0.0	0.0	0.15	47.5	64.6	33.9	72.9	392	0.0	0.0	0.15	47.5	64.6	33.9	72.9	392	0.0	0.0	0.15
393	0.0	0.0	0.133	47.4	64.5	34.7	73.2	393	0.0	0.0	0.133	47.4	64.5	34.7	73.2	393	0.0	0.0	0.133
394	0.0	0.0	0.116	47.4	64.4	35.5	73.6	394	0.0	0.0	0.116	47.4	64.4	35.5	73.6	394	0.0	0.0	0.116
395	0.0	0.0	0.1	47.4	64.3	36.3	73.9	395	0.0	0.0	0.1	47.4	64.3	36.3	73.9	395	0.0	0.0	0.1
396	0.0	0.0	0.083	47.4	64.3	37.1	74.2	396	0.0	0.0	0.083	47.4	64.3	37.1	74.2	396	0.0	0.0	0.083
397	0.0	0.0	0.066	47.4	64.2	37.9	74.6	397	0.0	0.0	0.066	47.4	64.2	37.9	74.6	397	0.0	0.0	0.066
398	0.0	0.0	0.049	47.4	64.1	38.7	74.9	398	0.0	0.0	0.049	47.4	64.1	38.7	74.9	398	0.0	0.0	0.049
399	0.0	0.0	0.033	47.3	64.0	39.5	75.3	399	0.0	0.0	0.033	47.3	64.0	39.5	75.3	399	0.0	0.0	0.033
400	0.0	0.0	0.016	47.3	63.9	40.3	75.6	400	0.0	0.0	0.016	47.3	63.9	40.3	75.6	400	0.0	0.0	0.016
401	0.0	0.0	0.0	47.3	63.8	41.2	76.0	401	0.0	0.0	0.0	47.3	63.8	41.2	76.0	401	0.0	0.0	0.0

input: rgb/cmyk -> rgbe
output: transfer to cmyke

LAB*da0, YN=0%, XY Znw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*rw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

TUB-test chart PE85; 16 step hue circle
48 step hue circles; rgb-LabCh*tables







input: rgb/cmyk -> rgbe output: transfer to cmyke

TUB-test chart PE85; 16 step hue circle colors and differences, ΔE*

Table with columns: nrf, HHC*Fe, rpb*Fe, icr*Fe, hsa*Fe, LabCh*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, rpb*Fe, DE*Fe, hsa*Me, rpb*Me, LabCh*Me, LabCh*Me, and numerical values for 16 color steps.

Mean color difference of this page: delta E** = 17.3



http://130.149.60.45/~farbmetrik/PE85/PE85LONA.TXT /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 19/33

nif	HC*Fe	rgb*Fe	act*Fe	hs*Fe	rgb*Fe	LabCH*Fe	rgb*Fe	rgb*Fe	LabCH*Fe	DF*Fe	hs*Me	rgb*Me	LabCH*Me	DF*Me	hs*Me	rgb*Me	LabCH*Me	DF*Me	hs*Me	
0/648	ROUY_100_100k	1.0	0.0	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1/668	R25Y_100_100k	0.0	0.25	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
2/684	R50Y_100_100k	0.0	0.5	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
3/702	R75Y_100_100k	0.0	0.75	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
4/720	Y00C_100_100k	0.0	1.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
5/558	Y25C_100_100k	0.75	1.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
6/396	Y50C_100_100k	0.5	1.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
7/234	Y75C_100_100k	0.25	1.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
8/72	CO0B_100_100k	0.0	1.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
9/72	CO0B_100_100k	0.0	1.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
10/76	G05B_100_100k	0.0	1.0	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
11/44	G15B_100_100k	0.0	1.0	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
12/44	G35B_100_100k	0.0	0.5	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
13/8	B00M_100_100k	0.0	1.0	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
14/332	B25R_100_100k	0.5	0.0	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
15/656	B50R_100_100k	1.0	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
16/652	B75R_100_100k	1.0	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
17/648	ROUY_100_100k	1.0	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
18/688	ROUY_100_050k	1.0	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
19/706	R50Y_075_050k	0.75	0.25	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
20/724	Y00C_100_050k	1.0	1.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
21/400	G00B_100_050k	0.5	1.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
22/400	G00B_100_050k	0.5	1.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
23/400	G00B_100_050k	0.5	1.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
24/688	ROUY_100_050k	1.0	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
25/692	B50R_100_050k	1.0	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
26/688	ROUY_100_050k	1.0	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
27/506	ROUY_075_050k	0.75	0.25	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
28/524	R50Y_075_050k	0.75	0.25	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
29/542	Y00C_075_050k	1.0	0.75	0.25	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
30/380	Y50C_075_050k	0.5	0.75	0.25	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
31/218	G00B_075_050k	0.25	0.75	0.25	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
32/222	G50B_075_050k	0.25	0.75	0.25	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
33/186	B00R_075_050k	0.25	0.75	0.25	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
34/510	B50R_075_050k	0.25	0.75	0.25	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
35/506	ROUY_075_050k	0.75	0.25	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
36/324	ROUY_050_050k	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
37/342	R50Y_050_050k	0.5	0.25	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
38/360	Y00C_050_050k	0.5	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
39/198	Y50C_050_050k	0.25	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
40/36	G00B_050_050k	0.0	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
41/40	G50B_050_050k	0.0	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
42/4	B00R_050_050k	0.0	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
43/328	B50R_050_050k	0.5	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
44/324	ROUY_050_050k	0.5	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
45/0	NW_00k	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
46/91	NW_01k	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125
47/182	NW_02k	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
48/273	NW_03k	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375
49/364	NW_05k	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
50/455	NW_06k	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625
51/546	NW_08k	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
52/637	NW_08k	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875
53/728	NW_10k	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0

Mean color difference of this page: delta E* = 12.3

input: rgb/cmyk -> rgbe
output: transfer to cmyke

TUB-test chart PE85; 16 step hue circle
colors and differences, ΔE*





http://130.149.60.45/~farbmetrik/PE85/PE85LONA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 21/33

Table with 16 columns: n, HHC*Fc, rgb*Fc, icr*Fc, hsa*Fc, rgb*Fg, LabC*Fg, LabC*Fe, rgb*Fe, LabC*Fe, DF*Fe, hsa*Fe, rgb*Fg, LabC*Fg, LabC*Fe, DF*Fe. Rows 81-161.

Mean color difference of this page: delta E* = 11.2

TUB-test chart PE85; 16 step hue circle colors and differences, ΔE*





input: rgb/cmyk -> rgbe output: transfer to cmyke



http://130.149.60.45/~farbmetrik/PE85/PE85LONA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 22/33

Table with 16 columns: n, HHC*Fe, rpb*Fe, icr*Fe, HsL*Fe, rpb*Fe, LabC*Fe, LabM*Fe, LabY*Fe, LabC*Fe, rpb*Fe, rpb*Fe, LabC*Fe, DF*Fe, HsM*Fe, rpb*Fe, LabC*Fe. Rows 162-242.

input: rgb/cmyk -> rgbe output: transfer to cmyke



see similar files: <http://130.149.60.45/~farbmetrik/PE85/PE85LONA.TXT> /PS; transfer output technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

<http://130.149.60.45/~farbmetrik/PE85/PE85LONA.TXT> /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 24/33

Table with 16 columns: n, HHC*Fe, rpb*Fe, icr*Fe, hsa*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe. Rows 324-404. Includes a 'Mean color difference of this page:' section at the bottom right of the table area.

input: *rgb/cmyk* -> *rgbe*
output: transfer to *cmyke*

TUB-test chart PE85; 16 step hue circle colors and differences, ΔE*

http://130.149.60.45/~farbmetrik/PE85/PE85LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 25/33

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabC*Fe, LabM*Fe, LabY*Fe, LabC*Fe, rpb*Fe, DF*Fe, Hs*Fe, LabC*Fe, LabM*Fe, LabY*Fe. Rows 405-485.

Mean color difference in this page:





input: rgb/cmyk -> rgbe output: transfer to cmyke

PE85-70N; Page:25/33-F

TUB-test chart PE85; 16 step hue circle colors and differences, ΔE*

I-0132430-F0

I-0132430-F0



http://130.149.60.45/~farbmetrik/PE85/PE85LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 26/33

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, hsa*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, rpb*Fe, LabCH*Fe, DF*Fe, Hsa*Fe, LabCH*Fe, LabCH*Fe. Rows 486-566.

Mean color difference of this page: delta E* = 12.8

TUB-test chart PE85; 16 step hue circle colors and differences, ΔE*

input: rgb/cmyk -> rgbe output: transfer to cmyke

http://130.149.60.45/~farbmetrik/PE85/PE85LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 27/33

Table with 16 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, rpb*Fe, LabCH*Fe, DF*Fe, Hs*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe. Rows 567-647.

Mean color difference of this page: delta E* = 13.3

input: rgb/cmyk -> rgbe output: transfer to cmyke

TUB-test chart PE85; 16 step hue circle colors and differences, AE*

PE850-7N, Page 27/33-F

I-1032630-F0

http://130.149.60.45/~farbmetrik/PE85/PE85LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 28/33

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, DF*Fe, Hs*Me, rpb*Me, LabCh*Me, DF*Me, Hs*Me. Rows list various color patches and their corresponding colorimetric values.


PE85-7N, Page 28/33-F

TUB-test chart PE85; 16 step hue circle colors and differences, ΔE*

input: rgb/cmyk -> rgbe output: transfer to cmyke

Mean color difference of this page:

delta E* = 14.4



http://130.149.60.45/~farbmatrik/PE85/PE85LONA.TXT /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 31/33

input: *rgb*/*cmyk* -> *rgbe*
output: transfer to *cmyke*

TUB-test chart PE85; 16 step hue circle
colors and differences, ΔE^*

see similar files: <http://130.149.60.45/~farbmatrik/PE85/PE85.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

PE85-7N; Page 31/33-F3

I-10330-F0

Mean color difference of this page:

$\Delta E^* = 11.7$

<http://130.149.60.45/~farbmetrik/PE85/PE85LONA.TXT> /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 32/33

input: *rgb/cmyk* -> *rgbe*
output: transfer to *cmyk*

n	HC*Fe	rgb*Fe	iet*Fe	hsa*Fe	rgb*Fe	LabC*Fe	LabCH*Fe	rgb*Fe	DF*Fe	hsa*Fe	rgb*Fe	LabCH*Fe
972	NW_000b	0.0	0.0	0.0	0.0	0.0	0.0	0.0	84.7	1.6	1.0	95.4
973	NW_012a	0.125	0.125	0.125	0.125	0.125	0.125	0.125	226.1	3.1	3.60	95.4
974	NW_025a	0.25	0.25	0.25	0.25	0.25	0.25	0.25	236.5	8.3	3.60	95.4
975	NW_037a	0.375	0.375	0.375	0.375	0.375	0.375	0.375	217.4	9.3	3.60	95.4
976	NW_050a	0.5	0.5	0.5	0.5	0.5	0.5	0.5	224.9	8.5	3.60	95.4
977	NW_062a	0.625	0.625	0.625	0.625	0.625	0.625	0.625	220.0	7.5	3.60	95.4
978	NW_075a	0.75	0.75	0.75	0.75	0.75	0.75	0.75	215.9	4.1	3.60	95.4
979	NW_087a	0.875	0.875	0.875	0.875	0.875	0.875	0.875	138.2	1.3	3.60	95.4
980	NW_100a	1.0	1.0	1.0	1.0	1.0	1.0	1.0	72.2	0.3	3.60	95.4
981	NW_000b	0.0	0.0	0.0	0.0	0.0	0.0	0.0	102.7	4.1	3.60	95.4
982	NW_012a	0.125	0.125	0.125	0.125	0.125	0.125	0.125	83.1	0.9	3.60	95.4
983	NW_025a	0.25	0.25	0.25	0.25	0.25	0.25	0.25	232.8	2.4	3.60	95.4
984	NW_037a	0.375	0.375	0.375	0.375	0.375	0.375	0.375	237.3	8.0	3.60	95.4
985	NW_050a	0.5	0.5	0.5	0.5	0.5	0.5	0.5	228.2	9.2	3.60	95.4
986	NW_062a	0.625	0.625	0.625	0.625	0.625	0.625	0.625	220.2	8.1	3.60	95.4
987	NW_075a	0.75	0.75	0.75	0.75	0.75	0.75	0.75	224.3	7.1	3.60	95.4
988	NW_087a	0.875	0.875	0.875	0.875	0.875	0.875	0.875	131.8	3.2	3.60	95.4
989	NW_100a	1.0	1.0	1.0	1.0	1.0	1.0	1.0	202.8	3.7	3.60	95.4
1000	NW_012a	0.125	0.125	0.125	0.125	0.125	0.125	0.125	96.0	0.7	3.60	95.4
1001	NW_025a	0.25	0.25	0.25	0.25	0.25	0.25	0.25	233.4	2.0	3.60	95.4
1002	NW_037a	0.375	0.375	0.375	0.375	0.375	0.375	0.375	239.8	7.2	3.60	95.4
1003	NW_050a	0.5	0.5	0.5	0.5	0.5	0.5	0.5	235.0	8.9	3.60	95.4
1004	NW_062a	0.625	0.625	0.625	0.625	0.625	0.625	0.625	230.8	8.1	3.60	95.4
1005	NW_075a	0.75	0.75	0.75	0.75	0.75	0.75	0.75	229.6	6.9	3.60	95.4
1006	NW_087a	0.875	0.875	0.875	0.875	0.875	0.875	0.875	222.5	5.2	3.60	95.4
1007	NW_100a	1.0	1.0	1.0	1.0	1.0	1.0	1.0	179.7	3.9	3.60	95.4
1008	NW_000b	0.0	0.0	0.0	0.0	0.0	0.0	0.0	108.6	1.1	3.60	95.4
1009	NW_006a	0.066	0.066	0.066	0.066	0.066	0.066	0.066	83.1	2.1	3.60	95.4
1010	NW_013a	0.133	0.133	0.133	0.133	0.133	0.133	0.133	97.7	0.7	3.60	95.4
1011	NW_020a	0.2	0.2	0.2	0.2	0.2	0.2	0.2	233.6	3.7	3.60	95.4
1012	NW_026a	0.266	0.266	0.266	0.266	0.266	0.266	0.266	236.6	7.4	3.60	95.4
1013	NW_033a	0.333	0.333	0.333	0.333	0.333	0.333	0.333	234.6	8.5	3.60	95.4
1014	NW_040a	0.4	0.4	0.4	0.4	0.4	0.4	0.4	231.7	9.9	3.60	95.4
1015	NW_046a	0.466	0.466	0.466	0.466	0.466	0.466	0.466	232.4	8.7	3.60	95.4
1016	NW_053a	0.533	0.533	0.533	0.533	0.533	0.533	0.533	231.8	8.5	3.60	95.4
1017	NW_060a	0.6	0.6	0.6	0.6	0.6	0.6	0.6	231.4	8.7	3.60	95.4
1018	NW_066a	0.666	0.666	0.666	0.666	0.666	0.666	0.666	231.9	7.3	3.60	95.4
1019	NW_073a	0.734	0.734	0.734	0.734	0.734	0.734	0.734	225.3	6.1	3.60	95.4
1020	NW_080a	0.8	0.8	0.8	0.8	0.8	0.8	0.8	226.2	4.9	3.60	95.4
1021	NW_086a	0.866	0.866	0.866	0.866	0.866	0.866	0.866	212.1	4.6	3.60	95.4
1022	NW_093a	0.933	0.933	0.933	0.933	0.933	0.933	0.933	232.8	2.0	3.60	95.4
1023	NW_100a	1.0	1.0	1.0	1.0	1.0	1.0	1.0	325.6	0.0	3.60	95.4
1024	NW_000b	0.0	0.0	0.0	0.0	0.0	0.0	0.0	87.5	1.7	3.60	95.4
1025	NW_006a	0.066	0.066	0.066	0.066	0.066	0.066	0.066	114.3	0.3	3.60	95.4
1026	NW_013a	0.133	0.133	0.133	0.133	0.133	0.133	0.133	234.3	3.4	3.60	95.4
1027	NW_020a	0.2	0.2	0.2	0.2	0.2	0.2	0.2	237.8	7.0	3.60	95.4
1028	NW_026a	0.266	0.266	0.266	0.266	0.266	0.266	0.266	235.6	8.4	3.60	95.4
1029	NW_033a	0.333	0.333	0.333	0.333	0.333	0.333	0.333	236.6	9.7	3.60	95.4
1030	NW_040a	0.4	0.4	0.4	0.4	0.4	0.4	0.4	236.6	9.4	3.60	95.4
1031	NW_046a	0.466	0.466	0.466	0.466	0.466	0.466	0.466	233.8	8.5	3.60	95.4
1032	NW_053a	0.533	0.533	0.533	0.533	0.533	0.533	0.533	229.9	8.4	3.60	95.4
1033	NW_060a	0.6	0.6	0.6	0.6	0.6	0.6	0.6	226.7	8.2	3.60	95.4
1034	NW_066a	0.666	0.666	0.666	0.666	0.666	0.666	0.666	228.5	6.9	3.60	95.4
1035	NW_073a	0.734	0.734	0.734	0.734	0.734	0.734	0.734	231.4	6.2	3.60	95.4
1036	NW_080a	0.8	0.8	0.8	0.8	0.8	0.8	0.8	227.1	4.9	3.60	95.4
1037	NW_086a	0.866	0.866	0.866	0.866	0.866	0.866	0.866	214.9	4.6	3.60	95.4
1038	NW_093a	0.933	0.933	0.933	0.933	0.933	0.933	0.933	192.4	2.0	3.60	95.4
1039	NW_100a	1.0	1.0	1.0	1.0	1.0	1.0	1.0	75.7	0.1	3.60	95.4
1040	NW_000b	0.0	0.0	0.0	0.0	0.0	0.0	0.0	82.9	1.6	3.60	95.4
1041	NW_006a	0.066	0.066	0.066	0.066	0.066	0.066	0.066	123.7	0.2	3.60	95.4
1042	NW_013a	0.133	0.133	0.133	0.133	0.133	0.133	0.133	230.8	2.8	3.60	95.4
1043	NW_020a	0.2	0.2	0.2	0.2	0.2	0.2	0.2	39.5	-0.4	3.60	95.4
1044	NW_026a	0.266	0.266	0.266	0.266	0.266	0.266	0.266	226.6	2.66	3.60	95.4
1045	NW_033a	0.333	0.333	0.333	0.333	0.333	0.333	0.333	234.2	7.5	3.60	95.4
1046	NW_040a	0.4	0.4	0.4	0.4	0.4	0.4	0.4	233.9	9.2	3.60	95.4
1047	NW_046a	0.466	0.466	0.466	0.466	0.466	0.466	0.466	234.3	8.1	3.60	95.4
1048	NW_053a	0.533	0.533	0.533	0.533	0.533	0.533	0.533	231.6	8.6	3.60	95.4
1049	NW_060a	0.6	0.6	0.6	0.6	0.6	0.6	0.6	233.4	7.7	3.60	95.4
1050	NW_066a	0.666	0.666	0.666	0.666	0.666	0.666	0.666	230.7	6.2	3.60	95.4
1051	NW_073a	0.734	0.734	0.734	0.734	0.734	0.734	0.734	229.4	7.2	3.60	95.4
1052	NW_080a	0.8	0.8	0.8	0.8	0.8	0.8	0.8	213.0	4.8	3.60	95.4

Mean color difference of this page: $\Delta E^* = 5.5$

PE850-7N, Page 32/33-F

TUB-test chart PE85; 16 step hue circle
colors and differences, ΔE^*



http://130.149.60.45/~farbmetrik/PE85/PE85LONA.TXT /.PS; transfer output
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 33/33

n	HC*Fe	rgb*Fe	icT_Fe	hs_Fe	rgb*Fe	LabCIE*Fe	LabCIE*Fe	rgb*Fe	LabCIE*Fe	DF*Fe	hsMe	rgb*Me	LabCIE*Me	0.0	0.0	0.0
1053	NW_086e	0.866	0.866	0.866	0.866	85.0	0.0	0.0	0.0	0.1	204.5	1.0	1.0	95.4	0.0	0.0
1054	NW_093e	0.933	0.933	0.933	0.933	90.2	0.0	0.0	0.0	0.0	177.8	1.0	1.0	95.4	0.0	0.0
1055	NW_100e	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	61.5	1.0	1.0	95.4	0.0	0.0
1056	NW_006e	0.0	0.0	0.0	0.0	17.7	0.0	0.0	0.0	0.1	96.3	1.0	1.0	95.4	0.0	0.0
1057	NW_006e	0.066	0.066	0.066	0.066	22.8	0.0	0.0	0.0	0.1	151.6	1.0	1.0	95.4	0.0	0.0
1058	NW_013e	0.133	0.133	0.133	0.133	28.0	0.0	0.0	0.0	0.1	242.3	1.0	1.0	95.4	0.0	0.0
1059	NW_020e	0.2	0.2	0.2	0.2	33.2	0.0	0.0	0.0	0.1	240.2	1.0	1.0	95.4	0.0	0.0
1060	NW_026e	0.266	0.266	0.266	0.266	38.3	0.0	0.0	0.0	0.1	234.3	1.0	1.0	95.4	0.0	0.0
1061	NW_033e	0.333	0.333	0.333	0.333	43.6	0.0	0.0	0.0	0.1	234.3	1.0	1.0	95.4	0.0	0.0
1062	NW_040e	0.4	0.4	0.4	0.4	48.8	0.0	0.0	0.0	0.1	234.3	1.0	1.0	95.4	0.0	0.0
1063	NW_046e	0.466	0.466	0.466	0.466	53.9	0.0	0.0	0.0	0.1	234.3	1.0	1.0	95.4	0.0	0.0
1064	NW_053e	0.533	0.533	0.533	0.533	59.1	0.0	0.0	0.0	0.1	234.3	1.0	1.0	95.4	0.0	0.0
1065	NW_060e	0.6	0.6	0.6	0.6	64.3	0.0	0.0	0.0	0.1	234.3	1.0	1.0	95.4	0.0	0.0
1066	NW_066e	0.666	0.666	0.666	0.666	69.5	0.0	0.0	0.0	0.1	234.3	1.0	1.0	95.4	0.0	0.0
1067	NW_073e	0.734	0.734	0.734	0.734	74.7	0.0	0.0	0.0	0.1	234.3	1.0	1.0	95.4	0.0	0.0
1068	NW_080e	0.8	0.8	0.8	0.8	79.9	0.0	0.0	0.0	0.1	234.3	1.0	1.0	95.4	0.0	0.0
1069	NW_086e	0.866	0.866	0.866	0.866	85.0	0.0	0.0	0.0	0.1	234.3	1.0	1.0	95.4	0.0	0.0
1070	NW_093e	0.933	0.933	0.933	0.933	90.2	0.0	0.0	0.0	0.1	234.3	1.0	1.0	95.4	0.0	0.0
1071	NW_100e	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.1	234.3	1.0	1.0	95.4	0.0	0.0
1072	NW_006e	0.0	0.0	0.0	0.0	17.7	0.0	0.0	0.0	0.1	234.3	1.0	1.0	95.4	0.0	0.0
1073	NW_006e	0.0	0.0	0.0	0.0	17.7	0.0	0.0	0.0	0.1	234.3	1.0	1.0	95.4	0.0	0.0
1074	ROY_100_100e	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.1	234.3	1.0	1.0	95.4	0.0	0.0
1075	GS0B_100_100e	0.0	0.0	0.0	0.0	209	47.6	64.9	30.9	78.4	237.9	1.0	1.0	95.4	0.0	0.0
1076	Y06C_100_100e	0.0	0.0	0.0	0.0	56.6	-39.7	87.8	216.9	10.5	195	0.0	0.0	0.0	0.0	0.0
1077	B06C_100_100e	0.0	0.0	0.0	0.0	82.9	-3.5	87.8	87.9	92.3	81	0.0	0.0	0.0	0.0	0.0
1078	B08C_100_100e	0.0	0.0	0.0	0.0	57.9	1.3	57.9	1.3	28.4	248	0.0	0.0	0.0	0.0	0.0
1079	B50R_100_100e	0.0	0.0	0.0	0.0	52.4	0.0	52.4	0.0	357.5	293	0.0	0.0	0.0	0.0	0.0
1079	B50R_100_100e	1.0	1.0	1.0	1.0	34.8	49.2	34.8	49.2	357.5	293	0.0	0.0	0.0	0.0	0.0

Mean color difference of this page: delta E* = 7.6



input: rgb/cmyk -> rgbe
 output: transfer to cmyke

TUB-test chart PE85; 16 step hue circle
 colors and differences, ΔE*