

Input and Output: Offset Reflective System ORS18a

Data for any device (d) or elementary (e) colour:


HIC^*_-

hue text for the colours of this page:

H^*_- = R00Y_, R25Y_, ..., B75R_

ORS20a; adapted (a) CIELAB data



H^*_-	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



%Gamut
 $u^*_{rel} = 92$
 %Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R_.,Ma	47.9	65.3	50.5	82.6	37
Y_.,Ma	90.3	-10.2	91.7	92.3	96
G_.,Ma	50.9	-62.8	34.9	71.9	150
C_.,Ma	58.6	-30.3	-45.0	54.2	236
B_.,Ma	25.7	31.0	-44.4	54.2	305
M_.,Ma	48.1	75.2	-8.3	75.7	353
N_.,Ma	18.0	0.0	0.0	0.0	0
W_.,Ma	95.4	0.0	0.0	0.0	0
R_.,CIE	39.9	58.7	27.9	65.0	25
Y_.,CIE	81.2	-2.8	71.5	71.6	92
G_.,CIE	52.2	-42.4	13.6	44.5	162
B_.,CIE	30.5	1.4	-46.4	46.4	271



1-013031-L0 PE880-7N

TUB-test chart PE88; 16 step hue circle
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: *rgb/cmyk* -> *rgb/cmyk*
output: no change

see similar files: http://130.149.60.45/~farbmetrik/PE88/PE88.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20150701-PE88/PE88L0NA.TXT /.PS
application for measurement of offset print output

TUB material: code=rh4ta

Input and Output: Offset Reflective System ORS18a

Data for any device (d) or elementary (e) colour:


HIC^*_e

hue text for the colours of this page:

$H^*_e = R00Y_e, R25Y_e, \dots, B75R_e$

ORS20a; adapted (a) CIELAB data


H^*_e	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _e	45.6	72.2	34.4	80.0
R25Y_100_100 _e	50.5	59.2	51.6	78.6
R50Y_100_100 _e	60.2	38.2	63.4	74.1
R75Y_100_100 _e	70.9	17.9	75.9	77.9
Y00G_100_100 _e	83.6	-3.6	90.4	90.4
Y25G_100_100 _e	74.5	-25.0	74.3	78.4
Y50G_100_100 _e	62.6	-40.9	53.8	67.6
Y75G_100_100 _e	54.1	-55.5	37.5	67.0
G00B_100_100 _e	50.6	-62.1	19.9	65.2
G25B_100_100 _e	53.0	-48.6	-8.2	49.2
G50B_100_100 _e	55.0	-36.2	-27.2	45.3
G75B_100_100 _e	53.3	-19.8	-41.3	45.9
B00R_100_100 _e	40.2	1.2	-40.6	40.6
B25R_100_100 _e	28.1	23.4	-40.3	46.7
B50R_100_100 _e	31.1	47.7	-29.1	55.9
B75R_100_100 _e	41.4	70.4	-9.8	71.1



%Gamut
 $u^*_{rel} = 92$
 %Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{e, Ma}	45.6	72.2	34.4	80.0
Y _{e, Ma}	83.6	-3.6	90.4	90.4
G _{e, Ma}	50.6	-62.1	19.9	65.2
C _{e, Ma}	55.0	-36.2	-27.2	45.3
B _{e, Ma}	40.2	1.2	-40.6	40.6
M _{e, Ma}	31.1	47.7	-29.1	55.9
N _{e, Ma}	24.3	0.0	0.0	0.0
W _{e, Ma}	95.6	0.0	0.0	0.0
R _{e, CIE}	39.9	58.7	27.9	65.0
Y _{e, CIE}	81.2	-2.8	71.5	71.6
G _{e, CIE}	52.2	-42.4	13.6	44.5
B _{e, CIE}	30.5	1.4	-46.4	46.4



1-013131-L0 PE880-71

TUB-test chart PE88; 16 step hue circle
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$

1-013131-F0

TUB registration: 20150701-PE88/PE88L0NA.TXT /PS
 application for measurement of offset print output, separation cmy0 (CMY0)
 TUB material: code=rh4ta

see similar files: <http://130.149.60.45/~farbmetrik/PE88/PE88.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

Input and Output: Offset Reflective System ORS18a

Data for any device (d) or elementary (e) colour:


$$HIC^*_e$$

hue text for the colours of this page:

$$H^*_e = R00Y_e, R25Y_e, \dots, B75R_e$$

ORS20a; adapted (a) CIELAB data



H^*_e	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100 _e	45.6	72.2	34.4	80.0	25
R25Y_100_100 _e	50.5	59.2	51.6	78.6	41
R50Y_100_100 _e	60.2	38.2	63.4	74.1	58
R75Y_100_100 _e	70.9	17.9	75.9	77.9	76
Y00G_100_100 _e	83.6	-3.6	90.4	90.4	92
Y25G_100_100 _e	74.5	-25.0	74.3	78.4	108
Y50G_100_100 _e	62.6	-40.9	53.8	67.6	127
Y75G_100_100 _e	54.1	-55.5	37.5	67.0	145
G00B_100_100 _e	50.6	-62.1	19.9	65.2	162
G25B_100_100 _e	53.0	-48.6	-8.2	49.2	189
G50B_100_100 _e	55.0	-36.2	-27.2	45.3	216
G75B_100_100 _e	53.3	-19.8	-41.3	45.9	244
B00R_100_100 _e	40.2	1.2	-40.6	40.6	271
B25R_100_100 _e	28.1	23.4	-40.3	46.7	300
B50R_100_100 _e	31.1	47.7	-29.1	55.9	328
B75R_100_100 _e	41.4	70.4	-9.8	71.1	352



%Gamut
 $u^*_{rel} = 92$
 %Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R _e ,Ma	45.6	72.2	34.4	80.0	25
Y _e ,Ma	83.6	-3.6	90.4	90.4	92
G _e ,Ma	50.6	-62.1	19.9	65.2	162
C _e ,Ma	55.0	-36.2	-27.2	45.3	216
B _e ,Ma	40.2	1.2	-40.6	40.6	271
M _e ,Ma	31.1	47.7	-29.1	55.9	328
N _e ,Ma	24.3	0.0	0.0	0.0	0
W _e ,Ma	95.6	0.0	0.0	0.0	0
R _e ,CIE	39.9	58.7	27.9	65.0	25
Y _e ,CIE	81.2	-2.8	71.5	71.6	92
G _e ,CIE	52.2	-42.4	13.6	44.5	162
B _e ,CIE	30.5	1.4	-46.4	46.4	271



1-013231-L0 PE880-71

TUB-test chart PE88; 16 step hue circle
 Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb_e$
 output: transfer to $cmy0_e$

1-013231-F0

Input and Output: Offset Reflective System ORS18a

Data for any device (d) or elementary (e) colour:


$$HIC^*_e$$

hue text for the colours of this page:

$$H^*_e = R00Y_e, R25Y_e, \dots, B75R_e$$

ORS20a; adapted (a) CIELAB data



H^*_e	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _e	45.6	72.2	34.4	80.0
R25Y_100_100 _e	50.5	59.2	51.6	78.6
R50Y_100_100 _e	60.2	38.2	63.4	74.1
R75Y_100_100 _e	70.9	17.9	75.9	77.9
Y00G_100_100 _e	83.6	-3.6	90.4	90.4
Y25G_100_100 _e	74.5	-25.0	74.3	78.4
Y50G_100_100 _e	62.6	-40.9	53.8	67.6
Y75G_100_100 _e	54.1	-55.5	37.5	67.0
G00B_100_100 _e	50.6	-62.1	19.9	65.2
G25B_100_100 _e	53.0	-48.6	-8.2	49.2
G50B_100_100 _e	55.0	-36.2	-27.2	45.3
G75B_100_100 _e	53.3	-19.8	-41.3	45.9
B00R_100_100 _e	40.2	1.2	-40.6	40.6
B25R_100_100 _e	28.1	23.4	-40.3	46.7
B50R_100_100 _e	31.1	47.7	-29.1	55.9
B75R_100_100 _e	41.4	70.4	-9.8	71.1



%Gamut
 $u^*_{rel} = 92$
 %Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{e, Ma}	45.6	72.2	34.4	80.0
Y _{e, Ma}	83.6	-3.6	90.4	90.4
G _{e, Ma}	50.6	-62.1	19.9	65.2
C _{e, Ma}	55.0	-36.2	-27.2	45.3
B _{e, Ma}	40.2	1.2	-40.6	40.6
M _{e, Ma}	31.1	47.7	-29.1	55.9
N _{e, Ma}	24.3	0.0	0.0	0
W _{e, Ma}	95.6	0.0	0.0	0
R _{e, CIE}	39.9	58.7	27.9	65.0
Y _{e, CIE}	81.2	-2.8	71.5	71.6
G _{e, CIE}	52.2	-42.4	13.6	44.5
B _{e, CIE}	30.5	1.4	-46.4	46.4



1-013331-L0 PE880-71

TUB-test chart PE88; 16 step hue circle
 Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb_e$
 output: transfer to $cmy0_e$

1-013331-F0

Input and Output: Offset Reflective System ORS18a

Data for any device (d) or elementary (e) colour:


$$HIC^*_e$$

hue text for the colours of this page:

$$H^*_e = R00Y_e, R25Y_e, \dots, B75R_e$$

ORS20a; adapted (a) CIELAB data



H^*_e	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100 _e	45.6	72.2	34.4	80.0	25
R25Y_100_100 _e	50.5	59.2	51.6	78.6	41
R50Y_100_100 _e	60.2	38.2	63.4	74.1	58
R75Y_100_100 _e	70.9	17.9	75.9	77.9	76
Y00G_100_100 _e	83.6	-3.6	90.4	90.4	92
Y25G_100_100 _e	74.5	-25.0	74.3	78.4	108
Y50G_100_100 _e	62.6	-40.9	53.8	67.6	127
Y75G_100_100 _e	54.1	-55.5	37.5	67.0	145
G00B_100_100 _e	50.6	-62.1	19.9	65.2	162
G25B_100_100 _e	53.0	-48.6	-8.2	49.2	189
G50B_100_100 _e	55.0	-36.2	-27.2	45.3	216
G75B_100_100 _e	53.3	-19.8	-41.3	45.9	244
B00R_100_100 _e	40.2	1.2	-40.6	40.6	271
B25R_100_100 _e	28.1	23.4	-40.3	46.7	300
B50R_100_100 _e	31.1	47.7	-29.1	55.9	328
B75R_100_100 _e	41.4	70.4	-9.8	71.1	352



%Gamut
 $u^*_{rel} = 92$
 %Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R _{e, Ma}	45.6	72.2	34.4	80.0	25
Y _{e, Ma}	83.6	-3.6	90.4	90.4	92
G _{e, Ma}	50.6	-62.1	19.9	65.2	162
C _{e, Ma}	55.0	-36.2	-27.2	45.3	216
B _{e, Ma}	40.2	1.2	-40.6	40.6	271
M _{e, Ma}	31.1	47.7	-29.1	55.9	328
N _{e, Ma}	24.3	0.0	0.0	0.0	0
W _{e, Ma}	95.6	0.0	0.0	0.0	0
R _{e, CIE}	39.9	58.7	27.9	65.0	25
Y _{e, CIE}	81.2	-2.8	71.5	71.6	92
G _{e, CIE}	52.2	-42.4	13.6	44.5	162
B _{e, CIE}	30.5	1.4	-46.4	46.4	271





1-013431-L0 PE880-71

TUB-test chart PE88; 16 step hue circle
 Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb_e$
 output: transfer to $cmy0_e$

1-013431-F0



1-013531-L0 PE880-71

TUB-test chart PE88; 16 step hue circle
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours RYGBM_d: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Y = Y_d yellow
 $LCH^*_d = 87.8 \quad 96.0 \quad 96.1$
 $LAB^*_d = 87.8 \quad -10.2 \quad 95.4$
 $rgb^*_d = 1.0 \quad 1.0 \quad 0.0$

J = G_d cyan-green
 $LCH^*_d = 50.0 \quad 71.4 \quad 155.5$
 $LAB^*_d = 50.0 \quad -65.0 \quad 29.6$
 $rgb^*_d = 0.0 \quad 1.0 \quad 0.0$

O = R_d orange-red
 $LCH^*_d = 45.4 \quad 83.9 \quad 32.3$
 $LAB^*_d = 45.4 \quad 70.9 \quad 44.8$
 $rgb^*_d = 1.0 \quad 0.0 \quad 0.0$

C = C_d cyan-blue
 $LCH^*_d = 56.8 \quad 48.7 \quad 238.4$
 $LAB^*_d = 56.8 \quad -25.5 \quad -41.5$
 $rgb^*_d = 0.0 \quad 1.0 \quad 1.0$

M = M_d magenta-red
 $LCH^*_d = 46.1 \quad 79.3 \quad 359.8$
 $LAB^*_d = 46.1 \quad 79.3 \quad -0.2$
 $rgb^*_d = 1.0 \quad 0.0 \quad 1.0$

V = B_d violet-blue
 $LCH^*_d = 25.0 \quad 50.0 \quad 306.2$
 $LAB^*_d = 25.0 \quad 29.5 \quad -40.4$
 $rgb^*_d = 0.0 \quad 0.0 \quad 1.0$

G_e green
 $LCH^*_e = 50.6 \quad 65.2 \quad 162.2$
 $LAB^*_e = 50.6 \quad -62.1 \quad 19.9$
 $rgb^*_de = 0.0 \quad 1.0 \quad 0.151$

C_e blue-green
 $LCH^*_e = 55.0 \quad 45.3 \quad 216.9$
 $LAB^*_e = 55.0 \quad -36.2 \quad -27.2$
 $rgb^*_de = 0.0 \quad 1.0 \quad 0.747$

B_e blue
 $LCH^*_e = 40.2 \quad 40.6 \quad 271.7$
 $LAB^*_e = 40.2 \quad 1.2 \quad -40.6$
 $rgb^*_de = 0.0 \quad 0.458 \quad 1.0$

R_e red
 $LCH^*_e = 45.6 \quad 80.0 \quad 25.4$
 $LAB^*_e = 45.6 \quad 72.2 \quad 34.4$
 $rgb^*_de = 1.0 \quad 0.0 \quad 0.254$

M_e blue-red
 $LCH^*_e = 31.1 \quad 55.9 \quad 328.6$
 $LAB^*_e = 31.1 \quad 47.7 \quad -29.1$
 $rgb^*_de = 0.321 \quad 0.0 \quad 1.0$



device CIELAB (a^*_d, b^*_d) chroma diagram

Y = Y_e yellow
 $LCH^*_e = 83.6 \quad 90.4 \quad 92.3$
 $LAB^*_e = 83.6 \quad -3.6 \quad 90.4$
 $rgb^*_de = 1.0 \quad 0.878 \quad 0.0$

G_e green
 $LCH^*_e = 50.6 \quad 65.2 \quad 162.2$
 $LAB^*_e = 50.6 \quad -62.1 \quad 19.9$
 $rgb^*_de = 0.0 \quad 1.0 \quad 0.151$

O = R_e orange-red
 $LCH^*_e = 45.4 \quad 83.9 \quad 32.3$
 $LAB^*_e = 45.4 \quad 70.9 \quad 44.8$
 $rgb^*_de = 1.0 \quad 0.0 \quad 0.0$

C = C_e cyan-blue
 $LCH^*_e = 56.8 \quad 48.7 \quad 238.4$
 $LAB^*_e = 56.8 \quad -25.5 \quad -41.5$
 $rgb^*_de = 0.0 \quad 1.0 \quad 1.0$

M = M_e magenta-red
 $LCH^*_e = 46.1 \quad 79.3 \quad 359.8$
 $LAB^*_e = 46.1 \quad 79.3 \quad -0.2$
 $rgb^*_de = 1.0 \quad 0.0 \quad 1.0$

V = B_e violet-blue
 $LCH^*_e = 25.0 \quad 50.0 \quad 306.2$
 $LAB^*_e = 25.0 \quad 29.5 \quad -40.4$
 $rgb^*_de = 0.0 \quad 0.0 \quad 1.0$


G_e green
 $LCH^*_e = 50.6 \quad 65.2 \quad 162.2$
 $LAB^*_e = 50.6 \quad -62.1 \quad 19.9$
 $rgb^*_de = 0.0 \quad 1.0 \quad 0.151$

C_e blue-green
 $LCH^*_e = 55.0 \quad 45.3 \quad 216.9$
 $LAB^*_e = 55.0 \quad -36.2 \quad -27.2$
 $rgb^*_de = 0.0 \quad 1.0 \quad 0.747$

B_e blue
 $LCH^*_e = 40.2 \quad 40.6 \quad 271.7$
 $LAB^*_e = 40.2 \quad 1.2 \quad -40.6$
 $rgb^*_de = 0.0 \quad 0.458 \quad 1.0$

R_e red
 $LCH^*_e = 45.6 \quad 80.0 \quad 25.4$
 $LAB^*_e = 45.6 \quad 72.2 \quad 34.4$
 $rgb^*_de = 1.0 \quad 0.0 \quad 0.254$

M_e blue-red
 $LCH^*_e = 31.1 \quad 55.9 \quad 328.6$
 $LAB^*_e = 31.1 \quad 47.7 \quad -29.1$
 $rgb^*_de = 0.321 \quad 0.0 \quad 1.0$



standard CIELAB (a^*_s, b^*_s) chroma diagram

Y_s yellow
 $LCH^*_s = 81.4 \quad 87.9 \quad 90.0$
 $LAB^*_s = 81.4 \quad 0.0 \quad 87.9$
 $rgb^*_ds = 1.0 \quad 0.828 \quad 0.0$

G_s green
 $LCH^*_s = 52.3 \quad 68.9 \quad 150.0$
 $LAB^*_s = 52.3 \quad -59.6 \quad 34.4$
 $rgb^*_ds = 0.062 \quad 1.0 \quad 0.0$

C_s blue-green
 $LCH^*_s = 54.5 \quad 45.7 \quad 210.0$
 $LAB^*_s = 54.5 \quad -39.6 \quad -22.8$
 $rgb^*_ds = 0.0 \quad 1.0 \quad 0.685$

B_s blue
 $LCH^*_s = 40.9 \quad 40.6 \quad 270.0$
 $LAB^*_s = 40.9 \quad 0.0 \quad -40.6$
 $rgb^*_ds = 0.0 \quad 0.479 \quad 1.0$

R_s red
 $LCH^*_s = 45.5 \quad 82.4 \quad 30.0$
 $LAB^*_s = 45.5 \quad 71.3 \quad 41.2$
 $rgb^*_ds = 1.0 \quad 0.0 \quad 0.096$

M_s blue-red
 $LCH^*_s = 31.6 \quad 56.5 \quad 330.0$
 $LAB^*_s = 31.6 \quad 49.0 \quad -28.2$
 $rgb^*_ds = 0.337 \quad 0.0 \quad 1.0$

elementary CIELAB (a^*_e, b^*_e) chroma diagram

Y_e yellow
 $LCH^*_e = 83.6 \quad 90.4 \quad 92.3$
 $LAB^*_e = 83.6 \quad -3.6 \quad 90.4$
 $rgb^*_de = 1.0 \quad 0.878 \quad 0.0$

G_e green
 $LCH^*_e = 50.6 \quad 65.2 \quad 162.2$
 $LAB^*_e = 50.6 \quad -62.1 \quad 19.9$
 $rgb^*_de = 0.0 \quad 1.0 \quad 0.151$

O = R_e orange-red
 $LCH^*_e = 45.4 \quad 83.9 \quad 32.3$
 $LAB^*_e = 45.4 \quad 70.9 \quad 44.8$
 $rgb^*_de = 1.0 \quad 0.0 \quad 0.0$

C = C_e cyan-blue
 $LCH^*_e = 56.8 \quad 48.7 \quad 238.4$
 $LAB^*_e = 56.8 \quad -25.5 \quad -41.5$
 $rgb^*_de = 0.0 \quad 1.0 \quad 1.0$

M = M_e magenta-red
 $LCH^*_e = 46.1 \quad 79.3 \quad 359.8$
 $LAB^*_e = 46.1 \quad 79.3 \quad -0.2$
 $rgb^*_de = 1.0 \quad 0.0 \quad 1.0$

V = B_e violet-blue
 $LCH^*_e = 25.0 \quad 50.0 \quad 306.2$
 $LAB^*_e = 25.0 \quad 29.5 \quad -40.4$
 $rgb^*_de = 0.0 \quad 0.0 \quad 1.0$

G_e green
 $LCH^*_e = 50.6 \quad 65.2 \quad 162.2$
 $LAB^*_e = 50.6 \quad -62.1 \quad 19.9$
 $rgb^*_de = 0.0 \quad 1.0 \quad 0.151$

C_e blue-green
 $LCH^*_e = 55.0 \quad 45.3 \quad 216.9$
 $LAB^*_e = 55.0 \quad -36.2 \quad -27.2$
 $rgb^*_de = 0.0 \quad 1.0 \quad 0.747$

B_e blue
 $LCH^*_e = 40.2 \quad 40.6 \quad 271.7$
 $LAB^*_e = 40.2 \quad 1.2 \quad -40.6$
 $rgb^*_de = 0.0 \quad 0.458 \quad 1.0$

R_e red
 $LCH^*_e = 45.6 \quad 80.0 \quad 25.4$
 $LAB^*_e = 45.6 \quad 72.2 \quad 34.4$
 $rgb^*_de = 1.0 \quad 0.0 \quad 0.254$

M_e blue-red
 $LCH^*_e = 31.1 \quad 55.9 \quad 328.6$
 $LAB^*_e = 31.1 \quad 47.7 \quad -29.1$
 $rgb^*_de = 0.321 \quad 0.0 \quad 1.0$

Notes to the CIELAB chroma diagrams (a^*_s, b^*_s), (a^*_e, b^*_e)

1. For the rgb^*_s input values the CIELAB data LCH^*_s and LAB^*_s have been calculated.

2. For the calculation of the standard hue angle h_{max} use for any device values rgb^*_s the equation:
 $h_{abs} = \arctan \left[\frac{r^*_s \cos(30) + g^*_s \cos(150)}{r^*_s \sin(30) + g^*_s \sin(150)} \right] + b^*_s \sin(270)$ (1)

3. For the 48 or 360 equally spaced standard hue angles h_{max} of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{abs} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:
 $h_{48abs,ij} = h_{abs,i} + j [h_{abs,i+1} - h_{abs,i}] / 8$ ($i = 0, 1, \dots, 5; j = 0, 1, \dots, 7$) (2)
 $h_{360abs,ij} = h_{abs,i} + j [h_{abs,i+1} - h_{abs,i}] / 60$ ($i = 0, 1, \dots, 5; j = 0, 1, \dots, 59$) (3)

4. For the 48 or 360 elementary hue angles h_{max} of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{abs} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:
 $h_{48abs,ej} = h_{abs,e} + j [h_{abs,e+1} - h_{abs,e}] / 8$ ($i = 0, 1, \dots, 5; j = 0, 1, \dots, 7$) (4)
 $h_{360abs,ej} = h_{abs,e} + j [h_{abs,e+1} - h_{abs,e}] / 60$ ($i = 0, 1, \dots, 5; j = 0, 1, \dots, 59$) (5)

5. For any elementary hue angle h_{max} there is a well defined device hue angle h_{ds} see the following tables, columns 1 to 5 or 1 to 4.

6. The values rgb^*_s produce the output of the device-independent elementary hues

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,d,s = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with columns for colorimetric data (h_ab,d, h_ab,e, h_ab,s, LAB* d64M, LAB* d65M, LAB* d66M, LAB* d67M, LAB* d68M, LAB* d69M, LAB* d70M, LAB* d71M, LAB* d72M, LAB* d73M, LAB* d74M, LAB* d75M, LAB* d76M, LAB* d77M, LAB* d78M, LAB* d79M, LAB* d80M, LAB* d81M, LAB* d82M, LAB* d83M, LAB* d84M, LAB* d85M, LAB* d86M, LAB* d87M, LAB* d88M, LAB* d89M, LAB* d90M, LAB* d91M, LAB* d92M, LAB* d93M, LAB* d94M, LAB* d95M, LAB* d96M, LAB* d97M, LAB* d98M, LAB* d99M, LAB* d100M) and rows for 60-degree standard colors (R, Y, G, B, M, C).

input: rgb/cmyk -> rgbe output: transfer to cmy0e

Output: Offset standard print; separation cmy0; D65, page 8/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,d,s = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d; h_ab,d = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e; h_ab,e = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 14 columns: h_ab,d, h_ab,s, h_ab,e, rg_b^*, dg_b^*, dg_b^*_s, rg_b^*_s, dg_b^*_s, dd361MI, LAB^*_dex361MI (x=LabCh), rg_b^*_de361MI, LAB^*_dex361MI (x=LabCh), rg_b^*_dd361MI, LAB^*_dex361MI (x=LabCh), rg_b^*_ds361MI, LAB^*_dex361MI (x=LabCh), rg_b^*_ds361MI, LAB^*_dex361MI (x=LabCh), Y_d, Y_s, Y_e. The table contains 120 rows of numerical data representing color calibration parameters.

input: rgb/cmyk -> rgbe output: transfer to cmy0e

Output: Offset standard print; separation cmy0*, D65, page 1/33

http://130.149.60.45/~farbmetrik/PE88/PE88LONA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 14/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,d65 = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with columns for device colours (h_ab,d, h_ab,s, h_ab,e, h_ab,d65, h_ab,s65, h_ab,e65, Lab*, LabCh, LabCh) and rows for 60 degree standard colours (C1 to C60). Each row contains 18 numerical values representing colorimetric data.

LAB*lab0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*rw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

TUB-test chart PE88; 16 step hue circle 48 step hue circles; rgb-LabCh*tables input: rgb/cmyk -> rgbe output: transfer to cmy0e

Output: Offset standard print; separation cmy0; D65, page 14/33

http://130.149.60.45/~farbmetrik/PE88/PE88LONA.TXT /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 15/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^{*}_{ds}	$rgb^{*}_{ds361MI}$	$LAB^{*}_{dsx361MI}(x=L,ab=Ch)$	$rgb^{*}_{ds361MI}$	$LAB^{*}_{dsx361MI}(x=L,ab=Ch)$	$rgb^{*}_{ds361MI}$	$LAB^{*}_{dex361MI}(x=L,ab=Ch)$	$rgb^{*}_{dd361MI}$	$LAB^{*}_{dex361MI}(x=L,ab=Ch)$	$rgb^{*}_{dd361MI}$	
289	255	258	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289	0.0	0.25	1.0
290	256	258	0.0	0.233	1.0	32.2	15.3	-40.3	43.1	290	0.0	0.233	1.0
292	257	259	0.0	0.216	1.0	31.7	16.4	-40.3	43.6	292	0.0	0.216	1.0
293	258	260	0.0	0.2	1.0	31.1	17.5	-40.4	44.0	293	0.0	0.2	1.0
294	259	261	0.0	0.183	1.0	30.6	18.5	-40.4	44.5	294	0.0	0.183	1.0
295	260	262	0.0	0.166	1.0	30.0	19.6	-40.4	44.9	295	0.0	0.166	1.0
297	261	263	0.0	0.15	1.0	29.5	20.7	-40.4	45.4	297	0.0	0.15	1.0
298	262	264	0.0	0.133	1.0	28.9	21.8	-40.3	45.8	298	0.0	0.133	1.0
299	263	265	0.0	0.116	1.0	28.4	22.8	-40.3	46.3	299	0.0	0.116	1.0
300	264	266	0.0	0.1	1.0	27.9	23.8	-40.4	46.9	300	0.0	0.1	1.0
301	265	267	0.0	0.083	1.0	27.4	24.7	-40.4	47.4	301	0.0	0.083	1.0
302	266	268	0.0	0.066	1.0	26.9	25.7	-40.4	47.9	302	0.0	0.066	1.0
303	267	269	0.0	0.049	1.0	26.5	26.6	-40.5	48.4	303	0.0	0.049	1.0
304	268	269	0.0	0.033	1.0	26.0	27.6	-40.4	49.0	304	0.0	0.033	1.0
305	269	270	0.0	0.016	1.0	25.5	28.6	-40.4	49.5	305	0.0	0.016	1.0
306	270	271	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306	0.0	0.0	1.0
307	271	272	0.016	0.0	1.0	25.4	30.4	-39.9	50.2	307	0.016	0.0	1.0
308	272	273	0.033	0.0	1.0	25.8	31.3	-39.4	50.4	308	0.033	0.0	1.0
309	273	274	0.05	0.0	1.0	26.2	32.2	-38.9	50.5	309	0.05	0.0	1.0
310	274	275	0.066	0.0	1.0	26.5	33.1	-38.4	50.7	310	0.066	0.0	1.0
311	275	276	0.083	0.0	1.0	26.9	33.9	-37.8	50.8	311	0.083	0.0	1.0
313	276	277	0.1	0.0	1.0	27.3	34.8	-37.3	51.0	313	0.1	0.0	1.0
314	277	278	0.116	0.0	1.0	27.7	35.6	-36.7	51.1	314	0.116	0.0	1.0
315	278	279	0.133	0.0	1.0	27.9	36.4	-36.2	51.3	315	0.133	0.0	1.0
316	279	280	0.15	0.0	1.0	28.1	37.2	-35.7	51.6	316	0.15	0.0	1.0
317	280	281	0.166	0.0	1.0	28.2	38.0	-35.2	51.9	317	0.166	0.0	1.0
318	281	282	0.183	0.0	1.0	28.3	38.8	-34.7	52.1	318	0.183	0.0	1.0
319	282	283	0.2	0.0	1.0	28.5	39.6	-34.2	52.4	319	0.2	0.0	1.0
320	283	284	0.216	0.0	1.0	28.6	40.4	-33.7	52.6	320	0.216	0.0	1.0
321	284	285	0.233	0.0	1.0	28.7	41.2	-33.1	52.9	321	0.233	0.0	1.0
322	285	285	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322	0.25	0.0	1.0
323	286	286	0.266	0.0	1.0	29.4	43.3	-31.8	53.8	323	0.266	0.0	1.0
325	287	287	0.283	0.0	1.0	29.9	44.7	-31.1	54.4	325	0.283	0.0	1.0
326	288	288	0.3	0.0	1.0	30.4	46.0	-30.3	55.1	326	0.3	0.0	1.0
328	289	289	0.316	0.0	1.0	30.9	47.3	-29.4	55.7	328	0.316	0.0	1.0
329	290	290	0.333	0.0	1.0	31.4	48.6	-28.5	56.4	329	0.333	0.0	1.0
331	291	291	0.35	0.0	1.0	32.0	49.9	-27.5	57.0	331	0.35	0.0	1.0
332	292	292	0.366	0.0	1.0	32.5	51.2	-26.5	57.7	332	0.366	0.0	1.0
333	293	293	0.383	0.0	1.0	32.9	52.3	-25.7	58.3	333	0.383	0.0	1.0
334	294	294	0.4	0.0	1.0	33.3	53.2	-25.0	58.8	334	0.4	0.0	1.0
335	295	295	0.416	0.0	1.0	33.7	54.1	-24.4	59.4	335	0.416	0.0	1.0
336	296	296	0.433	0.0	1.0	34.0	55.0	-23.7	59.9	336	0.433	0.0	1.0
337	297	297	0.45	0.0	1.0	34.4	55.9	-23.0	60.5	337	0.45	0.0	1.0
338	298	298	0.466	0.0	1.0	34.8	56.8	-22.2	61.0	338	0.466	0.0	1.0
339	299	299	0.483	0.0	1.0	35.2	57.7	-21.5	61.6	339	0.483	0.0	1.0
340	300	300	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340	0.5	0.0	1.0

I-0131431-L0 PE880-71 LAB*lab, YN=0%, XY,Znw=3.6,4.2,6.1,85.4,89.1,104.8, LAB*rw=24.4,0.0,0.0,95.6,0.0,0.0

TUB-test chart PE88; 16 step hue circle
48 step hue circles; $rgb-LabCh$ *tables
input: $rgb/cmyk -> rgb_e$
output: transfer to $cmy0_e$

Output: Offset standard print; separation cmy0*, D65, page 15/33

http://130.149.60.45/~farbmetrik/PE88/PE88LONA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 16/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 12 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, rg_b*, dg_b*, ds_{361M}, LAB*_s dxs361M (x=LabCh), rg_b*, dg_b*, ds_{361M}, LAB*_s dex361M (x=LabCh), rg_b*, dg_b*, ds_{361M}, LAB*_s dex361M (x=LabCh), rg_b*, dg_b*, ds_{361M}, LAB*_s dex361M (x=LabCh)

I=0131531=L0 PE880=71 LAB*_{ab},0, YN=0%, XY Zmw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*_{nw}=24.4, 0.0, 95.6, 0.0, 0.0 Output: Offset standard print; separation cmy0*: D65, page 16/33

TUB-test chart PE88; 16 step hue circle input: rgb/cmyk -> rgbe 48 step hue circles; rgb-LabCh*tables output: transfer to cmy0e




http://130.149.60.45/~farbmetrik/PE88/PE88LONA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 17/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with columns: h_ab,d, h_ab,s, h_ab,e, h_ab,i, h_ab,m, h_ab,n, h_ab,o, h_ab,p, h_ab,q, h_ab,r, h_ab,s, h_ab,t, h_ab,u, h_ab,v, h_ab,w, h_ab,x, h_ab,y, h_ab,z, R_d, R_g, R_b, R_c, R_m, R_n, R_o, R_p, R_q, R_r, R_s, R_t, R_u, R_v, R_w, R_x, R_y, R_z. Rows 366-392.

Input: Offset standard print; separation cmy0*, D65, page 17/33

input: rgb/cmyk -> rgbe output: transfer to cmy0e



http://130.149.60.45/~farbmetrik/PE88/PE88LONA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 18/33

Table with 18 columns: nuf, HHC*Fe, rgb*Fe, icr*Fe, hsa*Fe, rrgb*Fe, LabCIE*Fe, LabCIE*Fe, rrgb*Fe, DE*Fe, HsaMe, rrgb*Me, LabCIE*Me, LabCIE*Me, rrgb*Me, DE*Me, HsaMe, rrgb*Me. The table contains numerical data for various color patches and color differences.

Mean color difference of this page:

delta E* = 20.9

input: rgb/cmyk -> rgbe output: transfer to cmy0e

Table with columns: nuf, HHC*Fe, R00Y_100,00e, R00Y_050,05e, R00Y_025,02e, iet_Fe, iet_Ye, iet_Cy, LabCH*Fe, LabCH*Ye, LabCH*Cy, rpb*Fe, rpb*Ye, rpb*Cy, DE*Fe, DE*Ye, DE*Cy, LabCH*Fe, LabCH*Ye, LabCH*Cy, rpb*Fe, rpb*Ye, rpb*Cy, DE*Fe, DE*Ye, DE*Cy. The table contains 16 columns of numerical data representing color calibration parameters for various color patches.

http://130.149.60.45/~farbmetrik/PE88/PE88LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 19/33

input: rgb/cmyk -> rgbe output: transfer to cmy0e

Mean color difference of this page: delta E* = 13.3

TUB-test chart PE88; 16 step hue circle colors and differences, ΔE*

http://130.149.60.45/~farbmatrik/PE88/PE88LONA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33

input: rgb/cmyk -> rgbe output: transfer to cmy0e

Table with 80 columns (numbered 1-80) and 100 rows (numbered 1-100). Columns include color names (e.g., HVC*Fe, rpb*Fe, iet*Fe, hsa*Fe, rpb*Fe, LabC*Fe, rpb*Fe, LabC*Fe, DF*Fe, Hsa*Fe, rpb*Fe, LabC*Fe) and numerical values. A footer note states 'Mean color difference of this page: delta E* = 10.9'.

TUB-test chart PE88; 16 step hue circle colors and differences, ΔE*

http://130.149.60.45/~farbmetrik/PE88/PE88LONA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 21/33

Table with 16 columns: n, HHC*Fe, rpb*Fe, icr*Fe, hsa*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, LabCH*Fe, DF*Fe, hsa*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe. Rows 81-161.

Mean color difference of this page: delta E* = 12.0

TUB-test chart PE88; 16 step hue circle colors and differences, ΔE*

input: rgb/cmyk -> rgbe output: transfer to cmy0e

http://130.149.60.45/~farbmetrik/PE88/PE88LONA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 22/33

Table with 24 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabCH*Fe, Hs*Fe, rpb*Fe, LabCH*Fe, DF*Fe, Ha*Me, rpb*Fe, LabCH*Fe, rpb*Me, LabCH*Me, DF*Me, Ha*Me, rpb*Me, LabCH*Me, rpb*Me, LabCH*Me, DF*Me, Ha*Me. Rows 162-242.

Mean color difference of this page: delta E* = 13.7

TUB-test chart PE88; 16 step hue circle colors and differences, ΔE*

input: rgb/cmyk -> rgbe output: transfer to cmy0e





http://130.149.60.45/~farbmetrik/PE88/PE88LONA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 24/33

Table with 16 columns: n, HHC*Fe, rpb*Fe, icr*Fe, hsa*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, DF*Fe, hsa*Me, rpb*Me, LabCH*Me, LabCH*Me, rpb*Me, delta E*ab. Rows 324-404.

Mean color difference of this page: delta E*ab = 15.7

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart PE88; 16 step hue circle colors and differences, ΔE*




http://130.149.60.45/~farbmetrik/PE88/PE88LONA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 25/33

input: rgb/cmyk -> rgbe output: transfer to cmy0e

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabCIE*Fe, LabCIE*Fe, LabCIE*Fe, rpb*Fe, LabCIE*Fe, DE*Fe, Hs*Fe, LabCIE*Fe, rpb*Fe. Rows 405-485.

Mean color difference in this page: delta E* = 15.9



TUB-test chart PE88; 16 step hue circle colors and differences, ΔE*



http://130.149.60.45/~farbmetrik/PE88/PE88LONA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 26/33

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, rpb*Fe, LabCh*Fe, DE*Fe, Ham*Fe, rpb*Fe, LabCh*Fe. Rows include color names like R00Y, R35Y, R50Y, etc.

Mean color difference of this page: delta E* = 14.5



input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart PE88; 16 step hue circle colors and differences, ΔE*

http://130.149.60.45/~farbmetrik/PE88/PE88LONA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 27/33

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, DF*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe. Rows 567-647.

Table with 15 columns: HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, DF*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe. Rows 567-647.

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart PE88; 16 step hue circle colors and differences, ΔE*

http://130.149.60.45/~farbmetrik/PE88/PE88LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 28/33

Table with 16 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, DF*Fe, Hs*Me, rpb*Me, LabCh*Me, LabCh*Me, rpb*Me. Rows list various color patches and their corresponding colorimetric values.

TUB-test chart PE88; 16 step hue circle colors and differences, ΔE* input: rgb/cmyk -> rgbe output: transfer to cmy0e

http://130.149.60.45/~farbmetrik/PE88/PE88LONA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 29/33

Table with 10 columns: n, H/C*, r/g/b, i/c/t, h/s, r/g/b, LabC/M*, LabC/H*, D/F*, H/a/M*, r/g/b, LabC/H*, D/F*, H/a/M*, r/g/b, LabC/H*, D/F*, H/a/M*. Rows include color names like NV_100, G50B_100, etc.

Mean color difference of this page: delta E* = 9.5

TUB-test chart PE88; 16 step hue circle colors and differences, ΔE* input: rgb/cmyk -> r/g/b output: transfer to cmy0e

http://130.149.60.45/~farbmetrik/PE88/PE88LONA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 31/33

Table with 10 columns: n, HIC*Fe, rpb*Fe, icr*Fe, hsa*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, DF*Fe, Hsa*Fe, rpb*Fe, LabCh*Fe. Rows 891-971. Includes a 'Mean color difference of this page:' section at the bottom right.

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart PE88; 16 step hue circle colors and differences, ΔE*



http://130.149.60.45/~farbmetrik/PE88/PE88LONA.TXT /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 33/33

n	HC*Fe	rgb*Fe	LabCH*Fe	LabCH*Fe	rgb*Fe	DF*Fe	rgb*Me	LabCH*Me	DF*Me	rgb*Me	LabCH*Me	DF*Me
1053	NW_086e	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
1054	NW_093e	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933
1055	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1056	NW_006e	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066
1057	NW_013e	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133
1058	NW_020e	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
1059	NW_026e	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266
1060	NW_033e	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333
1061	NW_040e	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
1062	NW_046e	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466
1063	NW_053e	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533
1064	NW_059e	0.599	0.599	0.599	0.599	0.599	0.599	0.599	0.599	0.599	0.599	0.599
1065	NW_066e	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666
1066	NW_073e	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734
1067	NW_080e	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
1068	NW_086e	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
1069	NW_093e	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933
1070	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1071	NW_006e	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066
1072	NW_013e	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133
1073	NW_020e	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
1074	ROXY_100_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1075	GS0B_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1076	Y06G_100_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1077	B04B_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1078	B08B_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1079	B50B_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Mean color difference of this page: $\Delta E^* = 10.3$

input: rgb/cmyk -> rgbe
output: transfer to cmy0e



TUB-test chart PE88; 16 step hue circle
colors and differences, ΔE^*