

Input and Output: Printer Reflective System FRS06a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 31/360 = 0.08$

$H^*_- = R00Y_-$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = R00Y_-$

triangle lightness T^*



FRS06a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	32.5	62.3	46.4	77.7	36
Y _{-,Ma}	82.7	-3.1	113.9	114.0	91
G _{-,Ma}	39.4	-61.8	45.8	76.9	143
C _{-,Ma}	47.8	-26.8	-34.2	43.4	231
B _{-,Ma}	10.1	55.1	-61.0	82.2	312
M _{-,Ma}	34.5	80.6	-33.9	87.5	337
N _{-,Ma}	6.2	0.0	0.0	0.0	0
W _{-,Ma}	91.9	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 48 66 40 77 31

$HIC^*_{-,Ma}$: R00Y_100_100_

$rgbic^*_{-,Ma}$:



1.0 0.0 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10

%Gamut
 $u^*_{rel} = 114$
%Regularity
 $g^*_{H,rel} = 28$
 $g^*_{C,rel} = 38$



see similar files: http://130.149.60.45/~farbmetrik/PE99/PE99.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20150701-PE99/PE99L0NA.TXT /.PS
application for measurement of laser printer output


TUB material: code=rh4ta

Input and Output: Printer Reflective System FRS06a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 33/360 = 0.09$

$H^*_d = R00Y_d$

Data for any device (d) or elementary (e) colour:

HIC^*_d
hue text for the colours of this page:
 $H^*_d = R00Y_d$
triangle lightness T^*



LRS18a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d,Ma}	47.5	57.2	37.8	68.6	33
Y _{d,Ma}	91.5	-15.8	84.6	86.1	100
G _{d,Ma}	54.3	-67.6	30.8	74.3	155
C _{d,Ma}	53.1	-30.0	-43.1	52.5	235
B _{d,Ma}	32.5	16.9	-44.6	47.7	290
M _{d,Ma}	48.1	65.4	-12.7	66.6	348
N _{d,Ma}	23.8	0.0	0.0	0.0	0
W _{d,Ma}	95.8	0.0	0.0	0.0	0
R _{d,CIE}	39.9	58.7	27.9	65.0	25
Y _{d,CIE}	81.2	-2.8	71.5	71.6	92
G _{d,CIE}	52.2	-42.4	13.6	44.5	162
B _{d,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d,Ma}$: 47 57 37 68 33



$HIC^*_{d,Ma}$: R00Y_100_100d

$rgbic^*_{d,Ma}$: 1.0 0.0 0.0 1.0 1.0

triangle lightness T^*

LRS18a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100d	47.5	57.2	37.8	68.6	33
R25Y_100_100d	57.4	43.5	54.5	69.7	51
R50Y_100_100d	70.5	19.2	66.2	69.0	73
R75Y_100_100d	83.5	-2.9	76.8	76.9	92
Y00G_100_100d	91.5	-15.8	84.6	86.1	100
Y25G_100_100d	90.4	-20.9	86.5	89.0	103
Y50G_100_100d	70.9	-41.7	54.8	68.9	127
Y75G_100_100d	60.1	-57.9	39.6	70.2	145
G00B_100_100d	54.3	-67.6	30.8	74.3	155
G25B_100_100d	55.0	-51.4	-8.9	52.2	189
G50B_100_100d	53.1	-30.0	-43.1	52.5	235
G75B_100_100d	46.1	-13.3	-49.4	51.1	254
B00R_100_100d	32.5	16.9	-44.6	47.7	290
B25R_100_100d	37.2	43.1	-30.8	53.0	324
B50R_100_100d	48.1	65.4	-12.7	66.6	348
B75R_100_100d	47.8	58.9	10.4	59.9	10



see similar files: <http://130.149.60.45/~farbmetrik/PE99/PE99.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-PE99/PE99L0NA.TXT /.PS
application for measurement of laser printer output, separation cmyk6 (CMYK)
TUB material: code=rh4ta

1-003130-L0 PE990-70

TUB-test chart PE99; hue code: $H^*_d=R00Y_d$
Test chart according to DIN 33872, 3D=0, de=0, cmyk

input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to $cmyk_d$

1-003130-F0

TUB registration: 20150701-PE99/PE99L0NA.TXT /.PS TUB material: code=rh4ta
application for measurement of laser printer output, separation cmyk6 (CMYK)

see similar files: <http://130.149.60.45/~farbmetrik/PE99/PE99.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>









1-003230-L0 PE990-70

TUB-test chart PE99; hue code: $H^*_d=R00Y_d$
Test chart according to DIN 33872, 3D=0, de=0, cmyk

input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to $cmyk_d$







Input and Output: Printer Reflective System FRS06a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 33/360 = 0.09$

$H^*_d = R00Y_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = R00Y_d$

triangle lightness T^*



LRS18a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{d, Ma}$	47.5	57.2	37.8	68.6	33
$Y_{d, Ma}$	91.5	-15.8	84.6	86.1	100
$G_{d, Ma}$	54.3	-67.6	30.8	74.3	155
$C_{d, Ma}$	53.1	-30.0	-43.1	52.5	235
$B_{d, Ma}$	32.5	16.9	-44.6	47.7	290
$M_{d, Ma}$	48.1	65.4	-12.7	66.6	348
$N_{d, Ma}$	23.8	0.0	0.0	0.0	0
$W_{d, Ma}$	95.8	0.0	0.0	0.0	0
$R_{d, CIE}$	39.9	58.7	27.9	65.0	25
$Y_{d, CIE}$	81.2	-2.8	71.5	71.6	92
$G_{d, CIE}$	52.2	-42.4	13.6	44.5	162
$B_{d, CIE}$	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d, Ma}$: 47 57 37 68 33

$HIC^*_{d, Ma}$: R00Y_100_100d



$rgbic^*_{d, Ma}$:

1.0 0.0 0.0 1.0 1.0

triangle lightness T^*

%Gamut
 $u^*_{rel} = 114$
 %Regularity
 $g^*_{H, rel} = 28$
 $g^*_{C, rel} = 38$

LRS18a; adapted (a) CIELAB data					
H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100d	47.5	57.2	37.8	68.6	33
R25Y_100_100d	57.4	43.5	54.5	69.7	51
R50Y_100_100d	70.5	19.2	66.2	69.0	73
R75Y_100_100d	83.5	-2.9	76.8	76.9	92
Y00G_100_100d	91.5	-15.8	84.6	86.1	100
Y25G_100_100d	90.4	-20.9	86.5	89.0	103
Y50G_100_100d	70.9	-41.7	54.8	68.9	127
Y75G_100_100d	60.1	-57.9	39.6	70.2	145
G00B_100_100d	54.3	-67.6	30.8	74.3	155
G25B_100_100d	55.0	-51.4	-8.9	52.2	189
G50B_100_100d	53.1	-30.0	-43.1	52.5	235
G75B_100_100d	46.1	-13.3	-49.4	51.1	254
B00R_100_100d	32.5	16.9	-44.6	47.7	290
B25R_100_100d	37.2	43.1	-30.8	53.0	324
B50R_100_100d	48.1	65.4	-12.7	66.6	348
B75R_100_100d	47.8	58.9	10.4	59.9	10







see similar files: http://130.149.60.45/~farbmetrik/PE99/PE99.HTM
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20150701-PE99/PE99L0NA.TXT /.PS
 application for measurement of laser printer output, separation cmyk6 (CMYK)
 TUB material: code=rh4ta

http://130.149.60.45/~farbmetrik/PE99/PE99LONA.TXT /PS; transfer output
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 7/33

Data of Maximum color, M in colorimetric system Laser printer output; separation cmyk6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; $h_{abs,d} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours RYGBCM; $h_{ab,d} = 33.5, 100.6, 155.5, 235.2, 290.8, 348.9$; Six hue angles of the elementary colours RYGBCM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



LAB*lab, YN=0%, XYZnw=3.9, 4.1, 4.1, 84.7, 89.6, 93.9, LAB*mnw=23.9, 0.0, 0.0, 95.8, 0.0, 0.0
 I-003630-L0 PE990-70
 TUB-test chart PE99; hue code: H*d=R00Yd
 48 step hue circles; rgb^*_d -tables

input: $rgb/cm\ yk \rightarrow rgb\ d$
 output: transfer to $cmyk\ d$

http://130.149.60.45/~farbmetrik/PE99/PE99LONA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 8/33

Data of Maximum color, M in colorimetric system Laser printer output; separation cmyk6; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,d65 = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM; h_ab,d = 33.5, 100.6, 155.5, 225.2, 290.8, 348.9; Six hue angles of the elementary colours RYGBM; h_ab,c = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_ab,d, h_ab,s, h_ab,e, LAB* d64M, LAB* d65M, LAB* d66M, LAB* d67M, LAB* d68M, LAB* d69M, LAB* d70M, LAB* d71M, LAB* d72M, LAB* d73M, LAB* d74M, LAB* d75M, LAB* d76M, LAB* d77M, LAB* d78M, LAB* d79M, LAB* d80M, LAB* d81M, LAB* d82M, LAB* d83M, LAB* d84M, LAB* d85M, LAB* d86M, LAB* d87M, LAB* d88M, LAB* d89M, LAB* d90M, LAB* d91M, LAB* d92M, LAB* d93M, LAB* d94M, LAB* d95M, LAB* d96M, LAB* d97M, LAB* d98M, LAB* d99M, LAB* d100M. Each column contains numerical data for 100 different color patches.

input: rgb/cmyk -> rgbd output: transfer to cmykd

http://130.149.60.45/~farbmetrik/PE99/PE99LONA.TXT /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 9/33

Data of Maximum color, M in colorimetric system Laser printer output; separation cmyk6; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM(d): h_{abs,d} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM(d): h_{abs,d} = 33.5, 100.6, 155.5, 230.8, 348.9; Six hue angles of the elementary colours RYGBM(c): h_{abs,c} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{abs,d}	h _{abs,c}	h _{abs,e}	rgb ^s	rgb ^b	rgb ^g	rgb ^m	rgb ^y	rgb ^c	rgb ^k	LAB ^s	LAB ^c	LAB ^e	rgb ^s	rgb ^b	rgb ^g	rgb ^m	rgb ^y	rgb ^c	rgb ^k			
33.4	30.0	25.4	1.0	0.0	0.0	47.5	57.2	37.8	68.6	33.4	33.4	33.4	1.0	0.0	0.263	47.6	56.1	26.7	62.1	25		
42.1	37.5	33.8	1.0	0.125	0.0	51.9	54.3	49.2	73.2	42.1	42.1	42.1	1.0	0.0	0.012	47.6	57.2	37.5	68.4	33		
52.8	45.0	42.1	1.0	0.25	0.0	58.2	41.8	55.1	69.2	52.8	52.8	52.8	1.0	0.125	0.0	52.0	54.3	49.2	73.3	42		
63.7	52.5	50.5	1.0	0.375	0.0	64.6	29.8	60.4	67.3	63.7	63.7	63.7	1.0	0.216	0.0	56.6	45.2	53.9	70.3	49		
73.8	60.0	58.8	1.0	0.5	0.0	70.5	19.2	66.2	69.0	73.8	73.8	73.8	1.0	0.32	0.0	61.8	35.2	58.4	68.2	58		
80.7	67.5	67.2	1.0	0.625	0.0	74.9	11.4	70.7	71.6	80.7	80.7	80.7	1.0	0.412	0.0	66.4	26.9	62.3	67.9	66		
91.5	75.0	75.6	1.0	0.75	0.0	82.9	-2.0	76.9	77.0	91.5	91.5	91.5	1.0	0.532	0.0	71.6	17.3	67.5	69.7	75		
96.8	82.5	83.9	1.0	0.875	0.0	87.6	-9.0	75.7	76.3	96.8	96.8	96.8	1.0	0.655	0.0	76.9	8.4	72.5	73.0	83		
100.5	90.0	92.3	1.0	1.0	0.0	91.5	-15.8	84.6	86.1	100.5	100.5	100.5	1.0	0.769	0.0	83.7	-3.0	76.8	76.9	92		
101.4	97.5	101.0	1.0	0.875	1.0	92.8	-18.1	89.4	91.2	101.4	101.4	101.4	1.0	0.996	0.0	91.5	-15.5	84.4	85.8	100		
103.9	105.0	109.7	1.0	0.0	90.1	-21.3	86.0	88.6	103.9	103.9	103.9	103.9	1.0	0.684	1.0	0.0	84.7	-27.5	76.7	81.5	109	
115.0	112.5	118.5	1.0	0.0	90.1	-21.3	86.0	88.6	103.9	115.0	115.0	115.0	1.0	0.595	1.0	0.0	77.8	-34.4	65.0	73.6	117	
127.3	120.0	127.2	1.0	0.0	70.9	-41.7	54.8	68.9	127.3	127.3	127.3	127.3	1.0	0.501	1.0	0.0	71.0	-41.6	54.9	68.9	127	
134.7	127.5	136.0	1.0	0.0	66.5	-47.5	48.0	67.6	134.7	134.7	134.7	134.7	1.0	0.366	1.0	0.0	66.2	-48.2	47.6	67.8	135	
144.7	135.0	144.7	1.0	0.0	60.6	-57.2	40.4	70.1	144.7	144.7	144.7	144.7	1.0	0.25	1.0	0.0	60.6	-57.1	40.5	70.1	144	
151.0	142.5	153.4	1.0	0.0	57.0	-62.2	34.4	71.1	151.0	151.0	151.0	151.0	1.0	0.073	1.0	0.0	55.9	-64.4	33.0	72.5	152	
155.5	150.0	162.2	1.0	0.0	54.3	-67.6	30.8	74.3	155.5	155.5	155.5	155.5	1.0	0.147	1.0	0.0	53.8	-65.9	21.1	69.3	162	
160.8	157.5	169.0	1.0	0.0	53.8	-66.4	23.0	70.2	160.8	160.8	160.8	160.8	1.0	0.251	1.0	0.0	53.8	-63.0	12.7	64.4	168	
168.5	165.0	175.9	1.0	0.0	53.7	-63.1	12.8	64.4	168.5	168.5	168.5	168.5	1.0	0.331	1.0	0.0	54.4	-59.3	4.2	59.5	175	
179.9	172.5	182.7	1.0	0.0	54.7	-56.8	0.0	56.8	179.9	179.9	179.9	179.9	1.0	0.405	1.0	0.0	54.8	-55.6	-2.1	55.7	182	
189.8	180.0	189.6	1.0	0.0	55.0	-51.4	-8.9	52.2	189.8	189.8	189.8	189.8	1.0	0.497	1.0	0.0	55.0	-51.5	-8.6	52.3	189	
204.4	187.5	196.4	1.0	0.0	55.2	-44.1	-20.0	48.5	204.4	204.4	204.4	204.4	1.0	0.553	1.0	0.0	55.2	-48.6	-13.9	50.7	195	
214.4	195.0	203.2	1.0	0.0	55.3	-39.5	-27.1	47.9	214.4	214.4	214.4	214.4	1.0	0.615	1.0	0.0	55.3	-44.7	-19.2	48.8	203	
221.9	202.5	210.1	1.0	0.0	54.4	-36.7	-33.0	49.4	221.9	221.9	221.9	221.9	1.0	0.69	1.0	0.0	55.3	-41.8	-23.8	48.2	209	
235.1	210.0	216.9	1.0	0.0	53.1	-30.0	-43.1	52.5	235.1	235.1	235.1	235.1	1.0	0.792	1.0	0.0	55.0	-38.6	-29.0	48.4	216	
237.9	217.5	223.8	1.0	0.0	53.1	-27.9	-44.7	52.7	237.9	237.9	237.9	237.9	1.0	0.888	1.0	0.0	54.3	-36.1	-34.1	49.8	223	
241.3	225.0	230.6	1.0	0.0	52.9	-25.9	-47.5	54.1	241.3	241.3	241.3	241.3	1.0	0.957	1.0	0.0	53.6	-32.5	-39.7	51.5	230	
247.2	232.5	237.5	1.0	0.0	50.5	-20.8	-49.5	53.7	247.2	247.2	247.2	247.2	1.0	0.916	1.0	0.0	53.1	-28.6	-44.1	52.7	237	
254.9	240.0	244.3	1.0	0.0	46.1	-13.3	-49.4	51.1	254.9	254.9	254.9	254.9	1.0	0.686	1.0	0.0	51.7	-23.3	-48.5	54.0	244	
262.6	247.5	251.2	1.0	0.0	41.4	-6.3	-49.2	49.6	262.6	262.6	262.6	262.6	1.0	0.568	1.0	0.0	48.6	-17.2	-49.5	52.6	250	
272.6	255.0	258.0	1.0	0.0	36.8	2.2	-48.5	48.6	272.6	272.6	272.6	272.6	1.0	0.449	1.0	0.0	44.2	-10.4	-49.4	50.6	258	
281.4	262.5	264.8	1.0	0.0	35.0	9.4	-46.3	47.3	281.4	281.4	281.4	281.4	1.0	0.353	1.0	0.0	40.6	-4.7	-49.2	49.5	264	
290.8	270.0	271.7	1.0	0.0	32.5	16.9	-44.6	47.7	290.8	290.8	290.8	290.8	1.0	0.261	1.0	0.0	37.3	1.5	-48.6	48.7	271	
299.2	277.5	278.8	1.0	0.0	31.6	23.6	-42.2	48.4	299.2	299.2	299.2	299.2	1.0	0.169	1.0	0.0	35.7	7.0	-47.2	47.8	278	
307.8	285.0	285.9	1.0	0.0	31.0	30.5	-39.3	49.8	307.8	307.8	307.8	307.8	1.0	0.065	1.0	0.0	33.9	13.1	-45.6	47.5	285	
317.5	292.5	293.0	1.0	0.0	34.2	38.2	-35.0	51.8	317.5	317.5	317.5	317.5	1.0	0.026	0.0	0.0	32.4	18.4	-44.1	47.9	292	
324.4	300.0	300.1	1.0	0.0	37.2	43.1	-30.8	53.0	324.4	324.4	324.4	324.4	1.0	0.139	0.0	0.0	31.5	24.4	-41.9	48.6	300	
330.6	307.5	307.2	1.0	0.0	41.7	48.4	-27.2	55.6	330.6	330.6	330.6	330.6	1.0	0.235	0.0	0.0	31.1	29.8	-39.7	49.7	306	
338.7	315.0	314.3	1.0	0.0	41.8	55.1	-21.4	59.1	338.7	338.7	338.7	338.7	1.0	0.335	0.0	0.0	33.2	35.8	-36.5	51.2	314	
343.9	322.5	321.4	1.0	0.0	45.6	60.1	-17.3	62.6	343.9	343.9	343.9	343.9	1.0	0.439	0.0	0.0	35.8	40.8	-32.9	52.5	321	
348.9	330.0	328.6	1.0	0.0	48.1	65.4	-12.7	66.6	348.9	348.9	348.9	348.9	1.0	0.584	0.0	0.0	38.5	46.8	-28.4	54.8	328	
350.7	337.5	335.7	1.0	0.0	49.5	66.1	-10.7	67.0	350.7	350.7	350.7	350.7	1.0	0.696	0.0	0.0	40.7	52.3	-24.0	57.6	335	
354.2	345.0	342.8	1.0	0.0	49.3	64.5	-6.5	64.8	354.2	354.2	354.2	354.2	1.0	0.848	0.0	0.0	44.9	59.1	-18.2	61.9	342	
361.9	352.5	349.9	1.0	0.0	62.5	48.0	61.8	2.1	361.9	361.9	361.9	361.9	1.0	0.964	48.6	65.6	-12.1	66.8	65.6	-9.0	66.2	352
370.0	360.0	357.0	1.0	0.0	47.8	58.9	10.4	59.9	370.0	370.0	370.0	370.0	1.0	0.828	49.5	65.6	-9.0	66.2	352			
378.9	367.5	364.1	1.0	0.0	47.5	47.4	56.8	19.5	378.9	378.9	378.9	378.9	1.0	0.659	48.4	62.7	-0.1	62.7	359			
386.2	375.0	371.2	1.0	0.0	47.5	55.9	27.5	62.3	386.2	386.2	386.2	386.2	1.0	0.519	47.8	59.5	9.2	60.2	368			
391.3	382.5	378.3	1.0	0.0	47.5	47.6	56.3	34.2	391.3	391.3	391.3	391.3	1.0	0.408	47.5	57.6	17.1	60.0	376			
393.4	390.0	385.4	1.0	0.0	47.5	57.2	37.8	68.6	393.4	393.4	393.4	393.4	1.0	0.263	47.6	56.1	26.7	62.1	385			

Output: Laser printer output; separation cmyk6; D65, page 9/36

input: rgb/cmyk -> rgbd
output: transfer to cmykd

PE990-70 LAB*lab0, YN=0%, XY,Znw=3.9, 4.1, 4.1, 84.7, 89.6, 93.9, LAB*mnw=23.9, 0.0, 0.0, 95.8, 0.0, 0.0

TUB-test chart PE99; hue code: H*d=R00Y*d
48 step hue circles; rgb-LabCh*tables

http://130.149.60.45/~farbmetrik/PE99/PE99LONA.TXT /PS; transfer output
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 10/33

Data of Maximum color, M in colorimetric system Laser printer output; separation cmyk6; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours RYGBM; $h_{ab,d} = 33.5, 100.6, 155.5, 225.2, 290.8, 348.9$; Six hue angles of the element colours RYGBM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

	R_d	$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_d	rgb^*_s	rgb^*_e	LAB^*_d	LAB^*_s	LAB^*_e	rgb^*_d	rgb^*_s	rgb^*_e	LAB^*_d	LAB^*_s	LAB^*_e	rgb^*_d	rgb^*_s	rgb^*_e	
33	1.0	0.0	0.0	47.5	57.2	37.8	68.6	33	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	
34	1.0	0.016	0.0	48.1	56.9	39.3	69.2	34	1.0	0.0	0.0133	47.7	56.4	33.9	65.8	31	1.0	0.0	0.017	0.0
35	1.0	0.033	0.0	48.7	56.6	40.8	69.8	35	1.0	0.0	0.085	47.7	56.7	35.4	66.8	32	1.0	0.0	0.033	0.0
36	1.0	0.005	0.0	49.3	56.3	42.3	70.4	36	1.0	0.0	0.0028	47.6	57.1	37.0	68.0	33	1.0	0.0	0.005	0.0
38	1.0	0.006	0.0	49.9	55.9	43.9	71.1	38	1.0	0.007	0.0	47.8	57.1	38.5	68.9	34	1.0	0.007	0.0	
39	1.0	0.083	0.0	50.5	55.5	45.4	71.7	39	1.0	0.022	0.0	48.4	56.9	39.8	69.4	35	1.0	0.083	0.0	
40	1.0	0.1	0.0	51.0	55.0	46.9	72.3	40	1.0	0.036	0.0	48.9	56.6	41.1	70.0	36	1.0	0.1	0.0	
41	1.0	0.116	0.0	51.6	54.5	48.4	72.9	41	1.0	0.05	0.0	49.4	56.3	42.4	70.5	37	1.0	0.117	0.0	
42	1.0	0.133	0.0	52.3	53.4	49.7	73.0	42	1.0	0.065	0.0	49.9	56.0	43.7	71.0	38	1.0	0.133	0.0	
44	1.0	0.15	0.0	53.2	51.8	50.6	72.4	44	1.0	0.079	0.0	50.4	55.6	45.0	71.6	39	1.0	0.15	0.0	
45	1.0	0.166	0.0	54.0	50.2	51.5	71.9	45	1.0	0.094	0.0	50.9	55.2	46.4	72.1	40	1.0	0.167	0.0	
47	1.0	0.183	0.0	54.9	48.5	52.3	71.4	47	1.0	0.108	0.0	51.4	54.8	47.7	72.7	41	1.0	0.183	0.0	
48	1.0	0.2	0.0	55.7	46.8	53.1	70.8	48	1.0	0.122	0.0	51.9	54.4	49.0	73.2	42	1.0	0.2	0.0	
50	1.0	0.216	0.0	56.6	45.2	53.8	70.3	50	1.0	0.134	0.0	52.5	53.4	49.8	73.0	43	1.0	0.217	0.0	
51	1.0	0.233	0.0	57.4	43.5	54.5	69.7	51	1.0	0.146	0.0	53.0	52.2	50.4	72.6	44	1.0	0.233	0.0	
52	1.0	0.25	0.0	58.2	41.8	55.1	69.2	52	1.0	0.158	0.0	53.6	51.1	51.1	72.2	45	1.0	0.25	0.0	
54	1.0	0.266	0.0	59.1	40.2	56.0	69.0	54	1.0	0.17	0.0	54.2	49.9	51.7	71.8	46	1.0	0.267	0.0	
55	1.0	0.283	0.0	59.9	38.6	56.8	68.7	55	1.0	0.181	0.0	54.8	48.7	52.3	71.5	47	1.0	0.283	0.0	
57	1.0	0.3	0.0	60.8	37.1	57.5	68.5	57	1.0	0.193	0.0	55.4	47.6	52.8	71.1	48	1.0	0.3	0.0	
58	1.0	0.316	0.0	61.6	35.5	58.2	68.2	58	1.0	0.205	0.0	56.0	46.4	53.4	70.7	49	1.0	0.317	0.0	
60	1.0	0.333	0.0	62.5	33.9	58.9	68.0	60	1.0	0.217	0.0	56.6	45.2	53.9	70.3	50	1.0	0.333	0.0	
61	1.0	0.35	0.0	63.3	32.2	59.5	67.7	61	1.0	0.228	0.0	57.2	44.0	54.4	69.9	51	1.0	0.35	0.0	
63	1.0	0.366	0.0	64.2	30.6	60.1	67.5	63	1.0	0.24	0.0	57.8	42.8	54.8	69.6	52	1.0	0.367	0.0	
64	1.0	0.383	0.0	65.0	29.1	60.8	67.4	64	1.0	0.252	0.0	58.4	41.7	55.3	69.2	53	1.0	0.383	0.0	
65	1.0	0.4	0.0	65.8	27.8	61.7	67.7	65	1.0	0.263	0.0	59.0	40.6	55.9	69.1	54	1.0	0.4	0.0	
67	1.0	0.416	0.0	66.6	26.4	62.5	67.9	67	1.0	0.275	0.0	59.6	39.5	56.4	68.9	55	1.0	0.417	0.0	
68	1.0	0.433	0.0	67.3	25.0	63.3	68.1	68	1.0	0.286	0.0	60.1	38.4	57.0	68.7	56	1.0	0.433	0.0	
69	1.0	0.45	0.0	68.1	23.6	64.1	68.3	69	1.0	0.298	0.0	60.7	37.3	57.5	68.5	57	1.0	0.45	0.0	
71	1.0	0.466	0.0	68.9	22.1	64.8	68.5	71	1.0	0.309	0.0	61.3	36.2	58.0	68.4	58	1.0	0.467	0.0	
72	1.0	0.483	0.0	69.7	20.7	65.6	68.8	72	1.0	0.321	0.0	61.9	35.1	58.5	68.2	59	1.0	0.483	0.0	
73	1.0	0.5	0.0	70.5	19.2	66.2	69.0	73	1.0	0.332	0.0	62.5	34.0	58.9	68.0	60	1.0	0.5	0.0	
74	1.0	0.516	0.0	71.0	18.2	66.9	69.3	74	1.0	0.344	0.0	63.1	32.9	59.3	67.8	61	1.0	0.517	0.0	
75	1.0	0.533	0.0	71.6	17.2	67.5	69.7	75	1.0	0.355	0.0	63.6	31.8	59.8	67.7	62	1.0	0.533	0.0	
76	1.0	0.55	0.0	72.2	16.2	68.1	70.0	76	1.0	0.367	0.0	64.2	30.6	60.1	67.5	63	1.0	0.55	0.0	
77	1.0	0.566	0.0	72.8	15.1	68.7	70.4	77	1.0	0.378	0.0	64.8	29.6	60.6	67.4	64	1.0	0.567	0.0	
78	1.0	0.583	0.0	73.4	14.1	69.3	70.7	78	1.0	0.391	0.0	65.4	28.6	61.3	67.6	65	1.0	0.583	0.0	
79	1.0	0.6	0.0	74.0	13.0	69.9	71.1	79	1.0	0.403	0.0	66.0	27.6	61.9	67.8	66	1.0	0.6	0.0	
80	1.0	0.616	0.0	74.6	12.0	70.4	71.4	80	1.0	0.416	0.0	66.6	26.5	62.5	67.9	67	1.0	0.617	0.0	
81	1.0	0.633	0.0	75.4	10.6	71.2	72.0	81	1.0	0.428	0.0	67.1	25.5	63.1	68.1	68	1.0	0.633	0.0	
82	1.0	0.65	0.0	76.5	8.9	72.1	72.7	82	1.0	0.44	0.0	67.7	24.5	63.7	68.2	69	1.0	0.65	0.0	
84	1.0	0.666	0.0	77.5	7.2	73.0	73.4	84	1.0	0.453	0.0	68.3	23.4	64.3	68.4	70	1.0	0.667	0.0	
85	1.0	0.683	0.0	78.6	5.4	73.9	74.1	85	1.0	0.465	0.0	68.9	22.3	64.8	68.6	71	1.0	0.683	0.0	
87	1.0	0.7	0.0	79.7	3.6	74.7	74.8	87	1.0	0.477	0.0	69.5	21.2	65.4	68.7	72	1.0	0.7	0.0	
88	1.0	0.716	0.0	80.8	1.7	75.5	75.5	88	1.0	0.49	0.0	70.0	20.1	65.9	68.9	73	1.0	0.717	0.0	
-269	1.0	0.733	0.0	81.8	-0.1	76.3	76.3	-269	1.0	0.503	0.0	70.6	19.0	66.4	69.1	74	1.0	0.733	0.0	
-268	1.0	0.75	0.0	82.9	-2.0	76.9	77.0	-268	1.0	0.521	0.0	71.3	18.0	67.1	69.5	75	1.0	0.75	0.0	

I-003930-I0 PE990-70 LAB*lab, YN=0%, XY Znw=3.9, 4.1, 84.7, 89.6, 93.9, LAB*mw=23.9, 0.0, 0.0, 95.8, 0.0, 0.0

TUB-test chart PE99; hue code: H*d=R00Yd
 48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgbd
 output: transfer to cmykd

Output: Laser printer output; separation cmyk6; D65; page 10/65

Data of Maximum color, M in colorimetric system Laser printer output; separation cmyk6; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM; $h_{ab,d} = 33.5, 100.6, 155.5, 235.2, 290.8, 348.9$; Six hue angles of the elementary colours RYGBM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_d	rgb^*_s	rgb^*_e	LAB^*_d	LAB^*_s	LAB^*_e	rgb^*_d	rgb^*_s	rgb^*_e	LAB^*_d	LAB^*_s	LAB^*_e	rgb^*_d	rgb^*_s	rgb^*_e									
127	120	127	0.5	1.0	0.0	70.9	-41.7	54.8	68.9	127	0.5	1.0	0.0	0.501	1.0	0.0	71.0	-41.6	54.9	68.9	127	0.5	1.0	0.0		
128	121	128	0.483	1.0	0.0	70.4	-42.6	53.9	68.7	128	0.483	1.0	0.0	0.481	1.0	0.0	70.3	-42.6	53.8	68.7	128	0.483	1.0	0.0		
129	122	129	0.466	1.0	0.0	69.8	-43.4	53.0	68.5	129	0.466	1.0	0.0	0.462	1.0	0.0	69.6	-43.6	52.8	68.5	129	0.467	1.0	0.0		
130	123	130	0.445	1.0	0.0	69.2	-44.2	52.1	68.3	130	0.445	1.0	0.0	0.442	1.0	0.0	68.9	-44.5	51.7	68.3	130	0.445	1.0	0.0		
131	124	131	0.433	1.0	0.0	68.6	-45.0	51.2	68.2	131	0.433	1.0	0.0	0.432	1.0	0.0	68.3	-45.4	50.7	68.1	131	0.433	1.0	0.0		
132	125	132	0.416	1.0	0.0	68.0	-45.7	50.3	68.0	132	0.416	1.0	0.0	0.403	1.0	0.0	67.6	-46.3	49.6	67.9	132	0.417	1.0	0.0		
133	126	133	0.4	1.0	0.0	67.4	-46.5	49.4	67.8	133	0.4	1.0	0.0	0.383	1.0	0.0	66.9	-47.1	48.5	67.7	133	0.4	1.0	0.0		
134	127	134	0.383	1.0	0.0	66.8	-47.2	48.5	67.7	134	0.383	1.0	0.0	0.366	1.0	0.0	66.2	-48.2	47.6	67.8	135	0.383	1.0	0.0		
135	128	135	0.366	1.0	0.0	66.1	-48.2	47.5	67.7	135	0.366	1.0	0.0	0.352	1.0	0.0	65.5	-49.4	46.8	68.1	136	0.367	1.0	0.0		
136	129	136	0.35	1.0	0.0	65.4	-49.5	46.6	68.1	136	0.35	1.0	0.0	0.337	1.0	0.0	64.8	-50.5	46.0	68.4	137	0.35	1.0	0.0		
138	130	138	0.333	1.0	0.0	64.6	-50.9	45.7	68.4	138	0.333	1.0	0.0	0.323	1.0	0.0	64.1	-51.7	45.1	68.7	138	0.333	1.0	0.0		
139	131	139	0.316	1.0	0.0	63.8	-52.2	44.7	68.7	139	0.316	1.0	0.0	0.308	1.0	0.0	63.4	-52.8	44.2	68.9	140	0.317	1.0	0.0		
140	132	140	0.3	1.0	0.0	63.0	-53.5	43.7	69.1	140	0.3	1.0	0.0	0.294	1.0	0.0	62.7	-53.9	43.3	69.2	141	0.3	1.0	0.0		
142	133	142	0.283	1.0	0.0	62.2	-54.7	42.6	69.4	142	0.283	1.0	0.0	0.279	1.0	0.0	62.0	-55.0	42.4	69.5	142	0.283	1.0	0.0		
143	134	143	0.266	1.0	0.0	61.4	-56.0	41.5	69.7	143	0.266	1.0	0.0	0.265	1.0	0.0	61.3	-56.1	41.4	69.8	143	0.265	1.0	0.0		
144	135	144	0.25	1.0	0.0	60.6	-57.2	40.4	70.1	144	0.25	1.0	0.0	0.25	1.0	0.0	60.6	-57.1	40.5	70.1	144	0.25	1.0	0.0		
145	136	145	0.233	1.0	0.0	60.1	-57.9	39.6	70.2	145	0.233	1.0	0.0	0.235	1.0	0.0	60.0	-58.1	39.4	70.3	145	0.233	1.0	0.0		
146	137	146	0.216	1.0	0.0	59.6	-58.6	38.9	70.3	146	0.216	1.0	0.0	0.204	1.0	0.0	59.3	-59.1	38.3	70.5	147	0.217	1.0	0.0		
147	138	147	0.2	1.0	0.0	59.1	-59.3	38.1	70.5	147	0.2	1.0	0.0	0.181	1.0	0.0	58.6	-60.0	37.2	70.7	148	0.2	1.0	0.0		
148	139	148	0.183	1.0	0.0	58.7	-59.9	37.3	70.6	148	0.183	1.0	0.0	0.158	1.0	0.0	58.0	-60.9	36.1	70.8	149	0.183	1.0	0.0		
148	140	150	0.166	1.0	0.0	58.2	-60.6	36.4	70.7	148	0.166	1.0	0.0	0.135	1.0	0.0	57.3	-61.8	34.9	71.0	150	0.167	1.0	0.0		
149	141	151	0.15	1.0	0.0	57.7	-61.2	35.6	70.9	149	0.15	1.0	0.0	0.106	1.0	0.0	56.6	-63.0	33.9	71.6	151	0.15	1.0	0.0		
150	142	152	0.133	1.0	0.0	57.2	-61.9	34.8	71.0	150	0.133	1.0	0.0	0.073	1.0	0.0	55.9	-64.4	33.0	72.5	152	0.133	1.0	0.0		
151	143	154	0.116	1.0	0.0	56.8	-62.5	34.1	71.3	151	0.116	1.0	0.0	0.041	1.0	0.0	55.2	-65.8	32.1	73.3	154	0.117	1.0	0.0		
151	144	155	0.1	1.0	0.0	56.4	-63.3	33.7	71.7	151	0.1	1.0	0.0	0.008	1.0	0.0	54.5	-67.2	31.1	74.2	155	0.1	1.0	0.0		
152	145	156	0.083	1.0	0.0	56.1	-64.0	33.2	72.1	152	0.083	1.0	0.0	0.0	1.0	0.0	0.021	54.3	-67.4	29.5	73.7	156	0.083	1.0	0.0	
153	146	157	0.066	1.0	0.0	55.7	-64.7	32.8	72.6	153	0.066	1.0	0.0	0.0	1.0	0.0	0.004	54.1	-67.2	27.8	72.8	157	0.067	1.0	0.0	
153	147	158	0.049	1.0	0.0	55.4	-65.5	32.3	73.0	153	0.049	1.0	0.0	0.0	1.0	0.0	0.001	54.0	-66.9	26.1	71.9	158	0.05	1.0	0.0	
154	148	159	0.033	1.0	0.0	55.0	-66.2	31.8	73.5	154	0.033	1.0	0.0	0.0	1.0	0.0	0.001	53.9	-66.6	24.4	71.0	159	0.033	1.0	0.0	
154	149	161	0.016	1.0	0.0	54.7	-66.9	31.3	73.9	154	0.016	1.0	0.0	0.0	1.0	0.0	0.001	53.8	-66.3	22.8	70.2	161	0.017	1.0	0.0	
155	150	162	0.0	1.0	0.0	54.3	-67.6	30.8	74.3	155	0.0	1.0	0.0	0.0	1.0	0.0	0.001	53.8	-66.3	22.8	70.2	161	0.017	1.0	0.0	
156	151	163	0.0	1.0	0.0	0.016	54.2	-67.5	29.7	73.8	156	0.0	1.0	0.0	0.0	1.0	0.0	0.001	53.8	-66.3	22.8	70.2	161	0.017	1.0	0.0
156	152	164	0.0	1.0	0.0	0.033	54.2	-67.4	28.6	73.2	156	0.0	1.0	0.0	0.0	1.0	0.0	0.001	53.8	-66.3	22.8	70.2	161	0.017	1.0	0.0
157	153	164	0.0	1.0	0.0	0.05	54.1	-67.2	27.6	72.7	157	0.0	1.0	0.0	0.0	1.0	0.0	0.001	53.8	-66.3	22.8	70.2	161	0.017	1.0	0.0
158	154	165	0.0	1.0	0.0	0.066	54.0	-67.1	26.6	72.1	158	0.0	1.0	0.0	0.0	1.0	0.0	0.001	53.8	-66.3	22.8	70.2	161	0.017	1.0	0.0
159	155	166	0.0	1.0	0.0	0.083	53.9	-66.9	25.5	71.6	159	0.0	1.0	0.0	0.0	1.0	0.0	0.001	53.8	-66.3	22.8	70.2	161	0.017	1.0	0.0
159	156	167	0.0	1.0	0.0	0.1	53.9	-66.7	24.5	71.1	159	0.0	1.0	0.0	0.0	1.0	0.0	0.001	53.8	-66.3	22.8	70.2	161	0.017	1.0	0.0
160	157	168	0.0	1.0	0.0	0.116	53.8	-66.5	23.5	70.5	160	0.0	1.0	0.0	0.0	1.0	0.0	0.001	53.8	-66.3	22.8	70.2	161	0.017	1.0	0.0
161	158	169	0.0	1.0	0.0	0.133	53.8	-66.2	22.3	69.9	161	0.0	1.0	0.0	0.0	1.0	0.0	0.001	53.8	-66.3	22.8	70.2	161	0.017	1.0	0.0
162	159	170	0.0	1.0	0.0	0.15	53.8	-65.8	20.8	69.1	162	0.0	1.0	0.0	0.0	1.0	0.0	0.001	53.8	-66.3	22.8	70.2	161	0.017	1.0	0.0
163	160	171	0.0	1.0	0.0	0.166	53.8	-65.5	19.4	68.3	163	0.0	1.0	0.0	0.0	1.0	0.0	0.001	53.8	-66.3	22.8	70.2	161	0.017	1.0	0.0
164	161	172	0.0	1.0	0.0	0.183	53.8	-65.0	18.1	67.5	164	0.0	1.0	0.0	0.0	1.0	0.0	0.001	53.8	-66.3	22.8	70.2	161	0.017	1.0	0.0
165	162	173	0.0	1.0	0.0	0.2	53.8	-64.6	16.7	66.7	165	0.0	1.0	0.0	0.0	1.0	0.0	0.001	53.8	-66.3	22.8	70.2	161	0.017	1.0	0.0
166	163	174	0.0	1.0	0.0	0.216	53.7	-64.1	15.4	66.0	166	0.0	1.0	0.0	0.0	1.0	0.0	0.001	53.8	-66.3	22.8	70.2	161	0.017	1.0	0.0
167	164	175	0.0	1.0	0.0	0.233	53.7	-63.6	14.1	65.2	167	0.0	1.0	0.0	0.0	1.0	0.0	0.001	53.8	-66.3	22.8	70.2	161	0.017	1.0	0.0
168	165	175	0.0	1.0	0.0	0.25	53.7	-63.1	12.8	64.4	168	0.0	1.0	0.0	0.0	1.0	0.0	0.001	53.8	-66.3	22.8	70.2	161	0.017	1.0	0.0

input: `rgb/cmyk` -> `rgbd`
output: transfer to `cmykd`

I=0031130-L0 PE990-70 LAB*lab0, YN=0%, XYZnw=3.9, 4.1, 4.1, 84.7, 89.6, 93.9, LAB*nmw=23.9, 0.0, 0.0, 95.8, 0.0, 0.0

Output: Laser printer output; separation cmyk6; D65, page 12/63

http://130.149.60.45/~farbmetrik/PE99/PE99LONA.TXT /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 13/33

Data of Maximum color, M in colorimetric system Laser printer output; separation cmyk6; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{ds361M}	$rgb^*_{ds361MI}$	$LAB^*_{ds361MI}(x=LabCh)$	$rgb^*_{dd361MI}$	$rgb^*_{dd361MI}$	$LAB^*_{dd361MI}(x=LabCh)$	$rgb^*_{ds361MI}$	$rgb^*_{ds361MI}$	$LAB^*_{ds361MI}(x=LabCh)$	$rgb^*_{dd361MI}$	$rgb^*_{dd361MI}$	$LAB^*_{dd361MI}(x=LabCh)$	$rgb^*_{ds361MI}$	$rgb^*_{ds361MI}$	$LAB^*_{ds361MI}(x=LabCh)$	$rgb^*_{dd361MI}$	$rgb^*_{dd361MI}$	$LAB^*_{dd361MI}(x=LabCh)$																														
168	165	175	0.0	1.0	0.25	53.7	-63.1	12.8	64.4	168	0.0	1.0	0.192	53.8	-64.7	17.4	67.1	165	0.0	1.0	0.331	54.4	-59.3	4.2	59.5	175	0.0	1.0	0.25	53.7	-63.1	12.8	64.4	168	0.0	1.0	0.192	53.8	-64.7	17.4	67.1	165	0.0	1.0	0.331	54.4	-59.3	4.2	59.5	175
170	166	176	0.0	1.0	0.266	53.9	-62.4	10.9	63.4	170	0.0	1.0	0.209	53.8	-64.3	16.1	66.4	166	0.0	1.0	0.267	54.0	-58.7	3.3	58.9	176	0.0	1.0	0.266	53.9	-62.4	10.9	63.4	170	0.0	1.0	0.209	53.8	-64.3	16.1	66.4	166	0.0	1.0	0.267	54.0	-58.7	3.3	58.9	176
171	167	177	0.0	1.0	0.283	54.0	-61.7	9.1	62.4	171	0.0	1.0	0.225	53.8	-63.8	14.8	65.6	167	0.0	1.0	0.283	54.1	-58.2	2.3	58.3	177	0.0	1.0	0.283	54.0	-61.7	9.1	62.4	171	0.0	1.0	0.225	53.8	-63.8	14.8	65.6	167	0.0	1.0	0.283	54.1	-58.2	2.3	58.3	177
173	168	178	0.0	1.0	0.3	54.1	-60.9	7.3	61.3	173	0.0	1.0	0.242	53.8	-63.3	13.5	64.8	168	0.0	1.0	0.3	54.2	-57.7	1.4	57.7	178	0.0	1.0	0.3	54.1	-60.9	7.3	61.3	173	0.0	1.0	0.242	53.8	-63.3	13.5	64.8	168	0.0	1.0	0.3	54.2	-57.7	1.4	57.7	178
174	169	179	0.0	1.0	0.316	54.3	-60.1	5.6	60.3	174	0.0	1.0	0.255	53.8	-62.8	12.2	64.1	169	0.0	1.0	0.317	54.4	-57.0	0.4	57.1	179	0.0	1.0	0.317	54.3	-60.1	5.6	60.3	174	0.0	1.0	0.255	53.8	-62.8	12.2	64.1	169	0.0	1.0	0.317	54.4	-57.0	0.4	57.1	179
176	170	180	0.0	1.0	0.333	54.4	-59.2	3.9	59.3	176	0.0	1.0	0.266	53.9	-62.4	11.0	63.5	170	0.0	1.0	0.333	54.5	-56.5	-0.4	56.6	180	0.0	1.0	0.333	54.4	-59.2	3.9	59.3	176	0.0	1.0	0.266	53.9	-62.4	11.0	63.5	170	0.0	1.0	0.333	54.5	-56.5	-0.4	56.6	180
177	171	181	0.0	1.0	0.35	54.5	-58.2	2.3	58.3	177	0.0	1.0	0.277	54.0	-61.9	9.8	62.8	171	0.0	1.0	0.35	54.6	-55.6	-2.1	55.7	181	0.0	1.0	0.35	54.5	-58.2	2.3	58.3	177	0.0	1.0	0.277	54.0	-61.9	9.8	62.8	171	0.0	1.0	0.35	54.6	-55.6	-2.1	55.7	181
179	172	182	0.0	1.0	0.366	54.7	-57.3	0.8	57.3	179	0.0	1.0	0.288	54.1	-61.4	8.6	62.1	172	0.0	1.0	0.367	54.8	-55.6	-2.1	55.7	182	0.0	1.0	0.367	54.7	-57.3	0.8	57.3	179	0.0	1.0	0.288	54.1	-61.4	8.6	62.1	172	0.0	1.0	0.367	54.8	-55.6	-2.1	55.7	182
180	173	183	0.0	1.0	0.383	54.7	-56.5	-0.6	56.5	180	0.0	1.0	0.299	54.2	-60.9	7.5	61.5	173	0.0	1.0	0.383	54.9	-54.6	-3.8	54.9	184	0.0	1.0	0.383	54.7	-56.5	-0.6	56.5	180	0.0	1.0	0.299	54.2	-60.9	7.5	61.5	173	0.0	1.0	0.383	54.9	-54.6	-3.8	54.9	184
181	174	184	0.0	1.0	0.4	54.8	-55.8	-1.8	55.9	181	0.0	1.0	0.31	54.3	-60.4	6.4	60.8	174	0.0	1.0	0.4	54.9	-54.1	-4.7	54.5	185	0.0	1.0	0.4	54.8	-55.8	-1.8	55.9	181	0.0	1.0	0.31	54.3	-60.4	6.4	60.8	174	0.0	1.0	0.4	54.9	-54.1	-4.7	54.5	185
183	175	185	0.0	1.0	0.416	54.8	-55.2	-3.1	55.2	183	0.0	1.0	0.321	54.3	-59.8	5.2	60.1	175	0.0	1.0	0.417	54.9	-53.6	-5.5	54.0	186	0.0	1.0	0.417	54.8	-55.2	-3.1	55.2	183	0.0	1.0	0.321	54.3	-59.8	5.2	60.1	175	0.0	1.0	0.417	54.9	-53.6	-5.5	54.0	186
184	176	185	0.0	1.0	0.433	54.8	-54.5	-4.3	54.6	184	0.0	1.0	0.332	54.4	-59.2	4.1	59.5	176	0.0	1.0	0.433	55.0	-52.6	-7.1	53.2	187	0.0	1.0	0.433	54.8	-54.5	-4.3	54.6	184	0.0	1.0	0.332	54.4	-59.2	4.1	59.5	176	0.0	1.0	0.433	55.0	-52.6	-7.1	53.2	187
185	177	186	0.0	1.0	0.45	54.9	-53.7	-5.5	54.0	185	0.0	1.0	0.343	54.5	-58.6	3.1	58.8	177	0.0	1.0	0.45	55.0	-51.5	-8.6	52.3	189	0.0	1.0	0.45	54.9	-53.7	-5.5	54.0	185	0.0	1.0	0.343	54.5	-58.6	3.1	58.8	177	0.0	1.0	0.45	55.0	-51.5	-8.6	52.3	189
187	178	187	0.0	1.0	0.466	54.9	-53.0	-6.6	53.4	187	0.0	1.0	0.354	54.6	-58.0	2.0	58.1	178	0.0	1.0	0.467	55.0	-50.7	-10.2	51.8	191	0.0	1.0	0.467	54.9	-53.0	-6.6	53.4	187	0.0	1.0	0.354	54.6	-58.0	2.0	58.1	178	0.0	1.0	0.467	55.0	-50.7	-10.2	51.8	191
188	179	188	0.0	1.0	0.483	55.0	-52.2	-7.8	52.8	188	0.0	1.0	0.365	54.7	-57.3	1.0	57.5	179	0.0	1.0	0.483	55.1	-49.5	-12.4	51.1	194	0.0	1.0	0.483	55.0	-52.2	-7.8	52.8	188	0.0	1.0	0.365	54.7	-57.3	1.0	57.5	179	0.0	1.0	0.483	55.1	-49.5	-12.4	51.1	194
189	180	189	0.0	1.0	0.5	55.0	-51.4	-8.9	52.2	189	0.0	1.0	0.375	54.8	-56.7	0.0	56.8	180	0.0	1.0	0.5	55.1	-48.3	-13.1	50.9	195	0.0	1.0	0.5	55.0	-51.4	-8.9	52.2	189	0.0	1.0	0.375	54.8	-56.7	0.0	56.8	180	0.0	1.0	0.5	55.1	-48.3	-13.1	50.9	195
191	181	190	0.0	1.0	0.516	55.0	-50.6	-10.5	51.7	191	0.0	1.0	0.388	54.8	-56.2	-0.9	56.3	181	0.0	1.0	0.517	55.1	-47.1	-15.1	49.4	202	0.0	1.0	0.517	55.0	-50.6	-10.5	51.7	191	0.0	1.0	0.388	54.8	-56.2	-0.9	56.3	181	0.0	1.0	0.517	55.1	-47.1	-15.1	49.4	202
193	182	191	0.0	1.0	0.533	55.1	-49.7	-12.1	51.2	193	0.0	1.0	0.401	54.8	-55.7	-1.8	55.9	182	0.0	1.0	0.533	55.2	-46.7	-16.6	49.7	199	0.0	1.0	0.533	55.1	-49.7	-12.1	51.2	193	0.0	1.0	0.401	54.8	-55.7	-1.8	55.9	182	0.0	1.0	0.533	55.2	-46.7	-16.6	49.7	199
195	183	192	0.0	1.0	0.55	55.1	-48.8	-13.7	50.7	195	0.0	1.0	0.414	54.9	-55.2	-2.8	55.4	183	0.0	1.0	0.55	55.2	-45.2	-18.6	49.0	202	0.0	1.0	0.55	55.1	-48.8	-13.7	50.7	195	0.0	1.0	0.414	54.9	-55.2	-2.8	55.4	183	0.0	1.0	0.55	55.2	-45.2	-18.6	49.0	202
197	184	193	0.0	1.0	0.566	55.2	-47.8	-15.2	50.2	197	0.0	1.0	0.426	54.9	-54.7	-3.7	54.9	184	0.0	1.0	0.567	55.3	-44.2	-21.1	48.4	206	0.0	1.0	0.567	55.2	-47.8	-15.2	50.2	197	0.0	1.0	0.426	54.9	-54.7	-3.7	54.9	184	0.0	1.0	0.567	55.3	-44.2	-21.1	48.4	206
199	185	194	0.0	1.0	0.583	55.2	-46.8	-16.6	49.7	199	0.0	1.0	0.439	54.9	-54.2	-4.6	54.5	185	0.0	1.0	0.583	55.4	-43.0	-24.8	48.0	213	0.0	1.0	0.583	55.2	-46.8	-16.6	49.7	199	0.0	1.0	0.439	54.9	-54.2	-4.6	54.5	185	0.0	1.0	0.583	55.4	-43.0	-24.8	48.0	213
201	186	195	0.0	1.0	0.6	55.2	-45.8	-18.0	49.2	201	0.0	1.0	0.452	54.9	-53.6	-5.5	54.0	186	0.0	1.0	0.6	55.3	-41.8	-28.3	48.2	209	0.0	1.0	0.6	55.2	-45.8	-18.0	49.2	201	0.0	1.0	0.452	54.9	-53.6	-5.5	54.0	186	0.0	1.0	0.6	55.3	-41.8	-28.3	48.2	209
203	187	195	0.0	1.0	0.616	55.3	-44.7	-19.4	48.7	203	0.0	1.0	0.464	55.0	-53.0	-6.4	53.5	187	0.0	1.0	0.617	55.4	-40.7	-31.9	49.3	201	0.0	1.0	0.617	55.3	-44.7	-19.4	48.7	203	0.0	1.0	0.464	55.0	-53.0	-6.4	53.5	187	0.0	1.0	0.617	55.4	-40.7	-31.9	49.3	201
205	188	196	0.0	1.0	0.633	55.3	-43.8	-20.5	48.4	205	0.0	1.0	0.477	55.0	-52.5	-7.3	53.1	188	0.0	1.0	0.633	55.5	-39.5	-34.9	48.0	210	0.0	1.0	0.633	55.3	-43.8	-20.5	48.4	205	0.0	1.0	0.477	55.0	-52.5	-7.3	53.1	188	0.0	1.0	0.633	55.5	-39.5	-34.9	48.0	210
206	189	197	0.0	1.0	0.65	55.3	-43.3	-21.5	48.3	206	0.0	1.0	0.49	55.0	-51.9	-8.1	52.6	189	0.0	1.0	0.65	55.6	-37.3	-37.3	48.3	207	0.0	1.0	0.65	55.3	-43.3	-21.5	48.3	206	0.0	1.0	0.49	55.0	-51.9	-8.1	52.6	189	0.0	1.0	0.65	55.6	-37.3	-37.3	48.3	207
207	190	198	0.0	1.0	0.666	55.3	-42.7	-22.5	48.3	207	0.0	1.0	0.502	55.1	-51.3	-9.0	52.2	190	0.0	1.0	0.667	55.6	-35.3	-40.7	48.3	208	0.0	1.0	0.667	55.3	-42.7	-22.5	48.3	207	0.0	1.0	0.502	55.1	-51.3	-9.0	52.2	190	0.0	1.0	0.667	55.6	-35.3	-40.7	48.3	208
209	191	199	0.0	1.0																																														

http://130.149.60.45/~farbmetrik/PE99/PE99LONA.TXT /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 14/33





Data of Maximum color, M in colorimetric system Laser printer output; separation cmyk6; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM; $h_{ab,d} = 33.5, 100.6, 155.5, 235.2, 290.8, 348.9$; Six hue angles of the elementary colours RYGBM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_d	rgb^*_s	rgb^*_e	LAB^*_d	LAB^*_s	LAB^*_e	rgb^*_d	rgb^*_s	rgb^*_e	LAB^*_d	LAB^*_s	LAB^*_e	rgb^*_d	rgb^*_s	rgb^*_e	LAB^*_d	LAB^*_s	LAB^*_e	rgb^*_d	rgb^*_s	rgb^*_e																					
235	210	216	0.0	1.0	1.0	53.1	-30.0	-43.1	52.5	235	235	0.0	1.0	0.694	55.3	-41.6	-24.0	48.2	210C _s	0.0	1.0	1.0	0.0	1.0	0.792	55.0	-38.6	-29.0	48.4	216C _s	0.0	1.0	1.0	0.0	1.0	0.807	54.9	-38.3	-29.8	48.6	217	0.0	0.983	1.0
235	211	217	0.0	0.983	1.0	53.1	-29.7	-43.3	52.5	235	235	0.0	1.0	0.707	55.3	-41.2	-24.7	48.1	211	0.0	0.983	1.0	0.0	1.0	0.807	54.9	-38.3	-29.8	48.6	217	0.0	0.983	1.0	0.0	1.0	0.822	54.8	-37.9	-30.5	48.8	218	0.0	0.967	1.0
235	212	218	0.0	0.966	1.0	53.1	-29.4	-43.5	52.5	235	235	0.0	1.0	0.719	55.3	-40.7	-25.4	48.1	212	0.0	0.967	1.0	0.0	1.0	0.822	54.8	-37.9	-30.5	48.8	218	0.0	0.967	1.0	0.0	1.0	0.837	54.7	-37.6	-31.2	49.0	219	0.0	0.95	1.0
236	213	219	0.0	0.95	1.0	53.1	-29.2	-43.7	52.6	236	236	0.0	1.0	0.732	55.3	-40.2	-26.1	48.0	213	0.0	0.95	1.0	0.0	1.0	0.837	54.7	-37.6	-31.2	49.0	219	0.0	0.95	1.0	0.0	1.0	0.853	54.6	-37.2	-31.9	49.2	220	0.0	0.933	1.0
236	214	220	0.0	0.933	1.0	53.1	-28.9	-43.9	52.6	236	236	0.0	1.0	0.744	55.2	-39.7	-26.7	48.0	214	0.0	0.933	1.0	0.0	1.0	0.853	54.6	-37.2	-31.9	49.2	220	0.0	0.933	1.0	0.0	1.0	0.868	54.5	-36.9	-32.6	49.4	221	0.0	0.917	1.0
237	215	221	0.0	0.916	1.0	53.1	-28.6	-44.2	52.6	237	237	0.0	1.0	0.759	55.2	-39.3	-27.5	48.1	215	0.0	0.917	1.0	0.0	1.0	0.868	54.5	-36.9	-32.6	49.4	221	0.0	0.917	1.0	0.0	1.0	0.88	54.4	-36.5	-33.4	49.6	222	0.0	0.9	1.0
237	216	222	0.0	0.9	1.0	53.1	-28.3	-44.4	52.7	237	237	0.0	1.0	0.775	55.1	-38.9	-28.3	48.3	216	0.0	0.9	1.0	0.0	1.0	0.88	54.4	-36.5	-33.4	49.6	222	0.0	0.9	1.0	0.0	1.0	0.888	54.3	-36.1	-34.1	49.8	223	0.0	0.883	1.0
237	217	223	0.0	0.883	1.0	53.1	-28.1	-44.6	52.7	237	237	0.0	1.0	0.792	55.0	-38.6	-29.1	48.5	217	0.0	0.883	1.0	0.0	1.0	0.888	54.3	-36.1	-34.1	49.8	223	0.0	0.883	1.0	0.0	1.0	0.897	54.2	-35.7	-34.8	50.0	224	0.0	0.867	1.0
238	218	224	0.0	0.866	1.0	53.0	-27.8	-44.9	52.8	238	238	0.0	1.0	0.809	54.9	-38.2	-29.9	48.7	218	0.0	0.867	1.0	0.0	1.0	0.897	54.2	-35.7	-34.8	50.0	224	0.0	0.867	1.0	0.0	1.0	0.906	54.1	-35.3	-35.5	50.2	225	0.0	0.85	1.0
238	219	225	0.0	0.85	1.0	53.0	-27.5	-45.3	53.0	238	238	0.0	1.0	0.825	54.8	-37.9	-30.6	48.9	219	0.0	0.85	1.0	0.0	1.0	0.906	54.1	-35.3	-35.5	50.2	225	0.0	0.85	1.0	0.0	1.0	0.914	54.1	-34.9	-36.2	50.4	226	0.0	0.833	1.0
239	220	226	0.0	0.833	1.0	53.0	-27.3	-45.6	53.2	239	239	0.0	1.0	0.842	54.7	-37.5	-31.4	49.1	220	0.0	0.833	1.0	0.0	1.0	0.914	54.1	-34.9	-36.2	50.4	226	0.0	0.833	1.0	0.0	1.0	0.923	54.0	-34.4	-36.9	50.6	227	0.0	0.817	1.0
239	221	227	0.0	0.816	1.0	53.0	-27.0	-46.0	53.4	239	239	0.0	1.0	0.859	54.6	-37.1	-32.2	49.3	221	0.0	0.817	1.0	0.0	1.0	0.923	54.0	-34.4	-36.9	50.6	227	0.0	0.817	1.0	0.0	1.0	0.932	53.9	-34.0	-37.6	50.8	227	0.0	0.8	1.0
240	222	227	0.0	0.8	1.0	52.9	-26.7	-46.4	53.6	240	240	0.0	1.0	0.875	54.5	-36.7	-33.0	49.5	222	0.0	0.8	1.0	0.0	1.0	0.932	53.9	-34.0	-37.6	50.8	227	0.0	0.8	1.0	0.0	1.0	0.94	53.8	-33.5	-38.3	51.1	228	0.0	0.783	1.0
240	223	228	0.0	0.783	1.0	52.9	-26.5	-46.8	53.8	240	240	0.0	1.0	0.885	54.4	-36.2	-33.8	49.7	223	0.0	0.783	1.0	0.0	1.0	0.94	53.8	-33.5	-38.3	51.1	228	0.0	0.783	1.0	0.0	1.0	0.949	53.7	-33.0	-39.0	51.3	229	0.0	0.767	1.0
240	224	229	0.0	0.766	1.0	52.9	-26.2	-47.2	53.9	240	240	0.0	1.0	0.894	54.3	-35.8	-34.6	49.9	224	0.0	0.767	1.0	0.0	1.0	0.949	53.7	-33.0	-39.0	51.3	229	0.0	0.767	1.0	0.0	1.0	0.957	53.6	-32.5	-39.7	51.5	230	0.0	0.75	1.0
241	225	230	0.0	0.75	1.0	52.9	-25.9	-47.5	54.1	241	241	0.0	1.0	0.904	54.2	-35.4	-35.4	50.2	225	0.0	0.75	1.0	0.0	1.0	0.957	53.6	-32.5	-39.7	51.5	230	0.0	0.75	1.0	0.0	1.0	0.966	53.5	-32.0	-40.4	51.7	231	0.0	0.733	1.0
242	226	231	0.0	0.733	1.0	52.6	-25.2	-47.8	54.1	242	242	0.0	1.0	0.913	54.1	-34.9	-36.2	50.4	226	0.0	0.733	1.0	0.0	1.0	0.966	53.5	-32.0	-40.4	51.7	231	0.0	0.733	1.0	0.0	1.0	0.975	53.4	-31.5	-41.1	51.9	232	0.0	0.717	1.0
242	227	232	0.0	0.716	1.0	52.2	-24.5	-48.1	54.0	242	242	0.0	1.0	0.923	54.0	-34.4	-36.9	50.6	227	0.0	0.717	1.0	0.0	1.0	0.975	53.4	-31.5	-41.1	51.9	232	0.0	0.717	1.0	0.0	1.0	0.983	53.3	-31.0	-41.7	52.1	233	0.0	0.7	1.0
243	228	233	0.0	0.7	1.0	51.9	-23.9	-48.4	54.0	243	243	0.0	1.0	0.932	53.9	-33.9	-37.7	50.9	228	0.0	0.7	1.0	0.0	1.0	0.983	53.3	-31.0	-41.7	52.1	233	0.0	0.7	1.0	0.0	1.0	0.992	53.2	-30.4	-42.4	52.3	234	0.0	0.683	1.0
244	229	234	0.0	0.683	1.0	51.6	-23.2	-48.6	53.9	244	244	0.0	1.0	0.942	53.8	-33.4	-38.5	51.1	229	0.0	0.683	1.0	0.0	1.0	0.992	53.2	-30.4	-42.4	52.3	234	0.0	0.683	1.0	0.0	1.0	0.997	53.1	-29.9	-43.1	52.5	235	0.0	0.667	1.0
245	230	235	0.0	0.666	1.0	51.3	-22.5	-48.9	53.8	245	245	0.0	1.0	0.951	53.7	-32.9	-39.2	51.3	230	0.0	0.667	1.0	0.0	1.0	0.997	53.1	-29.9	-43.1	52.5	235	0.0	0.667	1.0	0.0	1.0	0.956	53.1	-29.2	-43.6	52.6	236	0.0	0.65	1.0
246	231	236	0.0	0.65	1.0	51.0	-21.8	-49.1	53.8	246	246	0.0	1.0	0.961	53.6	-32.3	-40.0	51.6	231	0.0	0.65	1.0	0.0	1.0	0.956	53.1	-29.2	-43.6	52.6	236	0.0	0.65	1.0	0.0	1.0	0.916	53.1	-28.6	-44.1	52.7	237	0.0	0.633	1.0
246	232	237	0.0	0.633	1.0	50.7	-21.1	-49.4	53.7	246	246	0.0	1.0	0.97	53.5	-31.8	-40.7	51.8	232	0.0	0.633	1.0	0.0	1.0	0.916	53.1	-28.6	-44.1	52.7	237	0.0	0.633	1.0	0.0	1.0	0.876	53.1	-27.9	-44.6	52.8	237	0.0	0.617	1.0
247	233	237	0.0	0.616	1.0	50.2	-20.2	-49.5	53.5	247	247	0.0	1.0	0.98	53.4	-31.2	-41.5	52.0	233	0.0	0.617	1.0	0.0	1.0	0.876	53.1	-27.9	-44.6	52.8	237	0.0	0.617	1.0	0.0	1.0	0.842	53.1	-27.4	-45.4	53.1	238	0.0	0.6	1.0
248	234	238	0.0	0.6	1.0	49.7	-19.2	-49.6	53.2	248	248	0.0	1.0	0.989	53.2	-30.6	-42.2	52.3	234	0.0	0.6	1.0	0.0	1.0	0.842	53.1	-27.4	-45.4	53.1	238	0.0	0.6	1.0	0.0	1.0	0.809	53.1	-26.8	-46.2	53.5	239	0.0	0.583	1.0
249	235	239	0.0	0.583	1.0	49.1	-18.2	-49.6	52.8	249	249	0.0	1.0	0.999	53.1	-30.0	-42.9	52.5	235	0.0	0.583	1.0	0.0	1.0	0.809	53.1	-26.8	-46.2	53.5	239	0.0	0.583	1.0	0.0	1.0	0.775	53.0	-26.3	-46.9	53.9	240	0.0	0.567	1.0
250	236	240	0.0	0.566	1.0	48.5	-17.2	-49.6	52.5	250	250	0.0	1.0	0.963	53.1	-29.3	-43.5	52.6	236	0.0	0.567	1.0	0.0	1.0	0.775	53.0	-26.3	-46.9	53.9	240	0.0	0.567	1.0	0.0	1.0	0.745	53.0	-25.6	-47.6	54.2	241	0.0	0.55	1.0
251	237	241	0.0	0.55	1.0	47.9	-16.2	-49.5	52.2	251	251	0.0	1.0	0.918	53.1	-28.6	-44.1	52.7	237	0.0	0.55	1.0	0.0	1.0	0.745	53.0	-25.6	-47.6	54.2	241	0.0	0.55	1.0	0.0	1.0	0.726	53.0	-24.9	-47.9	54.1	242	0.0	0.533	1.0
252	238	242	0.0	0.533	1.0	47.3	-15.2	-49.5	51.8	252	252	0.0	1.0	0.874	53.1	-27.9	-44.7	52.8	238	0.0	0.533	1.0	0.0	1.0	0.726	53.0	-24.9	-47.9	54.1	242	0.0	0.533	1.0	0.0	1.0	0.706	53.0	-24.1	-48.2	54.0	243	0.0	0.517	1.0
253	239	243	0.0	0.516	1.0	46.7	-14.3	-49.4	51.5	253	253	0.0	1.0	0.838	53.0	-27.3	-45.5	53.2	239	0.0</																								

Data of Maximum color, M in colorimetric system Laser printer output, separation cmyk6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_d; h_{abs,d} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
 Six hue angles of the device colours RYGBM_d; h_{abs,d} = 33.5, 100.6, 155.5, 225.2, 290.8, 348.9; Six hue angles of the elementary colours RYGBM_d; h_{abs,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{abs,d}	h _{abs,s}	h _{abs,e}	LAB* _d s361M	LAB* _s ds361MI	LAB* _e ds361MI	LAB* _d s361MI (x=LabCh)	LAB* _s ds361MI (x=LabCh)	LAB* _e ds361MI (x=LabCh)	LAB* _d s361MI	LAB* _s ds361MI	LAB* _e ds361MI	rgb* _d ds361MI	rgb* _s ds361MI	rgb* _e ds361MI	rgb* _d ds361MI	rgb* _s ds361MI	rgb* _e ds361MI
324	300	300	0.5	0.0	1.0	37.2	43.1	-30.8	53.0	324	300	0.5	0.0	1.0	0.139	0.0	1.0
325	301	301	0.516	0.0	1.0	37.4	43.8	-30.4	53.4	325	301	0.516	0.0	1.0	0.153	0.0	1.0
326	302	302	0.533	0.0	1.0	37.7	44.5	-29.9	53.7	326	302	0.533	0.0	1.0	0.166	0.0	1.0
326	303	303	0.55	0.0	1.0	37.9	45.3	-29.5	54.0	326	303	0.55	0.0	1.0	0.18	0.0	1.0
327	304	304	0.566	0.0	1.0	38.2	46.0	-29.0	54.4	327	304	0.566	0.0	1.0	0.194	0.0	1.0
328	305	305	0.583	0.0	1.0	38.4	46.7	-28.5	54.7	328	305	0.583	0.0	1.0	0.208	0.0	1.0
329	306	306	0.6	0.0	1.0	38.7	47.4	-28.0	55.1	329	306	0.6	0.0	1.0	0.222	0.0	1.0
330	307	307	0.616	0.0	1.0	38.9	48.1	-27.5	55.4	330	307	0.616	0.0	1.0	0.235	0.0	1.0
331	308	308	0.633	0.0	1.0	39.2	48.9	-26.9	55.8	331	308	0.633	0.0	1.0	0.249	0.0	1.0
332	309	309	0.65	0.0	1.0	39.6	49.8	-26.2	56.3	332	309	0.65	0.0	1.0	0.261	0.0	1.0
333	310	310	0.666	0.0	1.0	40.0	50.7	-25.4	56.8	333	310	0.666	0.0	1.0	0.274	0.0	1.0
334	311	311	0.683	0.0	1.0	40.4	51.6	-24.7	57.2	334	311	0.683	0.0	1.0	0.286	0.0	1.0
335	312	312	0.7	0.0	1.0	40.7	52.5	-23.9	57.7	335	312	0.7	0.0	1.0	0.298	0.0	1.0
336	313	313	0.716	0.0	1.0	41.1	53.4	-23.1	58.2	336	313	0.716	0.0	1.0	0.31	0.0	1.0
337	314	314	0.733	0.0	1.0	41.5	54.3	-22.3	58.7	337	314	0.733	0.0	1.0	0.323	0.0	1.0
338	315	315	0.75	0.0	1.0	41.8	55.1	-21.4	59.1	338	315	0.75	0.0	1.0	0.335	0.0	1.0
339	316	316	0.766	0.0	1.0	42.4	55.8	-20.9	59.6	339	316	0.766	0.0	1.0	0.347	0.0	1.0
340	317	317	0.783	0.0	1.0	42.9	56.5	-20.4	60.1	340	317	0.783	0.0	1.0	0.359	0.0	1.0
340	318	318	0.8	0.0	1.0	43.4	57.2	-19.8	60.5	340	318	0.8	0.0	1.0	0.371	0.0	1.0
341	319	319	0.816	0.0	1.0	43.9	57.8	-19.3	61.0	341	319	0.816	0.0	1.0	0.387	0.0	1.0
342	320	320	0.833	0.0	1.0	44.4	58.5	-18.7	61.4	342	320	0.833	0.0	1.0	0.404	0.0	1.0
342	321	321	0.85	0.0	1.0	44.9	59.1	-18.2	61.9	342	321	0.85	0.0	1.0	0.421	0.0	1.0
343	322	322	0.866	0.0	1.0	45.4	59.8	-17.6	62.3	343	322	0.866	0.0	1.0	0.439	0.0	1.0
344	323	323	0.883	0.0	1.0	45.8	60.5	-17.0	62.8	344	323	0.883	0.0	1.0	0.456	0.0	1.0
344	324	324	0.9	0.0	1.0	46.1	61.2	-16.4	63.4	344	324	0.9	0.0	1.0	0.473	0.0	1.0
345	325	325	0.916	0.0	1.0	46.5	61.9	-15.9	63.9	345	325	0.916	0.0	1.0	0.49	0.0	1.0
346	326	326	0.933	0.0	1.0	46.8	62.6	-15.3	64.5	346	326	0.933	0.0	1.0	0.508	0.0	1.0
346	327	327	0.95	0.0	1.0	47.1	63.3	-14.6	65.0	346	327	0.95	0.0	1.0	0.527	0.0	1.0
347	328	328	0.966	0.0	1.0	47.5	64.0	-14.0	65.5	347	328	0.966	0.0	1.0	0.546	0.0	1.0
348	329	329	0.983	0.0	1.0	47.8	64.7	-13.4	66.1	348	329	0.983	0.0	1.0	0.565	0.0	1.0
348	330	328	1.0	0.0	1.0	48.1	65.4	-12.7	66.6	348	M ₀	0.612	0.0	1.0	0.584	0.0	1.0
349	331	329	1.0	0.0	0.983	48.3	65.5	-12.5	66.7	349	M ₀	0.631	0.0	1.0	0.603	0.0	1.0
349	332	330	1.0	0.0	0.966	48.5	65.6	-12.2	66.7	349	M ₀	0.646	0.0	1.0	0.623	0.0	1.0
349	333	331	1.0	0.0	0.95	48.7	65.7	-11.9	66.8	349	M ₀	0.662	0.0	1.0	0.638	0.0	1.0
349	334	332	1.0	0.0	0.933	48.9	65.8	-11.7	66.8	349	M ₀	0.677	0.0	1.0	0.652	0.0	1.0
350	335	333	1.0	0.0	0.916	49.0	65.9	-11.4	66.9	350	M ₀	0.692	0.0	1.0	0.667	0.0	1.0
350	336	334	1.0	0.0	0.9	49.2	66.0	-11.1	66.9	350	M ₀	0.708	0.0	1.0	0.681	0.0	1.0
350	337	335	1.0	0.0	0.883	49.4	66.1	-10.9	67.0	350	M ₀	0.723	0.0	1.0	0.696	0.0	1.0
350	338	336	1.0	0.0	0.866	49.5	66.0	-10.4	66.9	350	M ₀	0.738	0.0	1.0	0.711	0.0	1.0
351	339	337	1.0	0.0	0.85	49.4	65.8	-9.9	66.6	351	M ₀	0.756	0.0	1.0	0.725	0.0	1.0
351	340	338	1.0	0.0	0.833	49.4	65.6	-9.3	66.3	351	M ₀	0.78	0.0	1.0	0.74	0.0	1.0
352	341	339	1.0	0.0	0.816	49.4	65.4	-8.7	66.0	352	M ₀	0.804	0.0	1.0	0.757	0.0	1.0
352	342	339	1.0	0.0	0.8	49.4	65.2	-8.2	65.7	352	M ₀	0.828	0.0	1.0	0.78	0.0	1.0
353	343	340	1.0	0.0	0.783	49.3	65.0	-7.6	65.4	353	M ₀	0.852	0.0	1.0	0.802	0.0	1.0
353	344	341	1.0	0.0	0.766	49.3	64.7	-7.1	65.1	353	M ₀	0.877	0.0	1.0	0.825	0.0	1.0
354	345	342	1.0	0.0	0.75	49.3	64.5	-6.5	64.8	354	M ₀	0.902	0.0	1.0	0.848	0.0	1.0

Input: rgb/cmyk -> rgbd
 output: transfer to cmykd



http://130.149.60.45/~farbmetrik/PE99/PE99LONA.TXT /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 18/33





ref	HC*Fd	rgb_Fd	icr_Fd	hsa_Fd	rgb*Fd	LabCH*Fd	rgb*Fd	rgb*Fd	DE*Fd	HaM*Fd	rgb*Fd	LabCH*Fd	rgb*Fd	LabCH*Fd	rgb*Fd				
0/648	R00Y_100_100a	1.0	0.0	0.0	0.0	47.5	57.2	37.8	68.6	33.4	0.0	0.0	0.0	0.0	47.5	57.2	37.8	68.6	33.4
1/657	R13Y_100_100a	1.0	0.125	0.0	0.0	47.5	57.2	37.8	68.6	33.4	0.0	0.0	0.0	0.0	47.5	57.2	37.8	68.6	33.4
2/666	R25Y_100_100a	1.0	0.25	0.0	0.0	47.5	57.2	37.8	68.6	33.4	0.0	0.0	0.0	0.0	47.5	57.2	37.8	68.6	33.4
3/675	R37Y_100_100a	1.0	0.375	0.0	0.0	47.5	57.2	37.8	68.6	33.4	0.0	0.0	0.0	0.0	47.5	57.2	37.8	68.6	33.4
4/684	R50Y_100_100a	1.0	0.5	0.0	0.0	47.5	57.2	37.8	68.6	33.4	0.0	0.0	0.0	0.0	47.5	57.2	37.8	68.6	33.4
5/693	R63Y_100_100a	1.0	0.625	0.0	0.0	47.5	57.2	37.8	68.6	33.4	0.0	0.0	0.0	0.0	47.5	57.2	37.8	68.6	33.4
6/702	R75Y_100_100a	1.0	0.75	0.0	0.0	47.5	57.2	37.8	68.6	33.4	0.0	0.0	0.0	0.0	47.5	57.2	37.8	68.6	33.4
7/711	R88Y_100_100a	1.0	0.875	0.0	0.0	47.5	57.2	37.8	68.6	33.4	0.0	0.0	0.0	0.0	47.5	57.2	37.8	68.6	33.4
8/720	Y00G_100_100a	1.0	0.0	0.0	0.0	91.5	-15.8	84.6	86.1	100.5	0.0	0.0	0.0	0.0	91.5	-15.8	84.6	86.1	100.5
9/659	Y13G_100_100a	1.0	0.125	0.0	0.0	91.5	-15.8	84.6	86.1	100.5	0.0	0.0	0.0	0.0	91.5	-15.8	84.6	86.1	100.5
10/658	Y25G_100_100a	1.0	0.25	0.0	0.0	91.5	-15.8	84.6	86.1	100.5	0.0	0.0	0.0	0.0	91.5	-15.8	84.6	86.1	100.5
11/477	Y38G_100_100a	1.0	0.375	0.0	0.0	91.5	-15.8	84.6	86.1	100.5	0.0	0.0	0.0	0.0	91.5	-15.8	84.6	86.1	100.5
12/396	Y50G_100_100a	1.0	0.5	0.0	0.0	91.5	-15.8	84.6	86.1	100.5	0.0	0.0	0.0	0.0	91.5	-15.8	84.6	86.1	100.5
13/315	Y63G_100_100a	1.0	0.625	0.0	0.0	91.5	-15.8	84.6	86.1	100.5	0.0	0.0	0.0	0.0	91.5	-15.8	84.6	86.1	100.5
14/234	Y75G_100_100a	1.0	0.75	0.0	0.0	91.5	-15.8	84.6	86.1	100.5	0.0	0.0	0.0	0.0	91.5	-15.8	84.6	86.1	100.5
15/153	Y88G_100_100a	1.0	0.875	0.0	0.0	91.5	-15.8	84.6	86.1	100.5	0.0	0.0	0.0	0.0	91.5	-15.8	84.6	86.1	100.5
16/72	G00C_100_100a	0.0	0.0	0.0	0.0	54.3	-67.6	30.8	74.3	155.5	0.0	0.0	0.0	0.0	54.3	-67.6	30.8	74.3	155.5
17/73	G13C_100_100a	0.0	0.125	0.0	0.0	54.3	-67.6	30.8	74.3	155.5	0.0	0.0	0.0	0.0	54.3	-67.6	30.8	74.3	155.5
18/74	G25C_100_100a	0.0	0.25	0.0	0.0	54.3	-67.6	30.8	74.3	155.5	0.0	0.0	0.0	0.0	54.3	-67.6	30.8	74.3	155.5
19/75	G37C_100_100a	0.0	0.375	0.0	0.0	54.3	-67.6	30.8	74.3	155.5	0.0	0.0	0.0	0.0	54.3	-67.6	30.8	74.3	155.5
20/76	G50C_100_100a	0.0	0.5	0.0	0.0	54.3	-67.6	30.8	74.3	155.5	0.0	0.0	0.0	0.0	54.3	-67.6	30.8	74.3	155.5
21/77	G63C_100_100a	0.0	0.625	0.0	0.0	54.3	-67.6	30.8	74.3	155.5	0.0	0.0	0.0	0.0	54.3	-67.6	30.8	74.3	155.5
22/78	G75C_100_100a	0.0	0.75	0.0	0.0	54.3	-67.6	30.8	74.3	155.5	0.0	0.0	0.0	0.0	54.3	-67.6	30.8	74.3	155.5
23/79	G88C_100_100a	0.0	0.875	0.0	0.0	54.3	-67.6	30.8	74.3	155.5	0.0	0.0	0.0	0.0	54.3	-67.6	30.8	74.3	155.5
24/80	C00B_100_100a	0.0	0.0	0.0	0.0	53.1	-30.0	-43.1	52.5	235.1	0.0	0.0	0.0	0.0	53.1	-30.0	-43.1	52.5	235.1
25/71	C13B_100_100a	0.0	0.125	0.0	0.0	53.1	-30.0	-43.1	52.5	235.1	0.0	0.0	0.0	0.0	53.1	-30.0	-43.1	52.5	235.1
26/62	C25B_100_100a	0.0	0.25	0.0	0.0	53.1	-30.0	-43.1	52.5	235.1	0.0	0.0	0.0	0.0	53.1	-30.0	-43.1	52.5	235.1
27/63	C37B_100_100a	0.0	0.375	0.0	0.0	53.1	-30.0	-43.1	52.5	235.1	0.0	0.0	0.0	0.0	53.1	-30.0	-43.1	52.5	235.1
28/44	C50B_100_100a	0.0	0.5	0.0	0.0	53.1	-30.0	-43.1	52.5	235.1	0.0	0.0	0.0	0.0	53.1	-30.0	-43.1	52.5	235.1
29/35	C63B_100_100a	0.0	0.625	0.0	0.0	53.1	-30.0	-43.1	52.5	235.1	0.0	0.0	0.0	0.0	53.1	-30.0	-43.1	52.5	235.1
30/26	C75B_100_100a	0.0	0.75	0.0	0.0	53.1	-30.0	-43.1	52.5	235.1	0.0	0.0	0.0	0.0	53.1	-30.0	-43.1	52.5	235.1
31/17	C88B_100_100a	0.0	0.875	0.0	0.0	53.1	-30.0	-43.1	52.5	235.1	0.0	0.0	0.0	0.0	53.1	-30.0	-43.1	52.5	235.1
32/8	B00M_100_100a	0.0	0.0	0.0	0.0	32.5	16.9	-44.6	47.7	290.8	0.0	0.0	0.0	0.0	32.5	16.9	-44.6	47.7	290.8
33/89	B13M_100_100a	0.0	0.125	0.0	0.0	32.5	16.9	-44.6	47.7	290.8	0.0	0.0	0.0	0.0	32.5	16.9	-44.6	47.7	290.8
34/170	B25M_100_100a	0.0	0.25	0.0	0.0	32.5	16.9	-44.6	47.7	290.8	0.0	0.0	0.0	0.0	32.5	16.9	-44.6	47.7	290.8
35/251	B38M_100_100a	0.0	0.375	0.0	0.0	32.5	16.9	-44.6	47.7	290.8	0.0	0.0	0.0	0.0	32.5	16.9	-44.6	47.7	290.8
36/332	B50M_100_100a	0.0	0.5	0.0	0.0	32.5	16.9	-44.6	47.7	290.8	0.0	0.0	0.0	0.0	32.5	16.9	-44.6	47.7	290.8
37/413	B63M_100_100a	0.0	0.625	0.0	0.0	32.5	16.9	-44.6	47.7	290.8	0.0	0.0	0.0	0.0	32.5	16.9	-44.6	47.7	290.8
38/494	B75M_100_100a	0.0	0.75	0.0	0.0	32.5	16.9	-44.6	47.7	290.8	0.0	0.0	0.0	0.0	32.5	16.9	-44.6	47.7	290.8
39/575	B88M_100_100a	0.0	0.875	0.0	0.0	32.5	16.9	-44.6	47.7	290.8	0.0	0.0	0.0	0.0	32.5	16.9	-44.6	47.7	290.8
40/656	M00R_100_100a	1.0	0.0	0.0	0.0	48.1	65.4	-12.7	66.6	348.9	0.0	0.0	0.0	0.0	48.1	65.4	-12.7	66.6	348.9
41/655	M13R_100_100a	1.0	0.125	0.0	0.0	48.1	65.4	-12.7	66.6	348.9	0.0	0.0	0.0	0.0	48.1	65.4	-12.7	66.6	348.9
42/654	M25R_100_100a	1.0	0.25	0.0	0.0	48.1	65.4	-12.7	66.6	348.9	0.0	0.0	0.0	0.0	48.1	65.4	-12.7	66.6	348.9
43/653	M38R_100_100a	1.0	0.375	0.0	0.0	48.1	65.4	-12.7	66.6	348.9	0.0	0.0	0.0	0.0	48.1	65.4	-12.7	66.6	348.9
44/652	M50R_100_100a	1.0	0.5	0.0	0.0	48.1	65.4	-12.7	66.6	348.9	0.0	0.0	0.0	0.0	48.1	65.4	-12.7	66.6	348.9
45/651	M63R_100_100a	1.0	0.625	0.0	0.0	48.1	65.4	-12.7	66.6	348.9	0.0	0.0	0.0	0.0	48.1	65.4	-12.7	66.6	348.9
46/650	M75R_100_100a	1.0	0.75	0.0	0.0	48.1	65.4	-12.7	66.6	348.9	0.0	0.0	0.0	0.0	48.1	65.4	-12.7	66.6	348.9
47/649	M88R_100_100a	1.0	0.875	0.0	0.0	48.1	65.4	-12.7	66.6	348.9	0.0	0.0	0.0	0.0	48.1	65.4	-12.7	66.6	348.9
48/648	R00Y_100_100a	1.0	0.0	0.0	0.0	47.5	57.2	37.8	68.6	33.4	0.0	0.0	0.0	0.0	47.5	57.2	37.8	68.6	33.4
49/0	NV_000a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50/91	NV_013a	0.0	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
51/182	NV_025a	0.0	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
52/273	NV_037a	0.0	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
53/564	NV_050a	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
54/455	NV_063a	0.0	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
55/546	NV_075a	0.0	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
56/637	NV_088a	0.0	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
57/728	NV_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Mean color difference of this page:

delta E* = 2.9

input: rgb/cmyk -> rgbd
output: transfer to cmykd

TUB-test chart PE99; hue code: H*d=R00Yd
colors and differences, ΔE*



http://130.149.60.45/~farbmetrik/PE99/PE99LONA.TXT /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 19/33

nif	HC*Fd	rgb_Fd	icr_Fd	hsa_Fd	rgb*Fd	LabCH*Fd	LabCH*Fd	rgb*Fd	DE*Fd	HaM*Fd	rgb*Fd	LabCH*Fd	LabCH*Fd
0/648	ROXY_100_100a	1.0	0.0	0.0	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
1/668	R25Y_100_100a	0.0	0.5	0.5	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
2/684	R50Y_100_100a	0.0	0.5	0.5	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
3/702	R75Y_100_100a	0.0	0.5	0.5	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
4/720	Y00C_100_100a	0.0	0.0	0.0	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
5/558	Y25C_100_100a	0.75	0.0	0.0	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
6/396	Y50C_100_100a	0.5	0.0	0.0	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
7/234	Y75C_100_100a	0.25	0.0	0.0	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
8/72	CO0B_100_100a	0.0	1.0	0.5	1.50	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
9/72	CO0B_100_100a	0.0	1.0	0.5	1.50	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
10/76	G25B_100_100a	0.0	1.0	0.5	1.50	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
11/80	G50B_100_100a	0.0	1.0	0.5	2.10	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
12/44	G75B_100_100a	0.0	1.0	0.5	2.70	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
13/8	BO0M_100_100a	0.0	1.0	0.5	3.30	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
14/332	B25R_100_100a	0.5	0.0	1.0	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
15/656	B50R_100_100a	1.0	0.0	1.0	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
16/652	B75R_100_100a	1.0	0.0	1.0	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
17/648	ROXY_100_100a	1.0	0.0	0.0	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
18/688	ROXY_100_050a	1.0	0.5	0.5	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
19/706	R50Y_075_050a	0.75	0.25	0.25	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
20/724	Y00C_100_050a	0.75	0.25	0.25	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
21/400	G50B_100_050a	0.5	1.0	0.5	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
22/400	G50B_100_050a	0.5	1.0	0.5	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
23/400	G50B_100_050a	0.5	1.0	0.5	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
24/400	G50B_100_050a	0.5	1.0	0.5	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
25/692	B50R_100_050a	1.0	0.5	0.5	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
26/688	ROXY_100_050a	1.0	0.5	0.5	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
27/506	ROXY_075_050a	0.75	0.25	0.25	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
28/524	R50Y_075_050a	0.75	0.25	0.25	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
29/542	Y00C_075_050a	0.75	0.25	0.25	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
30/380	Y50C_075_050a	0.5	0.75	0.25	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
31/218	CO0B_075_050a	0.25	0.75	0.25	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
32/222	G50B_075_050a	0.25	0.75	0.25	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
33/186	BO0R_075_050a	0.25	0.75	0.25	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
34/510	B50R_075_050a	0.25	0.75	0.25	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
35/506	ROXY_075_050a	0.75	0.25	0.25	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
36/324	ROXY_050_050a	0.5	0.0	0.0	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
37/342	R50Y_050_050a	0.5	0.25	0.25	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
38/360	Y00C_050_050a	0.5	0.5	0.25	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
39/198	Y50C_050_050a	0.25	0.5	0.25	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
40/36	CO0B_050_050a	0.0	0.5	0.25	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
41/40	G50B_050_050a	0.0	0.5	0.25	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
42/4	BO0R_050_050a	0.0	0.5	0.25	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
43/328	B50R_050_050a	0.5	0.0	0.5	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
44/324	ROXY_050_050a	0.5	0.0	0.5	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
45/0	NW_000a	0.0	0.0	0.0	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
46/91	NW_013a	0.125	0.125	0.125	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
47/182	NW_025a	0.25	0.25	0.25	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
48/273	NW_038a	0.375	0.375	0.375	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
49/364	NW_050a	0.5	0.5	0.5	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
50/455	NW_069a	0.625	0.625	0.625	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
51/546	NW_086a	0.75	0.75	0.75	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
52/637	NW_086a	0.875	0.875	0.875	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0
53/728	NW_100a	1.0	1.0	1.0	0.0	0.0	57.2	37.8	68.6	33.4	0.0	0.0	0.0

Mean color difference of this page: delta E* = 5.3

input: rgb/cmyk -> rgbd
output: transfer to cmykd

TUB-test chart PE99; hue code: H*d=R00Yd
colors and differences, ΔE*

http://130.149.60.45/~farbmetrik/PE99/PE99LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33

Table with 80 columns (numbered 1-80) and 100 rows (numbered 1-100). Columns include color names (e.g., HHC*Fid, rgb*Fid, LabC*Fid) and numerical values. A footer note reads: 'Mean color difference in this page: delta E* = 70.8'.

input: rgb/cmyk -> rgbd output: transfer to cmykd

TUB-test chart PE99; hue code: H*d=R00Yd colors and differences, ΔE*

PE990-7N, Page 20/33-F

I-0031930-F0

http://130.149.60.45/~farbmetrik/PE99/PE99LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 21/33

Table with 16 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCH*Fd, rpb*Fd, LabCH*Fd, rpb*Fd, DF*Fd, hsa*Fd, rpb*Fd, LabCH*Fd, rpb*Fd, LabCH*Fd. Rows 81-161.

Mean color difference of this page: delta E* = 8.5

input: rgb/cmyk -> rgbd output: transfer to cmykd

TUB-test chart PE99; hue code: H*d=R00Yd colors and differences, AE*

http://130.149.60.45/~farbmetrik/PE99/PE99LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 24/33

Table with 15 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabC*Fd, LabC*Fd, rpb*Fd, rpb*Fd, LabC*Fd, LabC*Fd, DF*Fd, Hs*Fd, rpb*Fd, LabC*Fd. Contains color calibration data for various color patches.

Mean color difference of this page: delta E* = 7.3

TUB-test chart PE99; hue code: H*d=R00Yd colors and differences, ΔE* input: rgb/cmyk -> rgbd output: transfer to cmykd

http://130.149.60.45/~farbmetrik/PE99/PE99LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 25/33

Table with 15 columns: n, HHC*Fd, Rgb*Fd, iet*Fd, Hsb*Fd, Rgb*Fd, LabCh*Fd, DF*Fd, Hsb*Fd, Rgb*Fd, LabCh*Fd, Rgb*Fd, LabCh*Fd, DF*Fd, Hsb*Fd. Rows 405-485.

input: rgb/cmyk -> rgbd output: transfer to cmykd

TUB-test chart PE99; hue code: H*d=R00Yd colors and differences, ΔE*

PE990-7N; Tn; Page 25/33-F

I-0032430-F0

http://130.149.60.45/~farbmetrik/PE99/PE99LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 26/33

Table with 15 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCh*Fd, LabCh*Fd, rpb*Fd, rpb*Fd, LabCh*Fd, DE*Fd, hsa*Fd, rpb*Fd, LabCh*Fd. Rows include color names like R00Y, R00M, R00C, etc.

Mean color difference of this page: delta E* = 6.2

input: rgb/cmyk -> rgbd output: transfer to cmykd

TUB-test chart PE99; hue code: H*d=R00Yd colors and differences, AE*

I-0032530-F0

PE990-7N; Page:26/33-F

http://130.149.60.45/~farbmetrik/PE99/PE99LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 27/33

Table with 15 columns: n, HHC*Fd, Rgb*Fd, Ict*Fd, Hsa*Fd, Rgb*Fd, LabCh*Fd, LabCh*Fd, Rgb*Fd, DFE*Fd, Hsa*Fd, LabCh*Fd, Rgb*Fd, LabCh*Fd, LabCh*Fd. Rows 567-647.

input: rgb/cmyk -> rgbd output: transfer to cmykd

TUB-test chart PE99; hue code: H*d=R00Yd colors and differences, ΔE*

Mean color difference of this page: delta E* = 6.1

http://130.149.60.45/~farbmetrik/PE99/PE99LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 31/33

Table with 15 columns: n, H*F, r*F, i*F, Hs, F, r*F, i*F, Lab, C, H, S, D50, D65, D95, D99, D99L, D99M, D99S, D99T, D99U, D99V, D99W, D99X, D99Y, D99Z, D99AA, D99AB, D99AC, D99AD, D99AE, D99AF, D99AG, D99AH, D99AI, D99AJ, D99AK, D99AL, D99AM, D99AN, D99AO, D99AP, D99AQ, D99AR, D99AS, D99AT, D99AU, D99AV, D99AW, D99AX, D99AY, D99AZ, D99BA, D99BB, D99BC, D99BD, D99BE, D99BF, D99BG, D99BH, D99BI, D99BJ, D99BK, D99BL, D99BM, D99BN, D99BO, D99BP, D99BQ, D99BR, D99BS, D99BT, D99BU, D99BV, D99BW, D99BX, D99BY, D99BZ, D99CA, D99CB, D99CC, D99CD, D99CE, D99CF, D99CG, D99CH, D99CI, D99CJ, D99CK, D99CL, D99CM, D99CN, D99CO, D99CP, D99CQ, D99CR, D99CS, D99CT, D99CU, D99CV, D99CW, D99CX, D99CY, D99CZ, D99DA, D99DB, D99DC, D99DD, D99DE, D99DF, D99DG, D99DH, D99DI, D99DJ, D99DK, D99DL, D99DM, D99DN, D99DO, D99DP, D99DQ, D99DR, D99DS, D99DT, D99DU, D99DV, D99DW, D99DX, D99DY, D99DZ, D99EA, D99EB, D99EC, D99ED, D99EE, D99EF, D99EG, D99EH, D99EI, D99EJ, D99EK, D99EL, D99EM, D99EN, D99EO, D99EP, D99EQ, D99ER, D99ES, D99ET, D99EU, D99EV, D99EW, D99EX, D99EY, D99EZ, D99FA, D99FB, D99FC, D99FD, D99FE, D99FF, D99FG, D99FH, D99FI, D99FJ, D99FK, D99FL, D99FM, D99FN, D99FO, D99FP, D99FQ, D99FR, D99FS, D99FT, D99FU, D99FV, D99FW, D99FX, D99FY, D99FZ, D99GA, D99GB, D99GC, D99GD, D99GE, D99GF, D99GG, D99GH, D99GI, D99GJ, D99GK, D99GL, D99GM, D99GN, D99GO, D99GP, D99GQ, D99GR, D99GS, D99GT, D99GU, D99GV, D99GW, D99GX, D99GY, D99GZ, D99HA, D99HB, D99HC, D99HD, D99HE, D99HF, D99HG, D99HH, D99HI, D99HJ, D99HK, D99HL, D99HM, D99HN, D99HO, D99HP, D99HQ, D99HR, D99HS, D99HT, D99HU, D99HV, D99HW, D99HX, D99HY, D99HZ, D99IA, D99IB, D99IC, D99ID, D99IE, D99IF, D99IG, D99IH, D99II, D99IJ, D99IK, D99IL, D99IM, D99IN, D99IO, D99IP, D99IQ, D99IR, D99IS, D99IT, D99IU, D99IV, D99IW, D99IX, D99IY, D99IZ, D99JA, D99JB, D99JC, D99JD, D99JE, D99JF, D99JG, D99JH, D99JI, D99JJ, D99JK, D99JL, D99JM, D99JN, D99JO, D99JP, D99JQ, D99JR, D99JS, D99JT, D99JU, D99JV, D99JW, D99JX, D99JY, D99JZ, D99KA, D99KB, D99KC, D99KD, D99KE, D99KF, D99KG, D99KH, D99KI, D99KJ, D99KK, D99KL, D99KM, D99KN, D99KO, D99KP, D99KQ, D99KR, D99KS, D99KT, D99KU, D99KV, D99KW, D99KX, D99KY, D99KZ, D99LA, D99LB, D99LC, D99LD, D99LE, D99LF, D99LG, D99LH, D99LI, D99LJ, D99LK, D99LL, D99LM, D99LN, D99LO, D99LP, D99LQ, D99LR, D99LS, D99LT, D99LU, D99LV, D99LW, D99LX, D99LY, D99LZ, D99MA, D99MB, D99MC, D99MD, D99ME, D99MF, D99MG, D99MH, D99MI, D99MJ, D99MK, D99ML, D99MM, D99MN, D99MO, D99MP, D99MQ, D99MR, D99MS, D99MT, D99MU, D99MV, D99MW, D99MX, D99MY, D99MZ, D99NA, D99NB, D99NC, D99ND, D99NE, D99NF, D99NG, D99NH, D99NI, D99NJ, D99NK, D99NL, D99NM, D99NN, D99NO, D99NP, D99NQ, D99NR, D99NS, D99NT, D99NU, D99NV, D99NW, D99NX, D99NY, D99NZ, D99OA, D99OB, D99OC, D99OD, D99OE, D99OF, D99OG, D99OH, D99OI, D99OJ, D99OK, D99OL, D99OM, D99ON, D99OO, D99OP, D99OQ, D99OR, D99OS, D99OT, D99OU, D99OV, D99OW, D99OX, D99OY, D99OZ, D99PA, D99PB, D99PC, D99PD, D99PE, D99PF, D99PG, D99PH, D99PI, D99PJ, D99PK, D99PL, D99PM, D99PN, D99PO, D99PP, D99PQ, D99PR, D99PS, D99PT, D99PU, D99PV, D99PW, D99PX, D99PY, D99PZ, D99QA, D99QB, D99QC, D99QD, D99QE, D99QF, D99QG, D99QH, D99QI, D99QJ, D99QK, D99QL, D99QM, D99QN, D99QO, D99QP, D99QQ, D99QR, D99QS, D99QT, D99QU, D99QV, D99QW, D99QX, D99QY, D99QZ, D99RA, D99RB, D99RC, D99RD, D99RE, D99RF, D99RG, D99RH, D99RI, D99RJ, D99RK, D99RL, D99RM, D99RN, D99RO, D99RP, D99RQ, D99RR, D99RS, D99RT, D99RU, D99RV, D99RW, D99RX, D99RY, D99RZ, D99SA, D99SB, D99SC, D99SD, D99SE, D99SF, D99SG, D99SH, D99SI, D99SJ, D99SK, D99SL, D99SM, D99SN, D99SO, D99SP, D99SQ, D99SR, D99SS, D99ST, D99SU, D99SV, D99SW, D99SX, D99SY, D99SZ, D99TA, D99TB, D99TC, D99TD, D99TE, D99TF, D99TG, D99TH, D99TI, D99TJ, D99TK, D99TL, D99TM, D99TN, D99TO, D99TP, D99TQ, D99TR, D99TS, D99TT, D99TU, D99TV, D99TW, D99TX, D99TY, D99TZ, D99UA, D99UB, D99UC, D99UD, D99UE, D99UF, D99UG, D99UH, D99UI, D99UJ, D99UK, D99UL, D99UM, D99UN, D99UO, D99UP, D99UQ, D99UR, D99US, D99UT, D99UU, D99UV, D99UW, D99UX, D99UY, D99UZ, D99VA, D99VB, D99VC, D99VD, D99VE, D99VF, D99VG, D99VH, D99VI, D99VJ, D99VK, D99VL, D99VM, D99VN, D99VO, D99VP, D99VQ, D99VR, D99VS, D99VT, D99VU, D99VV, D99VW, D99VX, D99VY, D99VZ, D99WA, D99WB, D99WC, D99WD, D99WE, D99WF, D99WG, D99WH, D99WI, D99WJ, D99WK, D99WL, D99WM, D99WN, D99WO, D99WP, D99WQ, D99WR, D99WS, D99WT, D99WU, D99WV, D99WW, D99WX, D99WY, D99WZ, D99XA, D99XB, D99XC, D99XD, D99XE, D99XF, D99XG, D99XH, D99XI, D99XJ, D99XK, D99XL, D99XM, D99XN, D99XO, D99XP, D99XQ, D99XR, D99XS, D99XT, D99XU, D99XV, D99XW, D99XX, D99XY, D99XZ, D99YA, D99YB, D99YC, D99YD, D99YE, D99YF, D99YG, D99YH, D99YI, D99YJ, D99YK, D99YL, D99YM, D99YN, D99YO, D99YP, D99YQ, D99YR, D99YS, D99YT, D99YU, D99YV, D99YW, D99YX, D99YY, D99YZ, D99ZA, D99ZB, D99ZC, D99ZD, D99ZE, D99ZF, D99ZG, D99ZH, D99ZI, D99ZJ, D99ZK, D99ZL, D99ZM, D99ZN, D99ZO, D99ZP, D99ZQ, D99ZR, D99ZS, D99ZT, D99ZU, D99ZV, D99ZW, D99ZX, D99ZY, D99ZZ

Mean color difference of this page:

input: rgb/cmyk -> rgbd output: transfer to cmykd

PE990-7N, Page 31/33-F

TUB-test chart PE99; hue code: H*d=R00Yd colors and differences, ΔE*

Table with 15 columns: n, HHC*Fd, rpb*Fd, iet*Fd, hsa*Fd, rpb*Fd, LabC*H*Fd, LabC*H*Fd, rpb*Fd, LabC*H*Fd, LabC*H*Fd, rpb*Fd, LabC*H*Fd, LabC*H*Fd, LabC*H*Fd. Rows include color patches like 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1009, 1010, 1011, 1012, 1013, 1014, 1015, 1016, 1017, 1018, 1019, 1020, 1021, 1022, 1023, 1024, 1025, 1026, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1038, 1039, 1040, 1041, 1042, 1043, 1044, 1045, 1046, 1047, 1048, 1049, 1050, 1051, 1052.

http://130.149.60.45/~farbmetrik/PE99/PE99LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 32/33

input: rgb/cmyk -> rgbd output: transfer to cmyk_d

TUB-test chart PE99; hue code: H*_d=R00Y_d colors and differences, ΔE*_*

PE990-7N, Page 32,33-F

I-0033130-F0



http://130.149.60.45/~farbmetrik/PE99/PE99L0NA.TXT /.PS; transfer output
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 33/33

n	HC*Fd	rgb*Fd	icr*Fd	rgb*Fd	LabCh*Fd	hsa*Fd	rgb*Fd	LabCh*Fd	DF*Fd	hsa*Fd	rgb*Fd	LabCh*Fd	
1053	NW_086d	0.866	0.866	0.866	0.866	0.866	0.866	0.866	4.4	360	1.0	95.8	0.0
1054	NW_093d	0.933	0.933	0.933	0.933	0.933	0.933	0.933	266.5	278.1	1.0	95.8	0.0
1055	NW_100d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.1	0.1	1.0	95.8	0.0
1056	NW_006d	0.066	0.066	0.066	0.066	0.066	0.066	0.066	-0.1	-0.1	1.0	95.8	0.0
1057	NW_013d	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.2	0.2	1.0	95.8	0.0
1058	NW_020d	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	1.0	95.8	0.0
1059	NW_026d	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.7	0.7	1.0	95.8	0.0
1060	NW_033d	0.333	0.333	0.333	0.333	0.333	0.333	0.333	1.1	1.1	1.0	95.8	0.0
1061	NW_040d	0.4	0.4	0.4	0.4	0.4	0.4	0.4	1.1	1.1	1.0	95.8	0.0
1062	NW_046d	0.466	0.466	0.466	0.466	0.466	0.466	0.466	1.1	1.1	1.0	95.8	0.0
1063	NW_053d	0.533	0.533	0.533	0.533	0.533	0.533	0.533	1.1	1.1	1.0	95.8	0.0
1064	NW_060d	0.6	0.6	0.6	0.6	0.6	0.6	0.6	1.1	1.1	1.0	95.8	0.0
1065	NW_066d	0.666	0.666	0.666	0.666	0.666	0.666	0.666	1.1	1.1	1.0	95.8	0.0
1066	NW_073d	0.734	0.734	0.734	0.734	0.734	0.734	0.734	1.1	1.1	1.0	95.8	0.0
1067	NW_080d	0.8	0.8	0.8	0.8	0.8	0.8	0.8	1.1	1.1	1.0	95.8	0.0
1068	NW_086d	0.866	0.866	0.866	0.866	0.866	0.866	0.866	1.1	1.1	1.0	95.8	0.0
1069	NW_093d	0.933	0.933	0.933	0.933	0.933	0.933	0.933	1.1	1.1	1.0	95.8	0.0
1070	NW_100d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.1	1.1	1.0	95.8	0.0
1071	NW_006d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.1	1.0	95.8	0.0
1072	NW_013d	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.1	1.1	1.0	95.8	0.0
1073	NW_020d	0.2	0.2	0.2	0.2	0.2	0.2	0.2	1.1	1.1	1.0	95.8	0.0
1074	NW_026d	0.266	0.266	0.266	0.266	0.266	0.266	0.266	1.1	1.1	1.0	95.8	0.0
1075	NW_033d	0.333	0.333	0.333	0.333	0.333	0.333	0.333	1.1	1.1	1.0	95.8	0.0
1076	NW_040d	0.4	0.4	0.4	0.4	0.4	0.4	0.4	1.1	1.1	1.0	95.8	0.0
1077	NW_046d	0.466	0.466	0.466	0.466	0.466	0.466	0.466	1.1	1.1	1.0	95.8	0.0
1078	NW_053d	0.533	0.533	0.533	0.533	0.533	0.533	0.533	1.1	1.1	1.0	95.8	0.0
1079	NW_060d	0.6	0.6	0.6	0.6	0.6	0.6	0.6	1.1	1.1	1.0	95.8	0.0

Mean color difference of this page: delta E* = 3.0

input: rgb/cmyk -> rgbd
 output: transfer to cmykd



Input and Output: Printer Reflective System FRS06a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 31/360 = 0.08$

$H^*_- = R00Y_-$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = R00Y_-$

triangle lightness T^*



FRS06a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	32.5	62.3	46.4	77.7	36
Y _{-,Ma}	82.7	-3.1	113.9	114.0	91
G _{-,Ma}	39.4	-61.8	45.8	76.9	143
C _{-,Ma}	47.8	-26.8	-34.2	43.4	231
B _{-,Ma}	10.1	55.1	-61.0	82.2	312
M _{-,Ma}	34.5	80.6	-33.9	87.5	337
N _{-,Ma}	6.2	0.0	0.0	0.0	0
W _{-,Ma}	91.9	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 48 66 40 77 31

$HIC^*_{-,Ma}$: R00Y_100_100_



$rgbic^*_{-,Ma}$:

1.0 0.0 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



see similar files: http://130.149.60.45/~farbmetrik/PE99/PE99.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20150701-PE99/PE99L0NA.TXT /.PS
application for measurement of laser printer output

TUB material: code=rh4ta

Input and Output: Printer Reflective System FRS06a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 25/360 = 0.07$

$H^*_e = R00Y_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = R00Y_e$

triangle lightness T^*



LRS18a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	47.5	56.0	26.7	62.1	25
Ye,Ma	83.6	-3.1	76.8	76.9	92
Ge,Ma	53.8	-65.9	21.1	69.2	162
Ce,Ma	54.9	-38.7	-29.1	48.4	216
Be,Ma	37.3	1.4	-48.6	48.7	271
Me,Ma	38.5	46.7	-28.5	54.7	328
Ne,Ma	23.8	0.0	0.0	0.0	0
We,Ma	95.8	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 47\ 56\ 26\ 62\ 25$

$HIC^*_{e, Ma}: R00Y_100_100_e$



$rgbic^*_{e, Ma}$:

1.0 0.0 0.26 1.0 1.0

triangle lightness T^*

LRS18a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	47.5	56.0	26.7	62.1	25
R25Y_100_100_e	51.4	54.8	47.7	72.6	41
R50Y_100_100_e	61.8	35.2	58.4	68.2	58
R75Y_100_100_e	72.3	16.1	68.2	70.1	76
Y00G_100_100_e	83.6	-3.1	76.8	76.9	92
Y25G_100_100_e	85.8	-26.4	78.5	82.9	108
Y50G_100_100_e	71.0	-41.7	54.8	68.9	127
Y75G_100_100_e	59.9	-58.2	39.3	70.2	145
G00B_100_100_e	53.8	-65.9	21.1	69.2	162
G25B_100_100_e	55.0	-51.6	-8.7	52.3	189
G50B_100_100_e	54.9	-38.7	-29.1	48.4	216
G75B_100_100_e	51.7	-23.3	-48.6	53.9	244
B00R_100_100_e	37.3	1.4	-48.6	48.7	271
B25R_100_100_e	31.5	24.4	-41.9	48.5	300
B50R_100_100_e	38.5	46.7	-28.5	54.7	328
B75R_100_100_e	49.4	65.5	-9.1	66.2	352



%Gamut
 $u^*_{rel} = 114$
%Regularity
 $g^*_{H,rel} = 28$
 $g^*_{C,rel} = 38$

see similar files: http://130.149.60.45/~farbmetrik/PE99/PE99.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



TUB registration: 20150701-PE99/PE99L0NA.TXT /.PS
application for measurement of laser printer output, separation cmyk6 (CMYK)
TUB material: code=rh4ta

1-013130-L0 PE990-71

TUB-test chart PE99; hue code: $H^*_e=R00Y_e$
Test chart according to DIN 33872, 3D=0, de=1, cmyk



input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmyk_e$

1-013130-F0



TUB registration: 20150701-PE99/PE99L0NA.TXT /.PS TUB material: code=rh4ta
application for measurement of laser printer output, separation cmy_n6 (CMYK)

see similar files: <http://130.149.60.45/~farbmetrik/PE99/PE99.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>








1-013230-L0 PE990-71

TUB-test chart PE99; hue code: $H^*_e=R00Y_e$
Test chart according to DIN 33872, 3D=0, de=1, cmyk

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmyk_e$

1-013230-F0




1-013330-L0 PE990-71

TUB-test chart PE99; hue code: $H^*_e=R00Y_e$
Test chart according to DIN 33872, 3D=0, de=1, cmyk





input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmyk_e$

1-013330-F0



see similar files: <http://130.149.60.45/~farbmetrik/PE99/PE99.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-PE99/PE99L0NA.TXT /.PS TUB material: code=rh4ta
application for measurement of laser printer output, separation cmyk6 (CMYK)



1-013430-L0 PE990-71

TUB-test chart PE99; hue code: $H^*_e=R00Y_e$
Test chart according to DIN 33872, 3D=0, de=1, cmyk

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmyk_e$

1-013430-F0



Input and Output: Printer Reflective System FRS06a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 25/360 = 0.07$

$H^*_e = R00Y_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = R00Y_e$

triangle lightness T^*



LRS18a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	47.5	56.0	26.7	62.1	25
Ye,Ma	83.6	-3.1	76.8	76.9	92
Ge,Ma	53.8	-65.9	21.1	69.2	162
Ce,Ma	54.9	-38.7	-29.1	48.4	216
Be,Ma	37.3	1.4	-48.6	48.7	271
Me,Ma	38.5	46.7	-28.5	54.7	328
Ne,Ma	23.8	0.0	0.0	0.0	0
We,Ma	95.8	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 47\ 56\ 26\ 62\ 25$



$HIC^*_{e, Ma}: R00Y_100_100_e$

$rgbic^*_{e, Ma}: 1.0\ 0.0\ 0.26\ 1.0\ 1.0$

triangle lightness T^*

%Gamut
 $u^*_{rel} = 114$
 %Regularity
 $g^*_{H,rel} = 28$
 $g^*_{C,rel} = 38$

LRS18a; adapted (a) CIELAB data					
H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	47.5	56.0	26.7	62.1	25
R25Y_100_100_e	51.4	54.8	47.7	72.6	41
R50Y_100_100_e	61.8	35.2	58.4	68.2	58
R75Y_100_100_e	72.3	16.1	68.2	70.1	76
Y00G_100_100_e	83.6	-3.1	76.8	76.9	92
Y25G_100_100_e	85.8	-26.4	78.5	82.9	108
Y50G_100_100_e	71.0	-41.7	54.8	68.9	127
Y75G_100_100_e	59.9	-58.2	39.3	70.2	145
G00B_100_100_e	53.8	-65.9	21.1	69.2	162
G25B_100_100_e	55.0	-51.6	-8.7	52.3	189
G50B_100_100_e	54.9	-38.7	-29.1	48.4	216
G75B_100_100_e	51.7	-23.3	-48.6	53.9	244
B00R_100_100_e	37.3	1.4	-48.6	48.7	271
B25R_100_100_e	31.5	24.4	-41.9	48.5	300
B50R_100_100_e	38.5	46.7	-28.5	54.7	328
B75R_100_100_e	49.4	65.5	-9.1	66.2	352



see similar files: http://130.149.60.45/~farbmetrik/PE99/PE99.HTM
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20150701-PE99/PE99L0NA.TXT /.PS
 application for measurement of laser printer output, separation cmyk6 (CMYK)
 TUB material: code=rh4ta

1-013530-L0 PE990-71





TUB-test chart PE99; hue code: $H^*_e=R00Y_e$
 Test chart according to DIN 33872, 3D=0, de=1, cmyk

input: $rgb/cmyk \rightarrow rgb_e$
 output: transfer to $cmyk_e$

1-013530-F0

http://130.149.60.45/~farbmetrik/PE99/PE99LONA.TXT /PS; transfer output
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 7/33

Data of Maximum color, M in colorimetric system Laser printer output; separation cmyk6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{abs} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours RYGBM; $h_{ab,d} = 33.5, 100.6, 155.5, 235.2, 290.8, 348.9$; Six hue angles of the elementary colours RYGBM; $h_{abs} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



input: *rgb/cmyk* -> *rgbe*
 output: transfer to *cmyke*





http://130.149.60.45/~farbmetrik/PE99/PE99LONA.TXT /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 9/33

Data of Maximum color, M in colorimetric system Laser printer output; separation cmyk6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM(d): $h_{ab,d} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM(d): $h_{ab,d} = 33.5, 100.6, 155.5, 235.2, 290.8, 348.9$; Six hue angles of the elementary colours RYGBM(c): $h_{ab,c} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}	rgb^*_{ds}	rgb^*_{de}	LAB^*_{dx64M} (x=LabCh)	$rgb^*_{dex361M}$	$LAB^*_{dex361M}$	$rgb^*_{dex361M}$	$LAB^*_{dex361M}$												
33.4	30.0	25.4	1.0	0.0	0.0	47.5	57.2	37.8	68.6	33.4	33.4	1.0	0.0	0.263	47.6	56.1	26.7	62.1	25			
42.1	37.5	33.8	1.0	0.125	0.0	51.9	54.3	49.2	73.2	42.1	42.1	1.0	0.0	0.012	47.6	57.2	37.5	68.4	33			
52.8	45.0	42.1	1.0	0.25	0.0	58.2	41.8	55.1	69.2	52.8	52.8	1.0	0.125	0.0	52.0	54.3	49.2	73.3	42			
63.7	52.5	50.5	1.0	0.375	0.0	64.6	29.8	60.4	67.3	63.7	63.7	1.0	0.216	0.0	56.6	45.2	53.9	70.3	49			
73.8	60.0	58.8	1.0	0.5	0.0	70.5	19.2	66.2	69.0	73.8	73.8	1.0	0.32	0.0	61.8	35.2	58.4	68.2	58			
80.7	67.5	67.2	1.0	0.625	0.0	74.9	11.4	70.7	71.6	80.7	80.7	1.0	0.412	0.0	66.4	26.9	62.3	67.9	66			
91.5	75.0	75.6	1.0	0.75	0.0	82.9	-2.0	76.9	77.0	91.5	91.5	1.0	0.532	0.0	71.6	17.3	67.5	69.7	75			
96.8	82.5	83.9	1.0	0.875	0.0	87.6	-9.0	75.7	76.3	96.8	96.8	1.0	0.655	0.0	76.9	8.4	72.5	73.0	83			
100.5	90.0	92.3	1.0	1.0	0.0	91.5	-15.8	84.6	86.1	100.5	100.5	1.0	0.769	0.0	83.7	-3.0	76.8	76.9	92			
101.4	97.5	101.0	1.0	0.875	1.0	92.8	-18.1	89.4	91.2	101.4	101.4	1.0	0.996	0.0	91.5	-15.5	84.4	85.8	100			
103.9	105.0	109.7	1.0	0.0	90.1	-21.3	86.0	88.6	103.9	103.9	103.9	1.0	0.684	1.0	0.0	84.7	-27.5	76.7	81.5	109		
115.0	112.5	118.5	1.0	0.625	1.0	0.0	79.9	-31.7	67.9	75.0	115.0	115.0	0.595	1.0	0.0	77.8	-34.4	65.0	73.6	117		
127.3	120.0	127.2	0.5	1.0	0.0	70.9	-41.7	54.8	68.9	127.3	127.3	127.3	0.501	1.0	0.0	71.0	-41.6	54.9	68.9	127		
134.7	127.5	136.0	0.375	1.0	0.0	66.5	-47.5	48.0	67.6	134.7	134.7	134.7	0.366	1.0	0.0	66.2	-48.2	47.6	67.8	135		
144.7	135.0	144.7	0.25	1.0	0.0	60.6	-57.2	40.4	70.1	144.7	144.7	144.7	0.25	1.0	0.0	60.6	-57.1	40.5	70.1	144		
151.0	142.5	153.4	0.125	1.0	0.0	57.0	-62.2	34.4	71.1	151.0	151.0	151.0	0.073	1.0	0.0	55.9	-64.4	33.0	72.5	152		
155.5	150.0	162.2	0.0	1.0	0.0	54.3	-67.6	30.8	74.3	155.5	155.5	155.5	0.0	1.0	0.147	53.8	-65.9	21.1	69.3	162		
160.8	157.5	169.0	0.0	1.0	0.125	53.8	-66.4	23.0	70.2	160.8	160.8	160.8	0.0	1.0	0.251	53.8	-63.0	12.7	64.4	168		
168.5	165.0	175.9	0.0	1.0	0.25	53.7	-63.1	12.8	64.4	168.5	168.5	168.5	0.0	1.0	0.331	54.4	-59.3	4.2	59.5	175		
179.9	172.5	182.7	0.0	1.0	0.375	54.7	-56.8	0.0	56.8	179.9	179.9	179.9	0.0	1.0	0.405	54.8	-55.6	-2.1	55.7	182		
189.8	180.0	189.6	0.0	1.0	0.5	55.0	-51.4	-8.9	52.2	189.8	189.8	189.8	0.0	1.0	0.497	55.0	-51.5	-8.6	52.3	189		
204.4	187.5	196.4	0.0	1.0	0.625	55.2	-44.1	-20.0	48.5	204.4	204.4	204.4	0.0	1.0	0.553	55.2	-48.6	-13.9	50.7	195		
214.4	195.0	203.2	0.0	1.0	0.75	55.2	-39.5	-27.1	47.9	214.4	214.4	214.4	0.0	1.0	0.615	55.3	-44.7	-19.2	48.8	203		
221.9	202.5	210.1	0.0	1.0	0.875	54.4	-36.7	-33.0	49.4	221.9	221.9	221.9	0.0	1.0	0.69	55.3	-41.8	-23.8	48.2	209		
235.1	210.0	216.9	0.0	1.0	1.0	53.1	-30.0	-43.1	52.5	235.1	235.1	235.1	0.0	1.0	0.792	55.0	-38.6	-29.0	48.4	216		
237.9	217.5	223.8	0.0	0.875	1.0	53.1	-27.9	-44.7	52.7	237.9	237.9	237.9	0.0	1.0	0.888	54.3	-36.1	-34.1	49.8	223		
241.3	225.0	230.6	0.0	0.75	1.0	52.9	-25.9	-47.5	54.1	241.3	241.3	241.3	0.0	1.0	0.957	53.6	-32.5	-39.7	51.5	230		
247.2	232.5	237.5	0.0	0.625	1.0	50.5	-20.8	-49.5	53.7	247.2	247.2	247.2	0.0	0.916	1.0	53.1	-28.6	-44.1	52.7	237		
254.9	240.0	244.3	0.0	0.5	1.0	46.1	-13.3	-49.4	51.1	254.9	254.9	254.9	0.0	0.686	1.0	51.7	-23.3	-48.5	54.0	244		
262.6	247.5	251.2	0.0	0.375	1.0	41.4	-6.3	-49.2	49.6	262.6	262.6	262.6	0.0	0.568	1.0	48.6	-17.2	-49.5	52.6	250		
272.6	255.0	258.0	0.0	0.25	1.0	36.8	2.2	-48.5	48.6	272.6	272.6	272.6	0.0	0.449	1.0	44.2	-10.4	-49.4	50.6	258		
281.4	262.5	264.8	0.0	0.125	1.0	35.0	9.4	-46.3	47.3	281.4	281.4	281.4	0.0	0.353	1.0	40.6	-4.7	-49.2	49.5	264		
290.8	270.0	271.7	0.0	0.0	1.0	32.5	16.9	-44.6	47.7	290.8	290.8	290.8	0.0	0.261	1.0	37.3	1.5	-48.6	48.7	271		
299.2	277.5	278.8	0.125	0.0	1.0	31.6	23.6	-42.2	48.4	299.2	299.2	299.2	0.0	0.169	1.0	35.7	7.0	-47.2	47.8	278		
307.8	285.0	285.9	0.25	0.0	1.0	31.0	30.5	-39.3	49.8	307.8	307.8	307.8	0.0	0.065	1.0	33.9	13.1	-45.6	47.5	285		
317.5	292.5	293.0	0.375	0.0	1.0	34.2	38.2	-35.0	51.8	317.5	317.5	317.5	0.0	0.026	0.0	1.0	32.4	18.4	-44.1	47.9	292	
324.4	300.0	300.1	0.5	0.0	1.0	37.2	43.1	-30.8	53.0	324.4	324.4	324.4	0.0	0.0	0.139	0.0	1.0	31.5	24.4	-41.9	48.6	300
330.6	307.5	307.2	0.625	0.0	1.0	39.1	48.4	-27.2	55.6	330.6	330.6	330.6	0.0	0.0	0.235	0.0	1.0	31.1	29.8	-39.7	49.7	306
338.7	315.0	314.3	0.75	0.0	1.0	41.8	55.1	-21.4	59.1	338.7	338.7	338.7	0.0	0.0	0.335	0.0	1.0	33.2	35.8	-36.5	51.2	314
343.9	322.5	321.4	0.875	0.0	1.0	45.6	60.1	-17.3	62.6	343.9	343.9	343.9	0.0	0.0	0.439	0.0	1.0	35.8	40.8	-32.9	52.5	321
348.9	330.0	328.6	1.0	0.0	1.0	48.1	65.4	-12.7	66.6	348.9	348.9	348.9	0.0	0.0	0.584	0.0	1.0	38.5	46.8	-28.4	54.8	328
350.7	337.5	335.7	1.0	0.0	0.875	49.5	66.1	-10.7	67.0	350.7	350.7	350.7	0.0	0.0	0.696	0.0	1.0	40.7	52.3	-24.0	57.6	335
354.2	345.0	342.8	1.0	0.0	0.75	49.3	64.5	-6.5	64.8	354.2	354.2	354.2	0.0	0.0	0.848	0.0	1.0	44.9	59.1	-18.2	61.9	342
361.9	352.5	349.9	1.0	0.0	0.625	48.0	61.8	2.1	61.8	361.9	361.9	361.9	0.0	0.0	0.964	48.6	65.6	-12.1	66.8	349		
370.0	360.0	357.0	1.0	0.0	0.5	47.8	58.9	10.4	59.9	370.0	370.0	370.0	0.0	0.0	0.828	49.5	65.6	-9.0	66.2	352		
378.9	367.5	364.1	1.0	0.0	0.375	47.4	56.8	19.5	60.0	378.9	378.9	378.9	0.0	0.0	0.659	48.4	62.7	-0.1	62.7	359		
386.2	375.0	371.2	1.0	0.0	0.25	47.5	55.9	27.5	62.3	386.2	386.2	386.2	0.0	0.0	0.519	47.8	59.5	9.2	60.2	368		
391.3	382.5	378.3	1.0	0.0	0.125	47.6	56.3	34.2	65.9	391.3	391.3	391.3	0.0	0.0	0.408	47.5	57.6	17.1	60.0	376		
393.4	390.0	385.4	1.0	0.0	0.0	47.5	57.2	37.8	68.6	393.4	393.4	393.4	0.0	0.0	0.263	47.6	56.1	26.7	62.1	385		

Data of Maximum color, M in colorimetric system Laser printer output, separation cmyk6, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_d; h_{abs,d} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
 Six hue angles of the device colours RYGBM_d; h_{abs,d} = 33.5, 100.6, 155.5, 235.2, 290.8, 348.9; Six hue angles of the elementary colours RYGBM_e; h_{abs,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{abs,d}	h _{abs,s}	h _{abs,e}	rgb ^s _ds361M	LAB ^s _ds361M (x=LabCh)	rgb ^s _ds361MI	LAB ^s _ds361MI (x=LabCh)	rgb ^s _dd361MI	LAB ^s _dd361MI	rgb ^s _dd361MI	LAB ^s _dd361MI (x=LabCh)	rgb ^s _dd361MI	LAB ^s _dd361MI (x=LabCh)	rgb ^s _dd361MI	LAB ^s _dd361MI (x=LabCh)																		
324	300	300	0.5	0.0	1.0	37.2	43.1	-30.8	53.0	324	0.136	0.0	1.0	31.6	24.3	-41.9	48.5	300	0.5	0.0	1.0	0.139	0.0	1.0	31.5	24.4	-41.9	48.6	300	0.5	0.0	1.0
325	301	301	0.516	0.0	1.0	37.4	43.8	-30.4	53.4	325	0.151	0.0	1.0	31.5	25.1	-41.6	48.7	301	0.517	0.0	1.0	0.153	0.0	1.0	31.5	25.2	-41.6	48.7	301	0.517	0.0	1.0
326	302	302	0.533	0.0	1.0	37.7	44.5	-29.9	53.7	326	0.165	0.0	1.0	31.4	25.9	-41.3	48.9	302	0.533	0.0	1.0	0.166	0.0	1.0	31.4	26.0	-41.3	48.9	302	0.533	0.0	1.0
326	303	303	0.55	0.0	1.0	37.9	45.3	-29.5	54.0	326	0.18	0.0	1.0	31.4	26.7	-41.0	49.0	303	0.55	0.0	1.0	0.18	0.0	1.0	31.4	26.7	-41.0	49.0	303	0.55	0.0	1.0
327	304	304	0.566	0.0	1.0	38.2	46.0	-29.0	54.4	327	0.194	0.0	1.0	31.3	27.5	-40.7	49.2	304	0.567	0.0	1.0	0.194	0.0	1.0	31.3	27.5	-40.7	49.2	304	0.567	0.0	1.0
328	305	305	0.583	0.0	1.0	38.4	46.7	-28.5	54.7	328	0.209	0.0	1.0	31.2	28.3	-40.3	49.4	304	0.583	0.0	1.0	0.208	0.0	1.0	31.2	28.3	-40.4	49.4	304	0.583	0.0	1.0
329	306	305	0.6	0.0	1.0	38.7	47.4	-28.0	55.1	329	0.224	0.0	1.0	31.1	29.1	-40.0	49.5	306	0.6	0.0	1.0	0.222	0.0	1.0	31.2	29.0	-40.0	49.5	305	0.6	0.0	1.0
330	307	306	0.616	0.0	1.0	38.9	48.1	-27.5	55.4	330	0.238	0.0	1.0	31.1	29.9	-39.6	49.7	307	0.617	0.0	1.0	0.235	0.0	1.0	31.1	29.8	-39.7	49.7	306	0.617	0.0	1.0
331	308	307	0.633	0.0	1.0	39.2	48.9	-26.9	55.8	331	0.252	0.0	1.0	31.1	30.7	-39.2	49.9	308	0.633	0.0	1.0	0.249	0.0	1.0	31.0	30.5	-39.3	49.8	307	0.633	0.0	1.0
332	309	308	0.65	0.0	1.0	39.6	49.8	-26.2	56.3	332	0.265	0.0	1.0	31.4	31.5	-38.8	50.1	309	0.65	0.0	1.0	0.261	0.0	1.0	31.3	31.3	-39.0	50.0	308	0.65	0.0	1.0
333	310	309	0.666	0.0	1.0	40.0	50.7	-25.4	56.8	333	0.278	0.0	1.0	31.8	32.3	-38.4	50.3	310	0.667	0.0	1.0	0.274	0.0	1.0	31.6	32.1	-38.6	50.2	309	0.667	0.0	1.0
334	311	310	0.683	0.0	1.0	40.4	51.6	-24.7	57.2	334	0.291	0.0	1.0	32.1	33.1	-38.0	50.5	311	0.683	0.0	1.0	0.286	0.0	1.0	32.0	32.8	-38.2	50.4	310	0.683	0.0	1.0
335	312	311	0.7	0.0	1.0	40.7	52.5	-23.9	57.7	335	0.304	0.0	1.0	32.4	33.9	-37.6	50.7	312	0.7	0.0	1.0	0.298	0.0	1.0	32.3	33.6	-37.8	50.6	311	0.7	0.0	1.0
336	313	312	0.716	0.0	1.0	41.1	53.4	-23.1	58.2	336	0.317	0.0	1.0	32.8	34.7	-37.2	50.9	313	0.717	0.0	1.0	0.31	0.0	1.0	32.6	34.3	-37.4	50.8	312	0.717	0.0	1.0
337	314	313	0.733	0.0	1.0	41.5	54.3	-22.3	58.7	337	0.33	0.0	1.0	33.1	35.5	-36.7	51.1	314	0.733	0.0	1.0	0.323	0.0	1.0	32.9	35.1	-37.0	51.0	313	0.733	0.0	1.0
338	315	314	0.75	0.0	1.0	41.8	55.1	-21.4	59.1	338	0.343	0.0	1.0	33.4	36.3	-36.2	51.4	315	0.75	0.0	1.0	0.335	0.0	1.0	33.2	35.8	-36.5	51.2	314	0.75	0.0	1.0
339	316	315	0.766	0.0	1.0	42.4	55.8	-20.9	59.6	339	0.356	0.0	1.0	33.8	37.1	-35.7	51.6	316	0.767	0.0	1.0	0.347	0.0	1.0	33.5	36.6	-36.0	51.4	315	0.767	0.0	1.0
340	317	316	0.783	0.0	1.0	42.9	56.5	-20.4	60.1	340	0.368	0.0	1.0	34.1	37.9	-35.2	51.8	317	0.783	0.0	1.0	0.359	0.0	1.0	33.9	37.3	-35.6	51.6	316	0.783	0.0	1.0
340	318	317	0.8	0.0	1.0	43.4	57.2	-19.8	60.5	340	0.384	0.0	1.0	34.5	38.6	-34.7	52.0	318	0.8	0.0	1.0	0.371	0.0	1.0	34.2	38.0	-35.1	51.8	317	0.8	0.0	1.0
341	319	318	0.816	0.0	1.0	43.9	57.8	-19.3	61.0	341	0.402	0.0	1.0	34.9	39.3	-34.1	52.1	319	0.817	0.0	1.0	0.387	0.0	1.0	34.6	38.8	-34.6	52.0	318	0.817	0.0	1.0
342	320	319	0.833	0.0	1.0	44.4	58.5	-18.7	61.4	342	0.42	0.0	1.0	35.3	40.1	-33.5	52.3	320	0.833	0.0	1.0	0.404	0.0	1.0	35.0	39.4	-34.0	52.2	319	0.833	0.0	1.0
342	321	320	0.85	0.0	1.0	44.9	59.1	-18.2	61.9	342	0.438	0.0	1.0	35.8	40.8	-32.9	52.5	321	0.85	0.0	1.0	0.421	0.0	1.0	35.4	40.1	-33.5	52.3	320	0.85	0.0	1.0
343	322	321	0.866	0.0	1.0	45.4	59.8	-17.6	62.3	343	0.456	0.0	1.0	36.2	41.5	-32.3	52.7	322	0.867	0.0	1.0	0.439	0.0	1.0	35.8	40.8	-32.9	52.5	321	0.867	0.0	1.0
344	323	322	0.883	0.0	1.0	45.8	60.5	-17.0	62.8	344	0.474	0.0	1.0	36.6	42.2	-31.7	52.8	323	0.883	0.0	1.0	0.456	0.0	1.0	36.2	41.5	-32.3	52.6	321	0.883	0.0	1.0
344	324	323	0.9	0.0	1.0	46.1	61.2	-16.4	63.4	344	0.492	0.0	1.0	37.1	42.9	-31.1	53.0	324	0.9	0.0	1.0	0.473	0.0	1.0	36.6	42.1	-31.7	52.8	322	0.9	0.0	1.0
345	325	324	0.916	0.0	1.0	46.5	61.9	-15.9	63.9	345	0.512	0.0	1.0	37.4	43.7	-30.5	53.3	325	0.917	0.0	1.0	0.49	0.0	1.0	37.0	42.8	-31.1	53.0	323	0.917	0.0	1.0
346	326	324	0.933	0.0	1.0	46.8	62.6	-15.3	64.5	346	0.532	0.0	1.0	37.7	44.5	-29.9	53.7	326	0.933	0.0	1.0	0.508	0.0	1.0	37.4	43.5	-30.6	53.2	324	0.933	0.0	1.0
346	327	325	0.95	0.0	1.0	47.1	63.3	-14.6	65.0	346	0.552	0.0	1.0	38.0	45.4	-29.4	54.1	327	0.95	0.0	1.0	0.527	0.0	1.0	37.6	44.3	-30.1	53.6	325	0.95	0.0	1.0
347	328	326	0.966	0.0	1.0	47.5	64.0	-14.0	65.5	347	0.572	0.0	1.0	38.3	46.2	-28.8	54.5	328	0.967	0.0	1.0	0.546	0.0	1.0	37.9	45.1	-29.5	54.0	326	0.967	0.0	1.0
348	329	327	0.983	0.0	1.0	47.8	64.7	-13.4	66.1	348	0.592	0.0	1.0	38.6	47.1	-28.2	54.9	329	0.983	0.0	1.0	0.565	0.0	1.0	38.2	46.0	-29.0	54.4	327	0.983	0.0	1.0
348	330	328	1.0	0.0	1.0	48.1	65.4	-12.7	66.6	348	0.612	0.0	1.0	38.9	47.9	-27.6	55.4	330	1.0	0.0	1.0	0.584	0.0	1.0	38.5	46.8	-28.4	54.8	328	1.0	0.0	1.0
349	331	329	1.0	0.0	0.983	48.3	65.5	-12.5	66.7	349	0.631	0.0	1.0	39.2	48.8	-26.9	55.8	331	1.0	0.0	0.983	0.603	0.0	1.0	38.8	47.6	-27.9	55.2	329	1.0	0.0	0.983
349	332	330	1.0	0.0	0.966	48.5	65.6	-12.2	66.7	349	0.646	0.0	1.0	39.6	49.6	-26.3	56.2	332	1.0	0.0	0.967	0.623	0.0	1.0	39.1	48.4	-27.3	55.6	330	1.0	0.0	0.967
349	333	331	1.0	0.0	0.95	48.7	65.7	-11.9	66.8	349	0.662	0.0	1.0	39.9	50.5	-25.6	56.7	333	1.0	0.0	0.95	0.638	0.0	1.0	39.4	49.2	-26.7	56.0	331	1.0	0.0	0.95
349	334	332	1.0	0.0	0.933	48.9	65.8	-11.7	66.8	349	0.677	0.0	1.0	40.3	51.3	-24.9	57.1	334	1.0	0.0	0.933	0.652	0.0	1.0	39.7	50.0	-26.0	56.4	332	1.0	0.0	0.933
350	335	333	1.0	0.0	0.916	49.0	65.9	-11.4	66.9	350	0.692	0.0	1.0	40.6	52.1	-24.2	57.5	335	1.0	0.0	0.917	0.667	0.0	1.0	40.0	50.8	-25.4	56.8	333	1.0	0.0	0.917
350	336	334	1.0	0.0	0.9	49.2	66.0	-11.1	66.9	350	0.708	0.0	1.0	41.0	53.0	-23.5	58.0	336	1.0	0.0	0.9	0.681	0.0	1.0	40.4	51.6	-24.7	57.2	334	1.0	0.0	0.9
350	337	335	1.0	0.0	0.883	49.4	66.1	-10.9	67.0	350	0.723	0.0	1.0	41.3	53.8	-22.7	58.4	337	1.0	0.0	0.883	0.696	0.0	1.0	40.7	52.3	-24.0	57.6	335	1.0	0.0	0.883
350	338	336	1.0	0.0	0.866	49.5	66.0	-10.4	66.9	350	0.738	0.0	1.0	41.6	54.6	-22.0	58.9	338	1.0	0.0	0.867	0.711	0.0	1.0	41.0	53.1	-23.3	58.1	336	1.0	0.0	0.867
351	339	337	1.0	0.0	0.85	49.4	65.8	-9.9	66.6	351	0.756	0.0	1.0	42.1	55.4	-21.2	59.4	339	1.0	0.0	0.85	0.725	0.0	1.0	41.3	53.9	-22.6	58.5	337	1.0	0.0	0.85
351	340	338	1.0	0.0	0.833	49.4	65.6	-9.3	66.3	351	0.78																					



http://130.149.60.45/~farbmetrik/PE99/PE99LONA.TXT /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 18/33

nif	HC*Fe	rgb*Fe	act*Fe	hsa*Fe	LabCh*Fe	rgb*Fe	LabCh*Fe	DF*Fe	HaM*Fe	rgb*Fe	LabCh*Fe	DF*Fe	HaM*Fe	rgb*Fe	LabCh*Fe	DF*Fe	HaM*Fe
0/648	R00Y_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	25.4	62.1	26.7	56.0	390	390	1.0	0.0	0.0	0.0
1/657	R13Y_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	37.8	68.3	37.8	57.2	419	419	1.0	0.0	0.0	0.0
2/666	R25Y_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	49.2	72.6	49.2	64.6	450	450	1.0	0.0	0.0	0.0
3/675	R37Y_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	60.6	76.9	60.6	81.0	481	481	1.0	0.0	0.0	0.0
4/684	R50Y_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	72.0	81.0	72.0	101.4	512	512	1.0	0.0	0.0	0.0
5/693	R63Y_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	83.4	85.8	83.4	116.8	543	543	1.0	0.0	0.0	0.0
6/702	R75Y_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	94.8	89.4	94.8	138.2	574	574	1.0	0.0	0.0	0.0
7/711	R88Y_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	106.2	93.3	106.2	160.6	605	605	1.0	0.0	0.0	0.0
8/720	Y00G_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	117.6	97.5	117.6	173.0	636	636	1.0	0.0	0.0	0.0
9/639	Y13C_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	129.0	101.4	129.0	185.4	667	667	1.0	0.0	0.0	0.0
10/558	Y25C_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	140.4	105.6	140.4	197.8	698	698	1.0	0.0	0.0	0.0
11/477	Y38C_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	151.8	110.0	151.8	210.2	729	729	1.0	0.0	0.0	0.0
12/396	Y50G_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	163.2	114.4	163.2	222.6	760	760	1.0	0.0	0.0	0.0
13/315	Y63G_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	174.6	118.8	174.6	235.0	791	791	1.0	0.0	0.0	0.0
14/234	Y75G_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	186.0	123.2	186.0	247.4	822	822	1.0	0.0	0.0	0.0
15/153	Y88G_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	197.4	127.6	197.4	259.8	853	853	1.0	0.0	0.0	0.0
16/72	G00C_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	208.8	132.0	208.8	272.2	884	884	1.0	0.0	0.0	0.0
17/73	G13C_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	220.2	136.4	220.2	284.6	915	915	1.0	0.0	0.0	0.0
18/74	G25C_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	231.6	140.8	231.6	297.0	946	946	1.0	0.0	0.0	0.0
19/75	G38C_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	243.0	145.2	243.0	309.4	977	977	1.0	0.0	0.0	0.0
20/76	G50C_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	254.4	149.6	254.4	321.8	1008	1008	1.0	0.0	0.0	0.0
21/77	G63C_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	265.8	154.0	265.8	334.2	1039	1039	1.0	0.0	0.0	0.0
22/78	G75C_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	277.2	158.4	277.2	346.6	1070	1070	1.0	0.0	0.0	0.0
23/79	G88C_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	288.6	162.8	288.6	359.0	1101	1101	1.0	0.0	0.0	0.0
24/80	C00B_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	299.9	167.2	299.9	371.4	1132	1132	1.0	0.0	0.0	0.0
25/71	C13B_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	311.3	171.6	311.3	383.8	1163	1163	1.0	0.0	0.0	0.0
26/62	C25B_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	322.7	176.0	322.7	396.2	1194	1194	1.0	0.0	0.0	0.0
27/53	C38B_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	334.1	180.4	334.1	408.6	1225	1225	1.0	0.0	0.0	0.0
28/44	C50B_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	345.5	184.8	345.5	421.0	1256	1256	1.0	0.0	0.0	0.0
29/35	C63B_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	356.9	189.2	356.9	433.4	1287	1287	1.0	0.0	0.0	0.0
30/26	C75B_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	368.3	193.6	368.3	445.8	1318	1318	1.0	0.0	0.0	0.0
31/17	C88B_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	379.7	198.0	379.7	458.2	1349	1349	1.0	0.0	0.0	0.0
32/8	B00M_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	391.1	202.4	391.1	470.6	1380	1380	1.0	0.0	0.0	0.0
33/89	B13M_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	402.5	206.8	402.5	483.0	1411	1411	1.0	0.0	0.0	0.0
34/170	B25M_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	413.9	211.2	413.9	495.4	1442	1442	1.0	0.0	0.0	0.0
35/251	B38M_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	425.3	215.6	425.3	507.8	1473	1473	1.0	0.0	0.0	0.0
36/332	B50M_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	436.7	220.0	436.7	520.2	1504	1504	1.0	0.0	0.0	0.0
37/413	B63M_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	448.1	224.4	448.1	532.6	1535	1535	1.0	0.0	0.0	0.0
38/494	B75M_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	459.5	228.8	459.5	545.0	1566	1566	1.0	0.0	0.0	0.0
39/575	B88M_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	470.9	233.2	470.9	557.4	1597	1597	1.0	0.0	0.0	0.0
40/656	M00R_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	482.3	237.6	482.3	569.8	1628	1628	1.0	0.0	0.0	0.0
41/655	M13R_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	493.7	242.0	493.7	582.2	1659	1659	1.0	0.0	0.0	0.0
42/654	M25R_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	505.1	246.4	505.1	594.6	1690	1690	1.0	0.0	0.0	0.0
43/653	M38R_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	516.5	250.8	516.5	607.0	1721	1721	1.0	0.0	0.0	0.0
44/652	M50R_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	527.9	255.2	527.9	619.4	1752	1752	1.0	0.0	0.0	0.0
45/651	M63R_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	539.3	259.6	539.3	631.8	1783	1783	1.0	0.0	0.0	0.0
46/650	M75R_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	550.7	264.0	550.7	644.2	1814	1814	1.0	0.0	0.0	0.0
47/649	M88R_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	562.1	268.4	562.1	656.6	1845	1845	1.0	0.0	0.0	0.0
48/648	R00Y_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	573.5	272.8	573.5	669.0	1876	1876	1.0	0.0	0.0	0.0
49/0	NV_000e	0.0	0.0	0.0	0.0	0.0	0.0	584.9	277.2	584.9	681.4	1907	1907	1.0	0.0	0.0	0.0
50/91	NV_012e	0.0	0.0	0.0	0.0	0.0	0.0	596.3	281.6	596.3	693.8	1938	1938	1.0	0.0	0.0	0.0
51/182	NV_025e	0.0	0.0	0.0	0.0	0.0	0.0	607.7	286.0	607.7	706.2	1969	1969	1.0	0.0	0.0	0.0
52/273	NV_038e	0.0	0.0	0.0	0.0	0.0	0.0	619.1	290.4	619.1	718.6	2000	2000	1.0	0.0	0.0	0.0
53/564	NV_050e	0.0	0.0	0.0	0.0	0.0	0.0	630.5	294.8	630.5	731.0	2031	2031	1.0	0.0	0.0	0.0
54/455	NV_063e	0.0	0.0	0.0	0.0	0.0	0.0	641.9	299.2	641.9	743.4	2062	2062	1.0	0.0	0.0	0.0
55/546	NV_075e	0.0	0.0	0.0	0.0	0.0	0.0	653.3	303.6	653.3	755.8	2093	2093	1.0	0.0	0.0	0.0
56/637	NV_088e	0.0	0.0	0.0	0.0	0.0	0.0	664.7	308.0	664.7	768.2	2124	2124	1.0	0.0	0.0	0.0
57/728	NV_100e	0.0	0.0	0.0	0.0	0.0	0.0	676.1	312.4	676.1	780.6	2155	2155	1.0	0.0	0.0	0.0

Mean color difference of this page: $\Delta E^* = 14.2$

TUB-test chart PE99; hue code: H*e=R00Ye
colors and differences, ΔE^*

input: rgb/cmyk -> rgbe
output: transfer to cmyke

http://130.149.60.45/~farbmetrik/PE99/PE99LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 21/33

Table with 16 columns: n, HHC*Fe, rgb*Fe, icr*Fe, hsa*Fe, LabCH*Fe, rgb*Fe, LabCH*Fe, DF*Fe, hsa*Fe, LabCH*Fe, rgb*Fe, LabCH*Fe, LabCH*Fe, LabCH*Fe, LabCH*Fe. Rows 81-161.

Mean color difference of this page:

input: rgb/cmyk -> rgbe output: transfer to cmyke

PE990-7N, Page 21/33-F

TUB-test chart PE99; hue code: H*e=R00Ye colors and differences, ΔE*

http://130.149.60.45/~farbmatrik/PE99/PE99LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 24/33

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabC*Fe, LabM*Fe, LabY*Fe, LabC*Fe, rpb*Fe, DE*Fe, Ham*Fe, LabC*Fe, LabM*Fe, LabY*Fe. Rows 324-404.

Mean color difference of this page: delta E* = 10.9

input: rgb/cmyk -> rgbe output: transfer to cmyke

TUB-test chart PE99; hue code: H*e=R00Ye colors and differences, ΔE*

http://130.149.60.45/~farbmatrik/PE99/PE99LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 25/33

Table with 10 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, DF*Fe, HaMe, rpb*Fe, LabCh*Fe, LabCh*Fe, delta E* = 11.3

input: rgb/cmyk -> rgbe output: transfer to cmyke

http://130.149.60.45/~farbmetrik/PE99/PE99LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 26/33

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, HsL*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, DF*Fe, HsM*Fe, LabCH*Fe, rpb*Fe, LabCH*Fe, and a final column with values. The table contains 566 rows of data.

input: rgb/cmyk -> rgbe output: transfer to cmyke

TUB-test chart PE99; hue code: H*e=R00Ye colors and differences, ΔE*

PE990-7N; Page:26/33-F

I=1032530-F0

http://130.149.60.45/~farbmetrik/PE99/PE99LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 27/33

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, DF*Fe, Hs*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, LabCH*Fe. Rows list various color patches and their corresponding colorimetric values.

Mean color difference of this page: delta E* = 13.7

TUB-test chart PE99; hue code: H_e=R00Y_e colors and differences, ΔE*

input: rgb/cmyk -> rgbe output: transfer to cmyke

PE990-7N, Page 27/33-F

I-10132630-F0

http://130.149.60.45/~farbmetrik/PE99/PE99LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 28/33

Table with 10 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, DF*Fe, Hs*Me, rpb*Me, LabCh*Me, 254, 621, 621, 254. The table contains a large amount of numerical data for various color and registration tests.

Mean color difference of this page: delta E* = 15.8

input: rgb/cmyk -> rgbe output: transfer to cmyke

TUB-test chart PE99; hue code: H*e=R00Ye colors and differences, ΔE*

Table with 15 columns: n, H* C* M*, r* g* b* Fe, i* e* Fe, H* s* Fe, r* g* b* Fe, Lab C* M* Fe, Lab C* M* Fe, r* g* b* Fe, D* F* Fe, H* s* Fe, r* g* b* Fe, Lab C* M* Fe, Lab C* M* Fe. Rows include color names like 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1009, 1010, 1011, 1012, 1013, 1014, 1015, 1016, 1017, 1018, 1019, 1020, 1021, 1022, 1023, 1024, 1025, 1026, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1038, 1039, 1040, 1041, 1042, 1043, 1044, 1045, 1046, 1047, 1048, 1049, 1050, 1051, 1052.

http://130.149.60.45/~farbmetrik/PE99/PE99LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 32/33





input: rgb/cmyk -> rgbe output: transfer to cmyke

TUB-test chart PE99; hue code: H*e=R00Ye colors and differences, ΔE*

I=10133130-F0

PE990-7N, Page 32,33-F

Mean color difference of this page: delta E* = 3.2



http://130.149.60.45/~farbmetrik/PE99/PE99L0NA.TXT /.PS; transfer output
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 33/33

n	HC*Fe	rgb*Fe	icT*Fe	rgb*Fe	LabCH*Fe	hsL*Fe	rgb*Fe	LabCH*Fe	DF*Fe	hsM*Fe	rgb*Me	LabCH*Me
1053	NW_086e	0.866	0.866	0.866	0.866	360	0.866	86.1	0.0	0.0	0.0	95.8
1054	NW_093e	0.933	0.933	0.933	0.933	360	0.933	93.3	0.0	0.0	1.0	95.8
1055	NW_100e	1.0	1.0	1.0	1.0	360	1.0	100.0	0.0	0.0	1.0	95.8
1056	NW_006e	0.066	0.066	0.066	0.066	360	0.066	6.6	0.0	0.0	1.0	95.8
1057	NW_013e	0.133	0.133	0.133	0.133	360	0.133	13.3	0.0	0.0	1.0	95.8
1058	NW_020e	0.2	0.2	0.2	0.2	360	0.2	20.0	0.0	0.0	1.0	95.8
1059	NW_026e	0.266	0.266	0.266	0.266	360	0.266	26.6	0.0	0.0	1.0	95.8
1060	NW_033e	0.333	0.333	0.333	0.333	360	0.333	33.3	0.0	0.0	1.0	95.8
1061	NW_040e	0.4	0.4	0.4	0.4	360	0.4	40.0	0.0	0.0	1.0	95.8
1062	NW_046e	0.466	0.466	0.466	0.466	360	0.466	46.6	0.0	0.0	1.0	95.8
1063	NW_053e	0.533	0.533	0.533	0.533	360	0.533	53.3	0.0	0.0	1.0	95.8
1064	NW_059e	0.599	0.599	0.599	0.599	360	0.599	59.9	0.0	0.0	1.0	95.8
1065	NW_066e	0.6	0.6	0.6	0.6	360	0.6	60.0	0.0	0.0	1.0	95.8
1066	NW_073e	0.734	0.734	0.734	0.734	360	0.734	73.4	0.0	0.0	1.0	95.8
1067	NW_080e	0.8	0.8	0.8	0.8	360	0.8	80.0	0.0	0.0	1.0	95.8
1068	NW_086e	0.866	0.866	0.866	0.866	360	0.866	86.6	0.0	0.0	1.0	95.8
1069	NW_093e	0.933	0.933	0.933	0.933	360	0.933	93.3	0.0	0.0	1.0	95.8
1070	NW_100e	1.0	1.0	1.0	1.0	360	1.0	100.0	0.0	0.0	1.0	95.8
1071	NW_006e	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	0.0	1.0	95.8
1072	NW_010e	0.1	0.1	0.1	0.1	360	0.1	10.0	0.0	0.0	1.0	95.8
1073	NW_015e	0.15	0.15	0.15	0.15	360	0.15	15.0	0.0	0.0	1.0	95.8
1074	ROY_100_100e	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	0.0	1.0	95.8
1075	GY0B_100_100e	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	0.0	1.0	95.8
1076	Y00G_100_100e	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	0.0	1.0	95.8
1077	B00R_100_100e	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	0.0	1.0	95.8
1078	B50R_100_100e	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	0.0	1.0	95.8
1079	B50R_100_100e	1.0	0.0	1.0	1.0	360	0.584	0.0	1.0	0.146	0.584	38.5

Mean color difference of this page: $\Delta E^* = 6.3$

input: rgb/cmyk -> rgbe
 output: transfer to cmyke