


Test chart 1 for color rendering: 54 standard colours for D65; offset print (CMY0)



see similar files: <http://130.149.60.45/~farbmetrik/PN18/PN18L0FA.TXT> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>




TUB registration: 20130201-PN18/PN18L0FA.TXT /.PS
application for measurement of offset print output

TUB material: code=rh4ta

5-113031-L0 PN180-7N

TUB-test chart PN18; colour rendering
54 standard colors; image technology

input: *rgb/cmyk* -> *rgb/cmyk*
output: no change compared



Test chart 1 for color rendering: 54 standard colours for D65; offset print (CMY0); *rgb*→*rgb*de*



Series:
maximum
m

maximum
m

whitish
w

central
z

blackish
n

grey
g

see similar files: <http://130.149.60.45/~farbmetrik/PN18/PN18.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-PN18/PN18L0FA.TXT /.PS
application for measurement of offset print output, separation *cmy0** (CMY0)
TUB material: code=rh4ta


5-113131-L0 PN180-73

TUB-test chart PN18; colour rendering
54 standard colors, 3D=1, de=1, *cmy0**

input: *rgb/cmyk* → *rgb_{de}*
output: 3D-linearization to *cmy0*_{de}*



Test chart 1 for color rendering: 54 standard colours for D65; offset print (CMY0); $rgb \rightarrow rgb^*_{de}$



Series:
maximum
m

maximum
m

whitish
w

central
z

blackish
n

grey
g

see similar files: <http://130.149.60.45/~farbmetrik/PN18/PN18L0FA.TXT> / .PS;
technical information: <http://www.w.w.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-PN18/PN18L0FA.TXT /.PS
application for measurement of offset print output, separation $cmy0^*$ (CMY0)
TUB material: code=rh4ta


5-113231-L0 PN180-73

TUB-test chart PN18; colour rendering
54 standard colors, 3D=1, de=1, $cmy0^*$

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmy0^*_{de}$

5-113231-F0

Test chart 1 for color rendering: 54 standard colours for D65; offset print (CMY0); *rgb*→*rgb*de*



Series:
maximum
m
maximum
m
whitish
w
central
z
blackish
n
grey
g

see similar files: <http://130.149.60.45/~farbmetrik/PN18/PN18L0FA.TXT> / .PS;
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-PN18/PN18L0FA.TXT /.PS
application for measurement of offset print output, separation *cmy0** (CMY0)
TUB material: code=rh4ta

5-113331-L0 PN180-73

TUB-test chart PN18; colour rendering
54 standard colors, 3D=1, de=1, *cmy0**

input: *rgb/cmyk* → *rgb_{de}*
output: 3D-linearization to *cmy0*_{de}*

Test chart 1 for color rendering: 54 standard colours for D65; offset print (CMY0); *rgb*→*rgb*de*

									Series: maximum m
01: R00Y_100_100_e	02: R25Y_100_100_e	03: R50Y_100_100_e	04: R75Y_100_100_e	05: Y00G_100_100_e	06: Y25G_100_100_e	07: Y50G_100_100_e	08: Y75G_100_100_e	09=10: G00B_100_100_e	
									maximum m
10: G00B_100_100_e	11: G25B_100_100_e	12: G50B_100_100_e	13: G75B_100_100_e	14: B00M_100_100_e	15: B25R_100_100_e	16: B50R_100_100_e	17: B75R_100_100_e	18=01: R00Y_100_100_e	
									whitish w
19: R00Y_100_050_e	20: R50Y_100_050_e	21: Y00G_100_050_e	22: Y50G_100_050_e	23: G00B_100_050_e	24: G50B_100_050_e	25: B00R_100_050_e	26: B50R_100_050_e	27=19: R00Y_100_050_e	
									central z
28: R00Y_075_050_e	29: R50Y_075_050_e	30: Y00G_075_050_e	31: Y50G_075_050_e	32: G00B_075_050_e	33: G50B_075_050_e	34: B00R_075_050_e	35: B50R_075_050_e	36=28: R00Y_075_050_e	
									blackish n
37: R00Y_050_050_e	38: R50Y_050_050_e	39: Y00G_050_050_e	40: Y50G_050_050_e	41: G00B_050_050_e	42: G50B_050_050_e	43: B00R_050_050_e	44: B50R_050_050_e	45=37: R00Y_050_050_e	
									grey g
46: NW_000_e	47: NW_013_e	48: NW_025_e	49: NW_038_e	50: NW_050_e	51: NW_063_e	52: NW_075_e	53: NW_088_e	54: NW_100_e	



see similar files: <http://130.149.60.45/~farbmetrik/PN18/PN18L0FA.TXT> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-PN18/PN18L0FA.TXT /.PS
application for measurement of offset print output, separation *cmY0** (CMY0)
TUB material: code=rh4ta

5-113431-L0 PN180-73


TUB-test chart PN18; colour rendering
54 standard colors, 3D=1, de=1, *cmY0**

input: *rgb/cmyk* → *rgb_{de}*
output: 3D-linearization to *cmY0*_{de}*



TUB registration: 20130201-PN18/PN18L0FA.TXT /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation $cmY0^*$ (CMY0)

see similar files: <http://130.149.60.45/~farbmetrik/PN18/PN18.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



TUB-test chart PN18; colour rendering
54 standard colors, 3D=1, de=1, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmY0^*_{de}$





Table with 17 columns: nuf, HFC*File, rgb_File, iCT_File, Hs_File, rgb*File, LabC*File, cmy0*sep.File, cmy0*File, rgb*File, Hs*File, LabC*File, rgb*File, LabC*File, rgb*File, Hs*File, LabC*File, delta. The table contains color calibration data for various color patches and separations.

input: rgb/cmyk -> rgbde output: 3D-linearization to cmy0*de

TUB-test chart PN18; colour rendering colors and differences, ΔE*, 3D=L, de=L, cmy0*



http://130.149.60.45/~farbmetrik/PN18/PN18L0FA.TXT /.PS; 3D-linearization F: 3D-linearization PN18/PN18L30FA.DAT in file (F), page 9/22

Table with 80 rows and 15 columns: #, H#C*File, rgb*File, iet*File, hsa*File, rrgb*File, LabC*File, cmy0*sep*File, 1.0, 1.0, 1.0, LabC*File, hsa*File, rrgb*File, LabC*File, delta. Each row contains numerical data for color calibration.

input: rgb/cmyk -> rrgbde output: 3D-linearization to cmy0*de

TUB-test chart PN18; colour rendering colors and differences, ΔE*, 3D=L, de=L, cmy0*

PN18-7N; 9/22-F2

5-113831-F0

Table with 16 columns: n, HHC*File, rgb*File, icr*File, hsa*File, rgb*File, LabC*File, cmy0*sep*File, cmy0*File, LabC*File, hsa*File, rgb*File, LabC*File, hsa*File, LabC*File, delta. Rows 81-161.

input: rgb/cmyk -> rgbde output: 3D-linearization to cmy0*de



http://130.149.60.45/~farbmetrik/PN18/PN18L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization PN18/PN18L30FA.DAT in file (F), page 11/22

Table with 24 columns: n, HHC*File, rpb_Rate, iet_Rate, Hsa_Rate, rpb*File, LabCM*File, LabCM*SepRate, cmy0*SepRate, Hsa*File, rpb*File, LabCM*File, delta. The table contains 24 rows of data representing color calibration parameters for various ink channels.

input: rgb/cmyk -> rgbde
output: 3D-linearization to cmy0*de

http://130.149.60.45/~farbmetrik/PN18/PN18LOFA.TXT /.PS; 3D-linearization
F: 3D-linearization PN18/PN18LOFA.DAT in file (F), page 12/22

Table with columns: n, HHC*File, rpb*File, icr*File, hsa*File, rpb*File, LabC0*File, cmy0*sep*File, hsa*File, rpb*File, LabC0*File, delta

Main data table containing registration and color calibration parameters for various color patches (n=243 to 523).

input: rgb/cmyk -> rgbd
output: 3D-linearization to cmy0*de

Table with 19 columns: n, HHC*File, rgb*File, icr*File, hsa*File, rgb*File, LabC*File, cmy0*sep, cmy0*File, LabC*File, hsa*File, rgb*File, LabC*File, hsa*File, cmy0*sep, cmy0*File, LabC*File, hsa*File, rgb*File, LabC*File, delta. Rows contain numerical data for various color and registration tests.

input: rgb/cmyk -> rgbde output: 3D-linearization to cmy0*de

http://130.149.60.45/~farbmetrik/PN18/PN18L0FA.TXT /.PS; 3D-linearization F: 3D-linearization PN18/PN18L30FA.DAT in file (F), page 14/22

Table with 18 columns: n, HHC*File, rgb*File, iet*File, ihs*File, rgp*File, LabC0*File, LabC0*File, cmy0*sep*File, cmy0*sep*File, delta, and LabC0*File. It contains a large grid of numerical data for various color channels and registration points.

input: rgb/cmyk -> rgbd
output: 3D-linearization to cmy0*de

TUB-test chart PN18; colour rendering colors and differences, ΔE*, 3D=L, de=L, cmy0*

http://130.149.60.45/~farbmetrik/PN18/PN18LOFA.TXT /.PS; 3D-linearization F: 3D-linearization PN18/PN18LJ30FA.DAT in file (F), page 15/22

Table with 15 columns: n, HHC*File, rgb*File, iet*File, Hsa*File, rgb*File, LabC*File, LabC*File, cmy0*sep*File, cmy0*File, LabC*File, Hsa*File, rgb*File, LabC*File, delta. Rows 486-566.

input: rgb/cmyk -> rgbde output: 3D-linearization to cmy0*de

Table with 20 columns: n, HHC*File, rpb*File, icr*File, Hsa*File, rpb*File, LabCM*File, LabCM*File, cmy0*sep*File, cmy0*sep*File, delta, LabCM*File, rpb*File, Hsa*File, rpb*File, LabCM*File, LabCM*File, cmy0*sep*File, cmy0*sep*File, delta. Rows include file names like R00Y, R00M, R00C, etc.

input: rgb/cmyk -> rgbd output: 3D-linearization to cmy0*de

PN18-7N; 1622-F

TUB-test chart PN18; colour rendering colors and differences, ΔE*, 3D=L, de=L, cmy0*

5-1131531-F0

http://130.149.60.45/~farbmetrik/PN18/PN18LOFA.TXT /.PS; 3D-linearization
F: 3D-linearization PN18/PN18LOFA.DAT in file (F), page 17/22

Table with columns: n, HHC*File, rcp*File, icr*File, hsa*File, rcp*File, LabCM*File, cmy0*sep*File, rcp*File, hsa*File, rcp*File, LabCM*File, delta. Rows include color names like R00Y, R00M, R00C, etc.

input: rgb/cmyk -> rgbde
output: 3D-linearization to cmy0*de

http://130.149.60.45/~farbmetrik/PN18/PN18LOFA.TXT /.PS; 3D-linearization F: 3D-linearization PN18/PN18LJ30FA.DAT in file (F), page 18/22

Table with 15 columns: n, H/C*File, r/g/b*File, i/c/t*File, h/s*File, r/g/b*File, LabC/H*File, cmy0*sep,File, cmy0*sep,File, LabC/H*File, i/c/t*File, h/s*File, r/g/b*File, LabC/H*File. Rows include color names like NV_1000c, G50B_100.025a, etc.

delta input: rgb/cmyk -> rgbde output: 3D-linearization to cmy0*de

http://130.149.60.45/~farbmetrik/PN18/PN18LOFA.TXT /.PS; 3D-linearization
F: 3D-linearization PN18/PN18LJ30FA.DAT in file (F), page 19/22

Table with 17 columns: n, HHC*File, rgb*File, icr*File, hsa*File, rgh*File, LabC*File, cmy0*sep*File, cmyp*sep*File, hsa*File, rgh*File, LabC*File, LabC*File, LabC*File, LabC*File, LabC*File, LabC*File. The table contains 890 rows of data for various color and registration targets.

delta
input: rgb/cmyk -> rgbde
output: 3D-linearization to cmy0*de

Table with columns: n, H#C*File, rgb*File, iet*File, H#s*File, rgb*File, LabC0*File, cmy0*sep*File, cmyp*sep*File, H#s*File, rgb*File, LabC0*File, LabC0*File, H#s*File, rgb*File, LabC0*File. Rows list various color and registration targets with associated values.

<http://130.149.60.45/~farbmetrik/PN18/PN18L0FA.TXT> /.PS; 3D-linearization
F: 3D-linearization PN18/PN18LJ30FA.DAT in file (F), page 21/22

n	HC*File	rgb*File	iet*File	hsa*File	rgb*File	LabCM*File	cmyp*sep*File	hsa*File	rgb*File	LabCM*File	delta
972	NW_0000de	0.0	0.0	0.0	0.0	24.3	1.0	360	1.0	1.0	0.0
973	NW_0120de	0.125	0.125	0.125	0.0	24.3	0.885	360	1.0	1.0	95.6
974	NW_0250de	0.25	0.25	0.25	0.0	24.3	0.743	360	1.0	1.0	95.6
975	NW_0375de	0.375	0.375	0.375	0.0	24.3	0.653	360	1.0	1.0	95.6
976	NW_0500de	0.5	0.5	0.5	0.0	24.3	0.54	360	1.0	1.0	95.6
977	NW_0625de	0.625	0.625	0.625	0.0	24.3	0.417	360	1.0	1.0	95.6
978	NW_0750de	0.75	0.75	0.75	0.0	24.3	0.299	360	1.0	1.0	95.6
979	NW_0875de	0.875	0.875	0.875	0.0	24.3	0.162	360	1.0	1.0	95.6
980	NW_1000de	1.0	1.0	1.0	0.0	24.3	0.0	360	1.0	1.0	95.6
981	NW_0000de	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	1.0	95.6
982	NW_0120de	0.125	0.125	0.125	0.0	24.3	0.885	360	1.0	1.0	95.6
983	NW_0250de	0.25	0.25	0.25	0.0	24.3	0.743	360	1.0	1.0	95.6
984	NW_0375de	0.375	0.375	0.375	0.0	24.3	0.653	360	1.0	1.0	95.6
985	NW_0500de	0.5	0.5	0.5	0.0	24.3	0.54	360	1.0	1.0	95.6
986	NW_0625de	0.625	0.625	0.625	0.0	24.3	0.417	360	1.0	1.0	95.6
987	NW_0750de	0.75	0.75	0.75	0.0	24.3	0.299	360	1.0	1.0	95.6
988	NW_0875de	0.875	0.875	0.875	0.0	24.3	0.162	360	1.0	1.0	95.6
989	NW_1000de	1.0	1.0	1.0	0.0	24.3	0.0	360	1.0	1.0	95.6
990	NW_0000de	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	1.0	95.6
991	NW_0120de	0.125	0.125	0.125	0.0	24.3	0.885	360	1.0	1.0	95.6
992	NW_0250de	0.25	0.25	0.25	0.0	24.3	0.743	360	1.0	1.0	95.6
993	NW_0375de	0.375	0.375	0.375	0.0	24.3	0.653	360	1.0	1.0	95.6
994	NW_0500de	0.5	0.5	0.5	0.0	24.3	0.54	360	1.0	1.0	95.6
995	NW_0625de	0.625	0.625	0.625	0.0	24.3	0.417	360	1.0	1.0	95.6
996	NW_0750de	0.75	0.75	0.75	0.0	24.3	0.299	360	1.0	1.0	95.6
997	NW_0875de	0.875	0.875	0.875	0.0	24.3	0.162	360	1.0	1.0	95.6
998	NW_1000de	1.0	1.0	1.0	0.0	24.3	0.0	360	1.0	1.0	95.6
999	NW_0000de	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	1.0	95.6
1000	NW_0120de	0.125	0.125	0.125	0.0	24.3	0.885	360	1.0	1.0	95.6
1001	NW_0250de	0.25	0.25	0.25	0.0	24.3	0.743	360	1.0	1.0	95.6
1002	NW_0375de	0.375	0.375	0.375	0.0	24.3	0.653	360	1.0	1.0	95.6
1003	NW_0500de	0.5	0.5	0.5	0.0	24.3	0.54	360	1.0	1.0	95.6
1004	NW_0625de	0.625	0.625	0.625	0.0	24.3	0.417	360	1.0	1.0	95.6
1005	NW_0750de	0.75	0.75	0.75	0.0	24.3	0.299	360	1.0	1.0	95.6
1006	NW_0875de	0.875	0.875	0.875	0.0	24.3	0.162	360	1.0	1.0	95.6
1007	NW_1000de	1.0	1.0	1.0	0.0	24.3	0.0	360	1.0	1.0	95.6
1008	NW_0000de	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	1.0	95.6
1009	NW_0120de	0.125	0.125	0.125	0.0	24.3	0.885	360	1.0	1.0	95.6
1010	NW_0250de	0.25	0.25	0.25	0.0	24.3	0.743	360	1.0	1.0	95.6
1011	NW_0375de	0.375	0.375	0.375	0.0	24.3	0.653	360	1.0	1.0	95.6
1012	NW_0500de	0.5	0.5	0.5	0.0	24.3	0.54	360	1.0	1.0	95.6
1013	NW_0625de	0.625	0.625	0.625	0.0	24.3	0.417	360	1.0	1.0	95.6
1014	NW_0750de	0.75	0.75	0.75	0.0	24.3	0.299	360	1.0	1.0	95.6
1015	NW_0875de	0.875	0.875	0.875	0.0	24.3	0.162	360	1.0	1.0	95.6
1016	NW_1000de	1.0	1.0	1.0	0.0	24.3	0.0	360	1.0	1.0	95.6
1017	NW_0000de	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	1.0	95.6
1018	NW_0120de	0.125	0.125	0.125	0.0	24.3	0.885	360	1.0	1.0	95.6
1019	NW_0250de	0.25	0.25	0.25	0.0	24.3	0.743	360	1.0	1.0	95.6
1020	NW_0375de	0.375	0.375	0.375	0.0	24.3	0.653	360	1.0	1.0	95.6
1021	NW_0500de	0.5	0.5	0.5	0.0	24.3	0.54	360	1.0	1.0	95.6
1022	NW_0625de	0.625	0.625	0.625	0.0	24.3	0.417	360	1.0	1.0	95.6
1023	NW_0750de	0.75	0.75	0.75	0.0	24.3	0.299	360	1.0	1.0	95.6
1024	NW_0875de	0.875	0.875	0.875	0.0	24.3	0.162	360	1.0	1.0	95.6
1025	NW_1000de	1.0	1.0	1.0	0.0	24.3	0.0	360	1.0	1.0	95.6
1026	NW_0000de	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	1.0	95.6
1027	NW_0120de	0.125	0.125	0.125	0.0	24.3	0.885	360	1.0	1.0	95.6
1028	NW_0250de	0.25	0.25	0.25	0.0	24.3	0.743	360	1.0	1.0	95.6
1029	NW_0375de	0.375	0.375	0.375	0.0	24.3	0.653	360	1.0	1.0	95.6
1030	NW_0500de	0.5	0.5	0.5	0.0	24.3	0.54	360	1.0	1.0	95.6
1031	NW_0625de	0.625	0.625	0.625	0.0	24.3	0.417	360	1.0	1.0	95.6
1032	NW_0750de	0.75	0.75	0.75	0.0	24.3	0.299	360	1.0	1.0	95.6
1033	NW_0875de	0.875	0.875	0.875	0.0	24.3	0.162	360	1.0	1.0	95.6
1034	NW_1000de	1.0	1.0	1.0	0.0	24.3	0.0	360	1.0	1.0	95.6
1035	NW_0000de	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	1.0	95.6
1036	NW_0120de	0.125	0.125	0.125	0.0	24.3	0.885	360	1.0	1.0	95.6
1037	NW_0250de	0.25	0.25	0.25	0.0	24.3	0.743	360	1.0	1.0	95.6
1038	NW_0375de	0.375	0.375	0.375	0.0	24.3	0.653	360	1.0	1.0	95.6
1039	NW_0500de	0.5	0.5	0.5	0.0	24.3	0.54	360	1.0	1.0	95.6
1040	NW_0625de	0.625	0.625	0.625	0.0	24.3	0.417	360	1.0	1.0	95.6
1041	NW_0750de	0.75	0.75	0.75	0.0	24.3	0.299	360	1.0	1.0	95.6
1042	NW_0875de	0.875	0.875	0.875	0.0	24.3	0.162	360	1.0	1.0	95.6
1043	NW_1000de	1.0	1.0	1.0	0.0	24.3	0.0	360	1.0	1.0	95.6
1044	NW_0000de	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	1.0	95.6
1045	NW_0120de	0.125	0.125	0.125	0.0	24.3	0.885	360	1.0	1.0	95.6
1046	NW_0250de	0.25	0.25	0.25	0.0	24.3	0.743	360	1.0	1.0	95.6
1047	NW_0375de	0.375	0.375	0.375	0.0	24.3	0.653	360	1.0	1.0	95.6
1048	NW_0500de	0.5	0.5	0.5	0.0	24.3	0.54	360	1.0	1.0	95.6
1049	NW_0625de	0.625	0.625	0.625	0.0	24.3	0.417	360	1.0	1.0	95.6
1050	NW_0750de	0.75	0.75	0.75	0.0	24.3	0.299	360	1.0	1.0	95.6
1051	NW_0875de	0.875	0.875	0.875	0.0	24.3	0.162	360	1.0	1.0	95.6
1052	NW_1000de	1.0	1.0	1.0	0.0	24.3	0.0	360	1.0	1.0	95.6

input: *rgb/cmyk* -> *rgbde*
output: 3D-linearization to *cmy0*de*

PN180-TN; 21/22-F

TUB-test chart PN18; colour rendering
colors and differences, ΔE^* , 3D=L, de=L, *cmy0**

