


Test chart 1 for color rendering: 54 standard colours for D65; offset print (CMY0)



see similar files: <http://130.149.60.45/~farbmetrik/PN18/PN18.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



TUB registration: 20130201-PN18/PN18L0NA.TXT /.PS
application for measurement of offset print output

TUB material: code=rh4ta

5-013031-L0 PN180-7N

TUB-test chart PN18; colour rendering
54 standard colors; image technology

input: *rgb/cmyk* -> *rgb/cmyk*
output: no change compared



Test chart 1 for color rendering: 54 standard colours for D65; offset print (CMY0); rgb->rgb*e

see similar files: http://130.149.60.45/~farbmetrik/PN18/PN18.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-PN18/PN18L0NA.TXT /.PS
application for measurement of offset print output, separation cmy0 (CMY0)
TUB material: code=rh4ta



Series:
maximum
m

maximum
m

whitish
w

central
z

blackish
n


grey
g

5-013131-L0 PN180-71

TUB-test chart PN18; colour rendering
54 standard colors, 3D=0, de=1, cmy0

input: rgb/cmyk -> rgb_e
output: transfer to cmy0_e

Test chart 1 for color rendering: 54 standard colours for D65; offset print (CMY0); $rgb \rightarrow rgb^*e$



Series:
maximum
m

maximum
m

whitish
w

central
z


blackish
n

grey
g

see similar files: <http://130.149.60.45/~farbmetrik/PN18/PN18.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-PN18/PN18L0NA.TXT /.PS
application for measurement of offset print output, separation cmy0 (CMY0)
TUB material: code=rh4ta

Test chart 1 for color rendering: 54 standard colours for D65; offset print (CMY0); $rgb \rightarrow rgb^*e$



see similar files: <http://130.149.60.45/~farbmetrik/PN18/PN18.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-PN18/PN18L0NA.TXT /.PS
application for measurement of offset print output, separation cmy0 (CMY0)
TUB material: code=rh4ta


5-013331-L0 PN180-71

TUB-test chart PN18; colour rendering
54 standard colors, 3D=0, de=1, $cmy0$

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$

5-013331-F0

Test chart 1 for color rendering: 54 standard colours for D65; offset print (CMY0); $rgb \rightarrow rgb^*e$



Series:
maximum
m

maximum
m

whitish
w

central
z

blackish
n

grey
g

see similar files: <http://130.149.60.45/~farbmetrik/PN18/PN18.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-PN18/PN18L0NA.TXT /.PS
application for measurement of offset print output, separation cmy0 (CMY0)
TUB material: code=rh4ta


5-013431-L0 PN180-71

TUB-test chart PN18; colour rendering
54 standard colors, 3D=0, de=1, $cmy0$

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$

TUB registration: 20130201-PN18/PN18L0NA.TXT /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation cmy0 (CMY0)

see similar files: <http://130.149.60.45/~farbmetrik/PN18/PN18.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



TUB-test chart PN18; colour rendering
54 standard colors, 3D=0, de=1, *cmy0*

input: *rgb/cmyk* \rightarrow *rgb_e*
output: transfer to *cmy0_e*



http://130.149.60.45/~farbmetrik/PN18/PN18L0NA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 7/22

Table with columns: nuf, HHC*Fe, rpb_Fe, icr_Fe, hsa_Fe, rpb*Fe, LabCH*Fe, LabCH*Ye, DFE*Fe, hsa*Fe, rpb*Ye, LabCH*Ye, DFE*Ye, hsa*Ye. Rows list various color and registration marks with their corresponding values.

input: rgb/cmyk -> rgbe output: transfer to cmy0e

Table with 40 columns (muf, HHC*Fe, rpb*Fe, icr*Fe, hsr*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, LabCh*Fe) and 3 rows of data.

http://130.149.60.45/~farbmatrik/PN18/PN18LONA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 9/22

input: rgb/cmyk -> rgbe output: transfer to cmy0e

Table with 80 columns (numbered 1-80) and 80 rows (numbered 1-80). Each cell contains numerical data representing color calibration values for various color patches.

PN180-TN; 9/22-F

5-013831-FD

TUB-test chart PN18; colour rendering colors and differences, ΔE*, 3D=0, de=L, cmy0

http://130.149.60.45/~farbmatrik/PN18/PN18LONA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 10/22

input: rgb/cmyk -> rgbe output: transfer to cmy0e





Table with 16 columns: n, HHC*Fe, rpb*Fe, icr*Fe, hsa*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, DF*Fe, hsa*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, LabCH*Fe. Rows 81-161.

delta E* = 12.0

PN180-TN; 1022-F

TUB-test chart PN18; colour rendering colors and differences, ΔE*, 3D=0, de=L, cmy0





5-013931-F0




http://130.149.60.45/~farbmetrik/PN18/PN18LONA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 11/22

Table with 24 columns: n, HHC*Fe, rpb*Fe, icr*Fe, hsa*Fe, rpb*Fe, LabCH*Fe, hsa*Fe, rpb*Fe, LabCH*Fe, DF*Fe, hsa*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, LabCH*Fe, DF*Fe, hsa*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, LabCH*Fe. Rows include color names like ROOY, B50R, B34R, etc.

PN180-TN; 11/22-F TUB-test chart PN18; colour rendering colors and differences, ΔE*, 3D=0, de=L, cmy0 input: rgb/cmyk -> rgbe output: transfer to cmy0e





http://130.149.60.45/~farbmetrik/PN18/PN18LONA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 13/22


input: rgb/cmyk -> rgbe output: transfer to cmy0e

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, hsa*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, DF*Fe, hsa*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe. Rows 324-404.

delta E* = 15.7

PN180-TN; 1322-F

TUB-test chart PN18; colour rendering colors and differences, AE*, 3D=0, de=L, cmy0



http://130.149.60.45/~farbmetrik/PN18/PN18LONA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 14/22

input: rgb/cmyk -> rgbe output: transfer to cmy0e

Table with 10 columns: n, HHC*Fe, rpb*Fe, icr*Fe, hsa*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, LabCH*Fe, LabCH*Fe. Rows 405-485.

PN180-TN; 1422-F

TUB-test chart PN18; colour rendering colors and differences, ΔE*, 3D=0, de=L, cmy0

5-013131-F0

http://130.149.60.45/~farbmetrik/PN18/PN18LONA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 15/22

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, rpb*Fe, LabCH*Fe, DF*Fe, Ham*Fe, rpb*Fe, LabCH*Fe. Rows include color names like R00Y, R35Y, R50Y, etc.

5-0131431-F0 PN180-TN; L522-F input: rgb/cmyk -> rgbe output: transfer to cmy0e

http://130.149.60.45/~farbmetrik/PN18/PN18LONA.TXT /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 16/22

Table with 14 columns: n, HHC*Fe, rgb*Fe, icr*Fe, hsa*Fe, LabCH*Fe, rgb*Fe, LabCH*Fe, DF*Fe, Hsa*Fe, rgb*Fe, LabCH*Fe, LabCH*Fe, LabCH*Fe. The table contains numerical data for various color and registration parameters across 647 rows.

input: rgb/cmyk -> rgbe
output: transfer to cmy0e



5-0131531-F0

Table with 13 columns: n, HHC*Fe, rgb*Fe, icr*Fe, Hs*Fe, LabCh*Fe, LabCh*Fe, LabCh*Fe, LabCh*Fe, LabCh*Fe, LabCh*Fe, LabCh*Fe, LabCh*Fe. Rows include color codes like R00Y, R15Y, B68R, etc., and numerical values for each color channel.

5-0131631-F0

see similar files: http://130.149.60.45/~farbmetrik/PN18/PN18.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbe
output: transfer to cmy0e

TUB-test chart PN18; colour rendering
colors and differences, ΔE*, 3D=0, de=L, cmy0

PN180-FN; 1722-F

delta E* = 15.7

TUB registration: 20130201-PN18/PN18LONA.TXT /.PS application for measurement of offset print output, separation cmy0 (CMY0) TUB material: code=rha4ta

http://130.149.60.45/~farbmetrik/PN18/PN18LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 18/22

Table with 15 columns: n, H#C*Fe, rgb*Fe, icf*Fe, ihs*Fe, LabC*Fe, LabCH*Fe, rpb*Fe, LabCH*Fe, DF*Fe, HaM*, rpb*Me, LabCH*Me, and 0.0. Rows list various color patches like NV_100a, G50B_100.025a, etc.

input: rgb/cmyk -> rgbe output: transfer to cmy0e delta E** = 9.5

TUB-test chart PN18; colour rendering colors and differences, AE*, 3D=0, de=L, cmy0

see similar files: http://130.149.60.45/~farbmetrik/PN18/PN18.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

http://130.149.60.45/~farbmetrik/PN18/PN18LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 19/22

Table with columns: n, HHC%Fe, Hs_Fe, rpb_Fe, iet_Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, DF%Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, LabCh*Fe. The table contains color calibration data for various printing conditions and materials, with values ranging from 0.0 to 360.0 across multiple columns.

TUB-test chart PN18; colour rendering colors and differences, ΔE*, 3D=0, de=L, cmy0

input: rgb/cmyk -> rgbe output: transfer to cmy0e

http://130.149.60.45/~farbmetrik/PN18/PN18LONA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/22



Table with 10 columns: n, HHC*Fe, rpb*Fe, icr*Fe, hsa*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe. Rows 891-971. Includes a 'delta E*' value of 15.4 at the bottom right of the table area.

input: rgb/cmyk -> rgbe output: transfer to cmy0e

http://130.149.60.45/~farbmetrik/PN18/PN18L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 22/22



Table with columns: n, HHC*Fe, rgb*Fe, icr*Fe, hsa*Fe, rgb*Fe, LabCIP*Fe, LabCIP*Fe, LabCIP*Fe, DF*Fe, hsa*Fe, rgb*Fe, LabCIP*Me, LabCIP*Me, LabCIP*Me. Rows include color names like NV_086e, NV_093e, NV_100e, NV_100e, NV_006e, NV_013e, NV_020e, NV_026e, NV_033e, NV_040e, NV_046e, NV_053e, NV_066e, NV_073e, NV_086e, NV_086e, NV_100e, ROY_100_100e, GS0B_100_100e, Y06C_100_100e, B06C_100_100e, B50R_100_100e, B50R_100_100e.



input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart PN18; colour rendering colors and differences, ΔE*, 3D=0, de=1, cmy0

PN180-TN; 2222-F

S-0132131-F0