


Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 262/360 = 0.72$

$H^*_- = G75B_-$

Data for any device (d) or elementary (e) colour:

HIC^*_-
hue text for the colours of this page:
 $H^*_- = G75B_-$
triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6
Y _{-,Ma}	90.3	-10.2	91.7	92.3
G _{-,Ma}	50.9	-62.8	34.9	71.9
C _{-,Ma}	58.6	-30.3	-45.0	54.2
B _{-,Ma}	25.7	31.0	-44.4	54.2
M _{-,Ma}	48.1	75.2	-8.3	75.7
N _{-,Ma}	18.0	0.0	0.0	0.0
W _{-,Ma}	95.4	0.0	0.0	0.0
R _{-,CIE}	39.9	58.7	27.9	65.0
Y _{-,CIE}	81.2	-2.8	71.5	71.6
G _{-,CIE}	52.2	-42.4	13.6	44.5
B _{-,CIE}	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 45 -5 -44 44 262

$HIC^*_{-,Ma}$: G75B_100_100_

$rgbic^*_{-,Ma}$:



0.0 0.5 1.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3
R25Y_100_100_	56.8	48.0	50.5	69.6
R50Y_100_100_	68.6	25.0	63.9	68.6
R75Y_100_100_	80.6	4.8	77.2	77.3
Y00G_100_100_	90.2	-9.6	88.2	88.7
Y25G_100_100_	83.2	-18.4	79.9	81.9
Y50G_100_100_	73.3	-31.7	62.7	70.2
Y75G_100_100_	62.0	-49.7	43.2	65.8
G00B_100_100_	55.8	-65.2	33.8	73.4
G25B_100_100_	59.3	-50.3	-9.0	51.0
G50B_100_100_	63.0	-30.5	-42.0	51.9
G75B_100_100_	45.7	-5.7	-44.6	44.9
B00R_100_100_	27.5	25.9	-47.3	53.9
B25R_100_100_	38.3	52.6	-28.5	59.8
B50R_100_100_	49.5	73.5	-9.0	74.0
B75R_100_100_	48.9	69.3	12.9	70.4

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/RE01/RE01.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


TUB registration: 20130201-RE01/RE01LONP.PDF /.PS
application for measurement of display output

TUB material: code=rh4ta



TUB-test chart RE01; hue code: $H^*_- = G75B_-$
Test chart according to DIN 33872, 3D=0, de=0, sRGB

input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change




Input and Output: Television Luminous System TLS00a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 285/360 = 0.79$

$H^*_d = G75B_d$

Data for any device (d) or elementary (e) colour:

HIC^*_d
hue text for the colours of this page:
 $H^*_d = G75B_d$
triangle lightness T^*



TLS00a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	50.4	76.9	64.5	100.4	40
Y _{d, Ma}	92.6	-20.7	90.7	93.0	102
G _{d, Ma}	83.6	-82.7	79.8	115.0	136
C _{d, Ma}	86.8	-46.1	-13.5	48.1	196
B _{d, Ma}	30.3	76.0	-103.5	128.5	306
M _{d, Ma}	57.2	94.3	-58.4	110.9	328
N _{d, Ma}	0.0	0.0	0.0	0.0	0
W _{d, Ma}	95.4	0.0	0.0	0.0	0
R _{d, CIE}	39.9	58.7	27.9	65.0	25
Y _{d, CIE}	81.2	-2.8	71.5	71.6	92
G _{d, CIE}	52.2	-42.4	13.6	44.5	162
B _{d, CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma$: 51 18 -68 70 285

HIC^*_d, Ma : G75B_100_100d



$rgbic^*_d, Ma$: 0.0 0.5 1.0 1.0 1.0

triangle lightness T^*

TLS00a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	50.4	76.9	64.5	100.4	40
R25Y_100_100 _d	53.7	67.6	65.8	94.4	44
R50Y_100_100 _d	63.6	41.3	71.0	82.2	59
R75Y_100_100 _d	78.2	7.8	80.6	81.0	84
Y00G_100_100 _d	92.6	-20.7	90.7	93.0	102
Y25G_100_100 _d	88.7	-43.3	86.2	96.5	116
Y50G_100_100 _d	85.7	-65.2	82.4	105.1	128
Y75G_100_100 _d	84.0	-78.7	80.4	112.5	134
G00B_100_100 _d	83.6	-82.7	79.8	115.0	136
G25B_100_100 _d	84.3	-73.7	44.9	86.4	148
G50B_100_100 _d	86.8	-46.1	-13.5	48.1	196
G75B_100_100 _d	51.7	18.3	-68.3	70.7	285
B00R_100_100 _d	30.3	76.0	-103.5	128.5	306
B25R_100_100 _d	38.5	79.8	-89.7	120.0	311
B50R_100_100 _d	57.2	94.3	-58.4	110.9	328
B75R_100_100 _d	52.0	81.1	4.1	81.2	2

%Gamut
 $u^*_{rel} = 158$
%Regularity
 $g^*_{H,rel} = 19$
 $g^*_{C,rel} = 37$






see similar files: http://130.149.60.45/~farbmetrik/RE01/RE01LONP.PDF /.PS; transfer output
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE01/RE01LONP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



- Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)**
- For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
 - For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:

$$h_{ab,s} = atan [r^*_d \ cos(30) + g^*_d \ cos(150)] / [r^*_d \ sin(30) + g^*_d \ sin(150) + b^*_d \ sin(270)] \quad (1)$$
 - For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
 - For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
 - For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
 - The values rgb^*_e produce the output of the device-independent elementary hues


see similar files: http://130.149.60.45/~farbmetrik/RE01/RE01.HTM
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE01/RE01LONP.PDF /.PS
 application for measurement of display output, no separation

TUB material: code=rh4ta

Data of maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for device colors (h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^a, d_{64M}, LAB*, ddx64M (x=LabCh), r_{gb}^a, ddx361M, LAB*, ddx361M (x=LabCh), r_{gb}^a, dsx361M, LAB*, dsx361M (x=LabCh), r_{gb}^a, dex361M, LAB*, dex361M) and rows of color data.



TUB-test chart RE01; hue code: H*d=G75Bd
Test chart according to DIN 33872, 3D=0, de=0, sRGB

input: rgb/cmyk -> rgb_d
output: transfer to rgb_d


see similar files: http://130.149.60.45/~farbmetrik/RE01/RE01.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE01/RE01LONP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M
40.0	30.0	25.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0	1.0 0.0 0.263 50.9	78.3 37.3 86.7 25
41.3	37.5	33.8	1.0 0.125 0.0	51.5 73.9 64.9 98.3 41.3	1.0 0.0 0.156 50.7	77.7 51.0 92.9 33
44.6	45.0	42.1	1.0 0.25 0.0	54.0 66.7 65.9 93.8 44.6	1.0 0.157 0.0	52.2 72.0 65.3 97.2 42
50.7	52.5	50.5	1.0 0.375 0.0	58.2 55.4 67.9 87.7 50.7	1.0 0.358 0.0	57.7 56.9 67.8 88.6 49
59.7	60.0	58.8	1.0 0.5 0.0	63.6 41.3 71.0 82.2 59.7	1.0 0.488 0.0	63.1 42.8 70.9 82.8 58
71.0	67.5	67.2	1.0 0.625 0.0	70.1 25.7 75.0 79.3 71.0	1.0 0.577 0.0	67.6 31.8 73.9 80.5 66
82.9	75.0	75.6	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82.9	1.0 0.673 0.0	72.8 19.8 77.3 79.8 75
93.8	82.5	83.9	1.0 0.875 0.0	84.8 -5.7 85.0 85.2 93.8	1.0 0.755 0.0	77.5 9.3 80.1 80.6 83
102.8	90.0	92.3	1.0 1.0 0.0	92.6 -20.7 90.7 93.0 102.8	1.0 0.857 0.0	83.7 -3.3 84.5 84.6 92
110.5	97.5	101.0	0.875 1.0 0.0	90.4 -33.1 88.1 94.1 110.5	1.0 0.967 0.0	90.6 -16.4 89.5 91.0 100
117.6	105.0	109.7	0.75 1.0 0.0	88.5 -44.9 85.8 96.8 117.6	0.888 1.0 0.0	90.7 -31.7 88.5 94.0 109
123.6	112.5	118.5	0.625 1.0 0.0	86.9 -55.8 83.9 100.7 123.6	0.743 1.0 0.0	88.5 -45.4 85.8 97.1 117
128.3	120.0	127.2	0.5 1.0 0.0	85.7 -65.2 82.4 105.1 128.3	0.529 1.0 0.0	86.0 -62.9 82.9 104.1 127
131.8	127.5	136.0	0.375 1.0 0.0	84.7 -72.8 81.2 109.1 131.8	0.132 1.0 0.0	83.8 -81.2 80.1 114.1 135
134.1	135.0	144.7	0.25 1.0 0.0	84.1 -78.2 80.5 112.2 134.1	1.0 0.0	1.0 0.41 84.1 -76.8 54.3 94.1 144
135.5	142.5	153.4	0.125 1.0 0.0	83.7 -81.4 80.0 114.2 135.5	0.0 1.0	0.573 84.6 -70.9 63.3 79.8 152
136.0	150.0	162.2	0.0 1.0 0.0	83.6 -82.7 79.8 115.0 136.0	0.0 1.0	0.706 85.2 -64.6 20.7 67.9 162
137.0	157.5	169.0	0.0 1.0 0.125 83.6	-82.1 76.6 112.3 137.0	0.0 1.0	0.778 85.5 -60.6 12.2 61.9 168
139.3	165.0	175.9	0.0 1.0 0.25 83.8	-80.5 69.1 106.1 139.3	0.0 1.0	0.847 85.9 -56.4 4.0 56.7 175
143.2	172.5	182.7	0.0 1.0 0.375 84.0	-77.8 58.1 97.1 143.2	0.0 1.0	0.9 86.2 -53.2 -2.0 53.3 182
148.6	180.0	189.6	0.0 1.0 0.5 84.3	-73.7 44.9 86.4 148.6	0.0 1.0	0.952 86.6 -49.8 -8.3 50.6 189
155.8	187.5	196.4	0.0 1.0 0.625 84.7	-68.5 30.6 75.0 155.8	0.0 1.0	0.997 86.9 -46.3 -13.2 48.3 195
165.6	195.0	203.2	0.0 1.0 0.75 85.3	-62.0 15.9 64.0 165.6	0.0 0.963 1.0	84.3 -42.5 -18.2 46.4 203
178.8	202.5	210.1	0.0 1.0 0.875 86.0	-54.5 1.0 54.5 178.8	0.0 0.929 1.0	81.8 -38.8 -22.1 44.7 209
196.3	210.0	216.9	0.0 1.0 1.0 86.8	-46.1 -13.5 48.1 196.3	0.0 0.89 1.0	79.1 -34.2 -25.7 42.9 216
219.8	217.5	223.8	0.0 0.875 1.0	77.9 -32.3 -27.0 42.1 219.8	0.0 0.859 1.0	76.9 -30.7 -29.0 42.4 223
247.2	225.0	230.6	0.0 0.75 1.0	69.1 -17.0 -40.7 44.1 247.2	0.0 0.826 1.0	74.5 -27.1 -33.1 43.0 230
269.8	232.5	237.5	0.0 0.625 1.0	60.3 -0.1 -54.6 54.6 269.8	0.0 0.797 1.0	72.4 -23.5 -36.3 43.4 237
285.0	240.0	244.3	0.0 0.5 1.0	51.7 18.3 -68.3 70.7 285.0	0.0 0.763 1.0	70.1 -18.9 -39.5 44.0 244
294.8	247.5	251.2	0.0 0.375 1.0	43.8 37.6 -81.2 89.5 294.8	0.0 0.731 1.0	67.8 -15.0 -43.1 45.8 250
301.1	255.0	258.0	0.0 0.25 1.0	37.1 55.9 -92.3 107.9 301.1	0.0 0.69 1.0	64.9 -10.1 -48.0 49.2 258
304.8	262.5	264.8	0.0 0.125 1.0	32.4 69.5 -100.0 121.8 304.8	0.0 0.655 1.0	62.4 -5.0 -51.8 52.1 264
306.2	270.0	271.7	0.0 0.0 1.0	30.3 76.0 -103.5 128.5 306.2	0.0 0.609 1.0	59.3 1.7 -56.5 56.6 271
306.6	277.5	278.8	0.125 0.0 1.0	31.0 76.2 -102.4 127.7 306.6	0.0 0.555 1.0	55.5 9.3 -62.9 63.7 278
307.5	285.0	285.9	0.25 0.0 1.0	32.6 76.8 -99.8 125.9 307.5	0.0 0.488 1.0	51.0 19.9 -69.6 72.5 285
309.2	292.5	293.0	0.375 0.0 1.0	35.1 77.9 -95.5 123.3 309.2	0.0 0.404 1.0	45.7 32.7 -78.5 85.2 292
311.6	300.0	300.1	0.5 0.0 1.0	38.5 79.8 -89.7 120.0 311.6	0.0 0.27 1.0	38.2 52.8 -90.6 105.0 300
314.8	307.5	307.2	0.625 0.0 1.0	42.7 82.5 -82.7 116.8 314.8	0.0 0.146 0.0	31.3 76.4 -102.0 127.5 306
318.8	315.0	314.3	0.75 0.0 1.0	47.2 85.8 -75.1 114.0 318.8	0.0 0.605 0.0	1.0 42.1 82.1 -83.8 117.4 314
323.3	322.5	321.4	0.875 0.0 1.0	52.1 89.8 -66.9 112.0 323.3	0.0 0.811 0.0	1.0 49.7 87.9 -71.0 113.1 321
328.2	330.0	328.6	1.0 0.0 1.0	57.2 94.3 -58.4 110.9 328.2	0.0 0.992 57.2	94.2 -57.4 110.3 328
334.0	337.5	335.7	1.0 0.0 0.875 55.6	90.3 -43.9 100.4 334.0	0.0 0.856 55.4	89.9 -41.4 99.0 335
341.6	345.0	342.8	1.0 0.0 0.75 54.2	86.7 -28.6 91.3 341.6	1.0 0.0	0.735 54.1 86.5 -26.6 90.6 342
351.4	352.5	349.9	1.0 0.0 0.625 53.0	83.6 -12.6 84.6 351.4	1.0 0.0	0.65 53.3 84.5 -15.6 86.0 349
362.9	360.0	357.0	1.0 0.0 0.5 52.0	81.1 4.1 81.2 362.9	1.0 0.0	0.618 53.0 83.6 -11.6 84.4 352
375.2	367.5	364.1	1.0 0.0 0.375 51.3	79.2 21.6 82.1 375.2	1.0 0.0	0.533 52.3 82.2 -0.1 82.2 359
386.7	375.0	371.2	1.0 0.0 0.25 50.8	77.9 39.2 87.2 386.7	1.0 0.0	0.441 51.7 80.7 12.5 81.7 368
395.4	382.5	378.3	1.0 0.0 0.125 50.6	77.2 54.9 94.8 395.4	1.0 0.0	0.361 51.3 79.3 23.6 82.8 376
400.0	390.0	385.4	1.0 0.0 0.0 50.4	76.9 64.5 100.4 400.0	1.0 0.0	0.263 50.9 78.3 37.3 86.7 385



see similar files: http://130.149.60.45/~farbmetrik/RE01/RE01.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE01/RE01LONP.PDF /.PS
application for measurement of display output, no separation
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	R _d	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	R _s	rgb* dd361Mi	LAB* de361Mi	R _e	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de																			
1.0	0.0	0.0	50.4	76.9	64.5	100.4	40	1.0	0.0	0.203	50.8	78.0	45.1	90.1	30	1.0	0.0	0.0	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25	1.0	0.0	0.0					
40	30	25	1.0	0.016	0.0	50.6	76.5	64.6	100.1	40	1.0	0.0	0.189	50.7	78.0	46.9	91.0	31	1.0	0.017	0.0	1.0	0.0	0.251	50.9	78.0	39.0	87.2	26	1.0	0.017	0.0		
40	31	26	1.0	0.033	0.0	50.7	76.1	64.6	99.8	40	1.0	0.0	0.174	50.7	77.9	48.7	91.8	32	1.0	0.033	0.0	1.0	0.0	0.236	50.8	78.0	41.0	88.1	27	1.0	0.033	0.0		
40	32	27	1.0	0.05	0.0	50.9	75.7	64.7	99.6	40	1.0	0.0	0.16	50.7	77.7	50.5	92.7	33	1.0	0.05	0.0	1.0	0.0	0.22	50.8	78.1	43.0	89.1	28	1.0	0.05	0.0		
40	33	28	1.0	0.066	0.0	51.0	75.3	64.7	99.3	40	1.0	0.0	0.146	50.6	77.6	52.3	93.6	34	1.0	0.067	0.0	1.0	0.0	0.204	50.8	78.0	44.9	90.1	29	1.0	0.067	0.0		
40	34	29	1.0	0.083	0.0	51.1	74.9	64.8	99.0	40	1.0	0.0	0.131	50.6	77.3	54.2	94.4	35	1.0	0.083	0.0	1.0	0.0	0.188	50.7	78.0	46.9	91.0	31	1.0	0.083	0.0		
41	36	32	1.0	0.1	0.0	51.3	74.5	64.8	98.7	41	1.0	0.0	0.11	50.6	77.3	56.1	95.5	36	1.0	0.1	0.0	1.0	0.0	0.172	50.7	77.9	49.0	92.0	32	1.0	0.1	0.0		
41	37	33	1.0	0.116	0.0	51.4	74.1	64.9	98.5	41	1.0	0.0	0.082	50.6	77.2	58.2	96.7	37	1.0	0.117	0.0	1.0	0.0	0.156	50.7	77.7	51.0	92.9	33	1.0	0.117	0.0		
41	38	34	1.0	0.133	0.0	51.7	73.4	65.0	97.4	41	1.0	0.0	0.055	50.5	77.2	60.3	98.0	38	1.0	0.133	0.0	1.0	0.0	0.14	50.6	77.5	53.0	93.9	34	1.0	0.133	0.0		
41	39	35	1.0	0.15	0.0	52.0	72.4	65.2	97.4	41	1.0	0.0	0.028	50.5	77.1	62.4	99.2	39	1.0	0.15	0.0	1.0	0.0	0.123	50.6	77.2	55.1	94.9	35	1.0	0.15	0.0		
42	40	36	1.0	0.166	0.0	52.3	71.4	65.3	96.8	42	1.0	0.0	0.0	50.5	76.9	64.6	100.4	40	1.0	0.167	0.0	1.0	0.0	0.093	50.6	77.3	57.4	96.3	36	1.0	0.167	0.0		
42	41	37	1.0	0.183	0.0	52.7	70.5	65.5	96.2	42	1.0	0.0	0.095	0.0	51.3	74.6	64.9	98.9	41	1.0	0.183	0.0	1.0	0.0	0.062	50.5	77.2	59.7	97.6	37	1.0	0.183	0.0	
43	42	38	1.0	0.2	0.0	53.0	69.5	65.6	95.6	43	1.0	0.0	0.151	0.0	52.1	72.4	65.2	97.5	42	1.0	0.2	0.0	1.0	0.0	0.032	50.5	77.1	62.1	99.0	38	1.0	0.2	0.0	
43	43	39	1.0	0.216	0.0	53.4	68.6	65.7	95.0	43	1.0	0.0	0.188	0.0	52.8	70.3	65.5	96.1	43	1.0	0.217	0.0	1.0	0.0	0.001	50.5	76.9	64.5	100.4	39	1.0	0.217	0.0	
44	44	41	1.0	0.233	0.0	53.7	67.6	65.8	94.4	44	1.0	0.0	0.225	0.0	53.6	68.2	65.8	94.8	44	1.0	0.233	0.0	1.0	0.0	0.102	0.0	51.4	74.4	64.9	98.8	41	1.0	0.233	0.0
44	45	42	1.0	0.25	0.0	54.0	66.7	65.9	93.8	44	1.0	0.0	0.256	0.0	54.3	66.1	66.1	93.5	45	1.0	0.25	0.0	1.0	0.0	0.157	0.0	52.2	72.0	65.3	97.2	42	1.0	0.25	0.0
45	46	43	1.0	0.266	0.0	54.6	65.1	66.3	93.0	45	1.0	0.0	0.277	0.0	55.0	64.3	66.6	92.5	46	1.0	0.267	0.0	1.0	0.0	0.199	0.0	53.0	69.6	65.6	95.7	43	1.0	0.267	0.0
46	47	44	1.0	0.283	0.0	55.1	63.6	66.6	92.2	46	1.0	0.0	0.297	0.0	55.6	62.4	66.9	91.5	47	1.0	0.283	0.0	1.0	0.0	0.24	0.0	53.9	67.3	65.9	94.2	44	1.0	0.283	0.0
47	48	45	1.0	0.3	0.0	55.7	62.1	66.9	91.3	47	1.0	0.0	0.318	0.0	56.3	60.6	67.3	90.5	48	1.0	0.3	0.0	1.0	0.0	0.267	0.0	54.7	65.1	66.4	93.0	45	1.0	0.3	0.0
47	49	46	1.0	0.316	0.0	56.2	60.6	67.2	90.5	47	1.0	0.0	0.338	0.0	57.0	58.7	67.6	89.5	49	1.0	0.317	0.0	1.0	0.0	0.29	0.0	55.4	63.1	66.8	91.9	46	1.0	0.317	0.0
48	50	47	1.0	0.333	0.0	56.8	59.1	67.5	89.7	48	1.0	0.0	0.359	0.0	57.7	56.9	67.8	88.5	50	1.0	0.333	0.0	1.0	0.0	0.313	0.0	56.2	61.0	67.2	90.8	47	1.0	0.333	0.0
49	51	48	1.0	0.35	0.0	57.3	57.6	67.7	88.9	49	1.0	0.0	0.378	0.0	58.3	55.1	68.1	87.6	51	1.0	0.35	0.0	1.0	0.0	0.336	0.0	56.9	59.0	67.5	89.7	48	1.0	0.35	0.0
50	52	49	1.0	0.366	0.0	57.9	56.2	67.9	88.1	50	1.0	0.0	0.392	0.0	58.9	53.6	68.6	87.0	52	1.0	0.367	0.0	1.0	0.0	0.358	0.0	57.7	56.9	67.8	88.6	49	1.0	0.367	0.0
51	53	51	1.0	0.383	0.0	58.5	54.5	68.2	87.3	51	1.0	0.0	0.406	0.0	59.6	52.0	69.0	86.4	53	1.0	0.383	0.0	1.0	0.0	0.379	0.0	58.4	55.0	68.1	87.6	51	1.0	0.383	0.0
52	54	52	1.0	0.4	0.0	59.3	52.6	68.8	86.6	52	1.0	0.0	0.42	0.0	60.2	50.4	69.4	85.8	54	1.0	0.4	0.0	1.0	0.0	0.395	0.0	59.1	53.2	68.7	86.9	52	1.0	0.4	0.0
53	55	53	1.0	0.416	0.0	60.0	50.7	69.3	85.9	53	1.0	0.0	0.433	0.0	60.8	48.8	69.8	85.2	55	1.0	0.417	0.0	1.0	0.0	0.41	0.0	59.7	51.5	69.1	86.2	53	1.0	0.417	0.0
54	56	54	1.0	0.433	0.0	60.7	48.8	69.7	85.1	54	1.0	0.0	0.447	0.0	61.4	47.3	70.1	84.5	56	1.0	0.433	0.0	1.0	0.0	0.426	0.0	60.4	49.7	69.6	85.5	54	1.0	0.433	0.0
56	57	55	1.0	0.45	0.0	61.4	46.9	70.1	84.4	56	1.0	0.0	0.461	0.0	62.0	45.7	70.4	83.9	57	1.0	0.45	0.0	1.0	0.0	0.441	0.0	61.1	48.0	69.9	84.8	55	1.0	0.45	0.0
57	58	56	1.0	0.466	0.0	62.2	45.1	70.4	83.6	57	1.0	0.0	0.475	0.0	62.6	44.1	70.7	83.3	58	1.0	0.467	0.0	1.0	0.0	0.457	0.0	61.8	46.2	70.3	84.1	56	1.0	0.467	0.0
58	59	57	1.0	0.483	0.0	62.9	43.2	70.7	82.9	58	1.0	0.0	0.489	0.0	63.2	42.6	70.9	82.7	59	1.0	0.483	0.0	1.0	0.0	0.472	0.0	62.5	44.5	70.6	83.4	57	1.0	0.483	0.0
59	60	58	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59	1.0	0.0	0.502	0.0	63.8	41.1	71.2	82.2	60	1.0	0.5	0.0	1.0	0.0	0.488	0.0	63.1	42.8	70.9	82.8	58	1.0	0.5	0.0
61	61	60	1.0	0.516	0.0	64.5	39.3	71.7	81.8	61	1.0	0.0	0.513	0.0	64.4	39.7	71.6	81.9	61	1.0	0.517	0.0	1.0	0.0	0.502	0.0	63.8	41.1	71.2	82.2	60	1.0	0.517	0.0
62	62	61	1.0	0.533	0.0	65.3	37.2	72.4	81.4	62	1.0	0.0	0.525	0.0	64.9	38.3	72.1	81.7	62	1.0	0.533	0.0	1.0	0.0	0.515	0.0	64.4	39.5	71.7	81.9	61	1.0	0.533	0.0
64	63	62	1.0	0.55	0.0	66.2	35.1	73.0	81.0	64	1.0	0.0	0.536	0.0	65.5	37.0	72.5	81.4	63	1.0	0.55	0.0	1.0	0.0	0.527	0.0	65.1	38.0	72.2	81.6	62	1.0	0.55	0.0
65	64	63	1.0	0.566	0.0	67.1	33.0	73.5	80.6	65	1.0	0.0	0.547	0.0	66.1	35.6	72.9	81.1	64	1.0	0.567	0.0	1.0	0.0	0.54	0.0	65.7	36.5	72.7	81.3	63	1.0	0.567	0.0
67	65	64	1.0	0.583	0.0	67.9	31.0	74.0	80.3	67	1.0	0.0	0.558	0.0	66.7	34.2	73.3	80.9	65	1.0	0.583	0.0	1.0	0.0	0.552	0.0	66.4	34.9	73.1	81.0	64	1.0	0.583	0.0
68	66	65	1.0	0.6	0.0	68.8	28.9	74.5	79.9	68	1.0	0.0	0.569	0.0	67.2	32.8	73.7	80.6	66	1.0	0.6	0.0	1.0	0.0	0.564	0.0	67.0	33.4	73.5	80.7	65	1.0	0.6	0.0
70	67	66	1.0	0.616	0.0	69.6	26.8	74.8	79.5	70	1.0	0.0	0.58	0.0	67.8	31.4	74.0	80.4	67	1.0	0.617	0.0	1.0	0.0	0.577	0.0	67.6	31.8	73.9	80.5	66	1.0	0.617	0.0
71	68	67	1.0	0.633	0.0	70.5	24.7	75.4	79.4	71	1.0	0.0	0.591	0.0	68.4	30.0	74.3	80.1	68	1.0	0.633	0.0	1.0	0.0	0.589	0.0	68.3	30.3	74.2	80.2	67	1.0	0.633	0.0
73	69	68	1.0	0.65	0.0	71.5	22.7	76.2	79.5	73	1.0	0.0	0.602	0.0	69.0	28.6	74.6	79.9	69	1.0	0.65													

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for device and elementary color parameters (h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^{ds}, d_{sx361Mi}, LAB*, x=LabCh, r_{gb}^{ds}, ds361Mi, LAB*, x=LabCh, r_{gb}^{de}, d_{sx361Mi}, LAB*, x=LabCh, r_{gb}^{de}, de361Mi, LAB*, x=LabCh, r_{gb}^{de}, de361Mi, LAB*, x=LabCh) and rows for 48 color patches (103-128).

1-003630-L0 RE010-70 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Output: sRGB standard device; no separation, D65, page 7/29

TUB-test chart RE01; hue code: H*d=G75Bd
48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> r_{gb}_d
output: transfer to r_{gb}_d

TUB registration: 20130201-RE01/RE01LONP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rh4t4

see similar files: http://130.149.60.45/~farbmetrik/RE01/RE01.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours $RYGCBM_d$; $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_d	$dd361M$	LAB^*_d	$dsx361Mi$ (x=LabCh)	rgb^*_s	$ds361Mi$	LAB^*_s	$dsx361Mi$ (x=LabCh)	rgb^*_e	$dd361Mi$	LAB^*_e	$dex361Mi$ (x=LabCh)	rgb^*_e	$dd361Mi$	rgb^*_d	rgb^*_s	rgb^*_e																
128	120	127	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128	0.7	1.0	0.0	87.9	-49.1	85.3	98.4	120	0.5	1.0	0.0	0.529	1.0	0.0	86.0	-62.9	82.9	104.1	127	0.5	1.0	0.0			
128	121	128	0.483	1.0	0.0	85.5	-66.2	82.3	105.6	128	0.68	1.0	0.0	87.7	-50.9	84.9	99.1	121	0.483	1.0	0.0	0.498	1.0	0.0	85.7	-65.3	82.4	105.2	128	0.483	1.0	0.0			
129	122	129	0.466	1.0	0.0	85.4	-67.2	82.1	106.1	129	0.659	1.0	0.0	87.4	-52.8	84.6	99.7	122	0.466	1.0	0.0	0.456	1.0	0.0	85.4	-67.8	82.1	106.5	129	0.466	1.0	0.0			
129	123	130	0.45	1.0	0.0	85.3	-68.2	82.0	106.7	129	0.638	1.0	0.0	87.1	-54.6	84.2	100.4	123	0.45	1.0	0.0	0.414	1.0	0.0	85.1	-70.3	81.7	107.9	130	0.45	1.0	0.0			
130	124	131	0.433	1.0	0.0	85.2	-69.2	81.8	107.2	130	0.615	1.0	0.0	86.9	-56.5	83.9	101.1	124	0.433	1.0	0.0	0.372	1.0	0.0	84.7	-72.9	81.3	109.2	131	0.433	1.0	0.0			
130	125	133	0.416	1.0	0.0	85.0	-70.2	81.7	107.8	130	0.589	1.0	0.0	86.6	-58.4	83.6	102.1	125	0.416	1.0	0.0	0.309	1.0	0.0	84.4	-75.6	80.9	110.8	133	0.416	1.0	0.0			
131	126	134	0.4	1.0	0.0	84.9	-71.3	81.5	108.3	131	0.562	1.0	0.0	86.3	-60.4	83.3	103.0	126	0.4	1.0	0.0	0.244	1.0	0.0	84.1	-78.3	80.5	112.4	134	0.4	1.0	0.0			
131	127	135	0.383	1.0	0.0	84.8	-72.3	81.3	108.8	131	0.536	1.0	0.0	86.1	-62.4	83.0	103.9	127	0.383	1.0	0.0	0.132	1.0	0.0	83.8	-81.2	80.1	114.1	135	0.383	1.0	0.0			
132	128	136	0.366	1.0	0.0	84.7	-73.2	81.2	109.3	132	0.51	1.0	0.0	85.8	-64.4	82.6	104.8	128	0.366	1.0	0.0	0.0	1.0	0.0	0.073	83.7	-82.3	78.0	113.5	136	0.366	1.0	0.0		
132	129	137	0.35	1.0	0.0	84.6	-73.9	81.1	109.7	132	0.477	1.0	0.0	85.5	-66.5	82.3	105.8	129	0.35	1.0	0.0	0.0	1.0	0.0	0.165	83.7	-81.6	74.2	110.4	137	0.35	1.0	0.0		
132	130	138	0.333	1.0	0.0	84.5	-74.6	81.0	110.1	132	0.442	1.0	0.0	85.3	-68.7	82.0	107.0	130	0.333	1.0	0.0	0.0	1.0	0.0	0.227	83.8	-80.8	70.5	107.3	138	0.333	1.0	0.0		
132	131	140	0.316	1.0	0.0	84.4	-75.3	80.9	110.6	132	0.406	1.0	0.0	85.0	-70.9	81.6	108.1	131	0.316	1.0	0.0	0.0	1.0	0.0	0.273	83.8	-80.0	67.0	104.5	140	0.316	1.0	0.0		
133	132	141	0.3	1.0	0.0	84.3	-76.0	80.8	111.0	133	0.368	1.0	0.0	84.7	-73.1	81.2	109.3	132	0.3	1.0	0.0	0.0	1.0	0.0	0.311	83.9	-79.3	63.7	101.8	141	0.3	1.0	0.0		
133	133	142	0.283	1.0	0.0	84.2	-76.8	80.7	111.4	133	0.314	1.0	0.0	84.5	-75.4	80.9	110.7	133	0.283	1.0	0.0	0.0	1.0	0.0	0.349	84.0	-78.4	60.4	99.0	142	0.283	1.0	0.0		
133	134	143	0.266	1.0	0.0	84.2	-77.5	80.6	111.8	133	0.261	1.0	0.0	84.2	-77.7	80.6	112.0	134	0.266	1.0	0.0	0.0	1.0	0.0	0.383	84.0	-77.5	57.3	96.4	143	0.266	1.0	0.0		
134	135	144	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134	0.173	1.0	0.0	83.9	-80.2	80.3	113.5	135	0.25	1.0	0.0	0.0	1.0	0.0	0.41	84.1	-76.8	54.3	94.1	144	0.25	1.0	0.0		
134	136	145	0.233	1.0	0.0	84.0	-78.7	80.4	112.5	134	0.004	1.0	0.0	83.6	-82.6	79.9	115.0	136	0.233	1.0	0.0	0.0	1.0	0.0	0.437	84.2	-75.9	51.5	91.8	145	0.233	1.0	0.0		
134	137	147	0.216	1.0	0.0	84.0	-79.1	80.4	112.8	134	0.0	1.0	0.0	0.125	83.7	-82.1	76.6	112.3	137	0.216	1.0	0.0	0.0	1.0	0.0	0.464	84.2	-75.0	48.7	89.5	147	0.216	1.0	0.0	
134	138	148	0.2	1.0	0.0	83.9	-79.5	80.3	113.0	134	0.0	1.0	0.0	0.178	83.7	-81.4	73.4	109.7	138	0.2	1.0	0.0	0.0	1.0	0.0	0.491	84.3	-74.1	45.9	87.2	148	0.2	1.0	0.0	
134	139	149	0.183	1.0	0.0	83.9	-79.9	80.2	113.3	134	0.0	1.0	0.0	0.231	83.8	-80.7	70.3	107.1	139	0.183	1.0	0.0	0.0	1.0	0.0	0.513	84.4	-73.3	43.4	85.2	149	0.183	1.0	0.0	
135	140	150	0.166	1.0	0.0	83.8	-80.4	80.2	113.5	135	0.0	1.0	0.0	0.271	83.8	-80.1	67.3	104.7	140	0.166	1.0	0.0	0.0	1.0	0.0	0.533	84.5	-72.5	41.0	83.4	150	0.166	1.0	0.0	
135	141	151	0.15	1.0	0.0	83.8	-80.8	80.1	113.8	135	0.0	1.0	0.0	0.303	83.9	-79.4	64.4	102.3	141	0.15	1.0	0.0	0.0	1.0	0.0	0.553	84.5	-71.7	38.6	81.6	151	0.15	1.0	0.0	
135	142	152	0.133	1.0	0.0	83.7	-81.2	80.1	114.1	135	0.0	1.0	0.0	0.335	83.9	-78.7	61.6	100.0	142	0.133	1.0	0.0	0.0	1.0	0.0	0.573	84.6	-70.9	36.3	79.8	152	0.133	1.0	0.0	
135	143	154	0.116	1.0	0.0	83.7	-81.5	80.0	114.2	135	0.0	1.0	0.0	0.368	84.0	-77.9	58.8	97.7	143	0.116	1.0	0.0	0.0	1.0	0.0	0.593	84.7	-70.0	34.1	77.9	154	0.116	1.0	0.0	
135	144	155	0.1	1.0	0.0	83.7	-81.7	80.0	114.4	135	0.0	1.0	0.0	0.393	84.1	-77.3	56.2	95.6	144	0.1	1.0	0.0	0.0	1.0	0.0	0.614	84.7	-69.0	31.9	76.1	155	0.1	1.0	0.0	
135	145	156	0.083	1.0	0.0	83.7	-81.9	80.0	114.5	135	0.0	1.0	0.0	0.416	84.1	-76.6	53.7	93.6	145	0.083	1.0	0.0	0.0	1.0	0.0	0.631	84.8	-68.2	29.8	74.5	156	0.083	1.0	0.0	
135	146	157	0.066	1.0	0.0	83.7	-82.0	79.9	114.6	135	0.0	1.0	0.0	0.439	84.2	-75.9	51.3	91.7	146	0.066	1.0	0.0	0.0	1.0	0.0	0.646	84.9	-67.5	27.9	73.2	157	0.066	1.0	0.0	
135	147	158	0.049	1.0	0.0	83.6	-82.2	79.9	114.7	135	0.0	1.0	0.0	0.462	84.2	-75.1	48.8	89.7	147	0.049	1.0	0.0	0.0	1.0	0.0	0.661	85.0	-66.9	26.1	71.9	158	0.049	1.0	0.0	
135	148	159	0.033	1.0	0.0	83.6	-82.4	79.9	114.8	135	0.0	1.0	0.0	0.485	84.3	-74.3	46.5	87.7	148	0.033	1.0	0.0	0.0	1.0	0.0	0.676	85.0	-66.2	24.3	70.6	159	0.033	1.0	0.0	
135	149	161	0.016	1.0	0.0	83.6	-82.6	79.9	114.9	135	0.0	1.0	0.0	0.506	84.4	-73.5	44.2	85.9	149	0.016	1.0	0.0	0.0	1.0	0.0	0.691	85.1	-65.4	22.5	69.2	161	0.016	1.0	0.0	
136	150	162	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136	G_d	0.0	1.0	0.0	0.523	84.4	-72.9	42.1	84.3	$150G_s$	0.0	1.0	0.0	0.0	1.0	0.0	0.706	85.2	-64.6	20.7	67.9	$162G_e$	0.0	1.0	0.0
136	151	163	0.0	1.0	0.016	83.6	-82.7	79.4	114.6	136	0.0	1.0	0.0	0.541	84.5	-72.3	40.1	82.7	151	0.0	1.0	0.017	0.0	1.0	0.0	0.718	85.2	-63.9	19.4	66.9	163	0.0	1.0	0.017	
136	152	164	0.0	1.0	0.033	83.6	-82.6	79.0	114.3	136	0.0	1.0	0.0	0.558	84.5	-71.6	38.1	81.2	152	0.0	1.0	0.033	0.0	1.0	0.0	0.73	85.3	-63.2	18.1	65.9	164	0.0	1.0	0.033	
136	153	164	0.0	1.0	0.05	83.6	-82.5	78.5	113.9	136	0.0	1.0	0.0	0.575	84.6	-70.8	36.1	79.6	153	0.0	1.0	0.05	0.0	1.0	0.0	0.741	85.3	-62.5	16.8	64.8	164	0.0	1.0	0.05	
136	154	165	0.0	1.0	0.066	83.6	-82.4	78.1	113.5	136	0.0	1.0	0.0	0.592	84.7	-70.0	34.2	78.0	154	0.0	1.0	0.067	0.0	1.0	0.0	0.752	85.4	-61.9	15.6	63.9	165	0.0	1.0	0.067	
136	155	166	0.0	1.0	0.083	83.6	-82.3	77.6	113.2	136	0.0	1.0	0.0	0.61	84.7	-69.2	32.3	76.5	155	0.0	1.0	0.083	0.0	1.0	0.0	0.761	85.4	-61.5	14.5	63.2	166	0.0	1.0	0.083	
136	156	167	0.0	1.0	0.1	83.6	-82.2	77.2	112.8	136	0.0	1.0	0.0	0.626	84.8	-68.4	30.5	74.9	156	0.0	1.0	0.1	0.0	1.0	0.0	0.77	85.5	-61.1	13.3	62.6	167	0.0	1.0	0.1	
136	157	168	0.0	1.0	0.116	83.6	-82.1	76.8	112.5	136	0.0	1.0	0.0	0.639	84.9	-67.8	28.8	73.8	157	0.0	1.0	0.117	0.0	1.0	0.0	0.778	85.5	-60.6	12.2	61.9	168	0.0	1.0	0.117	
137	158	169	0.0	1.0	0.133	83.6	-82.0	76.0	111.9	137	0.0	1.0	0.0	0.																					

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^{*}dd361M, LAB^{*}ddx361Mi (x=LabCh), C_d, r_{gb}^{*}ds361Mi, LAB^{*}dsx361Mi (x=LabCh), 210C_s, r_{gb}^{*}de361Mi, LAB^{*}dex361Mi (x=LabCh), 216C_c, r_{gb}^{*}dd361Mi, r_{gb}^add, r_{gb}^ads, r_{gb}^ade. Rows 196-301.

1-003930-L0 RE010-70 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Output: sRGB standard device; no separation, D65, page 10/29

TUB-test chart RE01; hue code: H*d=G75Bd
48 step hue circles; r_{gb}-LabCh*tables

input: r_{gb}/cmyk -> r_{gb}_d
output: transfer to r_{gb}_d

1-003930-F0

see similar files: http://130.149.60.45/~farbmetrik/RE01/RE01.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


TUB registration: 20130201-RE01/RE01LONP.PDF /.PS
application for measurement of display output, no separation
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for device and elementary color parameters (h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^{*}, d_s361M, LAB^{*}, dsx361Mi, r_{gb}^{*}, d_e361Mi, LAB^{*}, dex361Mi) and rows for 311 different color patches.

see similar files: http://130.149.60.45/~farbmetrik/RE01/RE01.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE01/RE01LONP.PDF /.PS
application for measurement of display output, no separation
TUB material: code=rha4ta



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBCM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*_dd361M, LAB*_d, ddx361Mi (x=LabCh), r_{gb}*_ds361Mi, LAB*_s, dsx361Mi (x=LabCh), r_{gb}*_dd361Mi, LAB*_e, dex361Mi (x=LabCh), r_{gb}*_dd361Mi, and r_{gb}*_dd361Mi. Rows 311-341.

1-0031130-L0 RE010-70 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Output: sRGB standard device; no separation, D65, page 12/29

TUB-test chart RE01; hue code: H*d=G75Bd
48 step hue circles; r_{gb}-LabCh*tables

input: r_{gb}/c_{myk} -> r_{gb}_d
output: transfer to r_{gb}_d

see similar files: http://130.149.60.45/~farbmetrik/RE01/RE01.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


TUB registration: 20130201-RE01/RE01LONP.PDF /.PS
application for measurement of display output, no separation
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 40 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^{*}dd361M, LAB^{*}ddx361Mi (x=LabCh), r_{gb}^{*}ds361Mi, LAB^{*}dsx361Mi (x=LabCh), r_{gb}^{*}dd361Mi, r_{gb}^{*}de361Mi, LAB^{*}dex361Mi (x=LabCh), r_{gb}^{*}dd361Mi, r_{gb}^{*}dd₁, r_{gb}^{*}dd₂, r_{gb}^{*}dd₃. Rows 341-400.


see similar files: http://130.149.60.45/~farbmetrik/RE01/RE01.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE01/RE01LONP.PDF /.PS
application for measurement of display output, no separation
TUB material: code=rha4ta



TUB registration: 20130201-RE01/RE01L0NP.PDF /PS
 application for measurement of display output, no separation


TUB material: code=rha4ta




nif	HC*Fd	rgb_Fd	icr_Fd	hsa_Fd	rgb*Fd	LabCH*Fd	LabCH*Fd	DF*Fd	hsa*Fd	rgb*Ma	LabCH*Ma			
0/648	RO0Y_100_100a	1.0	0.0	0.0	0.0	50.4	76.9	64.5	100.4	0.0	50.4	76.9	64.5	100.4
1/657	R13Y_100_100a	1.0	0.0	0.5	37	1.0	0.116	0.0	98.5	1.0	0.116	0.0	98.5	40.0
2/666	R25Y_100_100a	1.0	0.25	0.0	1.0	0.233	0.0	64.9	98.3	0.2	3.89	0.0	51.4	74.1
3/675	R38Y_100_100a	1.0	0.5	0.0	1.0	0.366	0.0	57.9	65.8	0.4	44.2	1.0	0.233	0.0
4/684	R50Y_100_100a	1.0	0.75	0.0	1.0	0.5	0.0	66.7	67.9	0.7	51	1.0	0.366	0.0
5/693	R63Y_100_100a	1.0	1.0	0.0	1.0	0.633	0.0	55.4	67.9	0.7	42	1.0	0.5	0.0
6/702	R75Y_100_100a	1.0	1.0	0.5	68	1.0	0.633	0.0	71.0	82.2	59.7	1.0	0.633	0.0
7/711	R88Y_100_100a	1.0	1.0	0.5	83	1.0	0.766	0.0	75.0	79.7	80.2	1.0	0.766	0.0
8/720	Y00G_100_100a	1.0	1.0	0.0	90	1.0	0.0	90.7	93.0	1.0	83	1.0	0.883	0.0
9/639	Y13G_100_100a	0.875	1.0	0.0	97	0.883	0.0	82.7	102.8	0.0	89	1.0	0.0	92.6
10/558	Y25G_100_100a	0.75	1.0	0.0	104	0.766	1.0	88.3	110.6	0.8	156	0.0	0.0	90.5
11/477	Y38G_100_100a	0.625	1.0	0.0	112	0.633	1.0	86.2	96.5	1.0	102	0.0	0.0	88.7
12/396	Y50G_100_100a	0.5	1.0	0.0	120	0.5	1.0	84.1	100.5	1.0	111	0.0	0.0	85.0
13/315	Y63G_100_100a	0.375	1.0	0.0	128	0.366	1.0	82.2	105.1	1.0	119	0.0	0.0	83.3
14/234	Y75G_100_100a	0.25	1.0	0.0	136	0.233	1.0	80.4	109.3	1.0	128	0.0	0.0	81.6
15/153	Y88G_100_100a	0.125	1.0	0.0	143	0.116	1.0	78.2	114.2	1.0	143	0.0	0.0	80.0
16/72	G00B_100_100a	0.0	1.0	0.0	150	0.0	0.0	83.7	80.0	0.0	143	0.0	0.0	83.7
17/73	G13C_100_100a	0.0	1.0	0.5	157	0.0	0.116	82.7	79.8	1.0	149	0.0	0.0	83.6
18/74	G25C_100_100a	0.0	1.0	0.25	164	0.0	0.233	81.2	123.7	0.2	156	0.0	0.0	85.6
19/75	G38C_100_100a	0.0	1.0	0.5	172	0.0	0.366	80.5	136.0	0.2	162	0.0	0.0	87.3
20/76	G50C_100_100a	0.0	1.0	0.75	180	0.0	0.5	78.7	149.2	0.7	171	0.0	0.0	89.0
21/77	G63C_100_100a	0.0	1.0	1.0	188	0.0	0.633	76.9	162.6	1.0	188	0.0	0.0	90.7
22/78	G75C_100_100a	0.0	1.0	0.5	196	0.0	0.366	75.0	175.0	0.5	196	0.0	0.0	92.4
23/79	G88C_100_100a	0.0	1.0	0.5	203	0.0	0.366	73.2	187.7	0.5	203	0.0	0.0	94.1
24/80	C00B_100_100a	0.0	1.0	0.0	210	0.0	0.0	86.8	196.3	0.0	210	0.0	0.0	86.8
25/71	C13B_100_100a	0.0	1.0	0.5	217	0.0	0.116	85.1	210.3	0.5	217	0.0	0.0	88.5
26/62	C25B_100_100a	0.0	1.0	0.25	224	0.0	0.233	83.4	223.7	0.25	224	0.0	0.0	90.2
27/53	C38B_100_100a	0.0	1.0	0.5	232	0.0	0.366	81.7	237.0	0.5	232	0.0	0.0	91.9
28/44	C50B_100_100a	0.0	1.0	0.75	240	0.0	0.5	80.0	250.3	0.75	240	0.0	0.0	93.6
29/35	C63B_100_100a	0.0	1.0	1.0	248	0.0	0.633	78.2	263.6	1.0	248	0.0	0.0	95.3
30/26	C75B_100_100a	0.0	1.0	0.5	256	0.0	0.366	76.4	277.0	0.5	256	0.0	0.0	97.0
31/17	C88B_100_100a	0.0	1.0	0.5	263	0.0	0.366	74.6	290.3	0.5	263	0.0	0.0	98.7
32/8	B00M_100_100a	0.0	1.0	0.0	270	0.0	0.0	86.8	306.2	0.0	270	0.0	0.0	86.8
33/89	B13M_100_100a	0.125	1.0	0.0	277	0.0	0.116	85.1	320.6	0.125	277	0.0	0.0	88.5
34/170	B25M_100_100a	0.25	1.0	0.0	284	0.0	0.233	83.4	334.0	0.25	284	0.0	0.0	90.2
35/251	B38M_100_100a	0.375	1.0	0.0	292	0.0	0.366	81.7	347.3	0.375	292	0.0	0.0	91.9
36/332	B50M_100_100a	0.5	1.0	0.0	300	0.0	0.5	80.0	360.6	0.5	300	0.0	0.0	93.6
37/413	B63M_100_100a	0.625	1.0	0.0	308	0.0	0.633	78.2	374.0	0.625	308	0.0	0.0	95.3
38/494	B75M_100_100a	0.75	1.0	0.0	316	0.0	0.766	76.4	387.3	0.75	316	0.0	0.0	97.0
39/575	B88M_100_100a	0.875	1.0	0.0	323	0.0	0.883	74.6	400.6	0.875	323	0.0	0.0	98.7
40/656	M00R_100_100a	1.0	0.0	0.0	330	1.0	0.0	94.3	414.0	1.0	330	1.0	0.0	94.3
41/655	M13R_100_100a	1.0	0.0	0.5	337	1.0	0.0	92.6	428.3	1.0	337	1.0	0.0	96.0
42/654	M25R_100_100a	1.0	0.0	0.75	344	1.0	0.0	90.9	442.6	1.0	344	1.0	0.0	97.7
43/653	M38R_100_100a	1.0	0.0	1.0	352	1.0	0.0	89.2	456.9	1.0	352	1.0	0.0	99.4
44/652	M50R_100_100a	1.0	0.0	0.5	360	1.0	0.0	87.5	471.2	1.0	360	1.0	0.0	101.1
45/651	M63R_100_100a	1.0	0.0	0.375	368	1.0	0.0	85.8	485.5	1.0	368	1.0	0.0	102.8
46/650	M75R_100_100a	1.0	0.0	0.25	376	1.0	0.0	84.1	499.8	1.0	376	1.0	0.0	104.5
47/649	M88R_100_100a	1.0	0.0	0.125	383	1.0	0.0	82.4	514.1	1.0	383	1.0	0.0	106.2
48/648	R00Y_100_100a	1.0	0.0	0.0	390	1.0	0.0	80.7	528.4	1.0	390	1.0	0.0	107.9
49/0	NV_000a	0.0	0.0	0.0	360	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0
50/91	NV_013a	0.125	0.0	0.0	360	0.125	0.0	0.0	0.0	0.0	360	0.125	0.0	0.0
51/182	NV_025a	0.25	0.0	0.0	360	0.25	0.0	0.0	0.0	0.0	360	0.25	0.0	0.0
52/273	NV_038a	0.375	0.0	0.0	360	0.375	0.0	0.0	0.0	0.0	360	0.375	0.0	0.0
53/364	NV_050a	0.5	0.0	0.0	360	0.5	0.0	0.0	0.0	0.0	360	0.5	0.0	0.0
54/455	NV_063a	0.625	0.0	0.0	360	0.625	0.0	0.0	0.0	0.0	360	0.625	0.0	0.0
55/546	NV_075a	0.75	0.0	0.0	360	0.75	0.0	0.0	0.0	0.0	360	0.75	0.0	0.0
56/637	NV_088a	0.875	0.0	0.0	360	0.875	0.0	0.0	0.0	0.0	360	0.875	0.0	0.0
57/728	NV_100a	1.0	0.0	0.0	360	1.0	0.0	0.0	0.0	0.0	360	1.0	0.0	0.0



Mean color difference of this page: $\Delta E^* = 0.9$

input: rgb/cmyk -> rgbd
 output: transfer to rgbd



see similar files: <http://130.149.60.45/~farbmetrik/RE01/RE01.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>







http://130.149.60.45/~farbmetrik/RE01/RE01L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 15/29

input: rgb/cmyk -> rgbd output: transfer to rgbd

Table with columns: nrf, HHC*Fd, rpb_Fd, icr_Fd, hsa_Fd, rpb*Fd, LabCH*Fd, LabCH**Fd, DF*Fd, hsa_Md, rpb**Md, LabCH**Md, LabCH*Md, and numerical values for each row.

Mean color difference of this page: delta E** = 6.5









Table with 16 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCh*Fd, LabCh*Fd, rpb*Fd, LabCh*Fd, LabCh*Fd, rpb*Fd, LabCh*Fd, LabCh*Fd, rpb*Fd, LabCh*Fd. Rows 81-161.



http://130.149.60.45/~farbmetrik/RE01/RE01LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 17/29

input: rgb/cmyk -> rgbd output: transfer to rgbd

TUB-test chart RE01; hue code: H*d=G75Bd colors and differences, AE*

RE010-TN; Page 17/29-F

delta E** = 8.3

Mean color difference of this page:

Table with 10 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabC*Fd, LabC*Fd, rpb*Fd, LabC*Fd. Rows 405-485. Includes color calibration data for various color patches.

http://130.149.60.45/~farbmetrik/RE01/RE01LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 21/29

input: rgb/cmyk -> rgbd output: transfer to rgbd

delta E* = 9.7

TUB-test chart RE01; hue code: H*d=G75Bd colors and differences, ΔE*

RE010-TN; Page 21/29-F

L-0032030-F0

http://130.149.60.45/~farbmetrik/RE01/RE01LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 23/29

Table with 10 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCb*Fd, LabCb*Fd, LabCb*Fd, LabCb*Fd. Rows contain numerical data for various color and grayscale patches.

delta E* = 9.2

Mean color difference of this page:

RE010-TN, Page 23/29-F

TUB-test chart RE01; hue code: H*d=G75Bd colors and differences, ΔE*

input: rgb/cmyk -> rgbd output: transfer to rgbd

http://130.149.60.45/~farbmetrik/RE01/RE01LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 24/29

Table with 728 rows and 10 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, LabCH*Fd, rpb*Fd, LabCH*Fd, DF*Fd, hsa*Fd, rpb*Fd, LabCH*Fd. Each row contains numerical data for various color patches.

Mean color difference of this page: delta E** = 9.3

RE010-TN; Page 24/29-F

TUB-test chart RE01; hue code: H*d=G75Bd colors and differences, ΔE*

input: rgb/cmyk -> rgbd output: transfer to rgbd

Table with 100 columns (n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCh*Fd, rpb*Fd, LabCh*Fd, DF*Fd, hsa*Fd, rpb*Fd, LabCh*Fd) and 100 rows of numerical data.

http://130.149.60.45/~farbmetrik/RE01/RE01LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 26/29

input: rgb/cmyk -> rgbd output: transfer to rgbd

TUB-test chart RE01; hue code: H*d=G75Bd colors and differences, ΔE*

RE010-TN; Page 26/29-F

L-0032530-F0





Table with columns: n, HVC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCH*Fd, rpb*Fd, LabCH*Fd, DF*Fd, hsa*Fd, rpb*Fd, LabCH*Fd, rpb*Fd, LabCH*Fd. Rows include various color and grayscale patches like B50R_001_0124, B50R_002_0124, etc.

delta E* = 11.4



Mean color difference of this page:



http://130.149.60.45/~farbmetrik/RE01/RE01LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 27/29

input: rgb/cmyk -> rgbd output: transfer to rgbd

RE010-TN; Page 27/29-F

TUB-test chart RE01; hue code: H*d=G75Bd colors and differences, ΔE*





n	HC*Fd	rgb_Fd	icr_Fd	hsa_Fd	rgb*Fd	LabC*Fd	LabCH*Fd	DF*Fd	hsa*Fd	rgb*Fd	LabCH*Fd
972	NW_0004	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
973	NW_0124	0.125	0.125	0.125	0.125	11.9	0.00	0.00	0.00	0.00	0.00
974	NW_0254	0.25	0.25	0.25	0.25	23.8	0.00	0.00	0.00	0.00	0.00
975	NW_0374	0.375	0.375	0.375	0.375	35.7	0.00	0.00	0.00	0.00	0.00
976	NW_0504	0.5	0.5	0.5	0.5	47.6	0.00	0.00	0.00	0.00	0.00
977	NW_0624	0.625	0.625	0.625	0.625	59.5	0.00	0.00	0.00	0.00	0.00
978	NW_0754	0.75	0.75	0.75	0.75	71.4	0.00	0.00	0.00	0.00	0.00
979	NW_0874	0.875	0.875	0.875	0.875	83.3	0.00	0.00	0.00	0.00	0.00
980	NW_1004	1.0	1.0	1.0	1.0	95.2	0.00	0.00	0.00	0.00	0.00
981	NW_0004	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
982	NW_0124	0.125	0.125	0.125	0.125	11.9	0.00	0.00	0.00	0.00	0.00
983	NW_0254	0.25	0.25	0.25	0.25	23.8	0.00	0.00	0.00	0.00	0.00
984	NW_0374	0.375	0.375	0.375	0.375	35.7	0.00	0.00	0.00	0.00	0.00
985	NW_0504	0.5	0.5	0.5	0.5	47.6	0.00	0.00	0.00	0.00	0.00
986	NW_0624	0.625	0.625	0.625	0.625	59.5	0.00	0.00	0.00	0.00	0.00
987	NW_0754	0.75	0.75	0.75	0.75	71.4	0.00	0.00	0.00	0.00	0.00
988	NW_0874	0.875	0.875	0.875	0.875	83.3	0.00	0.00	0.00	0.00	0.00
989	NW_1004	1.0	1.0	1.0	1.0	95.2	0.00	0.00	0.00	0.00	0.00
990	NW_0004	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
991	NW_0124	0.125	0.125	0.125	0.125	11.9	0.00	0.00	0.00	0.00	0.00
992	NW_0254	0.25	0.25	0.25	0.25	23.8	0.00	0.00	0.00	0.00	0.00
993	NW_0374	0.375	0.375	0.375	0.375	35.7	0.00	0.00	0.00	0.00	0.00
994	NW_0504	0.5	0.5	0.5	0.5	47.6	0.00	0.00	0.00	0.00	0.00
995	NW_0624	0.625	0.625	0.625	0.625	59.5	0.00	0.00	0.00	0.00	0.00
996	NW_0754	0.75	0.75	0.75	0.75	71.4	0.00	0.00	0.00	0.00	0.00
997	NW_0874	0.875	0.875	0.875	0.875	83.3	0.00	0.00	0.00	0.00	0.00
998	NW_1004	1.0	1.0	1.0	1.0	95.2	0.00	0.00	0.00	0.00	0.00
999	NW_0004	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1000	NW_0124	0.125	0.125	0.125	0.125	11.9	0.00	0.00	0.00	0.00	0.00
1001	NW_0254	0.25	0.25	0.25	0.25	23.8	0.00	0.00	0.00	0.00	0.00
1002	NW_0374	0.375	0.375	0.375	0.375	35.7	0.00	0.00	0.00	0.00	0.00
1003	NW_0504	0.5	0.5	0.5	0.5	47.6	0.00	0.00	0.00	0.00	0.00
1004	NW_0624	0.625	0.625	0.625	0.625	59.5	0.00	0.00	0.00	0.00	0.00
1005	NW_0754	0.75	0.75	0.75	0.75	71.4	0.00	0.00	0.00	0.00	0.00
1006	NW_0874	0.875	0.875	0.875	0.875	83.3	0.00	0.00	0.00	0.00	0.00
1007	NW_1004	1.0	1.0	1.0	1.0	95.2	0.00	0.00	0.00	0.00	0.00
1008	NW_0004	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1009	NW_0064	0.066	0.066	0.066	0.066	6.2	0.00	0.00	0.00	0.00	0.00
1010	NW_0134	0.133	0.133	0.133	0.133	12.6	0.00	0.00	0.00	0.00	0.00
1011	NW_0204	0.2	0.2	0.2	0.2	19.0	0.00	0.00	0.00	0.00	0.00
1012	NW_0264	0.266	0.266	0.266	0.266	25.3	0.00	0.00	0.00	0.00	0.00
1013	NW_0334	0.333	0.333	0.333	0.333	31.7	0.00	0.00	0.00	0.00	0.00
1014	NW_0404	0.4	0.4	0.4	0.4	38.1	0.00	0.00	0.00	0.00	0.00
1015	NW_0464	0.466	0.466	0.466	0.466	44.4	0.00	0.00	0.00	0.00	0.00
1016	NW_0534	0.533	0.533	0.533	0.533	50.8	0.00	0.00	0.00	0.00	0.00
1017	NW_0604	0.6	0.6	0.6	0.6	57.2	0.00	0.00	0.00	0.00	0.00
1018	NW_0664	0.666	0.666	0.666	0.666	63.5	0.00	0.00	0.00	0.00	0.00
1019	NW_0734	0.734	0.734	0.734	0.734	70.0	0.00	0.00	0.00	0.00	0.00
1020	NW_0804	0.8	0.8	0.8	0.8	76.3	0.00	0.00	0.00	0.00	0.00
1021	NW_0864	0.866	0.866	0.866	0.866	82.6	0.00	0.00	0.00	0.00	0.00
1022	NW_0934	0.933	0.933	0.933	0.933	89.0	0.00	0.00	0.00	0.00	0.00
1023	NW_1004	1.0	1.0	1.0	1.0	95.4	0.00	0.00	0.00	0.00	0.00
1024	NW_0004	0.066	0.066	0.066	0.066	6.2	0.00	0.00	0.00	0.00	0.00
1025	NW_0064	0.133	0.133	0.133	0.133	12.6	0.00	0.00	0.00	0.00	0.00
1026	NW_0134	0.2	0.2	0.2	0.2	19.0	0.00	0.00	0.00	0.00	0.00
1027	NW_0204	0.266	0.266	0.266	0.266	25.3	0.00	0.00	0.00	0.00	0.00
1028	NW_0264	0.333	0.333	0.333	0.333	31.7	0.00	0.00	0.00	0.00	0.00
1029	NW_0334	0.4	0.4	0.4	0.4	38.1	0.00	0.00	0.00	0.00	0.00
1030	NW_0404	0.466	0.466	0.466	0.466	44.4	0.00	0.00	0.00	0.00	0.00
1031	NW_0464	0.533	0.533	0.533	0.533	50.8	0.00	0.00	0.00	0.00	0.00
1032	NW_0534	0.6	0.6	0.6	0.6	57.2	0.00	0.00	0.00	0.00	0.00
1033	NW_0604	0.666	0.666	0.666	0.666	63.5	0.00	0.00	0.00	0.00	0.00
1034	NW_0664	0.734	0.734	0.734	0.734	70.0	0.00	0.00	0.00	0.00	0.00
1035	NW_0734	0.8	0.8	0.8	0.8	76.3	0.00	0.00	0.00	0.00	0.00
1036	NW_0804	0.866	0.866	0.866	0.866	82.6	0.00	0.00	0.00	0.00	0.00
1037	NW_0864	0.933	0.933	0.933	0.933	89.0	0.00	0.00	0.00	0.00	0.00
1038	NW_0934	1.0	1.0	1.0	1.0	95.4	0.00	0.00	0.00	0.00	0.00
1039	NW_1004	0.066	0.066	0.066	0.066	6.2	0.00	0.00	0.00	0.00	0.00
1040	NW_0064	0.133	0.133	0.133	0.133	12.6	0.00	0.00	0.00	0.00	0.00
1041	NW_0134	0.2	0.2	0.2	0.2	19.0	0.00	0.00	0.00	0.00	0.00
1042	NW_0204	0.266	0.266	0.266	0.266	25.3	0.00	0.00	0.00	0.00	0.00
1043	NW_0264	0.333	0.333	0.333	0.333	31.7	0.00	0.00	0.00	0.00	0.00
1044	NW_0334	0.4	0.4	0.4	0.4	38.1	0.00	0.00	0.00	0.00	0.00
1045	NW_0404	0.466	0.466	0.466	0.466	44.4	0.00	0.00	0.00	0.00	0.00
1046	NW_0464	0.533	0.533	0.533	0.533	50.8	0.00	0.00	0.00	0.00	0.00
1047	NW_0534	0.6	0.6	0.6	0.6	57.2	0.00	0.00	0.00	0.00	0.00
1048	NW_0604	0.666	0.666	0.666	0.666	63.5	0.00	0.00	0.00	0.00	0.00
1049	NW_0664	0.734	0.734	0.734	0.734	70.0	0.00	0.00	0.00	0.00	0.00
1050	NW_0734	0.8	0.8	0.8	0.8	76.3	0.00	0.00	0.00	0.00	0.00
1051	NW_0804	0.866	0.866	0.866	0.866	82.6	0.00	0.00	0.00	0.00	0.00
1052	NW_0864	0.933	0.933	0.933	0.933	89.0	0.00	0.00	0.00	0.00	0.00

Mean color difference of this page:



delta E* = 1.6


http://130.149.60.45/~farbmetrik/RE01/RE01LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 28/29

input: rgb/cmyk -> rgbd output: transfer to rgbd

TUB-test chart RE01; hue code: H*_d=G75Bd colors and differences, ΔE*'


RE010-TN; Page 28/29-F






TUB registration: 20130201-RE01/RE01L0NP.PDF /.PS
 application for measurement of display output, no separation

TUB material: code=rha4ta



n	HC*Fd	rgb*Fd	ict*Fd	hsl*Fd	rgb**Fd	LabCH*Fd	hsl*Fd	LabCH**Fd	rgb**Fd	DF*Fd	hsl*Fd	rgb**Fd	LabCH**Fd	hsl*Fd	LabCH**Fd	rgb**Fd	DF*Fd	hsl*Fd	LabCH**Fd	rgb**Fd
1053	NW_0866d	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
1054	NW_0933d	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933
1055	NW_1000d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1056	NW_0066d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1057	NW_0066d	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066
1058	NW_0133d	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133
1059	NW_0266d	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
1060	NW_0266d	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266
1061	NW_0333d	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333
1062	NW_0466d	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
1063	NW_0466d	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466
1064	NW_0533d	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533
1065	NW_0666d	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
1066	NW_0666d	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666
1067	NW_0734d	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734
1068	NW_0866d	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
1069	NW_0866d	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
1070	NW_0933d	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933
1071	NW_1000d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1072	NW_0000d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1073	NW_100d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1074	ROY_100_100d	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1075	GS0B_100_100d	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1076	Y06C_100_100d	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1077	B06C_100_100d	0.0	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1078	B08C_100_100d	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1079	B50R_100_100d	1.0	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0

Mean color difference of this page: $\Delta E^* = 1.0$



see similar files: <http://130.149.60.45/~farbmetrik/RE01/RE01.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



input: *rgb/cmyk* -> *rgbd*
 output: transfer to *rgbd*

TUB-test chart RE01; hue code: H*_d=G75Bd
 colors and differences, ΔE^*