

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 262/360 = 0.72$

$H^*_- = G75B_-$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = G75B_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 45 -5 -44 44 262

$HIC^*_{-,Ma}$: G75B_100_100_



$rgbic^*_{-,Ma}$:

0.0 0.5 1.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



see similar files: <http://130.149.60.45/~farbmetrik/RE05/RE05LOFP.PDF> / .PS; start output
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



TUB registration: 20150701-RE05/RE05LOFP.PDF / .PS
application for measurement of offset print output

TUB material: code=rh4ta

1-113030-L0 RE050-7N

TUB-test chart RE05; hue code: $H^*_- = G75B_-$
Test chart according to DIN 33872, 3D=1, de=1, cmk^*

input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change




Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 244/360 = 0.67$

$H^*_e = G75B_e$

Data for any device (d) or elementary (e) colour:

HIC^*_e
hue text for the colours of this page:
 $H^*_e = G75B_e$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	47.6	64.9	30.9	71.9
Ye,Ma	82.9	-3.5	87.8	87.9
Ge,Ma	52.4	-67.1	21.5	70.5
Ce,Ma	56.6	-39.7	-29.9	49.8
Be,Ma	37.9	1.3	-45.4	45.4
Me,Ma	34.8	49.2	-30.0	57.7
Ne,Ma	17.7	0.0	0.0	0.0
We,Ma	95.4	0.0	0.0	0.0
Re,CIE	39.9	58.7	27.9	65.0
Ye,CIE	81.2	-2.8	71.5	71.6
Ge,CIE	52.2	-42.4	13.6	44.5
Be,CIE	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 52 \ -21 \ -44 \ 48 \ 244$

$HIC^*_{e, Ma}: G75B_100_100_e$



$rgbic^*_{e, Ma}: 0.0 \ 0.78 \ 1.0 \ 1.0 \ 1.0$

triangle lightness T^*

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	47.6	64.9	30.9	71.9
R25Y_100_100_e	51.5	54.2	47.2	71.9
R50Y_100_100_e	60.3	35.6	59.0	68.9
R75Y_100_100_e	70.4	17.0	72.2	74.1
Y00G_100_100_e	82.9	-3.5	87.8	87.9
Y25G_100_100_e	76.9	-25.5	75.9	80.1
Y50G_100_100_e	65.8	-41.4	54.4	68.3
Y75G_100_100_e	56.9	-56.3	38.1	68.0
G00B_100_100_e	52.4	-67.1	21.5	70.5
G25B_100_100_e	54.6	-53.2	-9.0	53.9
G50B_100_100_e	56.6	-39.7	-29.9	49.8
G75B_100_100_e	52.7	-21.1	-44.1	48.9
B00R_100_100_e	37.9	1.3	-45.4	45.4
B25R_100_100_e	26.7	26.6	-45.8	52.9
B50R_100_100_e	34.8	49.2	-30.0	57.7
B75R_100_100_e	47.3	71.5	-9.9	72.1




see similar files: <http://130.149.60.45/~farbmetrik/RE05/RE05L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE05/RE05L0FP.PDF / .PS
application for measurement of offset print output, separation cmykn6* (CMYK)
TUB material: code=rh4ta

1-113130-L0 RE050-73

TUB-test chart RE05; hue code: $H^*_e = G75B_e$
Test chart according to DIN 33872, 3D=1, de=1, $cmyk^*$

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$



Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,rel} = h_{ab}/360 = 244/360 = 0.67$

$H^*_e = G75B_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = G75B_e$

triangle lightness T^*



Data for maximum colour (M_a):

$LabCh^*_{e,M_a}$: 52 -21 -44 48 244

HIC^*_{e,M_a} : G75B_100_100_e

$rgbic^*_{e,M_a}$:

0.0 0.78 1.0 1.0 1.0

triangle lightness T^*



%Gamut

$u^*_{rel} = 92$

%Regularity

$g^*H_{rel} = 57$


$g^*C_{rel} = 58$



see similar files: <http://130.149.60.45/~farbmetrik/RE05/RE05L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>


TUB registration: 20150701-RE05/RE05L0FP.PDF /.PS
application for measurement of offset print output, separation cmyk* (CMYK)

TUB material: code=rh4ta



see similar files: <http://130.149.60.45/~farbmetrik/RE05/RE05L0FP.PDF>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>


TUB registration: 20150701-RE05/RE05L0FP.PDF /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation cmyk6* (CMYK)



1-113330-L0 RE050-73


TUB-test chart RE05; hue code: $H^*_e=G75B_e$
Test chart according to DIN 33872, 3D=1, $de=1$, *cmyk**

input: *rgb/cmyk* \rightarrow *rgb_{de}*
output: 3D-linearization to *cmyk*_{de}*



TUB registration: 20150701-RE05/RE05L0FP.PDF /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation cmykn6* (CMYK)

see similar files: <http://130.149.60.45/~farbmetrik/RE05/RE05.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



1-113430-L0 RE050-73

TUB-test chart RE05; hue code: $H^*_e=G75B_e$
Test chart according to DIN 33872, 3D=1, de=1, cmyk*

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$



Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 244/360 = 0.67$

$H^*_e = G75B_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = G75B_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	47.6	64.9	30.9	71.9	25
Ye,Ma	82.9	-3.5	87.8	87.9	92
Ge,Ma	52.4	-67.1	21.5	70.5	162
Ce,Ma	56.6	-39.7	-29.9	49.8	216
Be,Ma	37.9	1.3	-45.4	45.4	271
Me,Ma	34.8	49.2	-30.0	57.7	328
Ne,Ma	17.7	0.0	0.0	0.0	0
We,Ma	95.4	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 52 \ -21 \ -44 \ 48 \ 244$

$HIC^*_{e, Ma}: G75B_100_100_e$

$rgbic^*_{e, Ma}:$

0.0 0.78 1.0 1.0 1.0

triangle lightness T^*

%Gamut



$u^*_{rel} = 92$

%Regularity

$g^*_{H,rel} = 57$


$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	47.6	64.9	30.9	71.9	25
R25Y_100_100_e	51.5	54.2	47.2	71.9	41
R50Y_100_100_e	60.3	35.6	59.0	68.9	58
R75Y_100_100_e	70.4	17.0	72.2	74.1	76
Y00G_100_100_e	82.9	-3.5	87.8	87.9	92
Y25G_100_100_e	76.9	-25.5	75.9	80.1	108
Y50G_100_100_e	65.8	-41.4	54.4	68.3	127
Y75G_100_100_e	56.9	-56.3	38.1	68.0	145
G00B_100_100_e	52.4	-67.1	21.5	70.5	162
G25B_100_100_e	54.6	-53.2	-9.0	53.9	189
G50B_100_100_e	56.6	-39.7	-29.9	49.8	216
G75B_100_100_e	52.7	-21.1	-44.1	48.9	244
B00R_100_100_e	37.9	1.3	-45.4	45.4	271
B25R_100_100_e	26.7	26.6	-45.8	52.9	300
B50R_100_100_e	34.8	49.2	-30.0	57.7	328
B75R_100_100_e	47.3	71.5	-9.9	72.1	352




Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk* D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_d; $h_{ab,d} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours RYGBM_d; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBM_e; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$


J=Y_d Yellow
 device CIELAB (a^*_d, b^*_d) chroma diagram



Y_e yellow
 elementary CIELAB (a^*_e, b^*_e) chroma diagram



standard CIELAB (a^*, b^*) chroma diagram



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
- For the calculation of the standard hue angle h_{ab} use for any device values rgb^*_e the equation:
 $h_{abs} = \text{atan} [r^*_e \cos(30) + g^*_e \sin(150)] / [r^*_e \sin(30) + g^*_e \sin(150)] + b^*_e \sin(270)]$ (1)
- For the 48 or 360 equally spaced standard hue angles h_{ab} of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{abs} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:
 $h_{48abs,ij} = h_{abs,i} + j [h_{abs,i+1} - h_{abs,i}] / 8$ ($i = 0, 1, \dots, 5; j = 0, 1, \dots, 7$) (2)
 $h_{360abs,ij} = h_{abs,i} + j [h_{abs,i+1} - h_{abs,i}] / 60$ ($i = 0, 1, \dots, 5; j = 0, 1, \dots, 59$) (3)
- For the 48 or 360 elementary hue angles h_{ab} of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{abs} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:
 $h_{48abs,ej} = h_{abs,e} + j [h_{abs,e+1} - h_{abs,e}] / 8$ ($i = 0, 1, \dots, 5; j = 0, 1, \dots, 7$) (4)
 $h_{360abs,ej} = h_{abs,e} + j [h_{abs,e+1} - h_{abs,e}] / 60$ ($i = 0, 1, \dots, 5; j = 0, 1, \dots, 59$) (5)
- For any elementary hue angle h_{ab} there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 4.
- The values rgb^*_e produce the output of the device-independent elementary hues

http://130.149.60.45/~farbmetrik/RE05/RE05L0FP.PDF /.PS; 3D-linearization
F: 3D-linearization RE05/RE05LE30FP.DAT in file (F), page 10/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk* D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

	$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_d	rgb^*_s	rgb^*_e	LAB^*_d	LAB^*_s	LAB^*_e	rgb^*_d	rgb^*_s	rgb^*_e	LAB^*_d	LAB^*_s	LAB^*_e	rgb^*_d	rgb^*_s	rgb^*_e	LAB^*_d	LAB^*_s	LAB^*_e	rgb^*_d	rgb^*_s	rgb^*_e										
	$ds361M$	$ds361M$	$ds361M$	$x=LabCh$	$x=LabCh$	$x=LabCh$	$x=LabCh$	$x=LabCh$	$x=LabCh$	$ds361MI$	$ds361MI$	$ds361MI$	$ds361MI$	$ds361MI$	$ds361MI$	$ds361MI$	$ds361MI$	$ds361MI$	$ds361MI$	$ds361MI$	$ds361MI$	$ds361MI$	$ds361MI$	$ds361MI$										
32	0.0	0.0	0.0	47.3	63.8	41.2	76.0	32	R_d	1.0	0.0	0.0	0.084	47.4	64.3	37.1	74.3	30	R_s	1.0	0.0	0.0	0.209	47.6	64.9	30.9	71.9	25	R_e	1.0	0.0	0.0		
33	0.0	0.0	0.0	47.8	62.7	42.0	75.4	33		1.0	0.0	0.0	0.054	47.4	64.2	38.6	74.9	31		1.0	0.0	0.0	0.18	47.6	64.8	32.4	72.5	26		1.0	0.0	0.0		
34	0.0	0.0	0.0	48.3	61.5	42.8	74.9	34		1.0	0.0	0.0	0.025	47.4	64.0	40.0	75.5	32		1.0	0.0	0.0	0.15	47.5	64.6	33.9	73.0	27		1.0	0.0	0.0		
35	0.0	0.0	0.0	48.9	60.3	43.6	74.4	35		1.0	0.0	0.0	0.003	0.0	47.5	63.7	41.3	75.9	33		1.0	0.0	0.0	0.119	47.5	64.4	35.5	73.6	28		1.0	0.0	0.0	
36	0.0	0.0	0.0	49.4	59.1	44.3	73.9	36		1.0	0.0	0.0	0.019	0.0	48.0	62.5	42.2	74.9	34		1.0	0.0	0.0	0.086	47.4	64.3	37.0	74.2	29		1.0	0.0	0.0	
37	0.0	0.0	0.0	49.9	57.9	45.1	73.4	37		1.0	0.0	0.0	0.036	0.0	48.5	61.4	43.0	74.9	35		1.0	0.0	0.0	0.053	47.4	64.2	38.6	74.9	31		1.0	0.0	0.0	
38	0.0	0.1	0.0	50.4	56.7	45.7	72.9	38		1.0	0.0	0.0	0.052	0.0	49.0	60.2	43.7	74.4	36		1.0	0.1	0.0	0.0	0.0	47.4	64.0	40.2	75.6	32		1.0	0.1	0.0
39	0.0	0.1	0.0	50.9	55.5	46.4	72.3	39		1.0	0.0	0.0	0.069	0.0	49.5	59.0	44.5	73.9	37		1.0	0.1	0.0	0.0	0.0	47.6	63.4	41.6	75.8	33		1.0	0.1	0.0
40	0.0	0.1	0.0	51.5	54.2	47.2	71.9	40		1.0	0.0	0.0	0.085	0.0	50.0	57.8	45.2	73.4	38		1.0	0.1	0.0	0.0	0.0	48.2	62.1	42.5	75.2	34		1.0	0.1	0.0
41	0.0	0.1	0.0	52.1	52.8	48.1	71.5	41		1.0	0.0	0.0	0.101	0.0	50.5	56.6	45.9	72.9	39		1.0	0.1	0.0	0.0	0.0	48.7	60.8	43.4	74.6	35		1.0	0.1	0.0
42	0.0	0.1	0.0	52.8	51.4	49.0	71.1	42		1.0	0.0	0.0	0.118	0.0	51.0	55.4	46.5	72.4	40		1.0	0.1	0.0	0.0	0.0	49.3	59.5	44.2	74.1	36		1.0	0.1	0.0
43	0.0	0.1	0.0	53.4	50.1	49.9	70.7	43		1.0	0.0	0.0	0.132	0.0	51.5	54.3	47.2	72.0	41		1.0	0.1	0.0	0.0	0.0	49.8	58.1	45.0	73.5	37		1.0	0.1	0.0
44	0.0	0.2	0.0	54.1	48.7	50.7	70.3	44		1.0	0.0	0.0	0.145	0.0	52.0	53.2	47.9	71.7	42		1.0	0.2	0.0	0.0	0.0	50.4	56.8	45.8	72.9	38		1.0	0.2	0.0
45	0.0	0.2	0.0	54.7	47.3	51.5	69.9	45		1.0	0.0	0.0	0.158	0.0	52.5	52.2	48.7	71.3	43		1.0	0.2	0.0	0.0	0.0	51.0	55.5	46.5	72.4	39		1.0	0.2	0.0
46	0.0	0.2	0.0	55.3	45.8	52.2	69.5	46		1.0	0.0	0.0	0.172	0.0	53.0	51.1	49.3	71.0	44		1.0	0.2	0.0	0.0	0.0	51.5	54.2	47.3	71.9	41		1.0	0.2	0.0
47	0.0	0.2	0.0	56.0	44.4	53.0	69.1	47		1.0	0.0	0.0	0.185	0.0	53.5	50.0	50.0	70.7	45		1.0	0.2	0.0	0.0	0.0	52.1	53.0	48.1	71.6	42		1.0	0.2	0.0
48	0.0	0.2	0.0	56.7	43.0	54.1	69.1	48		1.0	0.0	0.0	0.198	0.0	54.0	48.9	50.7	70.4	46		1.0	0.2	0.0	0.0	0.0	52.7	51.9	48.9	71.2	43		1.0	0.2	0.0
49	0.0	0.3	0.0	57.4	41.5	55.1	69.1	49		1.0	0.0	0.0	0.211	0.0	54.5	47.8	51.3	70.1	47		1.0	0.2	0.0	0.0	0.0	53.2	50.6	49.6	70.9	44		1.0	0.2	0.0
50	0.0	0.3	0.0	58.2	40.1	56.2	69.0	50		1.0	0.0	0.0	0.224	0.0	55.0	46.7	51.9	69.8	48		1.0	0.3	0.0	0.0	0.0	53.8	49.4	50.4	70.6	45		1.0	0.3	0.0
51	0.0	0.3	0.0	58.9	38.6	57.1	69.0	51		1.0	0.0	0.0	0.237	0.0	55.5	45.6	52.4	69.5	49		1.0	0.3	0.0	0.0	0.0	54.3	48.2	51.1	70.2	46		1.0	0.3	0.0
52	0.0	0.3	0.0	59.6	37.1	58.1	68.9	52		1.0	0.0	0.0	0.25	0.0	56.0	44.5	53.0	69.2	50		1.0	0.3	0.0	0.0	0.0	54.9	47.0	51.7	69.9	47		1.0	0.3	0.0
53	0.0	0.3	0.0	60.3	35.5	59.0	68.9	53		1.0	0.0	0.0	0.261	0.0	56.5	43.5	53.7	69.2	51		1.0	0.3	0.0	0.0	0.0	55.5	47.0	52.4	69.5	48		1.0	0.3	0.0
54	0.0	0.3	0.0	61.0	34.0	59.9	68.9	54		1.0	0.0	0.0	0.272	0.0	57.0	42.6	54.5	69.1	52		1.0	0.3	0.0	0.0	0.0	56.0	44.5	53.0	69.2	49		1.0	0.3	0.0
55	0.0	0.3	0.0	61.8	32.5	60.8	69.0	55		1.0	0.0	0.0	0.283	0.0	57.5	41.6	55.2	69.1	53		1.0	0.3	0.0	0.0	0.0	56.6	43.4	53.8	69.1	51		1.0	0.3	0.0
56	0.0	0.4	0.0	62.5	31.2	61.9	69.3	56		1.0	0.0	0.0	0.295	0.0	58.0	40.6	55.9	69.1	54		1.0	0.4	0.0	0.0	0.0	57.1	42.4	54.6	69.1	52		1.0	0.4	0.0
57	0.0	0.4	0.0	63.3	29.8	62.9	69.6	57		1.0	0.0	0.0	0.306	0.0	58.5	39.6	56.6	69.1	55		1.0	0.4	0.0	0.0	0.0	57.6	41.3	55.4	69.1	53		1.0	0.4	0.0
58	0.0	0.4	0.0	64.1	28.4	63.9	70.0	58		1.0	0.0	0.0	0.317	0.0	58.9	38.6	57.2	69.0	56		1.0	0.4	0.0	0.0	0.0	58.2	40.2	56.2	69.1	54		1.0	0.4	0.0
59	0.0	0.4	0.0	64.9	27.0	64.9	70.3	59		1.0	0.0	0.0	0.328	0.0	59.4	37.6	57.9	69.0	57		1.0	0.4	0.0	0.0	0.0	58.7	39.0	56.9	69.0	55		1.0	0.4	0.0
60	0.0	0.4	0.0	65.6	25.6	65.8	70.6	60		1.0	0.0	0.0	0.34	0.0	59.9	36.6	58.5	69.0	58		1.0	0.4	0.0	0.0	0.0	59.3	37.9	57.7	69.0	56		1.0	0.4	0.0
61	0.0	0.4	0.0	66.4	24.1	66.7	70.9	61		1.0	0.0	0.0	0.351	0.0	60.4	35.5	59.1	69.0	59		1.0	0.4	0.0	0.0	0.0	59.8	36.8	58.4	69.0	57		1.0	0.4	0.0
62	0.0	0.5	0.0	67.2	22.6	67.6	71.2	62		1.0	0.0	0.0	0.362	0.0	60.9	34.5	59.7	68.9	60		1.0	0.5	0.0	0.0	0.0	60.3	35.6	59.0	69.0	58		1.0	0.5	0.0
63	0.0	0.5	0.0	68.0	21.2	68.8	72.0	63		1.0	0.0	0.0	0.373	0.0	61.4	33.4	60.3	68.9	61		1.0	0.5	0.0	0.0	0.0	60.9	34.5	59.7	68.9	60		1.0	0.5	0.0
64	0.0	0.5	0.0	68.9	19.7	70.0	72.8	64		1.0	0.0	0.0	0.385	0.0	61.9	32.4	61.0	69.1	62		1.0	0.5	0.0	0.0	0.0	61.4	33.3	60.3	68.9	61		1.0	0.5	0.0
65	0.0	0.5	0.0	69.7	18.2	71.2	73.5	65		1.0	0.0	0.0	0.397	0.0	62.5	31.5	61.8	69.3	63		1.0	0.5	0.0	0.0	0.0	62.0	32.2	61.2	69.1	62		1.0	0.5	0.0
66	0.0	0.5	0.0	70.6	16.7	72.4	74.3	66		1.0	0.0	0.0	0.409	0.0	63.0	30.5	62.5	69.6	64		1.0	0.5	0.0	0.0	0.0	62.7	31.1	62.0	69.4	63		1.0	0.5	0.0
67	0.0	0.5	0.0	71.5	15.1	73.5	75.0	67		1.0	0.0	0.0	0.421	0.0	63.6	29.5	63.2	69.8	65		1.0	0.5	0.0	0.0	0.0	63.3	30.0	62.9	69.7	64		1.0	0.5	0.0
68	0.0	0.6	0.0	72.3	13.5	74.6	75.8	68		1.0	0.0	0.0	0.434	0.0	64.2	28.5	64.0	70.0	66		1.0	0.6	0.0	0.0	0.0	63.9	28.9	63.7	69.9	65		1.0	0.6	0.0
69	0.0	0.6	0.0	73.2	11.8	75.6	76.6	69		1.0	0.0	0.0	0.446	0.0	64.7	27.4	64.7	70.3	67		1.0	0.6	0.0	0.0	0.0	64.5	27.8	64.5	70.2	66		1.0	0.6	0.0
70	0.0	0.6	0.0	74.0	10.4	76.6	77.3	70		1.0	0.0	0.0	0.458	0.0	65.3	26.4	65.4	70.5	68		1.0	0.6	0.0	0.0	0.0	65.2	26.6	65.2	70.4	67		1.0	0.6	0.0
71	0.0	0.6	0.0	74.7	9.3	77.6	78.2	71		1.0	0.0	0.0	0.47	0.0	65.8	25.3	66.0	70.7	69		1.0	0.6	0.0	0.0	0.0	65.8	25.4	66.0	70.7	68		1.0	0.6	0.0

http://130.149.60.45/~farbmetrik/RE05/RE05LOFP.PDF /.PS; 3D-linearization
F: 3D-linearization RE05/RE05LE30FP.DAT in file (F), page 18/33

Table with columns: nrf, HHC*File, rfp_Rate, icr_File, hsa_File, rfp*File, LabC*File, cmyk*_sepRate, rfp**File, hsa**File, LabC**File, rfp***File, LabC***File, rfp****File, hsa****File, LabC****File, and delta. The table contains 360 rows of data for various color patches.

input: rgb/cmyk -> rgbde
output: 3D-linearization to cmyk*de

TUB-test chart RE05; hue code: H*_e=G75Be
colors and differences, ΔE*_a*

http://130.149.60.45/~farbmetrik/RE05/RE05L0FP.PDF /.PS; 3D-linearization F: 3D-linearization RE05/RE05LE30FP.DAT in file (F), page 19/33

Table with columns: nuf, HHC*File, rgb*File, icr*File, hsa*File, rgh*File, LabC*File, LabC*File, cmyk*sep*File, cmyk*File, rgh*File, hsa*File, LabC*File, LabC*File, delta. Rows include color patches like 0/648 ROY_100_100de, 1/666 R25Y_100_100de, etc.

input: rgb/cmyk -> rgbdelta output: 3D-linearization to cmyk*de

http://130.149.60.45/~farbmetrik/RE05/RE05LOFP.PDF /.PS; 3D-linearization F: 3D-linearization RE05/RE05LE30FP.DAT in file (F), page 21/33

Table with 16 columns: n, HHC*File, rgb_Role, icr_File, Hsa_Fate, rgp*File, LabCh*File, cmyk*_sep, cmyk*_sep, Hsa_Fate, rgp*File, LabCh*File, delta, and 16 numerical columns. It lists various color calibration data points.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*de

RE050-TN, Page 21/33-F

TUB-test chart RE05; hue code: H*e=G75Be colors and differences, ΔE*

http://130.149.60.45/~farbmetrik/RE05/RE05LOFP.PDF / PS; 3D-linearization F: 3D-linearization RE05/RE05LE30FP.DAT in file (F), page 22/33

Table with 24 columns: n, HHC*File, rgb_Rate, iet_Rate, Hsa_Rate, rgpB*File, LabCM*File, LabCM*SepRate, cmyk*SepRate, delta, Hsa*File, rgpB*File, LabCM*File, LabCM*File, delta, Hsa*File, rgpB*File, LabCM*File, LabCM*File, delta, Hsa*File, rgpB*File, LabCM*File, LabCM*File, delta. Rows include color names like ROOY, B50R, B34R, etc.

input: rgb/cmyk -> rgbdelta output: 3D-linearization to cmyk*de Mean color difference of this page: delta

http://130.149.60.45/~farbmetrik/RE05/RE05LOFP.PDF /.PS; 3D-linearization
F: 3D-linearization RE05/RE05LE30FP.DAT in file (F), page 23/33

Table with 15 columns: n, HHC*File, rgb*File, icr*File, Hsa*File, rgb*File, LabCIE*File, LabCIE*File, cmyk*sep, cmyk*sep, Hsa*File, rgb*File, LabCIE*File, LabCIE*File, delta. Rows 243-523.

input: rgb/cmyk -> rgbde
output: 3D-linearization to cmyk*de

TUB-test chart RE05; hue code: H*e=G75Be
colors and differences, ΔE*

http://130.149.60.45/~farbmetrik/RE05/RE05LOFP.PDF /.PS; 3D-linearization F: 3D-linearization RE05/RE05LE30FP.DAT in file (F), page 26/33

Table with 15 columns: n, HHC*File, rgb*File, LabCH*File, LabCH*File, LabCH*File, LabCH*File, LabCH*File, LabCH*File, LabCH*File, LabCH*File, LabCH*File, LabCH*File, LabCH*File, LabCH*File. Rows 486-566.

input: rgb/cmyk -> rgbdelta output: 3D-linearization to cmyk*de

http://130.149.60.45/~farbmetrik/RE05/RE05LOFP.PDF /.PS; 3D-linearization F: 3D-linearization RE05/RE05LE30FP.DAT in file (F), page 27/33

Table with 15 columns: n, HHC*File, rgb*File, icr*File, hsa*File, rgpb*File, LabCM*File, cmyk*sep, cmyk*File, LabCH*File, rgpb*File, hsa*File, delta. Rows include color names like R001, R002, etc.

Mean color difference of this page:

input: rgb/cmyk -> rgbdelta output: 3D-linearization to cmyk*de

http://130.149.60.45/~farbmetrik/RE05/RE05LOFP.PDF /.PS; 3D-linearization F: 3D-linearization RE05/RE05LE30FP.DAT in file (F), page 28/33

input: rgb/cmyk -> rgbdelta output: 3D-linearization to cmyk*de

Table with 15 columns: n, HHC*File, rpb*File, icr*File, Hsa*File, rpb*File, LabC*File, cmyk*sep, cmyk*sep, rpb*File, Hsa*File, LabC*File, rpb*File, LabC*File, delta. Rows 648-728.

RE050-TN, Page 28/33-F

TUB-test chart RE05; hue code: H*e=G75Be colors and differences, ΔE*

I-1132730-F0

http://130.149.60.45/~farbmetrik/RE05/RE05L0FP.PDF /.PS; 3D-linearization F: 3D-linearization RE05/RE05LE30FP.DAT in file (F), page 29/33

Table with 15 columns: n, H#C*File, rpb*File, icr*File, hsa*File, rpb*File, LabC*File, cmyk*sep, rpb*File, hsa*File, LabC*File, delta. Rows include color names like NV_1000c, G50B_100.025a, etc.

Mean color difference of this page:

input: rgb/cmyk -> rgbdelta output: 3D-linearization to cmyk*de

RE050-TN, Page 29/33-F

TUB-test chart RE05; hue code: H*_e=G75Be colors and differences, ΔE*_{ab}

<http://130.149.60.45/~farbmetrik/RE05/RE05L0FP.PDF> /PS; 3D-linearization
F: 3D-linearization RE05/RE05LE30FP.DAT in file (F), page 30/33

input: *rgb/cmyk* -> *rgbde*
output: 3D-linearization to *cmyk*de*

Table with 15 columns: n, H#C*File, H#s*File, H#s*File, LabC*File, LabC*File, LabC*File, LabC*File, LabC*File, LabC*File, LabC*File, LabC*File, LabC*File, LabC*File, LabC*File. Rows include color names like NV, BOOR, YOGC, etc.

Mean color difference of this page: delta

RE050-TN, Page 30/33-F

TUB-test chart RE05; hue code: H*_e=G75Be
colors and differences, ΔE*_a

<http://130.149.60.45/~farbmetrik/RE05/RE05L0FP.PDF /.PS; 3D-linearization>
F: 3D-linearization RE05/RE05LE30FP.DAT in file (F), page 33/33

n	HC*File	rgb*File	icT*File	hsa*File	rgb*File	LabCIP*File	cmyp*sep*File	cmyp*sep*Rate	delta	hsa*File	rgb*File	LabCIP*File	cmyp*sep*Rate	cmyp*sep*Rate	delta
1053	NW_086de	0.866	0.866	0.866	0.866	85.0	0.0	0.0	0.179	0.0	0.007	0.0	0.024	0.0	0.0
1054	NW_093de	0.933	0.933	0.933	0.933	90.2	0.0	0.0	0.084	0.0	0.005	0.0	0.02	0.0	0.0
1055	NW_100de	1.0	1.0	1.0	1.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1056	NW_006de	0.066	0.066	0.066	0.066	6.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1057	NW_006de	0.066	0.066	0.066	0.066	6.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1058	NW_013de	0.133	0.133	0.133	0.133	13.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1059	NW_026de	0.266	0.266	0.266	0.266	26.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1060	NW_026de	0.266	0.266	0.266	0.266	26.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1061	NW_033de	0.333	0.333	0.333	0.333	33.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1062	NW_046de	0.466	0.466	0.466	0.466	46.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1063	NW_046de	0.466	0.466	0.466	0.466	46.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1064	NW_053de	0.533	0.533	0.533	0.533	53.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1065	NW_053de	0.533	0.533	0.533	0.533	53.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1066	NW_066de	0.666	0.666	0.666	0.666	66.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1067	NW_066de	0.666	0.666	0.666	0.666	66.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1068	NW_073de	0.734	0.734	0.734	0.734	73.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1069	NW_073de	0.734	0.734	0.734	0.734	73.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1070	NW_086de	0.866	0.866	0.866	0.866	86.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1071	NW_086de	0.866	0.866	0.866	0.866	86.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1072	NW_100de	1.0	1.0	1.0	1.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1073	NW_100de	1.0	1.0	1.0	1.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1074	ROY_100_100de	1.0	1.0	1.0	1.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1075	GS0B_100_100de	1.0	1.0	1.0	1.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1076	Y06C_100_100de	1.0	1.0	1.0	1.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1077	B06M_100_100de	1.0	1.0	1.0	1.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1078	B08L_100_100de	1.0	1.0	1.0	1.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1079	B50R_100_100de	1.0	1.0	1.0	1.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

input: *rgb/cmyk* -> *rgbde*
output: 3D-linearization to *cmyk*de*

TUB-test chart RE05; hue code: H*_e=G75B_e
colors and differences, ΔE*_*