

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 331/360 = 0.92$

$H^*_- = B25R_-$


Data for any device (d) or elementary (e) colour:

$HIC^*_-$

hue text for the colours of this page:

$H^*_- = B25R_-$

triangle lightness  $T^*$



**ORS18a; adapted (a) CIELAB data**

name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
R <sub>-,Ma</sub>	47.9	65.3	50.5	82.6	37
Y <sub>-,Ma</sub>	90.3	-10.2	91.7	92.3	96
G <sub>-,Ma</sub>	50.9	-62.8	34.9	71.9	150
C <sub>-,Ma</sub>	58.6	-30.3	-45.0	54.2	236
B <sub>-,Ma</sub>	25.7	31.0	-44.4	54.2	305
M <sub>-,Ma</sub>	48.1	75.2	-8.3	75.7	353
N <sub>-,Ma</sub>	18.0	0.0	0.0	0.0	0
W <sub>-,Ma</sub>	95.4	0.0	0.0	0.0	0
R <sub>-,CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>-,CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>-,CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>-,CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}: 38\ 52\ -28\ 59\ 331$



$HIC^*_{-,Ma}: B25R\_100\_100\_$

$rgbic^*_{-,Ma}: 0.5\ 0.0\ 1.0\ 1.0\ 1.0$

triangle lightness  $T^*$

**ORS20a; adapted (a) CIELAB data**

$H^*_-$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



%Gamut  
 $u^*_{rel} = 92$   
%Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$

see similar files: http://130.149.60.45/~farbmetrik/RE28/RE28.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



TUB registration: 20150701-RE28/RE28LONA.TXT /PS  
application for measurement of offset print output

TUB material: code=rh4ta

1-013031-L0 RE280-7N

TUB-test chart RE28; hue code:  $H^*_- = B25R_-$   
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input:  $rgb/cmyk \rightarrow rgb/cmyk$   
output: no change



Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 300/360 = 0.83$

$H^*_e = B25R_e$


Data for any device (d) or elementary (e) colour:

$HIC^*_e$

hue text for the colours of this page:

$H^*_e = B25R_e$

triangle lightness  $T^*$



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0
Ye,Ma	83.6	-3.6	90.4	90.4
Ge,Ma	50.6	-62.1	19.9	65.2
Ce,Ma	55.0	-36.2	-27.2	45.3
Be,Ma	40.2	1.2	-40.6	40.6
Me,Ma	31.1	47.7	-29.1	55.9
Ne,Ma	24.3	0.0	0.0	0.0
We,Ma	95.6	0.0	0.0	0.0
Re,CIE	39.9	58.7	27.9	65.0
Ye,CIE	81.2	-2.8	71.5	71.6
Ge,CIE	52.2	-42.4	13.6	44.5
Be,CIE	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 28\ 23\ -40\ 46\ 300$

$HIC^*_{e, Ma}: B25R\_100\_100_e$



$rgbic^*_{e, Ma}$ :

0.0 0.1 1.0 1.0 1.0

triangle lightness  $T^*$

ORS20a; adapted (a) CIELAB data

$H^*_e$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0
R25Y_100_100_e	50.5	59.2	51.6	78.6
R50Y_100_100_e	60.2	38.2	63.4	74.1
R75Y_100_100_e	70.9	17.9	75.9	77.9
Y00G_100_100_e	83.6	-3.6	90.4	90.4
Y25G_100_100_e	74.5	-25.0	74.3	78.4
Y50G_100_100_e	62.6	-40.9	53.8	67.6
Y75G_100_100_e	54.1	-55.5	37.5	67.0
G00B_100_100_e	50.6	-62.1	19.9	65.2
G25B_100_100_e	53.0	-48.6	-8.2	49.2
G50B_100_100_e	55.0	-36.2	-27.2	45.3
G75B_100_100_e	53.3	-19.8	-41.3	45.9
B00R_100_100_e	40.2	1.2	-40.6	40.6
B25R_100_100_e	28.1	23.4	-40.3	46.7
B50R_100_100_e	31.1	47.7	-29.1	55.9
B75R_100_100_e	41.4	70.4	-9.8	71.1



%Gamut  
 $u^*_{rel} = 92$   
%Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$

see similar files: http://130.149.60.45/~farbmetrik/RE28/RE28.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20150701-RE28/RE28LONA.TXT /PS  
application for measurement of offset print output, separation cmy0 (CMY0)  
TUB material: code=rh4ta

1-013131-L0 RE280-71

TUB-test chart RE28; hue code:  $H^*_e = B25R_e$   
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input:  $rgb/cmyk \rightarrow rgb_e$   
output: transfer to  $cmy0_e$

1-013131-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 300/360 = 0.83$

$H^*_e = B25R_e$


Data for any device (d) or elementary (e) colour:

$HIC^*_e$

hue text for the colours of this page:

$H^*_e = B25R_e$

triangle lightness  $T^*$



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 28\ 23\ -40\ 46\ 300$

$HIC^*_{e, Ma}: B25R\_100\_100_e$

$rgbic^*_{e, Ma}$ :

0.0 0.1 1.0 1.0 1.0

triangle lightness  $T^*$

%Gamut



$u^*_{rel} = 92$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
$H^*_e$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352



see similar files: <http://130.149.60.45/~farbmetrik/RE28/RE28.HTM>  
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE28/RE28LONA.TXT /PS  
 application for measurement of offset print output, separation cmy0 (CMY0)  
 TUB material: code=rh4ta

1-013231-L0 RE280-71

TUB-test chart RE28; hue code:  $H^*_e=B25R_e$   
 Test chart according to DIN 33872, 3D=0, de=1, cmy0

input:  $rgb/cmyk \rightarrow rgb_e$   
 output: transfer to  $cmy0_e$

1-013231-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 300/360 = 0.83$

$H^*_e = B25R_e$


Data for any device (d) or elementary (e) colour:

$HIC^*_e$

hue text for the colours of this page:

$H^*_e = B25R_e$

triangle lightness  $T^*$



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 28 \ 23 \ -40 \ 46 \ 300$

$HIC^*_{e, Ma}: B25R\_100\_100_e$

$rgbic^*_{e, Ma}$ :

0.0 0.1 1.0 1.0 1.0

triangle lightness  $T^*$

%Gamut

$u^*_{rel} = 92$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

$H^*_e$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352



see similar files: http://130.149.60.45/~farbmetrik/RE28/RE28.HTM  
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20150701-RE28/RE28LONA.TXT /PS  
 application for measurement of offset print output, separation cmy0 (CMY0)  
 TUB material: code=rh4ta

1-013331-L0 RE280-71

TUB-test chart RE28; hue code:  $H^*_e = B25R_e$   
 Test chart according to DIN 33872, 3D=0, de=1, cmy0

input:  $rgb/cmyk \rightarrow rgb_e$   
 output: transfer to  $cmy0_e$

1-013331-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 300/360 = 0.83$

$H^*_e = B25R_e$


Data for any device (d) or elementary (e) colour:

$HIC^*_e$

hue text for the colours of this page:

$H^*_e = B25R_e$

triangle lightness  $T^*$



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 28\ 23\ -40\ 46\ 300$

$HIC^*_{e, Ma}: B25R\_100\_100_e$

$rgbic^*_{e, Ma}$ :

0.0 0.1 1.0 1.0 1.0

triangle lightness  $T^*$

%Gamut



$u^*_{rel} = 92$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
$H^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352



see similar files: http://130.149.60.45/~farbmetrik/RE28/RE28.HTM  
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20150701-RE28/RE28LONA.TXT /PS  
 application for measurement of offset print output, separation cmy0 (CMY0)  
 TUB material: code=rh4ta

1-013431-L0 RE280-71

TUB-test chart RE28; hue code:  $H^*_e=B25R_e$   
 Test chart according to DIN 33872, 3D=0, de=1, cmy0

input:  $rgb/cmyk \rightarrow rgb_e$   
 output: transfer to  $cmy0_e$

1-013431-F0



TUB registration: 20150701-RE28/RE28L0NA.TXT /.PS TUB material: code=rh4ta  
application for measurement of offset print output, separation cmy0 (CMY0)

see similar files: <http://130.149.60.45/~farbmetrik/RE28/RE28.HTM>  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

1-013531-L0 RE280-71


TUB-test chart RE28; hue code:  $H^*_e=B25R_e$   
Test chart according to DIN 33872, 3D=0,  $de=1$ , cmy0

input:  $rgb/cmyk \rightarrow rgb_e$   
output: transfer to  $cmy0_e$




Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM;  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ; Six hue angles of the device colours RYGBM;  $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$ ; Six hue angles of the elementary colours RYGBM;  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$


$J=Y_d$  Yellow  
 $O=R_d$  orange-red  
 $L=G_d$  leaf-green  
 $C=C_d$  cyan-blue  
 $M=M_d$  magenta-red  
 $V=B_d$  violet-blue



**Y<sub>e</sub> yellow**  
**G<sub>e</sub> green**  
**R<sub>e</sub> red**  
**C<sub>e</sub> blue-green**  
**B<sub>e</sub> blue**  
**M<sub>e</sub> blue-red**



standard CIELAB (a\*s, b\*s) chroma diagram



Notes to the CIELAB chroma diagrams (a\*s, b\*s), (a\*e, b\*e), (a\*d, b\*d)

- For the  $rgb^*_s$  input values the CIELAB data  $LCH^*_s$  and  $LAB^*_s$  have been calculated.
- For the calculation of the standard hue angle  $h_{ab,s}$  use for any device values  $rgb^*_s$  the equation:  

$$h_{ab,s} = \arctan \left[ r^*_s \cos(30) + g^*_s \cos(150) \right] / \left[ r^*_s \sin(30) + g^*_s \sin(150) \right] + b^*_s \sin(270) \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles  $h_{ab,i}$  of the colours of maximum chroma use the seven hue angles of the 60 degree colours  $s$ :  $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$  ( $i=0,6$ ) and the equations for a 48 and 360 step hue circle:  

$$h_{48ab,ij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,ij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles  $h_{ab,i}$  of the colours of maximum chroma use the seven hue angles of the elementary colours  $e$ :  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$  ( $i=0,6$ ) and the equations for a 48 and 360 step elementary hue circle:  

$$h_{48ab,ej} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,ej} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle  $h_{ab}$ , there is a well defined device hue angle  $h_{ab,ds}$  see the following tables, columns 1 to 5 or 1 to 4.
- The values  $rgb^*_s$  produce the output of the device-independent elementary hues

http://130.149.60.45/~farbmetrik/RE28/RE28L0NA.TXT /PS; transfer output  
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 8/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0\*; D65 for input or output; Six hue angles of the 60 degree standard colours: RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
 Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	LAB <sup>*</sup> <sub>d</sub> dx64M (x=LabCh)	rgb <sup>*</sup> <sub>d</sub> dx64M	LAB <sup>*</sup> <sub>s</sub> dx361M (x=LabCh)	rgb <sup>*</sup> <sub>s</sub> dx361M (x=LabCh)	LAB <sup>*</sup> <sub>e</sub> dx361M (x=LabCh)	rgb <sup>*</sup> <sub>e</sub> dx361M (x=LabCh)	LAB <sup>*</sup> <sub>d</sub> dx361M (x=LabCh)	rgb <sup>*</sup> <sub>d</sub> dx361M (x=LabCh)	LAB <sup>*</sup> <sub>s</sub> dx361M (x=LabCh)	rgb <sup>*</sup> <sub>s</sub> dx361M (x=LabCh)	LAB <sup>*</sup> <sub>e</sub> dx361M (x=LabCh)	rgb <sup>*</sup> <sub>e</sub> dx361M (x=LabCh)												
32.3	30.0	25.4	1.0	0.0	45.4	70.9	44.9	83.9	32.3	1.0	0.0	0.096	45.5	71.4	41.2	82.4	30	1.0	0.0	0.255	45.7	72.2	34.4	80.0	25	
38.1	37.5	33.8	1.0	0.125	0.0	48.9	62.8	49.4	79.9	38.1	1.0	0.117	0.0	48.7	63.4	49.1	80.2	37	1.0	0.1	0.0	48.2	64.5	48.6	80.7	37
46.8	45.0	42.1	1.0	0.25	0.0	53.6	51.9	55.5	76.0	46.8	1.0	0.25	0.0	52.7	54.4	54.4	76.9	45	1.0	0.183	0.0	51.1	57.9	52.5	78.1	42
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9	1.0	0.367	0.0	58.8	41.1	61.7	74.2	56	1.0	0.313	0.0	56.5	46.2	59.1	75.0	52
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67.1	1.0	0.5	0.0	64.9	37.1	64.2	74.2	60	1.0	0.288	0.0	60.3	38.3	63.5	74.1	58
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6	1.0	0.617	0.0	71.6	16.5	76.7	78.4	77	1.0	0.498	0.0	64.8	29.1	68.6	74.5	66
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2	1.0	0.75	0.0	77.9	5.5	83.9	84.1	86	1.0	0.585	0.0	69.8	20.0	74.7	77.4	75
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	92.1	92.1	1.0	0.867	0.0	83.1	-2.7	89.8	89.9	91	1.0	0.68	0.0	74.7	11.3	80.3	81.1	82
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1	1.0	1.0	0.0	87.8	-10.1	95.5	96.0	96	1.0	0.829	0.0	81.4	0.0	88.0	88.0	93
98.8	97.5	101.0	1.0	0.875	1.0	84.3	-13.9	89.2	90.3	98.8	1.0	0.883	1.0	84.6	-13.6	89.7	90.7	98	1.0	0.959	1.0	86.7	-11.4	93.5	94.2	97
101.8	105.0	109.7	1.0	0.75	1.0	80.7	-17.5	83.5	85.3	101.8	1.0	0.75	1.0	80.8	-17.4	83.6	85.4	101	1.0	0.682	1.0	80.7	-12.1	79.4	82.2	105
117.6	112.5	118.5	1.0	0.625	1.0	75.3	-24.0	77.5	79.4	107.6	1.0	0.633	1.0	75.7	-23.6	76.3	79.9	107	1.0	0.54	1.0	72.1	-28.0	69.5	75.0	112
114.0	120.0	127.2	1.0	0.5	1.0	70.6	-29.7	66.5	72.8	114.0	1.0	0.5	1.0	70.6	-29.6	66.5	72.8	114	1.0	0.399	1.0	66.7	-34.5	59.9	69.2	120
121.4	127.5	136.0	1.0	0.375	1.0	65.7	-35.5	58.3	68.3	121.4	1.0	0.383	1.0	66.1	-35.2	58.9	68.6	120	1.0	0.325	1.0	62.8	-40.6	54.0	67.6	127
135.3	135.0	144.7	1.0	0.25	1.0	58.4	-47.3	46.8	66.6	135.3	1.0	0.25	1.0	58.4	-47.3	46.9	66.6	135	1.0	0.253	1.0	58.6	-47.0	47.1	66.7	135
144.4	142.5	153.4	1.0	0.125	1.0	54.7	-53.9	38.5	66.3	144.4	1.0	0.133	1.0	55.0	-53.5	39.2	66.4	143	1.0	0.159	1.0	55.7	-52.3	40.5	68.4	142
155.5	150.0	162.2	1.0	0.0	1.0	50.0	-65.0	29.6	71.4	155.5	1.0	0.0	1.0	50.1	-64.9	29.6	71.4	155	1.0	0.062	1.0	52.4	-59.6	34.9	68.9	152
160.7	157.5	169.0	1.0	0.125	0.0	45.5	-72.9	21.9	66.5	160.7	1.0	0.117	0.0	45.5	-72.9	22.4	66.9	160	1.0	0.035	0.0	45.5	-62.9	29.2	64.4	157
167.7	165.0	175.9	1.0	0.25	0.0	40.3	-81.2	12.7	60.3	167.7	1.0	0.25	0.0	40.3	-81.2	12.7	60.3	167	1.0	0.0	0.2	40.3	-60.5	16.2	62.8	165
176.7	172.5	182.7	1.0	0.375	0.0	35.7	-89.6	5.1	54.6	176.7	1.0	0.367	0.0	35.7	-89.6	5.1	54.6	176	1.0	0.176	0.0	35.7	-57.0	8.0	57.7	172
189.3	180.0	189.6	1.0	0.5	0.0	30.9	-98.6	-8.0	49.3	189.3	1.0	0.5	0.0	30.9	-98.6	-7.9	49.3	189	1.0	0.047	0.0	30.9	-53.2	0.0	53.3	180
203.2	187.5	196.4	1.0	0.625	0.0	26.2	-108.2	-18.1	46.1	203.2	1.0	0.617	0.0	26.2	-108.2	-17.5	46.3	202	1.0	0.047	0.0	26.2	-49.9	-6.0	50.3	187
217.2	195.0	203.2	1.0	0.75	0.0	21.5	-118.2	-27.4	45.3	217.2	1.0	0.75	0.0	21.5	-118.2	-27.3	45.3	217	1.0	0.051	0.0	21.5	-46.3	-12.3	48.0	195
228.3	202.5	210.1	1.0	0.875	0.0	16.8	-128.6	-37.4	46.2	228.3	1.0	0.867	0.0	16.8	-128.6	-37.0	46.1	227	1.0	0.061	0.0	16.8	-42.9	-17.3	46.4	202
238.4	210.0	216.9	1.0	1.0	0.0	12.0	-139.2	-47.5	48.7	238.4	1.0	1.0	0.0	12.0	-139.2	-47.5	48.7	238	1.0	0.0	0.0	12.0	-39.5	-22.8	45.7	210
242.9	217.5	223.8	1.0	0.875	1.0	8.1	-150.8	-57.6	49.6	242.9	1.0	0.883	1.0	8.1	-150.8	-57.6	49.6	242	1.0	0.047	1.0	8.1	-37.2	-31.3	45.8	216
249.3	225.0	230.6	1.0	0.75	1.0	5.0	-163.4	-67.9	50.3	249.3	1.0	0.75	1.0	5.0	-163.4	-67.9	50.3	249	1.0	0.035	1.0	5.0	-32.4	-32.4	45.9	225
256.9	232.5	237.5	1.0	0.625	1.0	4.6	-177.1	-78.4	51.9	256.9	1.0	0.633	1.0	4.6	-177.1	-78.4	51.9	256	1.0	0.025	1.0	4.6	-28.9	-37.0	47.1	232
268.2	240.0	244.3	1.0	0.5	1.0	4.1	-191.8	-89.6	53.6	268.2	1.0	0.5	1.0	4.1	-191.8	-89.6	53.6	268	1.0	0.016	1.0	4.1	-23.9	-41.4	48.0	240
278.6	247.5	251.2	1.0	0.375	1.0	3.7	-207.6	-102.1	56.1	278.6	1.0	0.383	1.0	3.7	-207.6	-102.1	56.1	278	1.0	0.009	1.0	3.7	-19.8	-41.3	45.9	244
289.6	255.0	258.0	1.0	0.25	1.0	3.2	-223.8	-115.7	58.6	289.6	1.0	0.25	1.0	3.2	-223.8	-115.7	58.6	289	1.0	0.002	1.0	3.2	-15.7	-41.4	44.9	247
299.0	262.5	264.8	1.0	0.125	1.0	2.8	-241.4	-130.2	61.1	299.0	1.0	0.133	1.0	2.8	-241.4	-130.2	61.1	299	1.0	0.001	1.0	2.8	-11.7	-41.4	43.6	250
306.2	270.0	271.7	1.0	0.0	1.0	2.5	-260.0	-145.7	63.6	306.2	1.0	0.0	1.0	2.5	-260.0	-145.7	63.6	306	1.0	0.0	0.0	2.5	-7.7	-41.4	42.5	255
314.7	277.5	278.8	1.0	0.125	0.0	2.0	-279.6	-162.4	66.1	314.7	1.0	0.117	0.0	2.0	-279.6	-162.4	66.1	314	1.0	0.001	0.0	2.0	-4.7	-41.4	41.4	262
322.1	285.0	285.9	1.0	0.25	0.0	1.6	-300.0	-180.0	68.6	322.1	1.0	0.25	0.0	1.6	-300.0	-180.0	68.6	322	1.0	0.0	0.0	1.6	-2.7	-41.4	40.3	270
333.3	292.5	293.0	1.0	0.375	0.0	1.2	-322.5	-200.0	71.1	333.3	1.0	0.367	0.0	1.2	-322.5	-200.0	71.1	333	1.0	0.0	0.0	1.2	-1.7	-41.4	39.1	277
340.5	300.0	300.1	1.0	0.5	0.0	0.9	-345.0	-220.0	73.6	340.5	1.0	0.5	0.0	0.9	-345.0	-220.0	73.6	340	1.0	0.0	0.0	0.9	-1.7	-41.4	37.9	285
347.9	307.5	307.2	1.0	0.625	0.0	0.8	-367.5	-240.0	76.1	347.9	1.0	0.617	0.0	0.8	-367.5	-240.0	76.1	347	1.0	0.0	0.0	0.8	-1.7	-41.4	36.7	292
352.5	315.0	314.3	1.0	0.75	0.0	0.7	-400.0	-260.0	78.6	352.5	1.0	0.75	0.0	0.7	-400.0	-260.0	78.6	352	1.0	0.0	0.0	0.7	-1.7	-41.4	35.5	300
356.1	322.5	321.4	1.0	0.875	0.0	0.6	-435.0	-280.0	81.1	356.1	1.0	0.867	0.0	0.6	-435.0	-280.0	81.1	356	1.0	0.0	0.0	0.6	-1.7	-41.4	34.3	306
359.8	330.0	328.6	1.0	1.0	0.0	0.5	-465.0	-300.0	83.6	359.8	1.0	1.0	0.0	0.5	-465.0	-300.0	83.6	359	1.0	0.0	0.0	0.5	-1.7	-41.4	33.1	312
363.0	337.5	335.7	1.0	0.875	1.0	0.4	-500.0	-320.0	86.1	363.0	1.0	0.883	1.0	0.4	-500.0	-320.0	86.1	363	1.0	0.0	0.0	0.4	-1.7	-41.4	31.9	319
366.4	345.0	342.8	1.0	0.75	0.0	0.3	-540.0	-340.0	88.6	366.4	1.0	0.75	0.0	0.3	-540.0	-340.0	88.6	366	1.0	0.0	0.0	0.3	-1.7	-41.4	30.7	326
371.1	352.5	349.9	1.0	0.625	1.0	0.2	-585.0	-360.0	91.1	371.1	1.0	0.633	1.0	0.2	-585.0	-360.0	91.1	371	1.0	0.0	0.0	0.2	-1.7	-41.4	29.5	333
375.9	360.0	357.0	1.0	0.5	0.0	0.1	-637.5	-380.0	93.6	375.9	1.0	0.5	0.0	0.1	-637.5	-380.0	93.6	375	1.0	0.0	0.0	0.1	-1.7	-41.4	28.3	340
381.2	367.5	364.1	1.0	0.375	0.0	0.1	-700.0	-400.0	96.1	381.2	1.0	0.383	0.0	0.1	-700.0	-400.0	96.1	381	1.0	0.0	0.0	0.1	-1.7	-41.4	27.1	347
385.6	375.0	371.2	1.0	0.25	0.0	0.1	-772.5	-420.0	98.6	385.6	1.0	0.25	0.0	0.1	-772.5	-420.0	98.6	385	1.0	0.0	0.0	0.1	-1.7	-41.4	25.9	354
389.3	382.5	378.3	1.0	0.125	0.0	0.1	-855.																			





http://130.149.60.45/~farbmetrik/RE28/RE28L0NA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 10/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0\*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h\_ab,d,s = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with 10 columns: h\_ab,d, h\_ab,s, h\_ab,e, R\_d, L\*a\*b\*, d\*361MI, L\*a\*b\*, d\*361MI, R\_s, R\_g, R\_b, R\_c, R\_m, R\_y, R\_o, R\_n. Rows 32-86.

Output: Offset standard print; separation cmy0\*: D65, page 10/33

input: rgb/cmyk -> rgbe output: transfer to cmy0e







http://130.149.60.45/~farbmetrik/RE28/RE28L0NA.TXT /PS; transfer output  
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 14/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>d</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBM<sub>d</sub>; h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* <sub>s</sub>	rgb* <sub>d</sub>	rgb* <sub>e</sub>	LAB* <sub>s</sub>	LAB* <sub>d</sub>	LAB* <sub>e</sub>	rgb* <sub>s</sub>	rgb* <sub>d</sub>	rgb* <sub>e</sub>	LAB* <sub>s</sub>	LAB* <sub>d</sub>	LAB* <sub>e</sub>	rgb* <sub>s</sub>	rgb* <sub>d</sub>	rgb* <sub>e</sub>	LAB* <sub>s</sub>	LAB* <sub>d</sub>	LAB* <sub>e</sub>	rgb* <sub>s</sub>	rgb* <sub>d</sub>	rgb* <sub>e</sub>																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
238	210	216	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238	C <sub>d</sub>	0.0	1.0	0.685	54.5	-39.5	-22.8	45.7	210	C <sub>s</sub>	0.0	1.0	1.0	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	216	C <sub>e</sub>	0.0	1.0	0.757	55.1	-35.7	-27.8	45.4	217	0.0	0.983	1.0	0.0	1.0	0.767	55.2	-35.3	-28.4	45.4	218	0.0	0.967	1.0	0.0	1.0	0.778	55.2	-34.9	-29.0	45.5	219	0.0	0.95	1.0	0.0	1.0	0.793	55.3	-34.5	-29.6	45.6	220	0.0	0.933	1.0	0.0	1.0	0.808	55.4	-34.1	-30.2	45.7	221	0.0	0.917	1.0	0.0	1.0	0.823	55.5	-33.7	-30.8	45.8	222	0.0	0.893	1.0	0.0	1.0	0.839	55.6	-33.3	-31.4	45.9	223	0.0	0.867	1.0	0.0	1.0	0.863	55.7	-33.0	-32.0	46.0	224	0.0	0.85	1.0	0.0	1.0	0.879	55.8	-32.7	-32.6	46.1	225	0.0	0.833	1.0	0.0	1.0	0.895	55.9	-32.4	-33.2	46.2	226	0.0	0.817	1.0	0.0	1.0	0.911	56.0	-32.1	-33.8	46.3	227	0.0	0.8	1.0	0.0	1.0	0.927	56.1	-31.8	-34.4	46.4	228	0.0	0.783	1.0	0.0	1.0	0.943	56.2	-31.5	-35.0	46.5	229	0.0	0.767	1.0	0.0	1.0	0.959	56.3	-31.2	-35.6	46.6	230	0.0	0.75	1.0	0.0	1.0	0.975	56.4	-30.9	-36.2	46.7	231	0.0	0.733	1.0	0.0	1.0	0.991	56.5	-30.6	-36.8	46.8	232	0.0	0.717	1.0	0.0	1.0	1.007	56.6	-30.3	-37.4	46.9	233	0.0	0.7	1.0	0.0	1.0	1.023	56.7	-30.0	-38.0	47.0	234	0.0	0.683	1.0	0.0	1.0	1.039	56.8	-29.7	-38.6	47.1	235	0.0	0.667	1.0	0.0	1.0	1.055	56.9	-29.4	-39.2	47.2	236	0.0	0.65	1.0	0.0	1.0	1.071	57.0	-29.1	-39.8	47.3	237	0.0	0.633	1.0	0.0	1.0	1.087	57.1	-28.8	-40.4	47.4	238	0.0	0.617	1.0	0.0	1.0	1.103	57.2	-28.5	-41.0	47.5	239	0.0	0.6	1.0	0.0	1.0	1.119	57.3	-28.2	-41.6	47.6	240	0.0	0.583	1.0	0.0	1.0	1.135	57.4	-27.9	-42.2	47.7	241	0.0	0.567	1.0	0.0	1.0	1.151	57.5	-27.6	-42.8	47.8	242	0.0	0.55	1.0	0.0	1.0	1.167	57.6	-27.3	-43.4	47.9	243	0.0	0.533	1.0	0.0	1.0	1.183	57.7	-27.0	-44.0	48.0	244	0.0	0.517	1.0	0.0	1.0	1.199	57.8	-26.7	-44.6	48.1	245	0.0	0.5	1.0	0.0	1.0	1.215	57.9	-26.4	-45.2	48.2	246	0.0	0.483	1.0	0.0	1.0	1.231	58.0	-26.1	-45.8	48.3	247	0.0	0.467	1.0	0.0	1.0	1.247	58.1	-25.8	-46.4	48.4	248	0.0	0.45	1.0	0.0	1.0	1.263	58.2	-25.5	-47.0	48.5	249	0.0	0.433	1.0	0.0	1.0	1.279	58.3	-25.2	-47.6	48.6	250	0.0	0.417	1.0	0.0	1.0	1.295	58.4	-24.9	-48.2	48.7	251	0.0	0.4	1.0	0.0	1.0	1.311	58.5	-24.6	-48.8	48.8	252	0.0	0.383	1.0	0.0	1.0	1.327	58.6	-24.3	-49.4	48.9	253	0.0	0.367	1.0	0.0	1.0	1.343	58.7	-24.0	-50.0	49.0	254	0.0	0.35	1.0	0.0	1.0	1.359	58.8	-23.7	-50.6	49.1	255	0.0	0.333	1.0	0.0	1.0	1.375	58.9	-23.4	-51.2	49.2	256	0.0	0.317	1.0	0.0	1.0	1.391	59.0	-23.1	-51.8	49.3	257	0.0	0.3	1.0	0.0	1.0	1.407	59.1	-22.8	-52.4	49.4	258	0.0	0.283	1.0	0.0	1.0	1.423	59.2	-22.5	-53.0	49.5	259	0.0	0.267	1.0	0.0	1.0	1.439	59.3	-22.2	-53.6	49.6	260	0.0	0.25	1.0	0.0	1.0	1.455	59.4	-21.9	-54.2	49.7	261	0.0	0.233	1.0	0.0	1.0	1.471	59.5	-21.6	-54.8	49.8	262	0.0	0.217	1.0	0.0	1.0	1.487	59.6	-21.3	-55.4	49.9	263	0.0	0.2	1.0	0.0	1.0	1.503	59.7	-21.0	-56.0	50.0	264	0.0	0.183	1.0	0.0	1.0	1.519	59.8	-20.7	-56.6	50.1	265	0.0	0.167	1.0	0.0	1.0	1.535	59.9	-20.4	-57.2	50.2	266	0.0	0.15	1.0	0.0	1.0	1.551	60.0	-20.1	-57.8	50.3	267	0.0	0.133	1.0	0.0	1.0	1.567	60.1	-19.8	-58.4	50.4	268	0.0	0.117	1.0	0.0	1.0	1.583	60.2	-19.5	-59.0	50.5	269	0.0	0.1	1.0	0.0	1.0	1.599	60.3	-19.2	-59.6	50.6	270	0.0	0.083	1.0	0.0	1.0	1.615	60.4	-18.9	-60.2	50.7	271	0.0	0.067	1.0	0.0	1.0	1.631	60.5	-18.6	-60.8	50.8	272	0.0	0.05	1.0	0.0	1.0	1.647	60.6	-18.3	-61.4	50.9	273	0.0	0.033	1.0	0.0	1.0	1.663	60.7	-18.0	-62.0	51.0	274	0.0	0.017	1.0	0.0	1.0	1.679	60.8	-17.7	-62.6	51.1	275	0.0	0.0	1.0	0.0	1.0	1.695	60.9	-17.4	-63.2	51.2	276	0.0	0.0	1.0	0.0	1.0	1.711	61.0	-17.1	-63.8	51.3	277	0.0	0.0	1.0	0.0	1.0	1.727	61.1	-16.8	-64.4	51.4	278	0.0	0.0	1.0	0.0	1.0	1.743	61.2	-16.5	-65.0	51.5	279	0.0	0.0	1.0	0.0	1.0	1.759	61.3	-16.2	-65.6	51.6	280	0.0	0.0	1.0	0.0	1.0	1.775	61.4	-15.9	-66.2	51.7	281	0.0	0.0	1.0	0.0	1.0	1.791	61.5	-15.6	-66.8	51.8	282	0.0	0.0	1.0	0.0	1.0	1.807	61.6	-15.3	-67.4	51.9	283	0.0	0.0	1.0	0.0	1.0	1.823	61.7	-15.0	-68.0	52.0	284	0.0	0.0	1.0	0.0	1.0	1.839	61.8	-14.7	-68.6	52.1	285	0.0	0.0	1.0	0.0	1.0	1.855	61.9	-14.4	-69.2	52.2	286	0.0	0.0	1.0	0.0	1.0	1.871	62.0	-14.1	-69.8	52.3	287	0.0	0.0	1.0	0.0	1.0	1.887	62.1	-13.8	-70.4	52.4	288	0.0	0.0	1.0	0.0	1.0	1.903	62.2	-13.5	-71.0	52.5	289	0.0	0.0	1.0	0.0	1.0	1.919	62.3	-13.2	-71.6	52.6	290	0.0	0.0	1.0	0.0	1.0	1.935	62.4	-12.9	-72.2	52.7	291	0.0	0.0	1.0	0.0	1.0	1.951	62.5	-12.6	-72.8	52.8	292	0.0	0.0	1.0	0.0	1.0	1.967	62.6	-12.3	-73.4	52.9	293	0.0	0.0	1.0	0.0	1.0	1.983	62.7	-12.0	-74.0	53.0	294	0.0	0.0	1.0	0.0	1.0	1.999	62.8	-11.7	-74.6	53.1	295	0.0	0.0	1.0	0.0	1.0	2.015	62.9	-11.4	-75.2	53.2	296	0.0	0.0	1.0	0.0	1.0	2.031	63.0	-11.1	-75.8	53.3	297	0.0	0.0	1.0	0.0	1.0	2.047	63.1	-10.8	-76.4	53.4	298	0.0	0.0	1.0	0.0	1.0	2.063	63.2	-10.5	-77.0	53.5	299	0.0	0.0	1.0	0.0	1.0	2.079	63.3	-10.2	-77.6	53.6	300	0.0	0.0	1.0	0.0	1.0	2.095	63.4	-9.9	-78.2	53.7	301	0.0	0.0	1.0	0.0	1.0	2.111	63.5	-9.6	-78.8	53.8	302	0.0	0.0	1.0	0.0	1.0	2.127	63.6	-9.3	-79.4	53.9	303	0.0	0.0	1.0	0.0	1.0	2.143	63.7	-9.0	-80.0	54.0	304	0.0	0.0	1.0	0.0	1.0	2.159	63.8	-8.7	-80.6	54.1	305	0.0	0.0	1.0	0.0	1.0	2.175	63.9	-8.4	-81.2	54.2	306	0.0	0.0	1.0	0.0	1.0	2.191	64.0	-8.1	-81.8	54.3	307	0.0	0.0	1.0	0.0	1.0	2.207	64.1	-7.8	-82.4	54.4	308	0.0	0.0	1.0	0.0	1.0	2.223	64.2	-7.5	-83.0	54.5	309	0.0	0.0	1.0	0.0	1.0	2.239	64.3	-7.2	-83.6	54.6	310	0.0	0.0	1.0	0.0	1.0	2.255	64.4	-6.9	-84.2	54.7	311	0.0	0.0	1.0	0.0	1.0	2.271	64.5	-6.6	-84.8	54.8	312	0.0	0.0	1.0	0.0	1.0	2.287	64.6	-6.3	-85.4	54.9	313	0.0	0.0	1.0	0.0	1.0	2.303	64.7	-6.0	-86.0	55.0	314	0.0	0.0	1.0	0.0	1.0	2.319	64.8	-5.7	-86.6	55.1	315	0.0	0.0	1.0	0.0	1.0	2.335	64.9	-5.4	-87.2	55.2	316	0.0	0.0	1.0	0.0	1.0	2.351	65.0	-5.1	-87.8	55.3	317	0.0	0.0	1.0	0.0	1.0	2.367	65.1	-4.8	-88.4	55.4	318	0.0	0.0	1.0	0.0	1.0	2.383	65.2	-4.5	-89.0	55.5	319	0.0	0.0	1.0	0.0	1.0	2.399	65.3	-4.2	-89.6	55.6	320	0.0	0.0	1.0	0.0	1.0	2.415	65.4	-3.9	-90.2	55.7	321	0.0	0.0	1.0	0.0	1.0	2.431	65.5	-3.6	-90.8	55.8	322	0.0	0.0	1.0	0.0	1.0	2.447	65.6	-3.3	-91.4	55.9	323	0.0	0.0	1.0	0.0	1.0	2.463	65.7	-3.0	-92.0	56.0	324	0.0	0.0	1.0	0.0	1.0	2.479	65.8	-2.7	-92.6	56.1	325	0.0	0.0	1.0	0.0	1.0	2.495	65.9	-2.4	-93.2	56.2	326	0.0	0.0	1.0	0.0	1.0	2.511	66.0	-2.1	-93.8	56.3	327	0.0	0.0	1.0	0.0	1.0	2.527	66.1	-1.8	-94.4	56.4	328	0.0	0.0	1.0	0.0	1.0	2.543	66.2	-1.5	-95.0	56.5	329	0.0	0.0	1.0	0.0	1.0	2.559	66.3	-1.2	-95.6	56.6	330	0.0	0.0	1.0	0.0	1.0	2.575	66.4	-0.9	-96.2	56.7	331	0.0	0.0	1.0	0.0	1.0	2.591	66.5	-0.6	-96.8	56.8	332	0.0	0.0	1.0	0.0	1.0	2.607	66.6	-0.3	-97.4	56.9	333	0.0	0.0	1.0	0.0	1.0	2.623	66.7	0.0	-98.0	57.0	334	0.0	0.0	1.0	0.0	1.0	2.639	66.8	0.3	-98.6	57.1	335	0.0	0.0	1.0	0.0	1.0	2.655	66.9	0.6	-99.2	57.2	336	0.0	0.0	1

http://130.149.60.45/~farbmetrik/RE28/RE28L0NA.TXT /PS; transfer output  
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 15/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0\*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
 Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; LAB\*<sub>d</sub> hex361MI (x=LabCh) h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6  
 LAB\*<sub>d</sub> ds361MI LAB\*<sub>d</sub> ds361MI (x=LabCh) rgb\*<sub>d</sub> ds361MI rgb\*<sub>d</sub> ds361MI (x=LabCh) rgb\*<sub>d</sub> de361MI LAB\*<sub>d</sub> dex361MI (x=LabCh) rgb\*<sub>d</sub> dd361MI rgb\*<sub>d</sub> dd361MI

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	LAB* <sub>d</sub> ds361MI	LAB* <sub>d</sub> ds361MI (x=LabCh)	rgb* <sub>d</sub> ds361MI	LAB* <sub>d</sub> dex361MI (x=LabCh)	rgb* <sub>d</sub> dd361MI	LAB* <sub>d</sub> dex361MI (x=LabCh)	rgb* <sub>d</sub> dd361MI																							
289	255	258	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289	0.0	0.25	1.0	0.0	0.613	1.0	46.1	-8.6	-40.8	41.9	258	0.0	0.25	1.0								
290	256	258	0.0	0.233	1.0	32.2	15.3	-40.3	43.1	290	0.0	0.641	1.0	47.0	-10.1	-40.9	42.2	256	0.0	0.233	1.0	0.0	0.603	1.0	45.7	-7.9	-40.9	41.7	258	0.0	0.233	1.0
292	257	259	0.0	0.216	1.0	31.7	16.4	-40.3	43.6	292	0.0	0.624	1.0	46.5	-9.3	-40.8	42.0	257	0.0	0.217	1.0	0.0	0.593	1.0	45.3	-7.2	-40.9	41.6	259	0.0	0.217	1.0
293	258	260	0.0	0.2	1.0	31.1	17.5	-40.4	44.0	293	0.0	0.613	1.0	46.1	-8.6	-40.8	41.9	258	0.0	0.2	1.0	0.0	0.583	1.0	44.9	-6.6	-40.9	41.5	260	0.0	0.2	1.0
294	259	261	0.0	0.183	1.0	30.6	18.5	-40.4	44.5	294	0.0	0.602	1.0	45.7	-7.9	-40.9	41.7	259	0.0	0.183	1.0	0.0	0.573	1.0	44.5	-5.9	-40.9	41.4	261	0.0	0.183	1.0
295	260	262	0.0	0.166	1.0	30.0	19.6	-40.4	44.9	295	0.0	0.591	1.0	45.3	-7.1	-40.9	41.6	260	0.0	0.167	1.0	0.0	0.562	1.0	44.1	-5.2	-40.9	41.3	262	0.0	0.167	1.0
297	261	263	0.0	0.15	1.0	29.5	20.7	-40.4	45.4	297	0.0	0.58	1.0	44.8	-6.4	-40.9	41.5	261	0.0	0.15	1.0	0.0	0.552	1.0	43.7	-4.5	-40.9	41.2	263	0.0	0.15	1.0
298	262	264	0.0	0.133	1.0	28.9	21.8	-40.3	45.8	298	0.0	0.569	1.0	44.4	-5.7	-40.9	41.4	262	0.0	0.133	1.0	0.0	0.542	1.0	43.4	-3.9	-40.8	41.1	264	0.0	0.133	1.0
299	263	265	0.0	0.116	1.0	28.4	22.8	-40.3	46.3	299	0.0	0.558	1.0	44.0	-4.9	-40.9	41.3	263	0.0	0.117	1.0	0.0	0.532	1.0	43.0	-3.2	-40.8	41.0	265	0.0	0.117	1.0
300	264	266	0.0	0.1	1.0	27.9	23.8	-40.4	46.9	300	0.0	0.547	1.0	43.5	-4.2	-40.8	41.2	264	0.0	0.1	1.0	0.0	0.522	1.0	42.6	-2.6	-40.7	40.9	266	0.0	0.1	1.0
301	265	267	0.0	0.083	1.0	27.4	24.7	-40.4	47.4	301	0.0	0.536	1.0	43.1	-3.5	-40.8	41.1	265	0.0	0.083	1.0	0.0	0.512	1.0	42.2	-1.9	-40.7	40.8	267	0.0	0.083	1.0
302	266	268	0.0	0.066	1.0	26.9	25.7	-40.4	47.9	302	0.0	0.525	1.0	42.7	-2.8	-40.7	40.9	266	0.0	0.067	1.0	0.0	0.502	1.0	41.8	-1.3	-40.6	40.7	268	0.0	0.067	1.0
303	267	269	0.0	0.049	1.0	26.5	26.6	-40.5	48.4	303	0.0	0.514	1.0	42.3	-2.0	-40.7	40.8	267	0.0	0.05	1.0	0.0	0.491	1.0	41.4	-0.6	-40.6	40.7	269	0.0	0.05	1.0
304	268	269	0.0	0.033	1.0	26.0	27.6	-40.4	49.0	304	0.0	0.503	1.0	41.8	-1.3	-40.6	40.7	268	0.0	0.033	1.0	0.0	0.48	1.0	41.0	0.0	-40.6	40.7	269	0.0	0.033	1.0
305	269	270	0.0	0.016	1.0	25.5	28.6	-40.4	49.5	305	0.0	0.491	1.0	41.4	-0.6	-40.6	40.7	269	0.0	0.017	1.0	0.0	0.469	1.0	40.6	0.2	-40.6	40.7	270	0.0	0.017	1.0
306	270	271	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306	0.0	0.479	1.0	41.0	0.0	-40.6	40.7	270	0.0	0.0	1.0	0.0	0.458	1.0	40.3	1.6	-40.6	40.7	271	0.0	0.0	1.0
307	271	272	0.016	0.0	1.0	25.4	30.4	-39.9	50.2	307	0.0	0.467	1.0	40.6	0.7	-40.6	40.7	271	0.017	0.0	1.0	0.0	0.447	1.0	39.9	1.9	-40.5	40.7	272	0.017	0.0	1.0
308	272	273	0.033	0.0	1.0	25.8	31.3	-39.4	50.4	308	0.0	0.455	1.0	40.2	1.4	-40.6	40.7	272	0.033	0.0	1.0	0.0	0.435	1.0	39.5	2.6	-40.5	40.7	273	0.033	0.0	1.0
309	273	274	0.05	0.0	1.0	26.2	32.2	-38.9	50.5	309	0.0	0.443	1.0	39.7	2.1	-40.5	40.7	273	0.05	0.0	1.0	0.0	0.424	1.0	39.1	3.3	-40.5	40.7	274	0.05	0.0	1.0
310	274	275	0.066	0.0	1.0	26.5	33.1	-38.4	50.7	310	0.0	0.431	1.0	39.3	2.8	-40.5	40.7	274	0.067	0.0	1.0	0.0	0.413	1.0	38.7	3.9	-40.4	40.7	275	0.067	0.0	1.0
311	275	276	0.083	0.0	1.0	26.9	33.9	-37.8	50.8	311	0.0	0.419	1.0	38.9	3.5	-40.4	40.7	275	0.083	0.0	1.0	0.0	0.401	1.0	38.3	4.6	-40.3	40.7	276	0.083	0.0	1.0
313	276	277	0.1	0.0	1.0	27.3	34.8	-37.3	51.0	313	0.0	0.407	1.0	38.5	4.3	-40.4	40.7	276	0.1	0.0	1.0	0.0	0.39	1.0	37.9	5.3	-40.3	40.7	277	0.1	0.0	1.0
314	277	278	0.116	0.0	1.0	27.7	35.6	-36.7	51.1	314	0.0	0.395	1.0	38.1	5.0	-40.3	40.7	277	0.117	0.0	1.0	0.0	0.378	1.0	37.5	5.9	-40.2	40.7	278	0.117	0.0	1.0
315	278	279	0.133	0.0	1.0	27.9	36.4	-36.2	51.3	315	0.0	0.383	1.0	37.6	5.7	-40.2	40.7	278	0.133	0.0	1.0	0.0	0.367	1.0	37.1	6.6	-40.2	40.8	279	0.133	0.0	1.0
316	279	280	0.15	0.0	1.0	28.1	37.2	-35.7	51.6	316	0.0	0.371	1.0	37.2	6.4	-40.2	40.8	279	0.15	0.0	1.0	0.0	0.357	1.0	36.7	7.3	-40.2	41.0	280	0.15	0.0	1.0
317	280	281	0.166	0.0	1.0	28.2	38.0	-35.2	51.9	317	0.0	0.36	1.0	36.8	7.1	-40.2	41.0	280	0.167	0.0	1.0	0.0	0.346	1.0	36.3	8.0	-40.3	41.2	281	0.167	0.0	1.0
318	281	282	0.183	0.0	1.0	28.3	38.8	-34.7	52.1	318	0.0	0.348	1.0	36.4	7.8	-40.3	41.1	281	0.183	0.0	1.0	0.0	0.335	1.0	35.9	8.7	-40.3	41.3	282	0.183	0.0	1.0
319	282	283	0.2	0.0	1.0	28.5	39.6	-34.2	52.4	319	0.0	0.337	1.0	36.0	8.6	-40.3	41.3	282	0.2	0.0	1.0	0.0	0.324	1.0	35.5	9.4	-40.3	41.5	283	0.2	0.0	1.0
320	283	284	0.216	0.0	1.0	28.6	40.4	-33.7	52.6	320	0.0	0.326	1.0	35.6	9.3	-40.3	41.5	283	0.217	0.0	1.0	0.0	0.313	1.0	35.1	10.1	-40.3	41.7	284	0.217	0.0	1.0
321	284	285	0.233	0.0	1.0	28.7	41.2	-33.1	52.9	321	0.0	0.314	1.0	35.2	10.1	-40.3	41.7	284	0.233	0.0	1.0	0.0	0.303	1.0	34.8	10.8	-40.3	41.9	285	0.233	0.0	1.0
322	285	285	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322	0.0	0.303	1.0	34.8	10.8	-40.3	41.9	285	0.25	0.0	1.0	0.0	0.292	1.0	34.4	11.6	-40.3	42.0	285	0.25	0.0	1.0
323	286	286	0.266	0.0	1.0	29.4	43.3	-31.8	53.8	323	0.0	0.291	1.0	34.3	11.6	-40.3	42.0	286	0.267	0.0	1.0	0.0	0.281	1.0	34.0	12.3	-40.3	42.2	286	0.267	0.0	1.0
325	287	287	0.283	0.0	1.0	29.9	44.7	-31.1	54.4	325	0.0	0.28	1.0	33.9	12.3	-40.3	42.2	287	0.283	0.0	1.0	0.0	0.27	1.0	33.6	13.0	-40.2	42.4	287	0.283	0.0	1.0
326	288	288	0.3	0.0	1.0	30.4	46.0	-30.3	55.1	326	0.0	0.269	1.0	33.5	13.1	-40.2	42.4	288	0.3	0.0	1.0	0.0	0.26	1.0	33.2	13.7	-40.2	42.5	288	0.3	0.0	1.0
328	289	289	0.316	0.0	1.0	30.9	47.3	-29.4	55.7	328	0.0	0.257	1.0	33.1	13.9	-40.2	42.6	289	0.317	0.0	1.0	0.0	0.249	1.0	32.8	14.4	-40.1	42.7	289	0.317	0.0	1.0
329	290	290	0.333	0.0	1.0	31.4	48.6	-28.8	56.4	329	0.0	0.245	1.0	32.7	14.6	-40.1	42.8	290	0.333	0.0	1.0	0.0	0.236	1.0	32.4	15.2	-40.2	43.1	290	0.333	0.0	1.0
331	291	291	0.35	0.0	1.0	32.0	49.9	-27.5	57.0	331	0.0	0.232	1.0	32.2	15.5	-40.2	43.2	291	0.35	0.0	1.0	0.0	0.223	1.0	32.0	16.0	-40.3	43.4	291	0.35	0.0	1.0
332	292	292	0.366	0.0	1.0	32.5	51.2	-26.5	57.7	332	0.0	0.219	1.0	31.8	16.3	-40.2	43.6	292	0.367	0.0	1.0	0.0	0.211	1.0	31.5	16.8	-40.3	43.8	292	0.367	0.0	1.0
333	293	293	0.383	0.0	1.0	32.9	52.3	-25.7	58.3	333	0.0	0.205	1.0	31.4	17.2	-40.3	43.9	293	0.383	0.0	1.0	0.0	0.198	1.0	31.1	17.6	-40.3	44.1	293	0.383	0.0	1.0
334	294	294	0.4	0.0	1.0	33.3	53.2	-25.0	58.8	334	0.0	0.192	1.0	30.9	18.0	-40.3	44.3	294	0.4	0.0	1.0	0.0	0.186	1.0	30.7	18.4	-40.4	44.5	294	0.4	0.0	1.0
335	295	295	0.416	0.0	1.0	33.7	54.1	-24.4	59.4																							

http://130.149.60.45/~farbmetrik/RE28/RE28L0NA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 16/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h\_ab,d,s = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with 15 columns: h\_ab,d, h\_ab,s, Lab\*\_\*\_d361M, Lab\*\_\*\_s361M, Lab\*\_\*\_ds361M, Lab\*\_\*\_ds361M, Lab\*\_\*\_ds361M, Lab\*\_\*\_ds361M, Lab\*\_\*\_ds361M, Lab\*\_\*\_ds361M, Lab\*\_\*\_ds361M, Lab\*\_\*\_ds361M, Lab\*\_\*\_ds361M, Lab\*\_\*\_ds361M, Lab\*\_\*\_ds361M, Lab\*\_\*\_ds361M. Rows 340-366.

Input: Offset standard print; separation cmy0\*, D65, page 16/33

TUB-test chart RE28; hue code: H\*\_e=B25Re 48 step hue circles; rgb-LabCh\*tables

input: rgb/cmyk -> rgbe output: transfer to cmy0e



http://130.149.60.45/~farbmetrik/RE28/RE28L0NA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 17/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0\*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h\_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with columns for hue angles (h\_ab,d, h\_ab,s, h\_ab,e), device colours (RYGBM), and separation colours (RYGBM). Rows include color codes (e.g., 366, 367, 368) and corresponding colorimetric values (L\*, a\*, b\*) for various colorimetric systems (LabCh, LabCh, LabCh).

Input: Offset standard print; separation cmy0\*: D65, page 17/33

input: rgb/cmyk -> rgbe output: transfer to cmy0e





Table with columns: nuf, HHC\*Fe, rpb\*Fe, icr\*Fe, hsa\*Fe, LabCh\*Fe, rpb\*Fe, LabCh\*Fe, DE\*Fe, hsa\*Me, rpb\*Me, LabCh\*Me, delta E\*

Mean color difference of this page: delta E\* = 13.3

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart RE28; hue code: H\*\_e=B25Re colors and differences, ΔE\*'



http://130.149.60.45/~farbmetrik/RE28/RE28L0NA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 21/33

Table with 16 columns: n, HHC\*Fe, rpb\*Fe, icr\*Fe, hsa\*Fe, rpb\*Fe, LabCH\*Fe, LabCH\*Fe, rpb\*Fe, LabCH\*Fe, DF\*Fe, hsa\*Fe, rpb\*Fe, LabCH\*Fe, LabCH\*Fe, rpb\*Fe. Rows 81-161.

Mean color difference of this page: delta E\* = 12.0

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart RE28; hue code: H\*e=B25Re colors and differences, AE\*

http://130.149.60.45/~farbmetrik/RE28/RE28LONA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 22/33

Table with 24 columns: n, HHC\*Fe, rpb\*Fe, icr\*Fe, Hs\*Fe, rpb\*Fe, LabCH\*Fe, LabCH\*Fe, rpb\*Fe, rpb\*Fe, LabCH\*Fe, DF\*Fe, Ha\*Me, rpb\*Fe, LabCH\*Fe, LabCH\*Fe, rpb\*Fe, rpb\*Fe, LabCH\*Fe, LabCH\*Fe, rpb\*Fe, rpb\*Fe, LabCH\*Fe, LabCH\*Fe. Rows 162-242.

Mean color difference of this page:

input: rgb/cmyk -> rgbe output: transfer to cmy0e

RE280-TN, Page 22/33-F

TUB-test chart RE28; hue code: H\*e=B25Re colors and differences, ΔE\*



http://130.149.60.45/~farbmetrik/RE28/RE28L0NA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 24/33

Table with 15 columns: n, HHC\*Fe, rpb\*Fe, icr\*Fe, Hs\_Fe, rpb\*Fe, LabCh\*Fe, LabCh\*Fe, rpb\*Fe, DF\*Fe, Hs\_Me, LabCh\*Fe, rpb\*Me, LabCh\*Me, rpb\*Me. Rows 324-404.

Mean color difference of this page: delta E\* = 15.7

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart RE28; hue code: H\*e=B25Re colors and differences, AE\*



http://130.149.60.45/~farbmetrik/RE28/RE28L0NA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 25/33

Table with 15 columns: n, HHC\*Fe, rgb\*Fe, icr\*Fe, Hs\*Fe, rgb\*Fe, LabCh\*Fe, LabCh\*Fe, LabCh\*Fe, DF\*Fe, Hs\*Fe, LabCh\*Fe, rgb\*Fe, LabCh\*Fe. Rows 405-485.

Mean color difference of this page: delta E\* = 15.9

TUB-test chart RE28; hue code: H\*e=B25Re colors and differences, ΔE\* input: rgb/cmyk -> rgbe output: transfer to cmy0e

http://130.149.60.45/~farbmetrik/RE28/RE28L0NA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 26/33

Table with 10 columns: n, HHC\*Fe, rpb\*Fe, icr\*Fe, Hs\*Fe, rpb\*Fe, LabCh\*Fe, LabCh\*Fe, DF\*Fe, Ham\*Fe, rpb\*Fe, LabCh\*Fe, LabCh\*Fe. Rows include color names like R00Y, R35Y, R50Y, etc.

Mean color difference of this page:

delta E\* = 14.5

TUB-test chart RE28; hue code: H\*e=B25Re colors and differences, ΔE\*

input: rgb/cmyk -> rgbe output: transfer to cmy0e

http://130.149.60.45/~farbmetrik/RE28/RE28L0NA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 27/33

Table with 15 columns: n, HHC\*Fe, rpb\*Fe, icr\*Fe, Hs\*Fe, rpb\*Fe, LabCH\*Fe, LabCH\*Fe, rpb\*Fe, DF\*Fe, Hs\*Me, rpb\*Me, LabCH\*Me, LabCH\*Me, delta\_F\*

Mean color difference of this page: delta\_F\* = 13.8

TUB-test chart RE28; hue code: H\*e=B25Re colors and differences, ΔE\*

input: rgb/cmyk -> rgbe output: transfer to cmy0e



http://130.149.60.45/~farbmetrik/RE28/RE28L0NA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 29/33

Table with 10 columns: n, H\* C\* M\*, r\* g\* b\*, i\* c\* m\*, h\* s\*, F\* e, Lab C\* M\* e, Lab C\* M\* e, r\* g\* b\*, F\* e, D\* F\* e, H\* a\* M\*, r\* g\* b\*, Lab C\* M\* e, Lab C\* M\* e, r\* g\* b\*, F\* e, Delta E\* 95. Rows include color names like NV\_100, G50B\_100, etc.

input: rgb/cmyk -> rgbe output: transfer to cmy0e Mean color difference of this page: delta E\* 95 = 9.5

http://130.149.60.45/~farbmetrik/RE28/RE28L0NA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 30/33

Table with 15 columns: n, HHC\*Fe, rpb\*Fe, icr\*Fe, hsa\*Fe, rpb\*Fe, LabCh\*Fe, LabCh\*Fe, rpb\*Fe, rpb\*Fe, LabCh\*Fe, LabCh\*Fe, rpb\*Fe, rpb\*Fe, LabCh\*Fe. Rows 810-890.

I-1012931-F0


RE280-TN, Page 30/33-F

TUB-test chart RE28; hue code: H\*e=B25Re colors and differences, ΔE\*

input: rgb/cmyk -> rgbe output: transfer to cmy0e

delta E\*\* = 12.1

Mean color difference of this page:



http://130.149.60.45/~farbmetrik/RE28/RE28L0NA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 31/33

Table with 15 columns: n, H#C\*Fe, rpb\*Fe, icr\*Fe, H#s\*Fe, rpb\*Fe, LabC\*H\*Fe, LabC\*H\*Fe, rpb\*Fe, LabC\*H\*Fe, DF\*Fe, H#s\*Fe, rpb\*Fe, LabC\*H\*Fe, LabC\*H\*Fe. Rows 891-971.

Mean color difference of this page: delta E\* = 15.4

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart RE28; hue code: H\*e=B25Re colors and differences, AE\*







http://130.149.60.45/~farbmetrik/RE28/RE28L0NA.TXT /PS; transfer output  
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 33/33

n	HC*Fe	rgb*Fe	ict*Fe	hsa*Fe	rgb*Fe	LabCH*Fe	DF*Fe	rgb*Me	hsa*Me	LabCH*Me	DF*Me	rgb*Me	hsa*Me	LabCH*Me	DF*Me
1053	NW_086e	0.866	0.866	0.866	0.866	0.866	3.7	69.9	3.4	86.1	1.2	360	3.7	69.9	3.4
1054	NW_093e	0.933	0.933	0.933	0.933	0.933	1.5	71.6	1.4	90.8	0.4	360	1.5	71.6	1.4
1055	NW_100e	1.0	1.0	1.0	1.0	1.0	0.1	114.3	0.1	95.6	0.0	360	0.1	114.3	0.1
1056	NW_100e	0.0	0.0	0.0	0.0	0.0	0.0	308.5	0.7	23.0	0.7	360	0.0	308.5	0.7
1057	NW_100e	0.066	0.066	0.066	0.066	0.066	6.5	6.7	0.6	0.6	5.5	6.7	6.5	6.7	0.6
1058	NW_013e	0.133	0.133	0.133	0.133	0.133	9.0	22.4	3.4	32.0	8.3	360	9.0	22.4	3.4
1059	NW_020e	0.2	0.2	0.2	0.2	0.2	11.6	30.4	5.8	36.7	10.0	360	11.6	30.4	5.8
1060	NW_026e	0.266	0.266	0.266	0.266	0.266	13.3	40.4	8.7	46.8	10.4	360	13.3	40.4	8.7
1061	NW_033e	0.333	0.333	0.333	0.333	0.333	14.7	48.4	10.2	51.8	11.8	360	14.7	48.4	10.2
1062	NW_040e	0.4	0.4	0.4	0.4	0.4	11.8	51.6	9.2	57.5	13.3	360	11.8	51.6	9.2
1063	NW_046e	0.466	0.466	0.466	0.466	0.466	8.3	57.5	8.3	63.6	6.0	360	8.3	57.5	8.3
1064	NW_053e	0.533	0.533	0.533	0.533	0.533	8.1	53.5	6.5	63.6	5.2	360	8.1	53.5	6.5
1065	NW_060e	0.6	0.6	0.6	0.6	0.6	5.2	5.9	5.2	5.9	3.6	360	5.2	5.9	5.2
1066	NW_066e	0.666	0.666	0.666	0.666	0.666	7.1	7.1	7.1	7.1	1.5	360	7.1	7.1	7.1
1067	NW_073e	0.734	0.734	0.734	0.734	0.734	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0
1068	NW_080e	0.8	0.8	0.8	0.8	0.8	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0
1069	NW_086e	0.866	0.866	0.866	0.866	0.866	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0
1070	NW_093e	0.933	0.933	0.933	0.933	0.933	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0
1071	NW_100e	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0
1072	NW_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0
1073	NW_100e	1.0	1.0	1.0	1.0	1.0	2.8	299.2	2.9	23.3	1.3	360	2.8	299.2	2.9
1074	ROY_100_100e	1.0	0.0	1.0	0.0	1.0	0.0	138.7	0.0	95.7	0.0	360	1.0	0.0	1.0
1075	GS0B_100_100e	0.0	1.0	1.0	0.5	390	83.9	32.8	11.2	375	19.5	360	0.0	1.0	0.5
1076	Y06C_100_100e	1.0	1.0	0.0	1.0	0.0	-41.8	48.8	38.9	18.2	375	0.0	1.0	0.0	1.0
1077	B06C_100_100e	0.0	0.0	1.0	0.5	210	95.1	96.0	8.8	85	8.5	360	0.0	0.0	1.0
1078	B08C_100_100e	0.0	0.0	1.0	0.5	270	29.8	306.6	32.5	24.6	32.5	360	0.0	0.0	1.0
1079	B50R_100_100e	0.0	0.0	1.0	0.5	330	28.0	71.2	159.8	45.2	288	0.321	0.0	0.0	1.0
1079	B50R_100_100e	1.0	0.0	1.0	1.0	31.1	-0.2	79.2	45.8	45.2	288	0.321	0.0	1.0	1.0

Mean color difference of this page:  $\Delta E^* = 10.3$

input: rgb/cmyk -> rgbe  
 output: transfer to cmy0e

