

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 353/360 = 0.98$

$H^*_- = B50R_-$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = B50R_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}: 49\ 73\ -9\ 74\ 353$



$HIC^*_{-,Ma}: B50R_100_100_-$

$rgbic^*_{-,Ma}: 1.0\ 0.0\ 1.0\ 1.0\ 1.0$

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

see similar files: <http://130.149.60.45/~farbmetrik/RE32/RE32L0FP.PDF> / .PS; start output
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



TUB registration: 20130201-RE32/RE32L0FP.PDF / .PS
application for measurement of display output

TUB material: code=rh4ta

1-113030-L0 RE320-7N

TUB-test chart RE32; hue code: $H^*_- = B50R_-$
Test chart according to DIN 33872, 3D=1, de=1, sRGB*

input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change



Input and Output: Television Luminous System TLS00a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 328/360 = 0.91$

$H^*_e = B50R_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = B50R_e$

triangle lightness T^*



TLS00a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	50.9	78.3	37.3	86.7	25
Ye,Ma	83.7	-3.4	84.5	84.5	92
Ge,Ma	85.1	-64.6	20.7	67.9	162
Ce,Ma	79.0	-34.2	-25.7	42.8	216
Be,Ma	59.2	1.7	-56.6	56.6	271
Me,Ma	57.1	94.1	-57.4	110.3	328
Ne,Ma	0.0	0.0	0.0	0.0	0
We,Ma	95.4	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 57\ 94\ -57\ 110\ 328$

$HIC^*_{e, Ma}: B50R_100_100_e$

$rgbic^*_{e, Ma}$:

1.0 0.0 0.99 1.0 1.0

triangle lightness T^*

TLS00a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	50.9	78.3	37.3	86.7	25
R25Y_100_100_e	51.3	74.4	64.8	98.7	41
R50Y_100_100_e	63.1	42.7	70.8	82.7	58
R75Y_100_100_e	73.5	18.3	77.7	79.8	76
Y00G_100_100_e	83.7	-3.4	84.5	84.5	92
Y25G_100_100_e	91.0	-29.9	88.9	93.8	108
Y50G_100_100_e	85.9	-63.0	82.8	104.1	127
Y75G_100_100_e	84.1	-76.0	51.4	91.8	145
G00B_100_100_e	85.1	-64.6	20.7	67.9	162
G25B_100_100_e	86.5	-49.9	-8.4	50.6	189
G50B_100_100_e	79.0	-34.2	-25.7	42.8	216
G75B_100_100_e	70.0	-19.0	-39.6	43.9	244
B00R_100_100_e	59.2	1.7	-56.6	56.6	271
B25R_100_100_e	38.2	52.7	-90.7	104.9	300
B50R_100_100_e	57.1	94.1	-57.4	110.3	328
B75R_100_100_e	52.9	83.6	-11.6	84.4	352



%Gamut

$u^*_{rel} = 158$

%Regularity

$g^*_{H,rel} = 19$

$g^*_{C,rel} = 37$



see similar files: <http://130.149.60.45/~farbmetrik/RE32/RE32L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-RE32/RE32L0FP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rh4ta




1-113130-L0 RE320-73

TUB-test chart RE32; hue code: $H^*_e = B50R_e$
Test chart according to DIN 33872, 3D=1, de=1, sRGB*

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to rgb^*_{de}

1-113130-F0

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
- For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:

$$h_{ab,s} = atan [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
- The values rgb^*_{de} produce the output of the device-independent elementary hues

see similar files: http://130.149.60.45/~farbmetrik/RE32/RE32.HTM
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE32/RE32LOFP.PDF /.PS
 application for measurement of display output, no separation

TUB material: code=rh4ta

Data of maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours $RYGCBM_d$; $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}	LAB^*_{ddx64M} (x=LabCh)	$rgb^*_{dxx361M}$	$LAB^*_{dxx361M}$ (x=LabCh)	$rgb^*_{dsx361M}$	$LAB^*_{dsx361M}$ (x=LabCh)	$rgb^*_{dex361M}$	$LAB^*_{dex361M}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}	
40.0	30.0	25.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0	1.0	0.0	0.0	
41.3	37.5	33.8	1.0	0.125	0.0	51.5	73.9	64.9	98.3	41.3	1.0	0.0	0.117	0.0
44.6	45.0	42.1	1.0	0.25	0.0	54.0	66.7	65.9	93.8	44.6	1.0	0.25	0.0	0.0
50.7	52.5	50.5	1.0	0.375	0.0	58.2	55.4	67.9	87.7	50.7	1.0	0.367	0.0	0.0
59.7	60.0	58.8	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59.7	1.0	0.5	0.0	0.0
71.0	67.5	67.2	1.0	0.625	0.0	70.1	25.7	75.0	79.3	71.0	1.0	0.617	0.0	0.0
82.9	75.0	75.6	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82.9	1.0	0.75	0.0	0.0
93.8	82.5	83.9	1.0	0.875	0.0	84.8	-5.7	85.0	85.2	93.8	1.0	0.867	0.0	0.0
102.8	90.0	92.3	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102.8	1.0	1.0	0.0	0.0
110.5	97.5	101.0	0.875	1.0	0.0	90.4	-33.1	88.1	94.1	110.5	0.883	1.0	0.0	0.0
117.6	105.0	109.7	0.75	1.0	0.0	88.5	-44.9	85.8	96.8	117.6	0.75	1.0	0.0	0.0
123.6	112.5	118.5	0.625	1.0	0.0	86.9	-55.8	83.9	100.7	123.6	0.633	1.0	0.0	0.0
128.3	120.0	127.2	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128.3	0.5	1.0	0.0	0.0
131.8	127.5	136.0	0.375	1.0	0.0	84.7	-72.8	81.2	109.1	131.8	0.383	1.0	0.0	0.0
134.1	135.0	144.7	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134.1	0.25	1.0	0.0	0.0
135.5	142.5	153.4	0.125	1.0	0.0	83.7	-81.4	80.0	114.2	135.5	0.133	1.0	0.0	0.0
136.0	150.0	162.2	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136.0	0.0	1.0	0.0	0.0
137.0	157.5	169.0	0.0	1.0	0.125	83.6	-82.1	76.6	112.3	137.0	0.0	1.0	0.117	83.7
139.3	165.0	175.9	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139.3	0.0	1.0	0.25	83.8
143.2	172.5	182.7	0.0	1.0	0.375	84.0	-77.8	58.1	97.1	143.2	0.0	1.0	0.367	84.0
148.6	180.0	189.6	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148.6	0.0	1.0	0.5	84.3
155.8	187.5	196.4	0.0	1.0	0.625	84.7	-68.5	30.6	75.0	155.8	0.0	1.0	0.617	84.7
165.6	195.0	203.2	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165.6	0.0	1.0	0.75	85.3
178.8	202.5	210.1	0.0	1.0	0.875	86.0	-54.5	1.0	54.5	178.8	0.0	1.0	0.867	86.0
196.3	210.0	216.9	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196.3	0.0	1.0	1.0	86.8
219.8	217.5	223.8	0.0	0.875	1.0	77.9	-32.3	-27.0	42.1	219.8	0.0	0.883	1.0	77.9
247.2	225.0	230.6	0.0	0.75	1.0	69.1	-17.0	-40.4	44.2	247.2	0.0	0.75	1.0	69.1
269.8	232.5	237.5	0.0	0.625	1.0	60.3	-0.1	-54.6	54.6	269.8	0.0	0.633	1.0	60.3
285.0	240.0	244.3	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285.0	0.0	0.5	1.0	51.7
294.8	247.5	251.2	0.0	0.375	1.0	43.8	37.6	-81.2	89.5	294.8	0.0	0.383	1.0	43.8
301.1	255.0	258.0	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301.1	0.0	0.25	1.0	37.1
304.8	262.5	264.8	0.0	0.125	1.0	32.4	69.5	-100.0	121.8	304.8	0.0	0.133	1.0	32.4
306.2	270.0	271.7	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306.2	0.0	0.0	1.0	30.3
306.6	277.5	278.8	0.125	0.0	1.0	31.0	76.2	-102.4	127.7	306.6	0.117	0.0	1.0	31.0
307.5	285.0	285.9	0.25	0.0	1.0	32.6	76.8	-99.7	126.0	307.5	0.25	0.0	1.0	32.6
309.2	292.5	293.0	0.375	0.0	1.0	35.1	77.9	-95.5	123.3	309.2	0.367	0.0	1.0	35.0
311.6	300.0	300.1	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311.6	0.5	0.0	1.0	38.6
314.8	307.5	307.2	0.625	0.0	1.0	42.7	82.5	-82.7	116.0	314.8	0.617	0.0	1.0	42.4
318.8	315.0	314.3	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318.8	0.75	0.0	1.0	47.3
323.3	322.5	321.4	0.875	0.0	1.0	52.1	89.8	-66.9	112.0	323.3	0.867	0.0	1.0	51.9
328.2	330.0	328.6	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328.2	1.0	0.0	1.0	57.3
334.0	337.5	335.7	1.0	0.0	0.875	55.6	90.3	-43.9	100.4	334.0	1.0	0.0	0.883	55.8
341.6	345.0	342.8	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341.6	1.0	0.0	0.75	54.2
351.4	352.5	349.9	1.0	0.0	0.625	53.0	83.6	-12.6	84.6	351.4	1.0	0.0	0.633	53.1
362.9	360.0	357.0	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362.9	1.0	0.0	0.5	52.1
375.2	367.5	364.1	1.0	0.0	0.375	51.3	79.2	21.6	82.1	375.2	1.0	0.0	0.383	51.4
386.7	375.0	371.2	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386.7	1.0	0.0	0.25	50.9
395.4	382.5	378.3	1.0	0.0	0.125	50.6	77.2	54.9	94.8	395.4	1.0	0.0	0.133	50.6
400.0	390.0	385.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400.0	1.0	0.0	0.0	50.5

1-113330-LO RE320-73 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0


Output: sRGB standard device; no separation, D65, page 4/29

TUB-test chart RE32; hue code: $H^*_e = B50R_e$
 Test chart according to DIN 33872, 3D=1, de=1, sRGB*

input: $rgb/cmyk \rightarrow rgb_{de}$
 output: 3D-linearization to rgb^*_{de}

see similar files: <http://130.149.60.45/~farbmetrik/RE32/RE32.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>


TUB registration: 20130201-RE32/RE32LOFP.PDF /.PS
 application for measurement of display output, no separation
 TUB material: code=rh4ta



see similar files: <http://130.149.60.45/~farbmetrik/RE32/RE32LOFP.PDF> / .PS
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours *RYGCBM_s*: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours *RYGCBM_d*: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours *RYGCBM_e*: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{ds361M}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	
301	255	258	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301	0.0	0.25	1.0
301	256	258	0.0	0.233	1.0	36.5	57.6	-93.4	109.7	301	0.0	0.233	1.0
302	257	259	0.0	0.216	1.0	35.9	59.4	-94.5	111.6	302	0.0	0.217	1.0
302	258	260	0.0	0.2	1.0	35.2	61.2	-95.5	113.5	302	0.0	0.2	1.0
303	259	261	0.0	0.183	1.0	34.6	63.0	-96.6	115.3	303	0.0	0.183	1.0
303	260	262	0.0	0.166	1.0	34.0	64.8	-97.6	117.2	303	0.0	0.167	1.0
304	261	263	0.0	0.15	1.0	33.4	66.7	-98.6	119.1	304	0.0	0.15	1.0
304	262	264	0.0	0.133	1.0	32.8	68.6	-99.6	120.9	304	0.0	0.133	1.0
304	263	265	0.0	0.116	1.0	32.3	70.0	-100.3	123.3	304	0.0	0.117	1.0
305	264	266	0.0	0.1	1.0	32.0	70.8	-100.8	123.2	305	0.0	0.1	1.0
305	265	267	0.0	0.083	1.0	31.7	71.7	-101.2	124.1	305	0.0	0.083	1.0
305	266	268	0.0	0.066	1.0	31.5	72.5	-101.7	124.9	305	0.0	0.067	1.0
305	267	269	0.0	0.049	1.0	31.2	73.4	-102.2	125.8	305	0.0	0.05	1.0
305	268	269	0.0	0.033	1.0	30.9	74.3	-102.6	126.7	305	0.0	0.033	1.0
306	269	270	0.0	0.016	1.0	30.6	75.1	-103.1	127.6	306	0.0	0.017	1.0
306	270	271	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306	0.0	0.017	1.0
306	271	272	0.016	0.0	1.0	30.4	76.0	-103.4	128.4	306	0.0	0.017	1.0
306	272	273	0.033	0.0	1.0	30.5	76.1	-103.3	128.3	306	0.0	0.033	1.0
306	273	274	0.05	0.0	1.0	30.6	76.1	-103.1	128.2	306	0.0	0.05	1.0
306	274	275	0.066	0.0	1.0	30.7	76.1	-103.0	128.1	306	0.0	0.067	1.0
306	275	276	0.083	0.0	1.0	30.8	76.2	-102.8	128.0	306	0.0	0.083	1.0
306	276	277	0.1	0.0	1.0	30.9	76.2	-102.7	127.9	306	0.1	0.0	1.0
306	277	278	0.116	0.0	1.0	30.9	76.2	-102.5	127.8	306	0.117	0.0	1.0
306	278	279	0.133	0.0	1.0	31.1	76.3	-102.3	127.6	306	0.133	0.0	1.0
306	279	280	0.15	0.0	1.0	31.3	76.3	-101.9	127.4	306	0.15	0.0	1.0
306	280	281	0.166	0.0	1.0	31.5	76.4	-101.6	127.1	306	0.167	0.0	1.0
307	281	282	0.183	0.0	1.0	31.7	76.5	-101.2	126.9	307	0.183	0.0	1.0
307	282	283	0.2	0.0	1.0	31.9	76.6	-100.9	126.7	307	0.2	0.0	1.0
307	283	284	0.216	0.0	1.0	32.1	76.6	-100.5	126.4	307	0.217	0.0	1.0
307	284	285	0.233	0.0	1.0	32.3	76.7	-100.1	126.2	307	0.233	0.0	1.0
307	285	285	0.25	0.0	1.0	32.6	76.8	-99.8	125.9	307	0.25	0.0	1.0
307	286	286	0.266	0.0	1.0	32.9	77.0	-99.2	125.6	307	0.267	0.0	1.0
308	287	287	0.283	0.0	1.0	33.2	77.1	-98.6	125.2	308	0.283	0.0	1.0
308	288	288	0.3	0.0	1.0	33.6	77.3	-98.1	124.9	308	0.3	0.0	1.0
308	289	289	0.316	0.0	1.0	33.9	77.4	-97.5	124.5	308	0.317	0.0	1.0
308	290	290	0.333	0.0	1.0	34.3	77.6	-96.9	124.1	308	0.333	0.0	1.0
308	291	291	0.35	0.0	1.0	34.6	77.7	-96.3	123.8	308	0.35	0.0	1.0
309	292	292	0.366	0.0	1.0	34.9	77.9	-95.7	123.4	309	0.367	0.0	1.0
309	293	293	0.383	0.0	1.0	35.3	78.1	-95.1	123.0	309	0.383	0.0	1.0
309	294	294	0.4	0.0	1.0	35.8	78.3	-94.3	122.6	309	0.4	0.0	1.0
310	295	295	0.416	0.0	1.0	36.3	78.6	-93.5	122.2	310	0.417	0.0	1.0
310	296	296	0.433	0.0	1.0	36.7	78.9	-92.7	121.8	310	0.433	0.0	1.0
310	297	297	0.45	0.0	1.0	37.2	79.1	-92.0	121.3	310	0.45	0.0	1.0
311	298	298	0.466	0.0	1.0	37.6	79.3	-91.2	120.9	311	0.467	0.0	1.0
311	299	299	0.483	0.0	1.0	38.1	79.6	-90.4	120.5	311	0.483	0.0	1.0
311	300	300	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311	0.5	0.0	1.0



TUB registration: 20130201-RE32/RE32LOFP.PDF /.PS
 application for measurement of display output, no separation
 TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours *RYGCBM_s*; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours *RYGCBM_d*; $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours *RYGCBM_e*; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

<i>h_{ab,d}</i>	<i>h_{ab,s}</i>	<i>h_{ab,e}</i>	<i>rgb[*]_{dd361M}</i>	<i>LAB[*]_{ddx361Mi (x=LabCh)}</i>	<i>rgb[*]_{ds361Mi}</i>	<i>LAB[*]_{dsx361Mi (x=LabCh)}</i>	<i>rgb[*]_{dd361Mi}</i>	<i>rgb[*]_{de361Mi}</i>	<i>LAB[*]_{dex361Mi (x=LabCh)}</i>	<i>rgb[*]_{dd361Mi}</i>	<i>rgb[*]_{dd}</i>	<i>rgb[*]_{ds}</i>	<i>rgb[*]_{de}</i>
341	345	342	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341	1.0	0.0	0.75
342	346	343	1.0	0.0	0.733	54.0	86.5	-26.4	90.4	342	1.0	0.0	0.733
344	347	344	1.0	0.0	0.716	53.8	86.2	-24.2	89.5	344	1.0	0.0	0.716
345	348	345	1.0	0.0	0.7	53.7	85.8	-22.0	88.6	345	1.0	0.0	0.7
346	349	346	1.0	0.0	0.683	53.5	85.4	-19.9	87.7	346	1.0	0.0	0.683
348	350	347	1.0	0.0	0.666	53.4	85.0	-17.8	86.8	348	1.0	0.0	0.666
349	351	348	1.0	0.0	0.65	53.2	84.5	-15.7	85.9	349	1.0	0.0	0.65
350	352	349	1.0	0.0	0.633	53.0	83.9	-13.6	85.0	350	1.0	0.0	0.633
352	353	350	1.0	0.0	0.616	52.9	83.6	-11.4	84.3	352	1.0	0.0	0.616
353	354	351	1.0	0.0	0.6	52.8	83.4	-9.1	83.9	353	1.0	0.0	0.6
355	355	352	1.0	0.0	0.583	52.7	83.2	-6.9	83.5	355	1.0	0.0	0.583
356	356	353	1.0	0.0	0.566	52.5	82.9	-4.6	83.0	356	1.0	0.0	0.566
358	357	354	1.0	0.0	0.55	52.4	82.5	-2.4	82.6	358	1.0	0.0	0.55
359	358	355	1.0	0.0	0.533	52.3	82.1	-0.1	82.1	359	1.0	0.0	0.533
361	359	356	1.0	0.0	0.516	52.1	81.6	2.0	81.7	361	1.0	0.0	0.516
362	360	352	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362	1.0	0.0	0.5
364	361	353	1.0	0.0	0.483	51.9	81.1	6.5	81.3	364	1.0	0.0	0.483
366	362	354	1.0	0.0	0.466	51.8	81.0	8.8	81.5	366	1.0	0.0	0.466
367	363	355	1.0	0.0	0.45	51.7	80.8	11.1	81.6	367	1.0	0.0	0.45
369	364	356	1.0	0.0	0.433	51.6	80.6	13.5	81.7	369	1.0	0.0	0.433
371	365	357	1.0	0.0	0.416	51.5	80.3	15.8	81.8	371	1.0	0.0	0.416
372	366	358	1.0	0.0	0.4	51.4	79.9	18.1	81.9	372	1.0	0.0	0.4
374	367	359	1.0	0.0	0.383	51.4	79.5	20.4	82.1	374	1.0	0.0	0.383
376	368	360	1.0	0.0	0.366	51.3	79.3	22.7	82.5	376	1.0	0.0	0.366
377	369	362	1.0	0.0	0.35	51.2	79.3	25.1	83.2	377	1.0	0.0	0.35
379	370	363	1.0	0.0	0.333	51.1	79.2	27.4	83.8	379	1.0	0.0	0.333
380	371	364	1.0	0.0	0.316	51.1	79.1	29.7	84.5	380	1.0	0.0	0.316
382	372	365	1.0	0.0	0.3	51.0	78.9	32.1	85.2	382	1.0	0.0	0.3
383	373	366	1.0	0.0	0.283	51.0	78.7	34.4	85.9	383	1.0	0.0	0.283
385	374	367	1.0	0.0	0.266	50.9	78.3	36.8	86.6	385	1.0	0.0	0.266
386	375	368	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386	1.0	0.0	0.25
387	376	369	1.0	0.0	0.233	50.8	78.0	41.2	88.2	387	1.0	0.0	0.233
389	377	370	1.0	0.0	0.216	50.8	78.0	43.3	89.2	389	1.0	0.0	0.216
390	378	372	1.0	0.0	0.2	50.7	78.0	45.4	90.2	390	1.0	0.0	0.2
391	379	373	1.0	0.0	0.183	50.7	77.9	47.5	91.2	391	1.0	0.0	0.183
392	380	374	1.0	0.0	0.166	50.6	77.8	49.6	92.2	392	1.0	0.0	0.166
393	381	375	1.0	0.0	0.15	50.6	77.6	51.9	93.3	393	1.0	0.0	0.15
394	382	376	1.0	0.0	0.133	50.6	77.3	53.9	94.3	394	1.0	0.0	0.133
395	383	377	1.0	0.0	0.116	50.5	77.2	55.6	95.1	395	1.0	0.0	0.116
396	384	378	1.0	0.0	0.1	50.5	77.2	56.8	95.9	396	1.0	0.0	0.1
396	385	379	1.0	0.0	0.083	50.5	77.2	58.1	96.6	396	1.0	0.0	0.083
397	386	381	1.0	0.0	0.066	50.5	77.2	59.4	97.4	397	1.0	0.0	0.066
398	387	382	1.0	0.0	0.049	50.5	77.1	60.6	98.1	398	1.0	0.0	0.049
398	388	383	1.0	0.0	0.033	50.5	77.1	61.9	98.9	398	1.0	0.0	0.033
399	389	384	1.0	0.0	0.016	50.5	77.0	63.2	99.6	399	1.0	0.0	0.016
400	390	385	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400	1.0	0.0	0.0

1-1131230-L0 RE320-73 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Output: sRGB standard device; no separation, D65, page 13/29

TUB-test chart RE32; hue code: $H^*_e=B50R_e$
 48 step hue circles; *rgb-LabCh**tables



input: *rgb/cmyk* -> *rgb_{de}*
 output: 3D-linearization to *rgb^{*}_{de}*

1-1131230-F0

see similar files: <http://130.149.60.45/~farbmetrik/RE32/RE32LOFP.PDF> / .PS
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-RE32/RE32LOFP.PDF /.PS
 application for measurement of display output, no separation



TUB material: code=rha4ta







nif	HC*Fate	rgb*Fate	int*Fate	hsa*Fate	rgb*Fate	LabCH*Fate	LabCH*Fate	DF*Fate	rgb*Fate	rgb*Fate	LabCH*Fate
0/648	ROUY_100_100de	1.0	0.0	0.0	0.0	0.263	50.9	78.3	37.3	86.7	25.4
1/668	RSZY_100_100de	1.0	0.5	4.0	1.0	0.102	0.0	0.0	0.0	0.0	0.0
2/684	RSZY_100_100de	1.0	0.5	4.0	1.0	0.102	0.0	0.0	0.0	0.0	0.0
3/684	RSZY_100_100de	1.0	0.5	4.0	1.0	0.102	0.0	0.0	0.0	0.0	0.0
4/720	Y0GC_100_100de	1.0	0.75	0.0	1.0	0.684	0.0	63.1	42.6	70.7	82.8
5/558	Y25C_100_100de	0.75	1.0	0.0	1.0	0.856	0.0	83.3	34.4	84.5	92.3
6/396	Y50C_100_100de	0.5	1.0	0.0	1.0	0.906	1.0	91.0	29.9	88.9	93.8
7/234	Y75C_100_100de	0.25	1.0	0.0	1.0	0.528	1.0	0.0	0.0	85.9	104.1
8/72	CO0B_100_100de	0.0	1.0	0.5	1.50	0.0	1.0	0.436	84.1	-76.0	51.4
9/72	CO0B_100_100de	0.0	1.0	0.5	1.50	0.0	1.0	0.706	85.1	-64.6	20.7
10/76	CO0B_100_100de	0.0	1.0	0.5	1.50	0.0	1.0	0.951	86.5	-49.2	67.9
11/440	G50B_100_100de	0.0	1.0	0.5	2.10	0.0	0.89	1.0	79.0	-34.1	25.3
12/440	G50B_100_100de	0.0	1.0	0.5	2.10	0.0	0.763	1.0	70.0	-19.0	24.3
13/8	B00K_100_100de	0.0	1.0	0.5	2.70	0.0	0.609	1.0	59.2	1.7	-56.6
14/332	B25K_100_100de	0.5	1.0	0.5	3.00	0.0	0.27	1.0	38.2	52.8	104.9
15/656	B50K_100_100de	1.0	0.0	1.0	3.60	1.0	0.0	0.991	57.1	94.1	110.3
16/652	B75K_100_100de	1.0	0.0	1.0	3.60	1.0	0.0	0.617	52.9	83.6	-11.6
17/648	ROUY_100_100de	1.0	0.0	0.5	3.90	1.0	0.0	0.263	50.9	78.3	37.3
18/688	ROUY_100_100de	1.0	0.5	0.5	3.90	1.0	0.5	0.631	73.1	39.1	18.6
19/706	RSZY_100_100de	1.0	0.75	0.5	4.0	1.0	0.743	0.5	79.2	21.2	35.4
20/724	Y0GC_100_100de	0.75	1.0	0.5	4.0	1.0	0.928	0.5	89.5	-1.7	42.2
21/562	Y50C_100_100de	0.5	1.0	0.5	4.0	1.0	0.307	1.0	90.7	-31.5	41.4
22/400	G50B_100_100de	0.5	1.0	0.5	4.0	1.0	0.445	1.0	87.2	67.1	-28.3
23/400	G50B_100_100de	0.5	1.0	0.5	4.0	1.0	0.804	1.0	77.2	67.1	-28.3
24/692	B00K_100_100de	1.0	0.5	0.5	4.0	1.0	0.5	0.995	76.3	47.0	-28.7
25/688	ROUY_100_100de	1.0	0.5	0.5	4.0	1.0	0.5	0.631	73.1	39.1	18.6
26/688	ROUY_100_100de	1.0	0.5	0.5	4.0	1.0	0.5	0.631	73.1	39.1	18.6
27/506	ROUY_075_050de	0.75	0.25	0.5	3.90	1.0	0.25	0.381	49.3	39.1	18.6
28/524	RSZY_075_050de	0.75	0.5	0.5	4.0	1.0	0.493	0.25	55.4	21.3	35.4
29/542	Y0GC_075_050de	0.75	0.75	0.5	4.0	1.0	0.678	0.25	65.7	-1.7	42.2
30/380	Y50C_075_050de	0.5	0.75	0.5	4.0	1.0	0.75	0.25	66.8	-31.5	41.4
31/218	CO0B_075_050de	0.25	0.75	0.5	4.0	1.0	0.25	0.603	66.4	-32.3	10.3
32/222	G50B_075_050de	0.25	0.75	0.5	4.0	1.0	0.25	0.695	75.5	53.4	-17.1
33/186	B00K_075_050de	0.25	0.75	0.5	4.0	1.0	0.25	0.554	75.5	53.4	-17.1
34/510	B50K_075_050de	0.75	0.25	0.5	3.90	1.0	0.75	0.25	0.745	0.724	52.4
35/506	ROUY_075_050de	0.75	0.25	0.5	3.90	1.0	0.75	0.25	0.381	49.3	39.1
36/324	ROUY_050_050de	0.5	0.0	0.5	3.90	1.0	0.131	0.25	25.4	39.1	18.6
37/342	RSZY_050_050de	0.5	0.25	0.5	4.0	1.0	0.243	0.0	31.5	21.3	35.4
38/360	Y0GC_050_050de	0.5	0.5	0.5	4.0	1.0	0.428	0.0	41.8	-1.7	42.2
39/198	Y50C_050_050de	0.25	0.5	0.5	4.0	1.0	0.264	0.5	42.9	-31.5	41.4
40/36	CO0B_050_050de	0.0	0.5	0.5	4.0	1.0	0.5	0.353	42.5	-32.3	10.3
41/40	G50B_050_050de	0.0	0.5	0.5	4.0	1.0	0.445	0.5	39.5	-17.1	-12.8
42/4	B00K_050_050de	0.0	0.5	0.5	4.0	1.0	0.304	0.5	29.6	0.8	-28.3
43/328	B50K_050_050de	0.5	0.0	0.5	3.90	1.0	0.5	0.495	28.5	47.0	-28.7
44/324	ROUY_050_050de	0.5	0.0	0.5	3.90	1.0	0.5	0.131	25.4	39.1	18.6
45/0	NW_000de	0.0	0.0	0.0	3.60	1.0	0.0	0.0	0.0	0.0	0.0
46/91	NW_015de	0.125	0.125	0.125	3.60	1.0	0.125	0.125	11.9	0.0	0.0
47/182	NW_025de	0.25	0.25	0.25	3.60	1.0	0.25	0.25	23.8	0.0	0.0
48/273	NW_035de	0.375	0.375	0.375	3.60	1.0	0.375	0.375	35.7	0.0	0.0
49/364	NW_050de	0.5	0.5	0.5	3.60	1.0	0.5	0.5	47.7	0.0	0.0
50/455	NW_065de	0.625	0.625	0.625	3.60	1.0	0.625	0.625	59.6	0.0	0.0
51/546	NW_080de	0.75	0.75	0.75	3.60	1.0	0.75	0.75	71.5	0.0	0.0
52/637	NW_088de	0.875	0.875	0.875	3.60	1.0	0.875	0.875	83.3	0.0	0.0
53/728	NW_100de	1.0	1.0	1.0	3.60	1.0	1.0	1.0	95.4	0.0	0.0

Mean color difference of this page: delta E* = 0.8

input: rgb/cmyk -> rgbde output: 3D-linearization to rgb*de









http://130.149.60.45/~farbmatrik/RE32/RE32LOFP.PDF /PS; 3D-linearization F: 3D-linearization RE32/RE32LE30FP.DAT in file (F), page 16/29

Table with columns: n/F, HC*Rate, rgb*Rate, iet*Rate, ihs*Rate, rgb*Fate, LabC*Fate, LabC*Rate, rgb*Fate, LabC*Rate, rgb*Fate, LabC*Rate, DF*Fate, rha*Fate, rha*Rate, rgb*Rate, LabC*Rate. Rows 1-80.

Mean color difference of this page: delta E*ab = 0.6

TUB-test chart RE32; hue code: H*e=B50Re colors and differences, ΔE*ab

input: rbg/cmyk -> rbgde output: 3D-linearization to rbg*de



http://130.149.60.45/~farbmatrik/RE32/RE32LOFP.PDF /.PS; 3D-linearization F: 3D-linearization RE32/RE32LE30FP.DAT in file (F), page 17/29

Table with 16 columns: n, HHC*File, rgb*File, iet*File, Hsa*File, rgb*File, LabCH*File, LabCH*File, rgb*File, DF*File, rha*File, rgb*File, LabCH*File, LabCH*File, rgb*File, delta.F** = 0.6. Rows 81-161.

Mean color difference of this page: delta.F** = 0.6

input: rgb/cmyk -> rgbd output: 3D-linearization to rgb*de





Table with 24 columns: n, HHC*Fide, rpb*Fide, iet*Fide, hsa*Fide, rpb*Fide, LabCH*Fide, LabCH*Fide, rpb*Fide, DF*Fide, hsa*Fide, rpb*Fide, LabCH*Fide, LabCH*Fide, rpb*Fide, DF*Fide, hsa*Fide, rpb*Fide, LabCH*Fide, LabCH*Fide, rpb*Fide, DF*Fide, hsa*Fide, rpb*Fide. The table contains numerical data for 242 rows.

delta F** = 0.5



Mean color difference of this page:





http://130.149.60.45/~farbmetrik/RE32/RE32LOFP.PDF /.PS; 3D-linearization F: 3D-linearization RE32/RE32LE30FP.DAT in file (F), page 18/29

input: rgb/cmyk -> rgbd output: 3D-linearization to rpb*de

RE320-TN, Page 18/29-F

TUB-test chart RE32; hue code: H*e=B50Re colors and differences, AE**









http://130.149.60.45/~farbmatrik/RE32/RE32LOFP.PDF /.PS; 3D-linearization F: 3D-linearization RE32/RE32LE30FP.DAT in file (F), page 19/29

Table with 32 columns: n, HHC*File, rgb*File, iet*File, ihs*File, rgb*File, LabCH*File, LabCH*File, LabCH*File, rgb*File, DF*File, hsa*File, rgb*File, LabCH*File, LabCH*File, LabCH*File, rgb*File, LabCH*File, LabCH*File, LabCH*File, rgb*File, DF*File, hsa*File, rgb*File, LabCH*File, LabCH*File, LabCH*File, rgb*File, LabCH*File, LabCH*File, LabCH*File, rgb*File. Each cell contains numerical data.

Mean color difference of this page: delta E* = 0.5

RE320-TN, Page 19/29-F

input: rgb/cmyk -> rgbd output: 3D-linearization to rgb*de







http://130.149.60.45/~farbmetrik/RE32/RE32LOFP.PDF / PS; 3D-linearization F: 3D-linearization RE32/RE32LE30FP.DAT in file (F), page 20/29

Table with 15 columns: n, HHC*F, rgb*Rate, iet*Rate, ihs*Rate, rgb*Fate, LabCH*Fate, LabCH*Rate, rgb*Fate, DF*Fate, hsa*Fate, DF*Rate, hsa*Rate, LabCH*Rate, LabCH*Fate. Rows 324-404.

Mean color difference of this page: delta E** = 0.4

TUB-test chart RE32; hue code: H*e=B50Re colors and differences, ΔE**

RE320-TN; Page 20/29-F



http://130.149.60.45/~farbmatrik/RE32/RE32LOFP.PDF /PS; 3D-linearization F: 3D-linearization RE32/RE32LE30FP.DAT in file (F), page 21/29

Table with columns: n, HHC*File, rgb*File, iet*File, Hsa*File, rgb*File, LabCH*File, LabCH*File, LabCH*File, rgb*File, DP*File, Hsa*File, rgb*File, LabCH*File. Rows list color patches from 405 to 485.

input: rgb/cmyk -> rgbde output: 3D-linearization to rgb*de Mean color difference of this page: delta E** = 0.4

http://130.149.60.45/~farbmetrik/RE32/RE32LOFP.PDF /PS; 3D-linearization F: 3D-linearization RE32/RE32LE30FP.DAT in file (F), page 22/29

Table with columns: n, HHC*Fide, rgb*Fide, iet*Fide, Hsa*Fide, rgb*Fide, LabCh*Fide, LabCh*Fide, rgb*Fide, DF*Fide, Hsa*Fide, rgb*Fide, LabCh*Fide, LabCh*Fide, rgb*Fide, LabCh*Fide. Rows 486-566.

Mean color difference of this page: delta E** = 0.4

TUB-test chart RE32; hue code: H*e=B50Re colors and differences, ΔE**

input: rgb/cmlyk -> rgbd output: 3D-linearization to rgb*de

http://130.149.60.45/~farbmatrik/RE32/RE32LOFP.PDF /PS; 3D-linearization F: 3D-linearization RE32/RE32LE30FP.DAT in file (F), page 23/29

Table with 20 columns: n, HHC*File, rgb*File, iet*File, Hsa*File, rgb*File, LabCH*File, LabCH*File, LabCH*File, LabCH*File, LabCH*File, LabCH*File, LabCH*File, LabCH*File, LabCH*File, LabCH*File, LabCH*File, LabCH*File, LabCH*File, LabCH*File. Rows 567-647.

input: rgb/cmyk -> rgbd output: 3D-linearization to rgb*de Mean color difference of this page: delta E** = 0.3

http://130.149.60.45/~farbmetrik/RE32/RE32LOFP.PDF /PS; 3D-linearization F: 3D-linearization RE32/RE32LE30FP.DAT in file (F), page 24/29

Table with 728 rows and 16 columns: n, HHC*File, rgb*File, iCt*File, Hs*File, rgb*File, LabCH*File, LabCH*File, rgb*File, DF*File, Hs*File, LabCH*File, LabCH*File, rgb*File, LabCH*File, LabCH*File. Includes a footer note: Mean color difference of this page: delta E** = 2.5

TUB-test chart RE32; hue code: H*e=B50Re colors and differences, ΔE*
input: rgb/cmlyk -> rgbde output: 3D-linearization to rgb*de
RE320-TN, Page 24/29-F
I=133330-F0

Table with 100 columns (n, H/C, RGB, etc.) and 100 rows of numerical data. Includes a 'Mean color difference of this page: delta E* = 0.7' at the bottom right.

http://130.149.60.45/~farbmetrik/RE32/RE32LOFP.PDF /.PS; 3D-linearization F: 3D-linearization RE32/RE32LE30FP.DAT in file (F), page 25/29

input: rgb/cmyk -> rgbd output: 3D-linearization to rgb*de

TUB-test chart RE32; hue code: H*e=B50Re colors and differences, AE*^{*}

RE32-70; Page 25/29-F

L-1132430-F0

http://130.149.60.45/~farbmetrik/RE32/RE32LOFP.PDF /.PS; 3D-linearization F: 3D-linearization RE32/RE32LE30FP.DAT in file (F), page 27/29

Table with 10 columns: n, HVC*Fde, rgb*Fde, iet*Fde, hsa*Fde, rgb*Fde, LabCH*Fde, iet*Fde, hsa*Fde, rgb*Fde, LabCH*Fde, DF*Fde, hsa*Fde, rgb*Fde, LabCH*Fde, n. Rows include color codes like B50R_100_012de, B50R_100_025de, etc.

Mean color difference of this page: delta E* = 0.6

TUB-test chart RE32; hue code: H*e=B50Re colors and differences, ΔE*^{*}

RE320-TN; Page 27/29-F

L-1132630-F0



http://130.149.60.45/~farbmetrik/RE32/RE32L0FP.PDF /.PS; 3D-linearization
 F: 3D-linearization RE32/RE32LE30FP.DAT in file (F), page 29/29

n	HC*Fde	rgb*Fde	iet*Fde	hsa*Fde	rgb**Fde	LabCH*Fde	LabCH**Fde	rgb**Fde	DF**Fde	hsa**Fde	rgb**Fde	LabCH**Fde
1053	NW_086de	0.866	0.866	0.866	0.866	82.6	82.6	0.847	0.85	0.85	0.847	82.5
1054	NW_093de	0.933	0.933	0.933	0.933	89.0	89.0	0.921	0.924	0.924	0.921	88.9
1055	NW_100de	1.0	1.0	1.0	1.0	95.4	95.4	1.0	1.0	1.0	1.0	95.4
1056	NW_006de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1057	NW_006de	0.066	0.066	0.066	0.066	6.2	6.2	0.068	0.07	0.07	0.068	6.1
1058	NW_013de	0.133	0.133	0.133	0.133	12.6	12.6	0.134	0.138	0.138	0.134	12.6
1059	NW_020de	0.2	0.2	0.2	0.2	19.0	19.0	0.25	0.251	0.251	0.25	18.7
1060	NW_026de	0.266	0.266	0.266	0.266	25.3	25.3	0.303	0.311	0.311	0.303	25.4
1061	NW_033de	0.333	0.333	0.333	0.333	31.7	31.7	0.374	0.374	0.374	0.374	31.6
1062	NW_040de	0.4	0.4	0.4	0.4	38.1	38.1	0.431	0.437	0.437	0.431	38.2
1063	NW_046de	0.466	0.466	0.466	0.466	44.4	44.4	0.503	0.504	0.504	0.503	44.4
1064	NW_053de	0.533	0.533	0.533	0.533	50.8	50.8	0.564	0.569	0.569	0.564	51.1
1065	NW_060de	0.6	0.6	0.6	0.6	57.2	57.2	0.634	0.635	0.635	0.634	57.1
1066	NW_066de	0.666	0.666	0.666	0.666	63.5	63.5	0.703	0.706	0.707	0.703	63.3
1067	NW_073de	0.734	0.734	0.734	0.734	70.0	70.0	0.775	0.778	0.778	0.775	69.8
1068	NW_080de	0.8	0.8	0.8	0.8	76.3	76.3	0.847	0.85	0.85	0.847	82.5
1069	NW_086de	0.866	0.866	0.866	0.866	82.6	82.6	0.921	0.924	0.924	0.921	82.5
1070	NW_093de	0.933	0.933	0.933	0.933	89.0	89.0	1.0	1.0	1.0	1.0	95.4
1071	NW_100de	1.0	1.0	1.0	1.0	95.4	95.4	0.0	0.0	0.0	0.0	0.0
1072	NW_006de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1073	NW_006de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1074	ROY_100_100de	1.0	1.0	1.0	1.0	95.4	95.4	1.0	1.0	1.0	1.0	95.4
1075	GS0L_100_100de	1.0	1.0	1.0	1.0	0.5	390	1.0	0.0	0.263	0.0	0.0
1076	Y06L_100_100de	0.0	1.0	1.0	1.0	0.5	390	0.0	0.89	1.0	0.0	0.0
1077	Y06L_100_100de	1.0	1.0	1.0	1.0	0.5	210	1.0	0.856	0.0	0.856	0.0
1078	B08L_100_100de	0.0	0.0	1.0	1.0	0.5	210	0.0	0.609	1.0	0.609	0.0
1079	B08L_100_100de	0.0	1.0	1.0	1.0	0.5	330	0.0	0.0	0.0	0.0	0.0
1079	B50R_100_100de	1.0	0.0	1.0	1.0	0.5	330	1.0	0.0	0.991	0.0	0.0

Mean color difference of this page: $\Delta E^*_{ab} = 0.3$

input: *rgb/cmyk* -> *rgbde*
 output: 3D-linearization to *rgb*de*

TUB-test chart RE32; hue code: H*_e=B50R_e
 colors and differences, ΔE^*_{ab}