


http://130.149.60.45/~farbmetrik/RE57/RE57L0NP.PDF /.PS; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/33



see similar files: <http://130.149.60.45/~farbmetrik/RE57/RE57.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE57/RE57L0NP.PDF /.PS
application for measurement of offset print output

TUB material: code=rha4ta





1-003031-L0 RE570-7N

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): $rgb + cmy0$ (A_j + k26_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 0

TUB-test chart RE57; 1080 standard colours
Test chart according to DIN 33872, 3D=0, de=0, cmy0



input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change





see similar files: <http://130.149.60.45/~farbmetrik/RE57/RE57.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE57/RE57L0NP.PDF /.PS
application for measurement of offset print output, separation cmy0 (CMY0)
TUB material: code=rh4ta




1-003131-L0 RE570-70 Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): $rgb(A_n, 3D=0)$

TUB-test chart RE57; 1080 standard colours
Test chart according to DIN 33872, 3D=0, de=0, cmy0

input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to $cmy0_d$

see similar files: <http://130.149.60.45/~farbmetrik/RE57/RE57.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE57/RE57L0NP.PDF /.PS
application for measurement of offset print output, separation cmy0 (CMY0)
TUB material: code=rh4ta




1-003231-L0 RE570-70

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n);, 3D=0

TUB-test chart RE57; 1080 standard colours
Test chart according to DIN 33872, 3D=0, de=0, cmy0


input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to $cmy0_d$

1-003231-E0



see similar files: <http://130.149.60.45/~farbmetrik/RE57/RE57.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE57/RE57L0NP.PDF /.PS
application for measurement of offset print output, separation cmy0 (CMY0)
TUB material: code=rh4ta




1-003331-L0 RE570-70

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n); 3D=0

TUB-test chart RE57; 1080 standard colours
Test chart according to DIN 33872, 3D=0, de=0, cmy0


input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to $cmy0_d$

1-003331-F0



see similar files: <http://130.149.60.45/~farbmetrik/RE57/RE57.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE57/RE57L0NP.PDF /.PS
application for measurement of offset print output, separation cmy0 (CMY0)
TUB material: code=rh4ta





1-003431-L0 RE570-70

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n); 3D=0

TUB-test chart RE57; 1080 standard colours
Test chart according to DIN 33872, 3D=0, de=0, cmy0




input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to $cmy0_d$

1-003431-F0





Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours RYGBM_d: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



Notes to the CIE LAB chroma diagrams (a^* , b^* , b^*_d), (a^*_s , b^*_s), (a^*_e , b^*_e)

- For the rgb^*_s input values the CIE LAB data LCH^*_s and LAB^*_s have been calculated.
- For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_s the equation:

$$h_{ab,s} = \arctan \left[\frac{r^*_s \cos(30) + g^*_s \cos(150)}{r^*_s \sin(30) + g^*_s \sin(150)} + b^*_s \sin(270) \right]$$
- For the 48 or 360 equally spaced standard hue angles $h_{ab,i}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,ij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7)$$

$$h_{360ab,ij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59)$$
- For the 48 or 360 elementary hue angles $h_{ab,i}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,ej} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7)$$

$$h_{360ab,ej} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59)$$
- For any elementary hue angle $h_{ab,i}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
- The values rgb^*_s produce the output of the device-independent elementary hues

Output: Offset standard print; separation cmy0*, D65, page 7/33

input: *rgb/cmyk* -> *rgbd*
 output: transfer to *cmy0d*

TUB-test chart RE57; 1080 standard colours
 48 step hue circles; *rgb-LabCh**tables

http://130.149.60.45/~farbmetrik/RE57/RE57L0NP.PDF / PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 8/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,d,s = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM; h_ab,d = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM; h_ab,e = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for colorimetric data (LAB, RGB, CMY) and device/elementary color values. Includes color bars at the top and bottom.

input: rgb/cmyk -> rgbd output: transfer to cmy0d

TUB-test chart RE57; 1080 standard colours 48 step hue circles; rgb-LabCh*tables

Output: Offset standard print; separation cmy0; D65, page 8/33

http://130.149.60.45/~farbmetrik/RE57/RE57L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,d,s = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with columns: h_ab,d, h_ab,s, h_ab,e, rgbb*, dgbb*, dgbb*_ds, rgbb*_de, LAB*_ds361MI, LAB*_ds361MI(x=LabCh), rgbb*_ds361MI, LAB*_ds361MI(x=LabCh), rgbb*_ds361MI, LAB*_ds361MI(x=LabCh), rgbb*_ds361MI, LAB*_ds361MI(x=LabCh), Yd, Ys, Ye, and various colorimetric values.

I-0031031-L0 RE570-70 LAB*lab0, YN=0%, XY,Znw=3.6,4.2,6.1,85.4,89.1,104.8, LAB*rw=24.4,0.0,0.0,95.6,0.0,0.0 Output: Offset standard print; separation cmy0; D65, page 1/33

TUB-test chart RE57; 1080 standard colours 48 step hue circles; rgb-LabCh*tables input: rgb/cmyk -> rgbd output: transfer to cmy0d

http://130.149.60.45/~farbmetrik/RE57/RE57L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 13/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0; D65 for input or output; Six hue angles of the 60 degree standard colors RYGBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Table with columns for color names (e.g., h_ab,d, h_ab,s), device color codes (e.g., RYGBM_d, RYGBM_s), hue angles (h_ab,d, h_ab,s), and 361 MIMI color values. The table contains 238 rows of data for various colors and their corresponding 361 MIMI values in CMY0 and RGB0 spaces.

TUB-test chart RE57; 1080 standard colours 48 step hue circles; rgb-LabCh*tables input: rgb/cmyk -> rgb output: transfer to cmy0d

Output: Offset standard print; separation cmy0; D65, page 13/33

http://130.149.60.45/~farbmetrik/RE57/RE57L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 14/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,d65 = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with columns for hue angles (h_ab,d), device colours (RYGBM), and colorimetric values (L*, a*, b*, x, y, z, etc.) for various color separations and printing conditions.

Six hue angles of the device colours RYGBM; h_ab,d = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; LAB* dxs361MI (x=LabCh) L* a* b* x y z

TUB-test chart RE57; 1080 standard colours 48 step hue circles; rgb-LabCh*tables input: rgb/cmyk -> rgbd output: transfer to cmy0d

Output: Offset standard print; separation cmy0; D65, page 14/33

http://130.149.60.45/~farbmetrik/RE57/RE57L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 15/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with columns for hue angles (h_ab,d, h_ab,s, h_ab,e) and colorimetric values (LAB*, RGB*, CMYK) for 60 standard colors. The table is organized into three main sections: 1-30, 31-60, and 61-90. Each section contains 60 rows of data corresponding to the hue angles.

LAB*at0, YN=0%, XY,Znw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*rw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

TUB-test chart RE57; 1080 standard colours 48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgbd output: transfer to cmy0d

Output: Offset standard print; separation cmy0*, D65, page 15/33

http://130.149.60.45/~farbmetrik/RE57/RE57L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 17/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; i_hab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with columns for hue angles (h_ab,d, h_ab,s, h_ab,e), device colours (RYGBM_d, RYGBM_s, RYGBM_e), and various colorimetric and LabCh values for 60 standard colors. The table is organized into three main sections corresponding to the different device color sets.

LAB*lab0, YN=0%, XY,Znw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*rw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

TUB-test chart RE57; 1080 standard colours 48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgbd output: transfer to cmy0d




Output: Offset standard print; separation cmy0*, D65, page 17/33

http://130.149.60.45/~farbmetrik/RE57/RE57L0NP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 18/33

Table with columns: nrf, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, LabC0*Fd, LabC1*Fd, rpb*Fd, LabC0*Fd, LabC1*Fd, DF*Fd, hsa*Fd, rpb*Fd, LabC0*Fd, LabC1*Fd. Rows include color names like R000, R001, R002, etc.

Mean color difference of this page: delta E* = 4.0

input: rgb/cmyk -> rgbd output: transfer to cmy0d



http://130.149.60.45/~farbmetrik/RE57/RE57L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 19/33

nif	HC*Fd	rgb_Fd	icr_Fd	hsa_Fd	rgb*Fd	LabCH*Fd	LabCH*Fd	rgb*Fd	DE*Fd	HaMvd	rgb*Vvd	LabCH*Vvd	LabCH*Vvd	rgb_Fd	rgb_Vvd
0/648	R00Y_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	32.3	389	1.0	0.0	0.0	0.0	0.0
1/668	R25Y_100_100a	0.0	0.5	0.5	0.0	0.0	0.0	0.0	83.9	44.8	0.0	0.0	0.0	0.0	0.0
2/684	R50Y_100_100a	0.0	0.5	0.5	0.0	0.0	0.0	0.0	76.5	54.8	0.0	0.0	0.0	0.0	0.0
3/702	R75Y_100_100a	0.0	0.5	0.5	0.0	0.0	0.0	0.0	68.6	68.6	0.0	0.0	0.0	0.0	0.0
4/720	Y00C_100_100a	0.0	0.5	0.5	0.0	0.0	0.0	0.0	84.8	84.8	0.0	0.0	0.0	0.0	0.0
5/558	Y25C_100_100a	0.0	0.5	0.5	0.0	0.0	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0	0.0
6/396	Y50C_100_100a	0.5	1.0	0.0	0.0	0.0	0.0	0.0	86.2	86.2	0.0	0.0	0.0	0.0	0.0
7/234	Y75C_100_100a	0.25	1.0	0.0	0.0	0.0	0.0	0.0	96.1	96.1	0.0	0.0	0.0	0.0	0.0
8/72	G00B_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	101.4	101.4	0.0	0.0	0.0	0.0	0.0
9/72	G25B_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	87.8	87.8	0.0	0.0	0.0	0.0	0.0
10/76	G50B_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	84.3	84.3	0.0	0.0	0.0	0.0	0.0
11/80	G75B_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	72.8	72.8	0.0	0.0	0.0	0.0	0.0
12/44	G50B_100_100a	0.0	0.5	1.0	0.0	0.0	0.0	0.0	66.5	66.5	0.0	0.0	0.0	0.0	0.0
13/8	B00M_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	45.8	45.8	0.0	0.0	0.0	0.0	0.0
14/332	B25R_100_100a	0.5	0.0	1.0	0.0	0.0	0.0	0.0	29.7	29.7	0.0	0.0	0.0	0.0	0.0
15/656	B50R_100_100a	1.0	0.0	1.0	0.0	0.0	0.0	0.0	66.5	66.5	0.0	0.0	0.0	0.0	0.0
16/652	B75R_100_100a	1.0	0.0	1.0	0.0	0.0	0.0	0.0	48.3	48.3	0.0	0.0	0.0	0.0	0.0
17/648	R00Y_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	29.6	29.6	0.0	0.0	0.0	0.0	0.0
18/688	R00Y_100_050a	1.0	0.5	0.5	0.0	0.0	0.0	0.0	71.4	71.4	0.0	0.0	0.0	0.0	0.0
19/706	R25Y_100_050a	0.0	0.5	0.5	0.0	0.0	0.0	0.0	52.9	52.9	0.0	0.0	0.0	0.0	0.0
20/724	Y00C_100_050a	0.0	0.5	0.5	0.0	0.0	0.0	0.0	48.6	48.6	0.0	0.0	0.0	0.0	0.0
21/400	G00B_100_050a	0.0	0.5	0.5	0.0	0.0	0.0	0.0	38.9	38.9	0.0	0.0	0.0	0.0	0.0
22/400	G25B_100_050a	0.5	1.0	0.0	0.0	0.0	0.0	0.0	54.8	54.8	0.0	0.0	0.0	0.0	0.0
23/548	B00R_100_050a	0.5	1.0	0.0	0.0	0.0	0.0	0.0	79.3	79.3	0.0	0.0	0.0	0.0	0.0
24/548	B25R_100_050a	0.5	1.0	0.0	0.0	0.0	0.0	0.0	48.3	48.3	0.0	0.0	0.0	0.0	0.0
25/692	B50R_100_050a	1.0	0.5	0.5	0.0	0.0	0.0	0.0	33.0	33.0	0.0	0.0	0.0	0.0	0.0
26/688	R00Y_100_050a	1.0	0.5	0.5	0.0	0.0	0.0	0.0	41.9	41.9	0.0	0.0	0.0	0.0	0.0
27/506	R00Y_075_050a	0.75	0.25	0.25	0.5	0.5	0.5	0.5	32.3	32.3	0.0	0.0	0.0	0.0	0.0
28/524	R25Y_075_050a	0.75	0.25	0.25	0.5	0.5	0.5	0.5	41.9	41.9	0.0	0.0	0.0	0.0	0.0
29/542	Y00C_075_050a	0.75	0.25	0.25	0.5	0.5	0.5	0.5	37.2	37.2	0.0	0.0	0.0	0.0	0.0
30/380	Y50C_075_050a	0.25	0.75	0.25	0.5	0.5	0.5	0.5	48.0	48.0	0.0	0.0	0.0	0.0	0.0
31/218	G00B_075_050a	0.25	0.75	0.25	0.5	0.5	0.5	0.5	36.4	36.4	0.0	0.0	0.0	0.0	0.0
32/222	G25B_075_050a	0.25	0.75	0.25	0.5	0.5	0.5	0.5	35.7	35.7	0.0	0.0	0.0	0.0	0.0
33/186	B00R_075_050a	0.25	0.75	0.25	0.5	0.5	0.5	0.5	14.8	14.8	0.0	0.0	0.0	0.0	0.0
34/510	B50R_075_050a	0.25	0.75	0.25	0.5	0.5	0.5	0.5	20.2	20.2	0.0	0.0	0.0	0.0	0.0
35/506	R00Y_075_050a	0.75	0.25	0.25	0.5	0.5	0.5	0.5	39.6	39.6	0.0	0.0	0.0	0.0	0.0
36/324	R00Y_050_050a	0.5	0.0	0.0	0.5	0.5	0.5	0.5	22.4	22.4	0.0	0.0	0.0	0.0	0.0
37/342	R50Y_050_050a	0.5	0.25	0.25	0.0	0.0	0.0	0.0	34.9	34.9	0.0	0.0	0.0	0.0	0.0
38/360	Y00C_050_050a	0.5	0.5	0.5	0.0	0.0	0.0	0.0	44.6	44.6	0.0	0.0	0.0	0.0	0.0
39/198	Y50C_050_050a	0.25	0.5	0.5	0.0	0.0	0.0	0.0	56.1	56.1	0.0	0.0	0.0	0.0	0.0
40/36	G00B_050_050a	0.0	0.5	0.5	0.0	0.0	0.0	0.0	47.4	47.4	0.0	0.0	0.0	0.0	0.0
41/40	G25B_050_050a	0.0	0.5	0.5	0.0	0.0	0.0	0.0	37.2	37.2	0.0	0.0	0.0	0.0	0.0
42/4	B00R_050_050a	0.0	0.5	0.5	0.0	0.0	0.0	0.0	32.5	32.5	0.0	0.0	0.0	0.0	0.0
43/328	B50R_050_050a	0.5	0.0	0.5	0.0	0.0	0.0	0.0	40.5	40.5	0.0	0.0	0.0	0.0	0.0
44/324	R00Y_050_050a	0.5	0.0	0.5	0.0	0.0	0.0	0.0	24.7	24.7	0.0	0.0	0.0	0.0	0.0
45/0	NW_000a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34.9	34.9	0.0	0.0	0.0	0.0	0.0
46/91	NW_013a	0.125	0.125	0.125	0.0	0.0	0.0	0.0	24.3	24.3	0.0	0.0	0.0	0.0	0.0
47/182	NW_025a	0.25	0.25	0.25	0.0	0.0	0.0	0.0	12.5	12.5	0.0	0.0	0.0	0.0	0.0
48/273	NW_038a	0.375	0.375	0.375	0.0	0.0	0.0	0.0	8.1	8.1	0.0	0.0	0.0	0.0	0.0
49/364	NW_050a	0.5	0.5	0.5	0.0	0.0	0.0	0.0	5.4	5.4	0.0	0.0	0.0	0.0	0.0
50/455	NW_063a	0.625	0.625	0.625	0.0	0.0	0.0	0.0	3.6	3.6	0.0	0.0	0.0	0.0	0.0
51/546	NW_075a	0.75	0.75	0.75	0.0	0.0	0.0	0.0	2.3	2.3	0.0	0.0	0.0	0.0	0.0
52/637	NW_088a	0.875	0.875	0.875	0.0	0.0	0.0	0.0	1.6	1.6	0.0	0.0	0.0	0.0	0.0
53/728	NW_100a	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Mean color difference of this page: delta E* = 5.0

input: rgb/cmyk -> rgbd output: transfer to cmy0d

TUB-test chart RE57; 1080 standard colours colors and differences, ΔE*

http://130.149.60.45/~farbmetrik/RE57/RE57LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33

Table with 80 columns (numbered 1-80) and 80 rows (numbered 1-80). Each cell contains a 4x4 grid of numerical values representing color differences between various color patches.



input: rgb/cmyk -> rgbd output: transfer to cmy0d Mean color difference of this page: delta E* = 4.2

http://130.149.60.45/~farbmetrik/RE57/RE57LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 21/33

Table with 16 columns: n, HHC*Fd, rgb*Fd, icr*Fd, hsa*Fd, LabCH*Fd, LabCH*Pd, LabCH*Pd, LabCH*Pd, LabCH*Pd, LabCH*Pd, LabCH*Pd, LabCH*Pd, LabCH*Pd, LabCH*Pd, LabCH*Pd. Rows 81-161.

input: rgb/cmyk -> rgbd output: transfer to cmy0d

TUB-test chart RE57; 1080 standard colours colors and differences, AE*




http://130.149.60.45/~farbmetrik/RE57/RE57LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 22/33




Table with 15 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd, rpb*Fd, rpb*Fd, LabCH*Fd, DF*Fd, hsa*Fd, rpb*Fd, LabCH*Fd. Rows 162-242.

Mean color difference of this page: delta E* = 5.9

TUB-test chart RE57; 1080 standard colours colors and differences, AE*

input: rgb/cmyk -> rgbd output: transfer to cmy0d





http://130.149.60.45/~farbmetrik/RE57/RE57LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 25/33

input: rgb/cmyk -> rgbd output: transfer to cmy0d

Table with 10 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd, DF*Fd, Hsa*Fd, rpb*Fd, LabCH*Fd. It contains a large grid of numerical data for color calibration.

Mean color difference in this page:

RE57-TN; Page 25/33-F

TUB-test chart RE57; 1080 standard colours colors and differences, AE*





http://130.149.60.45/~farbmetrik/RE57/RE57LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 27/33

Table with 15 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb**Fd, LabC0*Fd, LabC0**Fd, rpb**Fd, LabC0**Fd, LabC0**Fd, LabC0**Fd, LabC0**Fd, LabC0**Fd, LabC0**Fd. Rows 567-647.

Mean color difference of this page: delta E* = 3.4

TUB-test chart RE57; 1080 standard colours colors and differences, AE*

input: rgb/cmyk -> rgbd output: transfer to cmy0d



http://130.149.60.45/~farbmetrik/RE57/RE57LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 28/33

input: rgb/cmyk -> rgbd output: transfer to cmy0d

Table with 11 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, LabCH*Fd, LabCH*Pd, LabCH*Psd, DE*Fd, hsa*Pd, rpb*Pd, LabCH*Pd. It contains color calibration data for various color patches.

Mean color difference of this page:

delta E* = 3.7







Table with 10 columns (n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCH*Fd, LabCH*Pd, rpb*Pd, LabCH*Pd) and 100 rows of color data. Includes a 'Mean color difference of this page:' section at the bottom right of the table.

http://130.149.60.45/~farbmetrik/RE57/RE57LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 29/33

input: rgb/cmyk -> rgbd output: transfer to cmy0d

TUB-test chart RE57; 1080 standard colours colors and differences, ΔE*









Table with 10 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, LabC0*Fd, rpb*Fd, LabC0*Fd, rpb*Fd, LabC0*Fd. It contains a large grid of numerical data for various color and registration tests.

http://130.149.60.45/~farbmetrik/RE57/RE57LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 31/33

input: rgb/cmyk -> rgbd output: transfer to cmy0d

TUB-test chart RE57; 1080 standard colours colors and differences, ΔE*

RE57-TN; Page 31/33-F



http://130.149.60.45/~farbmetrik/RE57/RE57LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 32/33

Table with 15 columns: n, HHC*Fd, rpb*Fd, iet*Fd, ihs*Fd, rpb*Fd, LabC*Fd, LabCH*Fd, rpb*Fd, LabCH*Fd, DPF*Fd, rpb*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd. Rows include color patches like NV_0004, NV_0124, NV_0254, etc.

input: rgb/cmyk -> rgbd output: transfer to cmy0d

TUB-test chart RE57; 1080 standard colours colors and differences, AE*

http://130.149.60.45/~farbmetrik/RE57/RE57L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 33/33



n	HC*Fd	rgb*Fd	icr*Fd	isr*Fd	rgb**Fd	LabCH*Fd	LabCH**Fd	DF*Fd	Hs*Fd	DF**Fd	Hs**Fd	rgb**Md	LabCH**Md	DF**Md	Hs**Md
1053	NW_0866d	0.866	0.866	0.866	0.866	0.866	0.866	3.7	360	3.7	360	1.0	95.6	0.0	0.0
1054	NW_0933d	0.933	0.933	0.933	0.933	0.933	0.933	71.6	1.5	114.3	0.1	1.0	95.6	0.0	0.0
1055	NW_1000d	1.0	1.0	1.0	1.0	1.0	1.0	308.5	1.7	308.5	0.0	1.0	95.6	0.0	0.0
1056	NW_0066d	0.066	0.066	0.066	0.066	0.066	0.066	6.5	360	6.5	360	1.0	95.6	0.0	0.0
1057	NW_0133d	0.133	0.133	0.133	0.133	0.133	0.133	22.4	360	22.4	360	1.0	95.6	0.0	0.0
1058	NW_0266d	0.266	0.266	0.266	0.266	0.266	0.266	30.4	360	30.4	360	1.0	95.6	0.0	0.0
1059	NW_0400d	0.4	0.4	0.4	0.4	0.4	0.4	44.7	360	44.7	360	1.0	95.6	0.0	0.0
1060	NW_0533d	0.533	0.533	0.533	0.533	0.533	0.533	48.4	360	48.4	360	1.0	95.6	0.0	0.0
1061	NW_0666d	0.666	0.666	0.666	0.666	0.666	0.666	51.6	360	51.6	360	1.0	95.6	0.0	0.0
1062	NW_0800d	0.8	0.8	0.8	0.8	0.8	0.8	56.7	360	56.7	360	1.0	95.6	0.0	0.0
1063	NW_0933d	0.933	0.933	0.933	0.933	0.933	0.933	62.0	360	62.0	360	1.0	95.6	0.0	0.0
1064	NW_1000d	1.0	1.0	1.0	1.0	1.0	1.0	69.4	360	69.4	360	1.0	95.6	0.0	0.0
1065	NW_0066d	0.066	0.066	0.066	0.066	0.066	0.066	8.1	360	8.1	360	1.0	95.6	0.0	0.0
1066	NW_0133d	0.133	0.133	0.133	0.133	0.133	0.133	25.2	360	25.2	360	1.0	95.6	0.0	0.0
1067	NW_0266d	0.266	0.266	0.266	0.266	0.266	0.266	33.3	360	33.3	360	1.0	95.6	0.0	0.0
1068	NW_0400d	0.4	0.4	0.4	0.4	0.4	0.4	41.8	360	41.8	360	1.0	95.6	0.0	0.0
1069	NW_0533d	0.533	0.533	0.533	0.533	0.533	0.533	48.8	360	48.8	360	1.0	95.6	0.0	0.0
1070	NW_0666d	0.666	0.666	0.666	0.666	0.666	0.666	56.0	360	56.0	360	1.0	95.6	0.0	0.0
1071	NW_0800d	0.8	0.8	0.8	0.8	0.8	0.8	62.0	360	62.0	360	1.0	95.6	0.0	0.0
1072	NW_0933d	0.933	0.933	0.933	0.933	0.933	0.933	67.1	360	67.1	360	1.0	95.6	0.0	0.0
1073	NW_1000d	1.0	1.0	1.0	1.0	1.0	1.0	71.7	360	71.7	360	1.0	95.6	0.0	0.0
1074	ROXY_100_100d	1.0	1.0	1.0	1.0	1.0	1.0	118.4	0.1	118.4	0.1	1.0	95.6	0.0	0.0
1075	CS0B_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	299.2	2.9	299.2	0.0	1.0	95.6	0.0	0.0
1076	Y06C_100_100d	0.0	1.0	0.0	0.0	0.0	0.0	138.7	0.0	138.7	0.0	1.0	95.6	0.0	0.0
1077	B06M_100_100d	0.0	0.0	1.0	0.0	0.0	0.0	32.8	0.7	32.8	0.5	2.10	0.0	0.0	0.0
1078	B08R_100_100d	0.0	0.0	0.0	1.0	0.0	0.0	238.9	0.5	238.9	0.5	2.10	0.0	0.0	0.0
1079	B50R_100_100d	0.0	0.0	0.0	0.0	1.0	0.0	360.6	0.3	360.6	0.3	2.70	0.0	0.0	0.0
		1.0	1.0	1.0	1.0	1.0	1.0	71.2	159.8	71.2	159.8	0.3	330	0.0	0.0
		1.0	0.0	0.0	0.0	0.0	0.0	45.8	79.3	45.8	79.3	0.2	330	0.0	0.0

Mean color difference of this page: delta E** = 5.8

input: rgb/cmyk -> rgbd output: transfer to cmy0d

TUB-test chart RE57; 1080 standard colours colors and differences, ΔE**