




http://130.149.60.45/~farbmetrik/RE59/RE59L0FA.TXT /.PS; start output
F: 3D-linearization RE59/RE59LE30FA.DAT in file (F), page 1/33



see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE59/RE59L0FA.TXT /.PS
application for measurement of laser printer output

TUB material: code=rh4ta



1-103030-L0 RE590-7N

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): $rgb + cmy0$ (A_j + k26_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 1

TUB-test chart RE59; 1080 standard colours
Test chart according to DIN 33872, 3D=1, de=0, $cmyk^*$

input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change





http://130.149.60.45/~farbmetrik/RE59/RE59L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization RE59/RE59LE30FA.DAT in file (F), page 2/33



see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE59/RE59L0FA.TXT /.PS TUB material: code=rh4ta
application for measurement of laser printer output, separation cmyk* (CMYK)





1-103130-L0 RE590-72 Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): *rgb(A_n, 3D=1)*

TUB-test chart RE59; 1080 standard colours
Test chart according to DIN 33872, 3D=1, de=0, *cmyk**

input: *rgb/cmyk* -> *rgb_{dd}*
output: 3D-linearization to *cmyk_{dd}**

1-103130-F0 C M Y O L V





see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59L0FA.TXT> /.PS;
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



TUB registration: 20150701-RE59/RE59L0FA.TXT /.PS TUB material: code=rh4ta
application for measurement of laser printer output, separation cmyk* (CMYK)




1-103230-L0 RE590-72



TUB-test chart RE59; 1080 standard colours
Test chart according to DIN 33872, 3D=1, de=0, cmyk*

input: *rgb/cmyk* -> *rgb_{dd}*
output: 3D-linearization to *cmyk*_{dd}*






1-103230-F0





see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE59/RE59L0FA.TXT /.PS TUB material: code=rh4ta
application for measurement of laser printer output, separation cmyk* (CMYK)





1-103330-L0 RE590-72

TUB-test chart RE59; 1080 standard colours
Test chart according to DIN 33872, 3D=1, de=0, cmyk*

input: *rgb/cmyk* -> *rgb_{dd}*
output: 3D-linearization to *cmyk_{dd}*




1-103330-F0





see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE59/RE59L0FA.TXT /.PS TUB material: code=rh4ta
application for measurement of laser printer output, separation cmyk* (CMYK)



1-103430-L0 RE590-72

TUB-test chart RE59; 1080 standard colours
Test chart according to DIN 33872, 3D=1, de=0, cmyk*


input: *rgb/cmyk* -> *rgb_{dd}*
output: 3D-linearization to *cmyk*_{dd}*

1-103430-F0



see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE59/RE59L0FA.TXT /.PS TUB material: code=rh4ta
application for measurement of laser printer output, separation cmyk* (CMYK)





1-103530-L0 RE590-72

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n); 3D = 1

TUB-test chart RE59; 1080 standard colours
Test chart according to DIN 33872, 3D=1, de=0, cmyk*





input: *rgb/cmyk* -> *rgb_{dd}*
output: 3D-linearization to *cmyk_{dd}*

1-103530-F0



http://130.149.60.45/~farbmetrik/RE59/RE59L0FA.TXT /PS; 3D-linearization
 F: 3D-linearization RE59/RE59LE30FA.DAT in file (F), page 7/33

Data of Maximum color, M in colorimetric system Laser printer output; separation cmyk*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{abs} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours RYGBM; $h_{ab,d} = 33.5, 100.6, 155.5, 235.2, 290.8, 348.9$; Six hue angles of the elementary colours RYGBM; $h_{abs} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



I-103630-L0 RE59-72 LAB*lab, YN=0%, XYZnw=3.9, 4.1, 4.1, 84.7, 89.6, 93.9, LAB*nw=23.9, 0.0, 0.0, 95.8, 0.0, 0.0
 TUB-test chart RE59; 1080 standard colours
 48 step hue circles; $rgb-LabCh$ *tables
 input: $rgb/cmyk \rightarrow rgbdd$
 output: 3D-linearization to $cmyk^*dd$

Output: Laser printer output; separation cmyk*, D65, page 7/33

TUB registration: 20150701-RE59/RE59L0FA.TXT /PS
application for measurement of laser printer output, separation cmyk* (CMYK)

TUB material: code=rha4ta

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^s	rgb^d	rgb^e	LAB ^{s*} dx36IM	LAB ^{s*} dex36IM	LAB ^{s*} dex36IM	rgb^s	rgb^d	rgb^e
33.4	30.0	25.4	1.0	0.0	0.0	47.5	57.2	37.8	68.6	33.4	33.4
42.1	37.5	33.8	1.0	0.125	0.0	51.9	54.3	49.2	73.2	42.1	42.1
52.8	45.0	42.1	1.0	0.25	0.0	58.2	41.8	55.1	69.2	52.8	52.8
63.7	52.5	50.5	1.0	0.375	0.0	64.6	29.8	60.4	67.3	63.7	63.7
73.8	60.0	58.8	1.0	0.5	0.0	70.5	19.2	66.2	69.0	73.8	73.8
80.7	67.5	67.2	1.0	0.625	0.0	74.9	11.4	70.7	71.6	80.7	80.7
91.5	75.0	75.6	1.0	0.75	0.0	82.9	-2.0	76.9	77.0	91.5	91.5
96.8	82.5	83.9	1.0	0.875	0.0	87.6	-9.0	75.7	76.3	96.8	96.8
100.5	90.0	92.3	1.0	1.0	0.0	91.5	-15.8	84.6	86.1	100.5	100.5
101.4	97.5	101.0	1.0	0.875	1.0	92.8	-18.1	89.4	91.2	101.4	101.4
103.9	105.0	109.7	1.0	0.75	1.0	90.1	-21.3	86.0	88.6	103.9	103.9
115.0	112.5	118.5	1.0	0.625	1.0	87.9	-31.7	67.9	75.0	115.0	115.0
127.3	120.0	127.2	0.5	1.0	0.0	70.9	-41.7	54.8	68.9	127.3	127.3
134.7	127.5	136.0	0.375	1.0	0.0	66.5	-47.5	48.0	67.6	134.7	134.7
144.7	135.0	144.7	0.25	1.0	0.0	60.6	-57.2	40.4	70.1	144.7	144.7
151.0	142.5	153.4	0.125	1.0	0.0	57.0	-62.2	34.4	71.1	151.0	151.0
155.5	150.0	162.2	0.0	1.0	0.0	54.3	-67.6	30.8	74.3	155.5	155.5
160.8	157.5	169.0	0.0	1.0	0.125	53.8	-66.4	23.0	70.2	160.8	160.8
168.5	165.0	175.9	0.0	1.0	0.25	53.7	-63.1	12.8	64.4	168.5	168.5
179.9	172.5	182.7	0.0	1.0	0.375	54.7	-56.8	0.0	56.8	179.9	179.9
189.8	180.0	189.6	0.0	1.0	0.5	55.0	-51.4	-8.9	52.2	189.8	189.8
204.4	187.5	196.4	0.0	1.0	0.625	55.3	-44.1	-20.0	48.5	204.4	204.4
214.4	195.0	203.2	0.0	1.0	0.75	55.2	-39.5	-27.1	47.9	214.4	214.4
221.9	202.5	210.1	0.0	1.0	0.875	54.4	-36.7	-33.0	49.4	221.9	221.9
235.1	210.0	216.9	0.0	1.0	1.0	53.1	-30.0	-43.1	52.5	235.1	235.1
237.9	217.5	223.8	0.0	0.875	1.0	53.1	-27.9	-44.7	52.7	237.9	237.9
241.3	225.0	230.6	0.0	0.75	1.0	52.9	-25.9	-47.5	54.1	241.3	241.3
247.2	232.5	237.5	0.0	0.625	1.0	50.5	-20.8	-49.5	53.7	247.2	247.2
254.9	240.0	244.3	0.0	0.5	1.0	46.1	-13.3	-49.4	51.1	254.9	254.9
262.6	247.5	251.2	0.0	0.375	1.0	41.4	-6.3	-49.2	49.6	262.6	262.6
272.6	255.0	258.0	0.0	0.25	1.0	36.8	2.2	-48.5	48.6	272.6	272.6
281.4	262.5	264.8	0.0	0.125	1.0	35.0	9.4	-46.3	47.3	281.4	281.4
290.8	270.0	271.7	0.0	0.0	1.0	32.5	16.9	-44.6	47.7	290.8	290.8
299.2	277.5	278.8	0.125	0.0	1.0	31.6	23.6	-42.2	48.4	299.2	299.2
307.8	285.0	285.9	0.25	0.0	1.0	31.0	30.5	-39.3	49.8	307.8	307.8
317.5	292.5	293.0	0.375	0.0	1.0	34.2	38.2	-35.0	51.8	317.5	317.5
324.4	300.0	300.1	0.5	0.0	1.0	37.2	43.1	-30.8	53.0	324.4	324.4
334.6	307.5	307.2	0.625	0.0	1.0	39.1	48.4	-27.2	55.6	334.6	334.6
338.7	315.0	314.3	0.75	0.0	1.0	41.8	55.1	-21.4	59.1	338.7	338.7
343.9	322.5	321.4	0.875	0.0	1.0	45.6	60.1	-17.3	62.6	343.9	343.9
348.9	330.0	328.6	1.0	0.0	1.0	48.1	65.4	-12.7	66.6	348.9	348.9
350.7	337.5	335.7	1.0	0.0	0.875	49.5	66.1	-10.7	67.0	350.7	350.7
354.2	345.0	342.8	1.0	0.0	0.75	49.3	64.5	-6.5	64.8	354.2	354.2
361.9	352.5	349.9	1.0	0.0	0.625	48.0	61.8	2.1	61.8	361.9	361.9
370.0	360.0	357.0	1.0	0.0	0.5	47.8	58.9	10.4	59.9	370.0	370.0
378.9	367.5	364.1	1.0	0.0	0.375	47.4	56.8	19.5	60.0	378.9	378.9
386.2	375.0	371.2	1.0	0.0	0.25	47.5	55.9	27.5	62.3	386.2	386.2
391.3	382.5	378.3	1.0	0.0	0.125	47.6	56.3	34.2	65.9	391.3	391.3
393.4	390.0	385.4	1.0	0.0	0.0	47.5	57.2	37.8	68.6	393.4	393.4

Input: Laser printer output, separation cmyk* -> rgbd
Output: 3D-linearization to cmyk* dd

LAB* tables
LAB* tables
LAB* tables

Input: 1080 standard colours
Output: 48 step hue circles; rgb-LabCh* tables





Output: Laser printer output, separation cmyk* dd
D65, page 9/36

h _{ab,d}	h _{ab,s}	h _{ab,e}	LAB* _{ds361MI}	LAB* _{dx361MI} (x=LabCh)	LAB* _{ds361MI}	LAB* _{dx361MI} (x=LabCh)	rgb* _{dd361MI}	LAB* _{de361MI}	LAB* _{dex361MI} (x=LabCh)	rgb* _{dd361MI}	rgb* _{ds}	rgb* _{de}	
168	165	175	0.0	1.0	0.25	53.8	-64.7	17.4	67.1	165	0.0	1.0	0.25
170	166	176	0.0	1.0	0.266	53.9	-62.4	10.9	63.4	170	0.0	1.0	0.267
171	167	177	0.0	1.0	0.283	54.0	-61.7	9.1	62.4	171	0.0	1.0	0.283
173	168	178	0.0	1.0	0.3	54.1	-60.9	7.3	61.3	173	0.0	1.0	0.3
174	169	179	0.0	1.0	0.316	54.3	-60.1	5.6	60.3	174	0.0	1.0	0.317
176	170	180	0.0	1.0	0.333	54.4	-59.2	3.9	59.3	176	0.0	1.0	0.333
177	171	181	0.0	1.0	0.35	54.5	-58.2	2.3	58.3	177	0.0	1.0	0.35
179	172	182	0.0	1.0	0.366	54.7	-57.3	0.8	57.3	179	0.0	1.0	0.367
180	173	183	0.0	1.0	0.383	54.7	-56.5	-0.6	56.5	180	0.0	1.0	0.383
181	174	184	0.0	1.0	0.4	54.8	-55.8	-1.8	55.9	181	0.0	1.0	0.4
183	175	185	0.0	1.0	0.416	54.8	-55.2	-3.1	55.2	183	0.0	1.0	0.417
184	176	186	0.0	1.0	0.433	54.8	-54.5	-4.3	54.6	184	0.0	1.0	0.433
185	177	187	0.0	1.0	0.45	54.9	-53.7	-5.5	54.0	185	0.0	1.0	0.45
187	178	187	0.0	1.0	0.466	54.9	-53.0	-6.6	53.4	187	0.0	1.0	0.467
188	179	188	0.0	1.0	0.483	55.0	-52.2	-7.8	52.8	188	0.0	1.0	0.483
189	180	189	0.0	1.0	0.5	55.0	-51.4	-8.9	52.2	189	0.0	1.0	0.5
191	181	190	0.0	1.0	0.516	55.0	-50.6	-10.0	51.7	191	0.0	1.0	0.517
193	182	191	0.0	1.0	0.533	55.1	-49.7	-12.1	51.2	193	0.0	1.0	0.533
195	183	192	0.0	1.0	0.55	55.1	-48.8	-13.7	50.7	195	0.0	1.0	0.55
197	184	193	0.0	1.0	0.566	55.2	-47.8	-15.2	50.2	197	0.0	1.0	0.567
199	185	194	0.0	1.0	0.583	55.2	-46.8	-16.6	49.7	199	0.0	1.0	0.583
201	186	195	0.0	1.0	0.6	55.2	-45.8	-18.0	49.2	201	0.0	1.0	0.6
203	187	195	0.0	1.0	0.616	55.3	-44.7	-19.4	48.7	203	0.0	1.0	0.617
205	188	196	0.0	1.0	0.633	55.3	-43.8	-20.5	48.4	205	0.0	1.0	0.633
206	189	197	0.0	1.0	0.65	55.3	-43.3	-21.5	48.3	206	0.0	1.0	0.65
207	190	198	0.0	1.0	0.666	55.3	-42.7	-22.5	48.3	207	0.0	1.0	0.667
209	191	199	0.0	1.0	0.683	55.2	-42.1	-23.4	48.2	209	0.0	1.0	0.683
210	192	200	0.0	1.0	0.7	55.2	-41.5	-24.4	48.1	210	0.0	1.0	0.7
211	193	201	0.0	1.0	0.716	55.2	-40.8	-25.3	48.0	211	0.0	1.0	0.717
213	194	202	0.0	1.0	0.733	55.2	-40.2	-26.2	48.0	213	0.0	1.0	0.733
214	195	203	0.0	1.0	0.75	55.2	-39.5	-27.1	47.9	214	0.0	1.0	0.75
215	196	204	0.0	1.0	0.766	55.1	-39.2	-27.9	48.1	215	0.0	1.0	0.767
216	197	205	0.0	1.0	0.783	55.0	-38.8	-28.7	48.3	216	0.0	1.0	0.783
217	198	206	0.0	1.0	0.8	54.9	-38.5	-29.5	48.5	217	0.0	1.0	0.8
218	199	206	0.0	1.0	0.816	54.8	-38.1	-30.3	48.7	218	0.0	1.0	0.817
219	200	207	0.0	1.0	0.833	54.7	-37.7	-31.1	48.9	219	0.0	1.0	0.833
220	201	208	0.0	1.0	0.85	54.6	-37.3	-31.9	49.1	220	0.0	1.0	0.85
221	202	209	0.0	1.0	0.866	54.5	-36.9	-32.6	49.3	221	0.0	1.0	0.867
222	203	210	0.0	1.0	0.883	54.3	-36.4	-33.7	49.6	222	0.0	1.0	0.883
224	204	211	0.0	1.0	0.9	54.2	-35.6	-35.1	50.0	224	0.0	1.0	0.9
226	205	212	0.0	1.0	0.916	54.0	-34.8	-36.5	50.4	226	0.0	1.0	0.917
228	206	213	0.0	1.0	0.933	53.8	-33.9	-37.8	50.8	228	0.0	1.0	0.933
229	207	214	0.0	1.0	0.95	53.6	-33.0	-39.2	51.2	229	0.0	1.0	0.95
231	208	215	0.0	1.0	0.966	53.4	-32.0	-40.5	51.7	231	0.0	1.0	0.967
233	209	216	0.0	1.0	0.983	53.3	-31.0	-41.8	52.1	233	0.0	1.0	0.983
235	210	216	0.0	1.0	1.0	53.1	-30.0	-43.1	52.5	235	0.0	1.0	1.0

input: *rgb/cmyk* -> *rgbdd*
 output: 3D-linearization to *cmyk*dd*

LAB*_{da0}, YN=0%, XY Znw=3.9, 4.1, 4.1, 84.7, 89.6, 93.9, LAB*_{mw}=23.9, 0.0, 0.0, 95.8, 0.0, 0.0

Output: Laser printer output; separation cmyk*₆; D65, page 13/63



http://130.149.60.45/~farbmetrik/RE59/RE59L0FA.TXT /.PS; 3D-linearization F: 3D-linearization RE59/RE59LE30FA.DAT in file (F), page 17/33

Data of Maximum color, M in colorimetric system Laser printer output; separation cmyk*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_d; h_{ab,d}s = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d; h_{ab,d} = 255.2, 290.8, 348.9; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 93.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, rgb*_d361MI, LAB*_d361MI (x=LabCh), rgb*_d361MI, LAB*_d361MI (x=LabCh), rgb*_d361MI, LAB*_d361MI (x=LabCh), rgb*_d361MI, LAB*_d361MI (x=LabCh), and various density values. The table contains 394 rows of data.

http://130.149.60.45/~farbmetrik/RE59/RE59L0FA.TXT /.PS; 3D-linearization F: 3D-linearization RE59/RE59LE30FA.DAT in file (F), page 18/33

Table with columns: nrf, HHC*Fid, rpb_Fid, icr_Fid, hsa_Fid, rpb*Fid, LabC*Fid, cmyk*_sep,Fid, hsa*Fid, rpb**Fid, LabC**Fid, LabC*Fid, LabC**Fid, delta. Rows list various color patches and their corresponding colorimetric data.

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk**d

Mean color difference of this page:

TUB-test chart RE59; 1080 standard colours colors and differences, ΔE**

http://130.149.60.45/~farbmetrik/RE59/RE59L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization RE59/RE59LE30FA.DAT in file (F), page 19/33

ref	HC*Fid	rgb_Fid	icc_Fid	hsa_Fid	rgb*Fid	LabC*Fid	cmyk*_sep_Fid	cmyp*_sep_Fid	hsa_Mid	rgb*_Mid	LabC*_Mid	delta
0/648	ROY_100_1000d	1.0	0.0	1.0	0.0	0.0	0.0	0.0	389	1.0	0.0	0.0
1/666	RSY_100_1000d	0.0	1.0	0.5	0.5	0.0	0.0	0.0	390	0.0	1.0	0.0
2/684	RSY_100_1000d	0.0	1.0	0.5	0.5	0.0	0.0	0.0	390	0.0	1.0	0.0
3/702	RSY_100_1000d	0.0	1.0	0.5	0.5	0.0	0.0	0.0	390	0.0	1.0	0.0
4/720	ROY_100_1000d	1.0	0.0	0.5	0.5	0.0	0.0	0.0	389	1.0	0.0	0.0
5/558	Y25C_100_1000d	0.75	1.0	0.0	0.0	0.0	0.0	0.0	102	0.75	1.0	0.0
6/396	Y50C_100_1000d	0.5	1.0	0.0	0.0	0.0	0.0	0.0	119	0.5	1.0	0.0
7/234	Y75C_100_1000d	0.25	1.0	0.0	0.0	0.0	0.0	0.0	137	0.25	1.0	0.0
8/72	GOB_100_1000d	0.0	1.0	0.5	0.5	0.0	0.0	0.0	149	0.0	1.0	0.0
9/72	GOB_100_1000d	0.0	1.0	0.5	0.5	0.0	0.0	0.0	149	0.0	1.0	0.0
10/76	G25B_100_1000d	0.0	1.0	0.5	0.5	0.0	0.0	0.0	180	0.0	1.0	0.0
11/84	G50B_100_1000d	0.0	1.0	0.5	0.5	0.0	0.0	0.0	210	0.0	1.0	0.0
12/44	G75B_100_1000d	0.0	1.0	0.5	0.5	0.0	0.0	0.0	240	0.0	1.0	0.0
13/8	B00M_100_1000d	0.0	1.0	0.5	0.5	0.0	0.0	0.0	270	0.0	1.0	0.0
14/332	B25R_100_1000d	0.5	1.0	0.0	0.0	0.0	0.0	0.0	300	0.5	1.0	0.0
15/656	B50R_100_1000d	1.0	0.0	0.5	0.5	0.0	0.0	0.0	330	1.0	0.0	0.0
16/652	B75R_100_1000d	1.0	0.0	0.5	0.5	0.0	0.0	0.0	360	1.0	0.0	0.0
17/648	ROY_100_1000d	1.0	0.0	0.5	0.5	0.0	0.0	0.0	389	1.0	0.0	0.0
18/688	ROY_100_0500d	1.0	0.5	0.5	0.5	0.0	0.0	0.0	389	1.0	0.5	0.0
19/706	ROY_100_0500d	1.0	0.5	0.5	0.5	0.0	0.0	0.0	389	1.0	0.5	0.0
20/724	Y0C_100_0500d	1.0	1.0	0.5	0.5	0.0	0.0	0.0	59	1.0	0.5	0.0
21/222	Y30C_100_0500d	0.75	1.0	0.5	0.5	0.0	0.0	0.0	89	0.75	1.0	0.0
22/400	G00B_100_0500d	0.5	1.0	0.5	0.5	0.0	0.0	0.0	119	0.5	1.0	0.0
23/548	B00R_100_0500d	0.5	1.0	0.5	0.5	0.0	0.0	0.0	149	0.5	1.0	0.0
25/692	B50R_100_0500d	1.0	0.5	0.5	0.5	0.0	0.0	0.0	270	1.0	0.5	0.0
26/688	ROY_100_0500d	1.0	0.5	0.5	0.5	0.0	0.0	0.0	330	1.0	0.5	0.0
27/506	ROY_075_0500d	0.75	0.25	0.75	0.25	0.25	0.0	0.0	389	0.75	0.25	0.0
28/524	ROY_075_0500d	0.75	0.25	0.75	0.25	0.25	0.0	0.0	389	0.75	0.25	0.0
29/542	Y0C_075_0500d	0.75	0.25	0.75	0.25	0.25	0.0	0.0	59	0.75	0.25	0.0
30/380	Y30C_075_0500d	0.5	0.75	0.25	0.25	0.25	0.0	0.0	89	0.5	0.75	0.0
31/218	G00B_075_0500d	0.25	0.75	0.25	0.25	0.25	0.0	0.0	119	0.25	0.75	0.0
32/222	G50B_075_0500d	0.25	0.75	0.25	0.25	0.25	0.0	0.0	149	0.25	0.75	0.0
33/186	B00R_075_0500d	0.25	0.75	0.25	0.25	0.25	0.0	0.0	210	0.25	0.75	0.0
34/510	B50R_075_0500d	0.75	0.25	0.75	0.25	0.25	0.0	0.0	270	0.75	0.25	0.0
35/506	ROY_075_0500d	0.75	0.25	0.75	0.25	0.25	0.0	0.0	330	0.75	0.25	0.0
36/324	ROY_050_0500d	0.5	0.0	0.5	0.5	0.0	0.0	0.0	389	0.5	0.0	0.0
37/342	ROY_050_0500d	0.5	0.0	0.5	0.5	0.0	0.0	0.0	59	0.5	0.0	0.0
38/360	Y0C_050_0500d	0.5	0.5	0.5	0.5	0.0	0.0	0.0	89	0.5	0.5	0.0
39/198	Y30C_050_0500d	0.25	0.5	0.5	0.5	0.0	0.0	0.0	119	0.25	0.5	0.0
40/36	G00B_050_0500d	0.0	0.5	0.5	0.5	0.0	0.0	0.0	149	0.0	0.5	0.0
41/40	G50B_050_0500d	0.0	0.5	0.5	0.5	0.0	0.0	0.0	210	0.0	0.5	0.0
42/4	B00R_050_0500d	0.0	0.5	0.5	0.5	0.0	0.0	0.0	270	0.0	0.5	0.0
43/328	B50R_050_0500d	0.5	0.0	0.5	0.5	0.0	0.0	0.0	330	0.5	0.0	0.0
44/324	ROY_050_0500d	0.5	0.0	0.5	0.5	0.0	0.0	0.0	389	0.5	0.0	0.0
45/0	NW_0000d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0
46/91	NW_0150d	0.125	0.125	0.125	0.125	0.125	0.0	0.0	360	0.125	0.125	0.0
47/182	NW_0250d	0.25	0.25	0.25	0.25	0.25	0.0	0.0	360	0.25	0.25	0.0
48/273	NW_0350d	0.375	0.375	0.375	0.375	0.375	0.0	0.0	360	0.375	0.375	0.0
49/364	NW_0450d	0.5	0.5	0.5	0.5	0.5	0.0	0.0	360	0.5	0.5	0.0
50/455	NW_0550d	0.625	0.625	0.625	0.625	0.625	0.0	0.0	360	0.625	0.625	0.0
51/546	NW_0650d	0.75	0.75	0.75	0.75	0.75	0.0	0.0	360	0.75	0.75	0.0
52/637	NW_0750d	0.875	0.875	0.875	0.875	0.875	0.0	0.0	360	0.875	0.875	0.0
53/728	NW_1000d	1.0	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	1.0	0.0

input: rgb/cmyk -> rgbdd
output: 3D-linearization to cmyk*dd

TUB-test chart RE59; 1080 standard colours
colors and differences, ΔE*_a

http://130.149.60.45/~farbmatrik/RE59/RE59L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization RE59/RE59LE30FA.DAT in file (F), page 20/33

input: rgb/cmyk -> rgbd
output: 3D-linearization to cmyk*dd

Table with 13 columns: #/, HC*Fad, rpb_Fad, iet_Fad, hsa_Fad, rpb_Fad, LabC*Fad, cmyk*_sep_Fad, rpb*_Fad, hsa*_Fad, LabC*_Fad, rpb*_Fad, hsa*_Fad, LabC*_Fad. The table contains color calibration data for 80 different color patches, with values ranging from 0.0 to 1.0 and beyond.

RE590-7N; Page 20/33-F

I-1031930-F0

TUB-test chart RE59; 1080 standard colours
colors and differences, ΔE*

I-1031930-F0

Table with 44 columns (n, HHC*Faid, rpb*Faid, icr*Faid, ins*Faid, rpb*Faid, LabCM*Faid, cmyk*_sep*Faid, rpb*Faid, hmx*Faid, LabCM*Faid, rpb*Faid, LabCM*Faid, delta) and 44 rows (162-242) of color calibration data.

input: rgb/cmyk -> rgbdd
output: 3D-linearization to cmyk*dd

TUB-test chart RE59; 1080 standard colours
colors and differences, ΔE*

RE59-TN; Page 22/33-F

I=1032130-F0

<http://130.149.60.45/~farbmatrik/RE59/RE59L0FA.TXT> /.PS; 3D-linearization
F: 3D-linearization RE59/RE59LE30FA.DAT in file (F), page 25/33

input: *rgb/cmyk* -> *rgbbd*
output: 3D-linearization to *cmyk**.dd

Table with 15 columns: n, HHC*Fid, rpb*Fid, icr*Fid, hsa*Fid, rpb*Fid, LabCM*Fid, LabCM*Fid, cmyk*sep*Fid, hsa*Fid, rpb*Fid, LabCM*Fid, LabCM*Fid, delta. Rows 405-485.

delta

Mean color difference of this page:

RE590-TN, Page 25/33-F

TUB-test chart RE59; 1080 standard colours
colors and differences, ΔE*

I-1032430-F0

I-1032430-F0

http://130.149.60.45/~farbmetrik/RE59/RE59L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization RE59/RE59LE30FA.DAT in file (F), page 26/33

Table with columns: n, HCC*Fid, rgh*Fid, iet*Fid, hsa*Fid, rgh*Fid, LabCH*Fid, cmyk*_sep,Fid, rgh*Fid, Hax*Fid, rgh*Fid, LabCH*Fid, delta. Rows contain numerical data for various color patches and registration marks.

input: rgb/cmyk -> rgbdd
output: 3D-linearization to cmyk*dd

TUB-test chart RE59; 1080 standard colours
colors and differences, AE*
Mean color difference of this page: 0.13

http://130.149.60.45/~farbmetrik/RE59/RE59L0FA.TXT /.PS; 3D-linearization F: 3D-linearization RE59/RE59LE30FA.DAT in file (F), page 27/33

Table with 15 columns: n, HHC*Fid, rpb_Fid, icr_Fid, hsa_Fid, rpb*Fid, LabCM*Fid, cmyk*_sep_Fid, LabCM*_Fid, rpb*_Fid, hsa*_Fid, LabCM*_Fid, delta. Rows 567-647.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd

TUB-test chart RE59; 1080 standard colours colors and differences, AE*F

n	HC*Fid	rgB*Fid	icr*Fid	hsa*Fid	rgB*Fid	LabCM*Fid	cmYk*sep.Fid	hsa*Fid	rgB*Fid	LabCM*Fid	Mean color difference of this page:
648	ROY1_100_100ad	1.0	0.0	0.0	0.0	47.5	0.0	389	1.0	47.5	0.0
649	R3Y1_100_100ad	1.0	0.125	1.0	0.0	0.116	0.0	383	1.0	0.116	0.0
650	R2Y1_100_100ad	1.0	0.25	1.0	0.0	0.233	0.0	377	1.0	0.233	0.0
651	R1Y1_100_100ad	1.0	0.375	1.0	0.0	0.366	0.0	368	1.0	0.366	0.0
652	ROY1_100_100ad	1.0	0.5	1.0	0.0	0.5	0.0	360	1.0	0.5	0.0
653	B6R1_100_100ad	1.0	0.625	1.0	0.0	0.633	0.0	351	1.0	0.633	0.0
654	B5R1_100_100ad	1.0	0.75	1.0	0.0	0.766	0.0	342	1.0	0.766	0.0
655	B4R1_100_100ad	1.0	0.875	1.0	0.0	0.883	0.0	336	1.0	0.883	0.0
656	B3R1_100_100ad	1.0	1.0	1.0	0.0	1.0	0.0	330	1.0	1.0	0.0
657	R1Y1_100_100ad	1.0	0.0	0.5	1.0	0.116	0.0	36	1.0	0.116	0.0
658	ROY1_100_087ad	1.0	0.875	0.562	3.0	0.125	0.005	389	1.0	0.0	0.0
659	R3Y1_100_087ad	1.0	0.875	0.562	3.0	0.125	0.005	382	1.0	0.0	0.0
660	R2Y1_100_087ad	1.0	0.875	0.562	3.0	0.125	0.005	375	1.0	0.0	0.0
661	ROY1_100_087ad	1.0	0.875	0.562	3.0	0.125	0.005	368	1.0	0.0	0.0
662	B6R1_100_087ad	1.0	0.875	0.562	3.0	0.125	0.005	361	1.0	0.0	0.0
663	B5R1_100_087ad	1.0	0.875	0.562	3.0	0.125	0.005	354	1.0	0.0	0.0
664	B4R1_100_087ad	1.0	0.875	0.562	3.0	0.125	0.005	347	1.0	0.0	0.0
665	B3R1_100_087ad	1.0	0.875	0.562	3.0	0.125	0.005	340	1.0	0.0	0.0
666	R2Y1_100_087ad	1.0	0.875	0.562	3.0	0.125	0.005	333	1.0	0.0	0.0
667	R1Y1_100_087ad	1.0	0.875	0.562	3.0	0.125	0.005	326	1.0	0.0	0.0
668	ROY1_100_075ad	1.0	0.25	0.125	1.0	0.233	0.0	47	1.0	0.233	0.0
669	R3Y1_100_075ad	1.0	0.25	0.125	1.0	0.233	0.0	42	1.0	0.233	0.0
670	R2Y1_100_075ad	1.0	0.25	0.125	1.0	0.233	0.0	38	1.0	0.233	0.0
671	ROY1_100_075ad	1.0	0.25	0.125	1.0	0.233	0.0	34	1.0	0.233	0.0
672	B6R1_100_075ad	1.0	0.25	0.125	1.0	0.233	0.0	30	1.0	0.233	0.0
673	B5R1_100_075ad	1.0	0.25	0.125	1.0	0.233	0.0	26	1.0	0.233	0.0
674	B4R1_100_075ad	1.0	0.25	0.125	1.0	0.233	0.0	22	1.0	0.233	0.0
675	B3R1_100_075ad	1.0	0.25	0.125	1.0	0.233	0.0	18	1.0	0.233	0.0
676	R2Y1_100_087ad	1.0	0.375	0.125	1.0	0.366	0.0	51	1.0	0.366	0.0
677	R1Y1_100_087ad	1.0	0.375	0.125	1.0	0.366	0.0	44	1.0	0.366	0.0
678	ROY1_100_062ad	1.0	0.625	0.625	3.0	0.366	0.0	37	1.0	0.366	0.0
679	R3Y1_100_062ad	1.0	0.625	0.625	3.0	0.366	0.0	30	1.0	0.366	0.0
680	R2Y1_100_062ad	1.0	0.625	0.625	3.0	0.366	0.0	23	1.0	0.366	0.0
681	ROY1_100_062ad	1.0	0.625	0.625	3.0	0.366	0.0	16	1.0	0.366	0.0
682	B6R1_100_062ad	1.0	0.625	0.625	3.0	0.366	0.0	9	1.0	0.366	0.0
683	B5R1_100_062ad	1.0	0.625	0.625	3.0	0.366	0.0	2	1.0	0.366	0.0
684	B4R1_100_062ad	1.0	0.625	0.625	3.0	0.366	0.0	-5	1.0	0.366	0.0
685	B3R1_100_062ad	1.0	0.625	0.625	3.0	0.366	0.0	-12	1.0	0.366	0.0
686	R2Y1_100_075ad	1.0	0.5	0.125	1.0	0.489	0.0	54	1.0	0.489	0.0
687	R1Y1_100_075ad	1.0	0.5	0.125	1.0	0.489	0.0	47	1.0	0.489	0.0
688	ROY1_100_050ad	1.0	0.5	0.375	1.0	0.504	0.0	39	1.0	0.504	0.0
689	R2Y1_100_050ad	1.0	0.5	0.375	1.0	0.504	0.0	32	1.0	0.504	0.0
690	ROY1_100_050ad	1.0	0.5	0.625	1.0	0.499	0.0	25	1.0	0.499	0.0
691	B6R1_100_050ad	1.0	0.5	0.625	1.0	0.499	0.0	18	1.0	0.499	0.0
692	B5R1_100_050ad	1.0	0.5	0.625	1.0	0.499	0.0	11	1.0	0.499	0.0
693	B4R1_100_050ad	1.0	0.5	0.625	1.0	0.499	0.0	4	1.0	0.499	0.0
694	B3R1_100_050ad	1.0	0.5	0.625	1.0	0.499	0.0	-3	1.0	0.499	0.0
695	R2Y1_100_075ad	1.0	0.625	0.625	1.0	0.633	0.0	68	1.0	0.633	0.0
696	R3Y1_100_075ad	1.0	0.625	0.625	1.0	0.633	0.0	61	1.0	0.633	0.0
697	R2Y1_100_062ad	1.0	0.625	0.625	1.0	0.633	0.0	54	1.0	0.633	0.0
698	ROY1_100_037ad	1.0	0.625	0.625	1.0	0.633	0.0	47	1.0	0.633	0.0
699	R3Y1_100_037ad	1.0	0.625	0.625	1.0	0.633	0.0	40	1.0	0.633	0.0
700	B6R1_100_037ad	1.0	0.625	0.625	1.0	0.633	0.0	33	1.0	0.633	0.0
701	B5R1_100_037ad	1.0	0.625	0.625	1.0	0.633	0.0	26	1.0	0.633	0.0
702	R2Y1_100_087ad	1.0	0.75	0.125	1.0	0.766	0.0	77	1.0	0.766	0.0
703	R1Y1_100_087ad	1.0	0.75	0.125	1.0	0.766	0.0	70	1.0	0.766	0.0
704	ROY1_100_075ad	1.0	0.75	0.125	1.0	0.766	0.0	63	1.0	0.766	0.0
705	R3Y1_100_075ad	1.0	0.75	0.125	1.0	0.766	0.0	56	1.0	0.766	0.0
706	R2Y1_100_050ad	1.0	0.75	0.125	1.0	0.766	0.0	49	1.0	0.766	0.0
707	ROY1_100_037ad	1.0	0.75	0.125	1.0	0.766	0.0	42	1.0	0.766	0.0
708	ROY1_100_025ad	1.0	0.75	0.125	1.0	0.766	0.0	35	1.0	0.766	0.0
709	ROY1_100_012ad	1.0	0.75	0.125	1.0	0.766	0.0	28	1.0	0.766	0.0
710	B5R1_100_100ad	1.0	0.75	1.0	1.0	0.766	0.0	21	1.0	0.766	0.0
711	B4R1_100_100ad	1.0	0.75	1.0	1.0	0.766	0.0	14	1.0	0.766	0.0
712	B3R1_100_100ad	1.0	0.75	1.0	1.0	0.766	0.0	7	1.0	0.766	0.0
713	R2Y1_100_087ad	1.0	0.875	0.125	1.0	0.883	0.0	80	1.0	0.883	0.0
714	R1Y1_100_087ad	1.0	0.875	0.125	1.0	0.883	0.0	73	1.0	0.883	0.0
715	ROY1_100_062ad	1.0	0.875	0.125	1.0	0.883	0.0	66	1.0	0.883	0.0
716	R3Y1_100_062ad	1.0	0.875	0.125	1.0	0.883	0.0	59	1.0	0.883	0.0
717	R2Y1_100_050ad	1.0	0.875	0.125	1.0	0.883	0.0	52	1.0	0.883	0.0
718	ROY1_100_037ad	1.0	0.875	0.125	1.0	0.883	0.0	45	1.0	0.883	0.0
719	ROY1_100_025ad	1.0	0.875	0.125	1.0	0.883	0.0	38	1.0	0.883	0.0
720	ROY1_100_012ad	1.0	0.875	0.125	1.0	0.883	0.0	31	1.0	0.883	0.0
721	Y0G1_100_100ad	1.0	0.125	0.937	3.0	0.125	0.007	89	1.0	0.125	0.007
722	Y0G1_100_087ad	1.0	0.125	0.937	3.0	0.125	0.007	82	1.0	0.125	0.007
723	Y0G1_100_075ad	1.0	0.125	0.937	3.0	0.125	0.007	75	1.0	0.125	0.007
724	Y0G1_100_062ad	1.0	0.125	0.937	3.0	0.125	0.007	68	1.0	0.125	0.007
725	Y0G1_100_050ad	1.0	0.125	0.937	3.0	0.125	0.007	61	1.0	0.125	0.007
726	Y0G1_100_037ad	1.0	0.125	0.937	3.0	0.125	0.007	54	1.0	0.125	0.007
727	Y0G1_100_025ad	1.0	0.125	0.937	3.0	0.125	0.007	47	1.0	0.125	0.007
728	NW_100ad	1.0	0.125	0.937	3.0	0.125	0.007	40	1.0	0.125	0.007

delta

input: rgb/cmyk -> rgbd
output: 3D-linearization to cmyk*dd

TUB-test chart RE59; 1080 standard colours
colors and differences, ΔE^*

RE590-TN, Page 28/33-F

I-1032730-F0

http://130.149.60.45/~farbmetrik/RE59/RE59L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization RE59/RE59LE30FA.DAT in file (F), page 29/33

TUB-test chart RE59; 1080 standard colours
colors and differences, ΔE*

Table with 10 columns: n, Hh, Rgb, Lab, Lab, Lab, Lab, Lab, Lab, Lab. Contains data for 809 different color patches, including color names like 'NW_100Mat', 'G50B_100.025Mat', etc., and numerical values for each property.

delta
input: rgb/cmyk -> rgbbd
output: 3D-linearization to cmyk*dd

http://130.149.60.45/~farbmetrik/RE59/RE59L0FA.TXT /.PS; 3D-linearization F: 3D-linearization RE59/RE59LE30FA.DAT in file (F), page 30/33

Table with 15 columns: n, HHC*Fid, rpb_Fid, icr_Fid, hsa_Fid, rpb*Fid, LabCM*Fid, cmyk*_sep,Fid, cmyn*_sep,Fid, hsa_Yld, rpb*Yld, LabCM*Yld, delta. Rows include color names like NV, BOOR, YOCG, etc.

Mean color difference of this page:

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd

TUB-test chart RE59; 1080 standard colours colors and differences, ΔE*

RE590-TN, Page 30/33-F

Table with 16 columns: n, HHC*Fid, rgb*Fid, icr*Fid, Hs_Fid, rgb*Fid, Lab*Fid, Lab*Fid, cmyk*_sep*Fid, delta, Hs_Yld, rgb*_Yld, Lab*Fid, Lab*Fid, Lab*Fid, Lab*Fid. Rows include color names like NV_086ad, NV_093ad, etc.

delta

Mean color difference of this page:




http://130.149.60.45/~farbmetrik/RE59/RE59L0FA.TXT /.PS; start output
F: 3D-linearization RE59/RE59LE30FA.DAT in file (F), page 1/33



see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE59/RE59L0FA.TXT /.PS
application for measurement of laser printer output

TUB material: code=rh4ta



1-113030-L0 RE590-7N

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): $rgb + cmy0$ (A_j + k26_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 1

TUB-test chart RE59; 1080 standard colours
Test chart according to DIN 33872, 3D=1, de=1, $cmyk^*$



input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change





see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE59/RE59L0FA.TXT /.PS TUB material: code=rh4ta
application for measurement of laser printer output, separation cmyk* (CMYK)



1-113130-L0 RE590-73

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): *rgb* (A_n), 3D = 1



TUB-test chart RE59; 1080 standard colours
Test chart according to DIN 33872, 3D=1, de=1, *cmyk**

input: *rgb/cmyk* -> *rgb*_{de}
output: 3D-linearization to *cmyk**_{de}

1-113130-F0


C M Y O L V

C



see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



TUB registration: 20150701-RE59/RE59L0FA.TXT /.PS TUB material: code=rh4ta
application for measurement of laser printer output, separation cmyk* (CMYK)



1-113230-L0 RE590-73


TUB-test chart RE59; 1080 standard colours
Test chart according to DIN 33872, 3D=1, de=1, cmyk*

input: *rgb/cmyk* -> *rgb_{de}*
output: 3D-linearization to *cmyk*_{de}*




1=113230-F0





see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>


TUB registration: 20150701-RE59/RE59L0FA.TXT /.PS TUB material: code=rh4ta
application for measurement of laser printer output, separation cmyk* (CMYK)




1-113330-L0 RE590-73

TUB-test chart RE59; 1080 standard colours
Test chart according to DIN 33872, 3D=1, de=1, cmyk*

input: *rgb/cmyk* -> *rgb_{de}*
output: 3D-linearization to *cmyk*_{de}*




1-113330-F0



see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59L0FA.TXT> /PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE59/RE59L0FA.TXT /.PS TUB material: code=rh4ta
application for measurement of laser printer output, separation cmyk* (CMYK)



1-113430-L0 RE590-73

TUB-test chart RE59; 1080 standard colours
Test chart according to DIN 33872, 3D=1, de=1, cmyk*


input: *rgb/cmyk* -> *rgb_{de}*
output: 3D-linearization to *cmyk*_{de}*

1-113430-F0



see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE59/RE59L0FA.TXT /.PS TUB material: code=rh4ta
application for measurement of laser printer output, separation cmyk* (CMYK)





1-113530-L0 RE590-73

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n); 3D = 1

TUB-test chart RE59; 1080 standard colours
Test chart according to DIN 33872, 3D=1, de=1, cmyk*




input: *rgb/cmyk* -> *rgb_{de}*
output: 3D-linearization to *cmyk*_{de}*

1-113530-F0



http://130.149.60.45/~farbmetrik/RE59/RE59L0FA.TXT /PS; 3D-linearization
 F: 3D-linearization RE59/RE59LE30FA.DAT in file (F), page 7/33

Data of Maximum color, M in colorimetric system Laser printer output; separation cmyk*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{abs,d} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours RYGBM; $h_{ab,d} = 33.5, 100.6, 155.5, 235.2, 290.8, 348.9$; Six hue angles of the elementary colours RYGBM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



Notes to the CIELAB chroma diagrams (a^*_s, b^*_s), (a^*_e, b^*_e), (a^*_d, b^*_d)

- For the rgb^*_s -input values the CIELAB data LCH^*_s and LAB^*_s have been calculated.
- For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_s the equation:

$$h_{ab,s} = \arctan \left[\frac{r^*_s \cos(30) + g^*_s \cos(150)}{r^*_s \sin(30) + g^*_s \sin(150)} + b^*_s \sin(270) \right]$$
- For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,si} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59)$$
- For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59)$$
- For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
- The values rgb^*_s produce the output of the device-independent elementary hues

I=113630-L0 RE590-73 LAB*la0, YN=0%, XYZnw=3.9, 4.1, 4.1, 84.7, 89.6, 93.9, LAB*nw=23.9, 0.0, 0.0, 95.8, 0.0, 0.0
 input: rgb/cmyk -> rgbde
 output: 3D-linearization to cmyk*de

Output: Laser printer output; separation cmyk*, D65, page 7/33

Data of Maximum color, M in colorimetric system Laser printer output; separation cmyk*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM; $h_{ab,d} = 33.5, 100.6, 155.5, 235.2, 290.8, 348.9$; Six hue angles of the elementary colours RYGBM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{ds}	rgb^*_{de}	LAB^*_{ds}	LAB^*_{de}	rgb^*_{ds}	rgb^*_{de}	LAB^*_{ds}	LAB^*_{de}	
33.4	30.0	25.4	1.0	0.0	0.0	47.5	57.2	37.8	68.6	33.4	33.4
42.1	37.5	33.8	1.0	0.125	0.0	51.9	54.3	49.2	73.2	42.1	42.1
52.8	45.0	42.1	1.0	0.25	0.0	58.2	41.8	55.1	69.2	52.8	52.8
63.7	52.5	50.5	1.0	0.375	0.0	64.6	29.8	60.4	67.3	63.7	63.7
73.8	60.0	58.8	1.0	0.5	0.0	70.5	19.2	66.2	69.0	73.8	73.8
80.7	67.5	67.2	1.0	0.625	0.0	74.9	11.4	70.7	71.6	80.7	80.7
91.5	75.0	75.6	1.0	0.75	0.0	82.9	-2.0	76.9	77.0	91.5	91.5
96.8	82.5	83.9	1.0	0.875	0.0	87.6	-9.0	75.7	76.3	96.8	96.8
100.5	90.0	92.3	1.0	1.0	0.0	91.5	-15.8	84.6	86.1	100.5	100.5
101.4	97.5	101.0	1.0	0.875	1.0	92.8	-18.1	89.4	91.2	101.4	101.4
103.9	105.0	109.7	1.0	0.75	1.0	90.1	-21.3	86.0	88.6	103.9	103.9
115.0	112.5	118.5	1.0	0.625	1.0	87.9	-31.7	67.9	75.0	115.0	115.0
127.3	120.0	127.2	0.5	1.0	0.0	70.9	-41.7	54.8	68.9	127.3	127.3
134.7	127.5	136.0	0.375	1.0	0.0	66.5	-47.5	48.0	67.6	134.7	134.7
144.7	135.0	144.7	0.25	1.0	0.0	60.6	-57.2	40.4	70.1	144.7	144.7
151.0	142.5	153.4	0.125	1.0	0.0	57.0	-62.2	34.4	71.1	151.0	151.0
155.5	150.0	162.2	0.0	1.0	0.0	54.3	-67.6	30.8	74.3	155.5	155.5
160.8	157.5	169.0	0.0	1.0	0.125	53.8	-66.4	23.0	70.2	160.8	160.8
168.5	165.0	175.9	0.0	1.0	0.25	53.7	-63.1	12.8	64.4	168.5	168.5
179.9	172.5	182.7	0.0	1.0	0.375	54.7	-56.8	0.0	56.8	179.9	179.9
189.8	180.0	189.6	0.0	1.0	0.5	55.0	-51.4	-8.9	52.2	189.8	189.8
204.4	187.5	196.4	0.0	1.0	0.625	55.2	-44.1	-20.0	48.5	204.4	204.4
214.4	195.0	203.2	0.0	1.0	0.75	55.2	-39.5	-27.1	47.9	214.4	214.4
221.9	202.5	210.1	0.0	1.0	0.875	54.4	-36.7	-33.0	49.4	221.9	221.9
235.1	210.0	216.9	0.0	1.0	1.0	53.1	-30.0	-43.1	52.5	235.1	235.1
237.9	217.5	223.8	0.0	0.875	1.0	53.1	-27.9	-44.7	52.7	237.9	237.9
241.3	225.0	230.6	0.0	0.75	1.0	52.9	-25.9	-47.5	54.1	241.3	241.3
247.2	232.5	237.5	0.0	0.625	1.0	50.5	-20.8	-49.5	53.7	247.2	247.2
254.9	240.0	244.3	0.0	0.5	1.0	46.1	-13.3	-49.4	51.1	254.9	254.9
262.6	247.5	251.2	0.0	0.375	1.0	41.4	-6.3	-49.2	49.6	262.6	262.6
272.6	255.0	258.0	0.0	0.25	1.0	36.8	2.2	-48.5	48.6	272.6	272.6
281.4	262.5	264.8	0.0	0.125	1.0	35.0	9.4	-46.3	47.3	281.4	281.4
290.8	270.0	271.7	0.0	0.0	1.0	32.5	16.9	-44.6	47.7	290.8	290.8
299.2	277.5	278.8	0.125	0.0	1.0	31.6	23.6	-42.2	48.4	299.2	299.2
307.8	285.0	285.9	0.25	0.0	1.0	31.0	30.5	-39.3	49.8	307.8	307.8
317.5	292.5	293.0	0.375	0.0	1.0	34.2	38.2	-35.0	51.8	317.5	317.5
324.4	300.0	300.1	0.5	0.0	1.0	37.2	43.1	-30.8	53.0	324.4	324.4
330.6	307.5	307.2	0.625	0.0	1.0	39.1	48.4	-27.2	55.6	330.6	330.6
338.7	315.0	314.3	0.75	0.0	1.0	41.8	55.1	-21.4	59.1	338.7	338.7
343.9	322.5	321.4	0.875	0.0	1.0	45.6	60.1	-17.3	62.6	343.9	343.9
348.9	330.0	328.6	1.0	0.0	1.0	48.1	65.4	-12.7	66.6	348.9	348.9
350.7	337.5	335.7	1.0	0.0	0.875	49.5	66.1	-10.7	67.0	350.7	350.7
354.2	345.0	342.8	1.0	0.0	0.75	49.3	64.5	-6.5	64.8	354.2	354.2
361.9	352.5	349.9	1.0	0.0	0.625	48.0	61.8	2.1	61.8	361.9	361.9
370.0	360.0	357.0	1.0	0.0	0.5	47.8	58.9	10.4	59.9	370.0	370.0
378.9	367.5	364.1	1.0	0.0	0.375	47.4	56.8	19.5	60.0	378.9	378.9
386.2	375.0	371.2	1.0	0.0	0.25	47.5	55.9	27.5	62.3	386.2	386.2
391.3	382.5	378.3	1.0	0.0	0.125	47.6	56.3	34.2	65.9	391.3	391.3
393.4	390.0	385.4	1.0	0.0	0.0	47.5	57.2	37.8	68.6	393.4	393.4

Data of Maximum color, M in colorimetric system Laser printer output; separation cmyk*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_{abd,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM; h_{ab,d} = 33.5, 100.6, 155.5, 225.2, 290.8, 348.9; Six hue angles of the elementary colours RYGBM; h_{abc} = 25.5, 93.3, 162.2, 217.0, 271.7, 328.6

h _{abd} -268	h _{abs} 75	L* 0.7660	a* 0.29	b* -2.9	Y _d 76.9	R _d 92	rgb* ds361MI	LAB* dsx361MI (x=LabCh)	rgb* dd361MI	LAB* dex361MI (x=LabCh)	rgb* dd361MI
92	76	1.0	0.7660	0.0	83.5	-2.9	0.521	0.0	0.0	0.532	0.0
92	77	1.0	0.7830	0.0	84.2	-3.9	0.539	0.0	0.0	0.552	0.0
93	78	1.0	0.8	0.0	84.8	-4.8	0.557	0.0	0.0	0.572	0.0
94	79	1.0	0.816	0.0	85.4	-5.8	0.575	0.0	0.0	0.592	0.0
95	80	1.0	0.833	0.0	86.0	-6.7	0.611	0.0	0.0	0.629	0.0
95	81	1.0	0.85	0.0	86.6	-7.6	0.627	0.0	0.0	0.642	0.0
96	82	1.0	0.866	0.0	87.3	-8.6	0.639	0.0	0.0	0.655	0.0
97	83	1.0	0.883	0.0	87.8	-9.4	0.665	0.0	0.0	0.668	0.0
97	84	1.0	0.9	0.0	88.4	-10.3	0.662	0.0	0.0	0.681	0.0
98	85	1.0	0.916	0.0	88.9	-11.2	0.674	0.0	0.0	0.694	0.0
98	86	1.0	0.933	0.0	89.4	-12.0	0.674	0.0	0.0	0.707	0.0
98	87	1.0	0.95	0.0	89.9	-12.9	0.697	0.0	0.0	0.72	0.0
99	88	1.0	0.966	0.0	90.5	-13.9	0.709	0.0	0.0	0.733	0.0
99	89	1.0	0.983	0.0	91.0	-14.8	0.721	0.0	0.0	0.746	0.0
100	90	1.0	1.0	0.0	91.5	-15.8	0.732	0.0	0.0	0.769	0.0
100	91	0.983	1.0	0.0	91.7	-16.1	0.744	0.0	0.0	0.796	0.0
100	92	0.966	1.0	0.0	91.9	-16.4	0.761	0.0	0.0	0.823	0.0
100	93	0.95	1.0	0.0	92.0	-16.7	0.785	0.0	0.0	0.851	0.0
101	94	0.933	1.0	0.0	92.2	-17.0	0.808	0.0	0.0	0.879	0.0
101	95	0.916	1.0	0.0	92.4	-17.3	0.832	0.0	0.0	0.918	0.0
101	96	0.9	1.0	0.0	92.5	-17.6	0.855	0.0	0.0	0.957	0.0
101	97	0.883	1.0	0.0	92.7	-18.0	0.88	0.0	0.0	0.996	0.0
101	98	0.866	1.0	0.0	92.6	-18.3	0.914	0.0	0.0	0.867	1.0
101	99	0.85	1.0	0.0	92.2	-18.8	0.947	0.0	0.0	0.808	1.0
102	100	0.833	1.0	0.0	91.9	-19.2	0.98	0.0	0.0	0.737	1.0
102	101	0.816	1.0	0.0	91.5	-19.6	0.943	0.0	0.0	0.75	1.0
102	102	0.8	1.0	0.0	91.1	-20.1	0.849	0.0	0.0	0.724	1.0
103	103	0.783	1.0	0.0	90.8	-20.5	0.798	0.0	0.0	0.71	1.0
103	104	0.766	1.0	0.0	90.4	-20.9	0.749	0.0	0.0	0.697	1.0
103	105	0.75	1.0	0.0	90.1	-21.3	0.738	0.0	0.0	0.684	1.0
105	106	0.733	1.0	0.0	89.7	-21.8	0.727	0.0	0.0	0.671	1.0
106	107	0.716	1.0	0.0	89.3	-22.4	0.716	0.0	0.0	0.658	1.0
108	108	0.7	1.0	0.0	86.0	-26.2	0.704	0.0	0.0	0.645	1.0
109	109	0.683	1.0	0.0	84.6	-27.6	0.693	0.0	0.0	0.632	1.0
111	110	0.666	1.0	0.0	83.3	-28.9	0.682	0.0	0.0	0.619	1.0
112	111	0.65	1.0	0.0	81.9	-30.1	0.659	0.0	0.0	0.607	1.0
114	112	0.633	1.0	0.0	80.5	-31.2	0.659	0.0	0.0	0.595	1.0
115	113	0.616	1.0	0.0	79.3	-32.5	0.648	0.0	0.0	0.584	1.0
117	114	0.6	1.0	0.0	78.1	-34.0	0.637	0.0	0.0	0.572	1.0
119	115	0.583	1.0	0.0	76.9	-35.5	0.625	0.0	0.0	0.56	1.0
120	116	0.566	1.0	0.0	75.7	-36.9	0.615	0.0	0.0	0.548	1.0
122	117	0.55	1.0	0.0	74.5	-38.2	0.605	0.0	0.0	0.536	1.0
124	118	0.533	1.0	0.0	73.3	-39.4	0.595	0.0	0.0	0.524	1.0
125	119	0.516	1.0	0.0	72.1	-40.6	0.585	0.0	0.0	0.512	1.0
127	120	0.5	1.0	0.0	70.9	-41.7	0.574	0.0	0.0	0.501	1.0

Data of Maximum color: M in colorimetric system Laser printer output; separation cmyk* D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{abs,d}$ = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
 Six hue angles of the device colours RYGBM; $h_{abs,d}$ = 33.5, 100.6, 155.5, 235.2, 290.8, 348.9; Six hue angles of the elementary colours RYGBM; $h_{abs,d}$ = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_d	rgb^*_s	rgb^*_e	LAB^*_d	LAB^*_s	LAB^*_e	rgb^*_d	rgb^*_s	rgb^*_e	LAB^*_d	LAB^*_s	LAB^*_e	rgb^*_d	rgb^*_s	rgb^*_e	LAB^*_d	LAB^*_s	LAB^*_e
127	120	127	0.5	1.0	0.0	70.9	-41.7	54.8	68.9	127	0.5	1.0	0.0	0.501	1.0	0.0	71.0	-41.6	54.9	68.9
128	121	128	0.483	1.0	0.0	70.4	-42.6	53.9	68.7	128	0.483	1.0	0.0	0.481	1.0	0.0	70.3	-42.6	53.8	68.7
129	122	129	0.466	1.0	0.0	69.8	-43.4	53.0	68.5	129	0.467	1.0	0.0	0.462	1.0	0.0	69.6	-43.6	52.8	68.5
130	123	130	0.45	1.0	0.0	69.2	-44.2	52.1	68.3	130	0.442	1.0	0.0	0.442	1.0	0.0	68.9	-44.5	51.7	68.3
131	124	131	0.433	1.0	0.0	68.6	-45.0	51.2	68.2	131	0.433	1.0	0.0	0.422	1.0	0.0	68.3	-45.4	50.7	68.1
132	125	132	0.416	1.0	0.0	68.0	-45.7	50.3	68.0	132	0.403	1.0	0.0	0.403	1.0	0.0	67.6	-46.3	49.6	67.9
133	126	133	0.4	1.0	0.0	67.4	-46.5	49.4	67.8	133	0.383	1.0	0.0	0.383	1.0	0.0	66.9	-47.1	48.5	67.7
134	127	134	0.383	1.0	0.0	66.8	-47.2	48.5	67.7	134	0.366	1.0	0.0	0.366	1.0	0.0	66.2	-48.2	47.6	67.8
135	128	135	0.366	1.0	0.0	66.1	-48.2	47.5	67.7	135	0.352	1.0	0.0	0.352	1.0	0.0	65.5	-49.4	46.8	68.1
136	129	136	0.35	1.0	0.0	65.4	-49.5	46.6	68.1	136	0.337	1.0	0.0	0.337	1.0	0.0	64.8	-50.5	46.0	68.4
137	130	137	0.333	1.0	0.0	64.8	-50.9	45.7	68.4	137	0.323	1.0	0.0	0.323	1.0	0.0	64.1	-51.7	45.1	68.7
138	131	138	0.316	1.0	0.0	64.6	-52.4	44.7	68.7	138	0.308	1.0	0.0	0.308	1.0	0.0	63.4	-52.8	44.2	68.9
139	132	139	0.3	1.0	0.0	63.0	-53.5	43.7	69.1	139	0.294	1.0	0.0	0.294	1.0	0.0	62.7	-53.9	43.3	69.2
140	133	140	0.283	1.0	0.0	62.2	-54.7	42.6	69.4	140	0.279	1.0	0.0	0.279	1.0	0.0	62.0	-55.0	42.4	69.5
141	134	141	0.266	1.0	0.0	61.4	-56.0	41.5	69.7	141	0.265	1.0	0.0	0.265	1.0	0.0	61.3	-56.1	41.4	69.8
142	135	142	0.25	1.0	0.0	60.6	-57.2	40.4	70.1	142	0.25	1.0	0.0	0.25	1.0	0.0	60.6	-57.1	40.5	70.1
143	136	143	0.233	1.0	0.0	60.1	-57.9	39.6	70.2	143	0.235	1.0	0.0	0.235	1.0	0.0	60.0	-58.1	39.4	70.3
144	137	144	0.216	1.0	0.0	59.6	-58.6	38.9	70.3	144	0.221	1.0	0.0	0.221	1.0	0.0	59.3	-59.1	38.3	70.5
145	138	145	0.2	1.0	0.0	59.1	-59.3	38.1	70.5	145	0.217	1.0	0.0	0.217	1.0	0.0	58.6	-60.0	37.2	70.7
146	139	146	0.183	1.0	0.0	58.7	-59.9	37.3	70.6	146	0.181	1.0	0.0	0.181	1.0	0.0	58.0	-60.9	36.1	70.8
147	140	147	0.166	1.0	0.0	58.2	-60.6	36.4	70.7	147	0.158	1.0	0.0	0.158	1.0	0.0	57.3	-61.8	34.9	71.0
148	141	148	0.15	1.0	0.0	57.7	-61.2	35.6	70.9	148	0.135	1.0	0.0	0.135	1.0	0.0	56.6	-63.0	33.9	71.6
149	142	149	0.133	1.0	0.0	57.2	-61.9	34.8	71.0	149	0.106	1.0	0.0	0.106	1.0	0.0	55.9	-64.4	33.0	72.5
150	143	150	0.116	1.0	0.0	56.8	-62.5	34.1	71.3	150	0.041	1.0	0.0	0.041	1.0	0.0	55.2	-65.8	32.1	73.3
151	144	151	0.1	1.0	0.0	56.4	-63.3	33.7	71.7	151	0.008	1.0	0.0	0.008	1.0	0.0	54.5	-67.2	31.1	74.2
152	145	152	0.083	1.0	0.0	56.1	-64.0	33.2	72.1	152	0.0	1.0	0.0	0.0	1.0	0.0	54.3	-67.4	29.5	73.7
153	146	153	0.066	1.0	0.0	55.7	-64.7	32.8	72.6	153	0.0	1.0	0.0	0.0	1.0	0.0	54.2	-67.4	27.8	73.8
154	147	154	0.049	1.0	0.0	55.4	-65.5	32.3	73.0	154	0.0	1.0	0.0	0.0	1.0	0.0	54.0	-67.2	25.8	73.7
155	148	155	0.033	1.0	0.0	55.0	-66.2	31.8	73.5	155	0.0	1.0	0.0	0.0	1.0	0.0	53.9	-66.9	23.6	73.5
156	149	156	0.016	1.0	0.0	54.7	-66.9	31.3	73.9	156	0.0	1.0	0.0	0.0	1.0	0.0	53.9	-66.6	21.4	73.0
157	150	157	0.0	1.0	0.0	54.3	-67.6	30.8	74.3	157	0.0	1.0	0.0	0.0	1.0	0.0	53.8	-66.3	19.2	72.6
158	151	158	0.0016	1.0	0.0	54.2	-68.1	30.3	74.7	158	0.0	1.0	0.0	0.0	1.0	0.0	53.8	-66.1	17.1	72.1
159	152	159	0.0033	1.0	0.0	54.2	-67.4	29.6	73.2	159	0.0	1.0	0.0	0.0	1.0	0.0	53.8	-65.9	14.9	71.6
160	153	160	0.005	1.0	0.0	54.1	-67.2	27.6	72.7	160	0.0	1.0	0.0	0.0	1.0	0.0	53.8	-65.7	12.7	71.1
161	154	161	0.0066	1.0	0.0	54.0	-67.1	26.6	72.1	161	0.0	1.0	0.0	0.0	1.0	0.0	53.8	-65.6	10.5	70.5
162	155	162	0.0083	1.0	0.0	53.9	-66.9	25.5	71.6	162	0.0	1.0	0.0	0.0	1.0	0.0	53.8	-65.5	8.3	69.8
163	156	163	0.01	1.0	0.0	53.9	-66.7	24.5	71.1	163	0.0	1.0	0.0	0.0	1.0	0.0	53.8	-65.4	6.1	69.1
164	157	164	0.0116	1.0	0.0	53.8	-66.5	23.5	70.5	164	0.0	1.0	0.0	0.0	1.0	0.0	53.8	-65.3	3.9	68.3
165	158	165	0.0133	1.0	0.0	53.8	-66.2	22.3	69.9	165	0.0	1.0	0.0	0.0	1.0	0.0	53.8	-65.2	1.7	68.1
166	159	166	0.015	1.0	0.0	53.8	-65.8	20.8	69.1	166	0.0	1.0	0.0	0.0	1.0	0.0	53.8	-65.1	0.5	68.0
167	160	167	0.0166	1.0	0.0	53.8	-65.5	19.4	68.3	167	0.0	1.0	0.0	0.0	1.0	0.0	53.8	-65.0	0.3	67.9
168	161	168	0.0183	1.0	0.0	53.8	-65.0	18.1	67.5	168	0.0	1.0	0.0	0.0	1.0	0.0	53.8	-64.8	0.1	67.7
169	162	169	0.02	1.0	0.0	53.8	-64.6	16.7	66.7	169	0.0	1.0	0.0	0.0	1.0	0.0	53.8	-64.7	0.0	67.6
170	163	170	0.0216	1.0	0.0	53.7	-64.1	15.4	66.0	170	0.0	1.0	0.0	0.0	1.0	0.0	53.8	-64.6	0.0	67.5
171	164	171	0.0233	1.0	0.0	53.7	-63.6	14.1	65.2	171	0.0	1.0	0.0	0.0	1.0	0.0	53.8	-64.5	0.0	67.4
172	165	172	0.025	1.0	0.0	53.7	-63.1	12.8	64.4	172	0.0	1.0	0.0	0.0	1.0	0.0	53.8	-64.4	0.0	67.3
173	166	173	0.025	1.0	0.0	53.7	-63.1	12.8	64.4	173	0.0	1.0	0.0	0.0	1.0	0.0	53.8	-64.4	0.0	67.3
174	167	174	0.025	1.0	0.0	53.7	-63.1	12.8	64.4	174	0.0	1.0	0.0	0.0	1.0	0.0	53.8	-64.4	0.0	67.3
175	168	175	0.025	1.0	0.0	53.7	-63.1	12.8	64.4	175	0.0	1.0	0.0	0.0	1.0	0.0	53.8	-64.4	0.0	67.3
176	169	176	0.025	1.0	0.0	53.7	-63.1	12.8	64.4	176	0.0	1.0	0.0	0.0	1.0	0.0	53.8	-64.4	0.0	67.3
177	170	177	0.025	1.0	0.0	53.7	-63.1	12.8	64.4	177	0.0	1.0	0.0	0.0	1.0	0.0	53.8	-64.4	0.0	67.3
178	171	178	0.025	1.0	0.0	53.7	-63.1	12.8	64.4	178	0.0	1.0	0.0	0.0	1.0	0.0	53.8	-64.4	0.0	67.3
179	172	179	0.025	1.0	0.0	53.7	-63.1	12.8	64.4	179	0.0	1.0	0.0	0.0	1.0	0.0	53.8	-64.4	0.0	67.3
180	173	180	0.025	1.0	0.0	53.7	-63.1	12.8	64.4	180	0.0	1.0	0.0	0.0	1.0	0.0	53.8	-64.4	0.0	67.3

TUB registration: 20150701-RE59/RE59L0FA.TXT /PS TUB material: code=rha4ta
application for measurement of laser printer output, separation cmyk* (CMYK)

Data of Maximum color, M in colorimetric system Laser printer output; separation cmyk*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_d; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d; h_{ab,d} = 255.2, 290.8, 348.9, 348.9, 348.9, 348.9; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb_{36IM}^*	rgb_{36IM}^{*d}	LAB_{36IM}^*	LAB_{36IM}^{*d}	rgb_{36IM}^{*c}	rgb_{36IM}^{*m}	LAB_{36IM}^*	LAB_{36IM}^{*d}	rgb_{36IM}^{*c}	rgb_{36IM}^{*m}	rgb_{36IM}^{*d}	rgb_{36IM}^{*c}	rgb_{36IM}^{*m}	rgb_{36IM}^{*d}
168	165	175	0.0	1.0	0.25	53.7	-63.1	12.8	64.4	168	0.0	1.0	0.25	0.0	1.0	0.25
170	166	176	0.0	1.0	0.266	53.9	-62.4	10.9	63.4	170	0.0	1.0	0.267	0.0	1.0	0.267
171	167	177	0.0	1.0	0.283	54.0	-61.7	9.1	62.4	171	0.0	1.0	0.283	0.0	1.0	0.283
173	168	178	0.0	1.0	0.3	54.1	-60.9	7.3	61.3	173	0.0	1.0	0.3	0.0	1.0	0.3
174	169	179	0.0	1.0	0.316	54.3	-60.1	5.6	60.3	174	0.0	1.0	0.317	0.0	1.0	0.317
176	170	180	0.0	1.0	0.333	54.4	-59.2	3.9	59.3	176	0.0	1.0	0.333	0.0	1.0	0.333
177	171	181	0.0	1.0	0.35	54.5	-58.2	2.3	58.3	177	0.0	1.0	0.35	0.0	1.0	0.35
179	172	182	0.0	1.0	0.366	54.7	-57.3	0.8	57.3	179	0.0	1.0	0.367	0.0	1.0	0.367
180	173	183	0.0	1.0	0.383	54.7	-56.5	-0.6	56.5	180	0.0	1.0	0.383	0.0	1.0	0.383
181	174	184	0.0	1.0	0.4	54.8	-55.8	-1.8	55.9	181	0.0	1.0	0.4	0.0	1.0	0.4
183	175	185	0.0	1.0	0.416	54.8	-55.2	-3.1	55.2	183	0.0	1.0	0.417	0.0	1.0	0.417
184	176	186	0.0	1.0	0.433	54.8	-54.5	-4.3	54.6	184	0.0	1.0	0.433	0.0	1.0	0.433
185	177	186	0.0	1.0	0.45	54.9	-53.7	-5.5	54.0	185	0.0	1.0	0.45	0.0	1.0	0.45
187	178	187	0.0	1.0	0.466	54.9	-53.0	-6.6	53.4	187	0.0	1.0	0.467	0.0	1.0	0.467
188	179	188	0.0	1.0	0.483	55.0	-52.2	-7.8	52.8	188	0.0	1.0	0.483	0.0	1.0	0.483
189	180	189	0.0	1.0	0.5	55.0	-51.4	-8.9	52.2	189	0.0	1.0	0.5	0.0	1.0	0.5
191	181	190	0.0	1.0	0.516	55.0	-50.6	-10.0	51.7	191	0.0	1.0	0.517	0.0	1.0	0.517
193	182	191	0.0	1.0	0.533	55.1	-49.7	-12.1	51.2	193	0.0	1.0	0.533	0.0	1.0	0.533
195	183	192	0.0	1.0	0.55	55.1	-48.8	-13.7	50.7	195	0.0	1.0	0.55	0.0	1.0	0.55
197	184	193	0.0	1.0	0.566	55.2	-47.8	-15.2	50.2	197	0.0	1.0	0.567	0.0	1.0	0.567
199	185	194	0.0	1.0	0.583	55.2	-46.8	-16.6	49.7	199	0.0	1.0	0.583	0.0	1.0	0.583
201	186	195	0.0	1.0	0.6	55.2	-45.8	-18.0	49.2	201	0.0	1.0	0.6	0.0	1.0	0.6
203	187	195	0.0	1.0	0.616	55.3	-44.7	-19.4	48.7	203	0.0	1.0	0.617	0.0	1.0	0.617
205	188	196	0.0	1.0	0.633	55.3	-43.8	-20.5	48.4	205	0.0	1.0	0.633	0.0	1.0	0.633
206	189	197	0.0	1.0	0.65	55.3	-43.3	-21.5	48.3	206	0.0	1.0	0.65	0.0	1.0	0.65
207	190	198	0.0	1.0	0.666	55.3	-42.7	-22.5	48.3	207	0.0	1.0	0.667	0.0	1.0	0.667
209	191	199	0.0	1.0	0.683	55.2	-42.1	-23.4	48.2	209	0.0	1.0	0.683	0.0	1.0	0.683
210	192	200	0.0	1.0	0.7	55.2	-41.5	-24.4	48.1	210	0.0	1.0	0.7	0.0	1.0	0.7
211	193	201	0.0	1.0	0.716	55.2	-40.8	-25.3	48.0	211	0.0	1.0	0.717	0.0	1.0	0.717
213	194	202	0.0	1.0	0.733	55.2	-40.2	-26.2	48.0	213	0.0	1.0	0.733	0.0	1.0	0.733
214	195	203	0.0	1.0	0.75	55.2	-39.5	-27.1	47.9	214	0.0	1.0	0.75	0.0	1.0	0.75
215	196	204	0.0	1.0	0.766	55.1	-39.2	-27.9	48.1	215	0.0	1.0	0.767	0.0	1.0	0.767
216	197	205	0.0	1.0	0.783	55.0	-38.8	-28.7	48.3	216	0.0	1.0	0.783	0.0	1.0	0.783
217	198	206	0.0	1.0	0.8	54.9	-38.5	-29.5	48.5	217	0.0	1.0	0.8	0.0	1.0	0.8
218	199	206	0.0	1.0	0.816	54.8	-38.1	-30.3	48.7	218	0.0	1.0	0.817	0.0	1.0	0.817
219	200	207	0.0	1.0	0.833	54.7	-37.7	-31.1	48.9	219	0.0	1.0	0.833	0.0	1.0	0.833
220	201	208	0.0	1.0	0.85	54.6	-37.3	-31.9	49.1	220	0.0	1.0	0.85	0.0	1.0	0.85
221	202	209	0.0	1.0	0.866	54.5	-36.9	-32.6	49.3	221	0.0	1.0	0.867	0.0	1.0	0.867
222	203	210	0.0	1.0	0.883	54.3	-36.4	-33.7	49.6	222	0.0	1.0	0.883	0.0	1.0	0.883
224	204	211	0.0	1.0	0.9	54.2	-35.6	-35.1	50.0	224	0.0	1.0	0.9	0.0	1.0	0.9
226	205	212	0.0	1.0	0.916	54.0	-34.8	-36.5	50.4	226	0.0	1.0	0.917	0.0	1.0	0.917
228	206	213	0.0	1.0	0.933	53.8	-33.9	-37.8	50.8	228	0.0	1.0	0.933	0.0	1.0	0.933
229	207	214	0.0	1.0	0.95	53.6	-33.0	-39.2	51.2	229	0.0	1.0	0.95	0.0	1.0	0.95
231	208	215	0.0	1.0	0.966	53.4	-32.0	-40.5	51.7	231	0.0	1.0	0.967	0.0	1.0	0.967
233	209	216	0.0	1.0	0.983	53.3	-31.0	-41.8	52.1	233	0.0	1.0	0.983	0.0	1.0	0.983
235	210	216	0.0	1.0	1.0	53.1	-30.0	-43.1	52.5	235	0.0	1.0	1.0	0.0	1.0	1.0

LAB*a0, YN=0%, XY Zmw=3.9, 4.1, 4.1, 84.7, 89.6, 93.9, LAB*mw=23.9, 0.0, 0.0, 95.8, 0.0, 0.0

Output: Laser printer output; separation cmyk*; D65, page 13/33

input: *rgb/cmyk* -> *rgbde*
output: 3D-linearization to *cmyk*de*

TUB-test chart RE59; 1080 standard colours
48 step hue circles; *rgb-LabCh**tables


I-1131230-L0 RE590-73
I-1131230-F0

	$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{ds}	rgb^*_{db}	rgb^*_{dg}	rgb^*_{ds}	rgb^*_{db}	rgb^*_{dg}	$de361M$	$ds361M$	$dx361M$	$n=LabCh$	$de361M$	$ds361M$	$dx361M$	$n=LabCh$	$dd361M$	$dd361M$	rgb^*_{ds}	rgb^*_{db}	rgb^*_{dg}																						
272	255	258	0.0	0.25	1.0	36.8	2.2	-48.5	48.6	272	0.0	0.499	1.0	46.1	-13.1	-49.3	51.2	255	0.0	0.25	1.0	0.0	0.449	1.0	44.2	-10.4	-49.4	50.6	258	0.0	0.25	1.0	0.0	0.449	1.0	44.2	-10.4	-49.4	50.6	258				
273	256	258	0.0	0.233	1.0	36.6	3.2	-48.3	48.4	273	0.0	0.482	1.0	45.5	-12.2	-49.4	51.0	256	0.0	0.233	1.0	0.0	0.435	1.0	0.0	0.435	1.0	43.7	-9.5	-49.4	50.4	258	0.0	0.233	1.0	0.0	0.435	1.0	43.7	-9.5	-49.4	50.4	258	
274	257	259	0.0	0.216	1.0	36.4	4.1	-48.0	48.2	274	0.0	0.466	1.0	44.9	-11.3	-49.4	50.8	257	0.0	0.217	1.0	0.0	0.42	1.0	0.0	0.42	1.0	43.1	-8.7	-49.3	50.2	259	0.0	0.217	1.0	0.0	0.42	1.0	43.1	-8.7	-49.3	50.2	259	
276	258	260	0.0	0.2	1.0	36.1	5.1	-47.8	48.1	276	0.0	0.434	1.0	44.3	-10.4	-49.4	50.6	258	0.0	0.2	1.0	0.0	0.405	1.0	0.0	0.405	1.0	42.6	-7.9	-49.3	50.0	260	0.0	0.2	1.0	0.0	0.405	1.0	42.6	-7.9	-49.3	50.0	260	
277	259	261	0.0	0.183	1.0	35.9	6.1	-47.5	47.9	277	0.0	0.434	1.0	43.7	-9.5	-49.4	50.4	259	0.0	0.183	1.0	0.0	0.39	1.0	0.0	0.39	1.0	42.0	-7.1	-49.3	49.9	261	0.0	0.183	1.0	0.0	0.39	1.0	42.0	-7.1	-49.3	49.9	261	
278	260	262	0.0	0.166	1.0	35.6	7.0	-47.2	47.7	278	0.0	0.418	1.0	43.0	-8.6	-49.3	50.2	260	0.0	0.167	1.0	0.0	0.418	1.0	0.0	0.418	1.0	41.4	-6.3	-49.2	49.7	262	0.0	0.167	1.0	0.0	0.418	1.0	41.4	-6.3	-49.2	49.7	262	
279	261	263	0.0	0.15	1.0	35.4	8.0	-46.9	47.5	279	0.0	0.402	1.0	42.4	-7.7	-49.3	50.0	261	0.0	0.15	1.0	0.0	0.402	1.0	0.0	0.402	1.0	41.0	-5.5	-49.2	49.6	263	0.0	0.15	1.0	0.0	0.402	1.0	41.0	-5.5	-49.2	49.6	263	
280	262	264	0.0	0.133	1.0	35.2	8.9	-46.5	47.4	280	0.0	0.386	1.0	41.8	-6.8	-49.2	49.8	262	0.0	0.133	1.0	0.0	0.386	1.0	0.0	0.386	1.0	40.6	-4.7	-49.2	49.5	264	0.0	0.133	1.0	0.0	0.386	1.0	40.6	-4.7	-49.2	49.5	264	
282	263	265	0.0	0.116	1.0	34.9	9.9	-46.3	47.3	282	0.0	0.371	1.0	41.3	-6.0	-49.2	49.7	263	0.0	0.117	1.0	0.0	0.371	1.0	0.0	0.371	1.0	40.2	-3.9	-49.1	49.4	265	0.0	0.117	1.0	0.0	0.371	1.0	40.2	-3.9	-49.1	49.4	265	
283	264	266	0.0	0.083	1.0	34.2	11.9	-45.9	47.4	283	0.0	0.358	1.0	40.8	-5.1	-49.2	49.5	264	0.0	0.083	1.0	0.0	0.358	1.0	0.0	0.358	1.0	39.8	-3.1	-49.1	49.3	266	0.0	0.083	1.0	0.0	0.358	1.0	39.8	-3.1	-49.1	49.3	266	
285	266	268	0.0	0.066	1.0	33.9	12.9	-45.7	47.5	285	0.0	0.346	1.0	40.4	-4.2	-49.2	49.4	265	0.0	0.066	1.0	0.0	0.346	1.0	0.0	0.346	1.0	39.4	-2.3	-49.0	49.2	267	0.0	0.066	1.0	0.0	0.346	1.0	39.4	-2.3	-49.0	49.2	267	
287	267	269	0.0	0.049	1.0	33.5	13.9	-45.4	47.5	287	0.0	0.321	1.0	39.5	-2.5	-49.1	49.2	267	0.0	0.049	1.0	0.0	0.321	1.0	0.0	0.321	1.0	38.5	-0.8	-48.9	49.0	269	0.0	0.049	1.0	0.0	0.321	1.0	38.5	-0.8	-48.9	49.0	269	
288	268	269	0.0	0.033	1.0	33.2	14.9	-45.2	47.6	288	0.0	0.308	1.0	39.0	-1.6	-49.0	49.1	268	0.0	0.033	1.0	0.0	0.308	1.0	0.0	0.308	1.0	38.1	0.0	-48.8	48.9	269	0.0	0.033	1.0	0.0	0.308	1.0	38.1	0.0	-48.8	48.9	269	
289	269	270	0.0	0.016	1.0	32.9	15.9	-44.9	47.6	289	0.0	0.296	1.0	38.5	-0.8	-48.9	49.0	269	0.0	0.016	1.0	0.0	0.296	1.0	0.0	0.296	1.0	37.3	0.7	-48.7	48.8	270	0.0	0.016	1.0	0.0	0.296	1.0	37.3	0.7	-48.7	48.8	270	
290	270	271	0.0	0.0	1.0	32.5	16.9	-44.6	47.7	290	0.0	0.283	1.0	38.1	-0.8	-48.9	49.0	269	0.0	0.0	1.0	0.0	0.283	1.0	0.0	0.283	1.0	37.0	1.5	-48.6	48.7	270	0.0	0.0	1.0	0.0	0.283	1.0	37.0	1.5	-48.6	48.7	270	
291	271	272	0.0016	0.0	1.0	32.4	17.8	-44.3	47.8	291	0.0	0.271	1.0	37.6	0.9	-48.7	48.8	271	0.0	0.0016	0.0	1.0	0.0	0.271	1.0	0.0	0.271	1.0	36.9	2.3	-48.5	48.6	272	0.0016	0.0	1.0	0.0	0.271	1.0	36.9	2.3	-48.5	48.6	272
293	272	273	0.033	0.0	1.0	32.3	18.7	-44.0	47.9	293	0.0	0.258	1.0	37.2	1.7	-48.6	48.7	272	0.033	0.0	1.0	0.0	0.258	1.0	0.0	0.258	1.0	36.7	3.1	-48.3	48.5	273	0.033	0.0	1.0	0.0	0.258	1.0	36.7	3.1	-48.3	48.5	273	
294	273	274	0.05	0.0	1.0	32.1	19.6	-43.7	47.9	294	0.0	0.245	1.0	36.8	2.5	-48.4	48.6	273	0.05	0.0	1.0	0.0	0.245	1.0	0.0	0.245	1.0	36.5	3.9	-48.1	48.3	274	0.05	0.0	1.0	0.0	0.245	1.0	36.5	3.9	-48.1	48.3	274	
295	274	275	0.066	0.0	1.0	32.0	20.5	-43.4	48.0	295	0.0	0.231	1.0	36.6	3.4	-48.2	48.4	274	0.066	0.0	1.0	0.0	0.231	1.0	0.0	0.231	1.0	36.3	4.6	-47.9	48.2	275	0.066	0.0	1.0	0.0	0.231	1.0	36.3	4.6	-47.9	48.2	275	
296	275	276	0.083	0.0	1.0	31.9	21.4	-43.1	48.1	296	0.0	0.217	1.0	36.4	4.2	-48.0	48.3	275	0.083	0.0	1.0	0.0	0.217	1.0	0.0	0.217	1.0	36.1	5.4	-47.7	48.1	276	0.083	0.0	1.0	0.0	0.217	1.0	36.1	5.4	-47.7	48.1	276	
297	276	277	0.1	0.0	1.0	31.8	22.3	-42.7	48.2	297	0.0	0.202	1.0	36.2	5.0	-47.8	48.1	276	0.1	0.0	1.0	0.0	0.202	1.0	0.0	0.202	1.0	35.9	6.2	-47.4	47.9	277	0.1	0.0	1.0	0.0	0.202	1.0	35.9	6.2	-47.4	47.9	277	
298	277	278	0.116	0.0	1.0	31.6	23.1	-42.4	48.3	298	0.0	0.188	1.0	36.0	5.8	-47.5	48.0	277	0.116	0.0	1.0	0.0	0.188	1.0	0.0	0.188	1.0	35.7	7.0	-47.2	47.8	278	0.116	0.0	1.0	0.0	0.188	1.0	35.7	7.0	-47.2	47.8	278	
299	278	279	0.133	0.0	1.0	31.5	24.1	-42.0	48.4	299	0.0	0.174	1.0	35.8	6.7	-47.3	47.8	278	0.133	0.0	1.0	0.0	0.174	1.0	0.0	0.174	1.0	35.5	7.7	-46.9	47.6	279	0.133	0.0	1.0	0.0	0.174	1.0	35.5	7.7	-46.9	47.6	279	
300	279	280	0.15	0.0	1.0	31.4	25.0	-41.7	48.6	300	0.0	0.16	1.0	35.6	7.5	-47.0	47.7	279	0.15	0.0	1.0	0.0	0.16	1.0	0.0	0.16	1.0	35.3	8.5	-46.6	47.5	280	0.15	0.0	1.0	0.0	0.16	1.0	35.3	8.5	-46.6	47.5	280	
302	280	281	0.166	0.0	1.0	31.4	25.9	-41.4	48.8	302	0.0	0.146	1.0	35.4	8.3	-46.7	47.5	280	0.166	0.0	1.0	0.0	0.146	1.0	0.0	0.146	1.0	35.1	9.2	-46.4	47.4	281	0.166	0.0	1.0	0.0	0.146	1.0	35.1	9.2	-46.4	47.4	281	
303	281	282	0.183	0.0	1.0	31.3	26.8	-41.0	49.0	303	0.0	0.132	1.0	35.2	9.0	-46.4	47.4	281	0.183	0.0	1.0	0.0	0.132	1.0	0.0	0.132	1.0	34.9	10.0	-46.2	47.4	282	0.183	0.0	1.0	0.0	0.132	1.0	34.9	10.0	-46.2	47.4	282	
304	282	283	0.2	0.0	1.0	31.2	27.8	-40.6	49.2	304	0.0	0.118	1.0	34.9	9.8	-46.2	47.4	282	0.2	0.0	1.0	0.0	0.118	1.0	0.0	0.118	1.0	34.6	10.8	-46.1	47.4	283	0.2	0.0	1.0	0.0	0.118	1.0	34.6	10.8	-46.1	47.4	283	
305	283	284	0.216	0.0	1.0	31.1	28.7	-40.2	49.4	305	0.0	0.104	1.0	34.7	10.7	-46.1	47.4	283	0.216	0.0	1.0	0.0	0.104	1.0	0.0	0.104	1.0	34.4	11.5	-45.9	47.4	284	0.											

http://130.149.60.45/~farbmetrik/RE59/RE59L0FA.TXT /.PS; 3D-linearization F: 3D-linearization RE59/RE59LE30FA.DAT in file (F), page 18/33

Table with columns: nrf, HHC*File, rgb*File, icr*File, hsa*File, rgh*File, LabC*File, cmyk*sep*File, rgh*File, hsa*File, LabC*File, rgh*File, delta. Rows include file names like R00Y_100_100de and numerical data for each column.

input: rgb/cmyk -> rgbdelta output: 3D-linearization to cmyk*de



http://130.149.60.45/~farbmetrik/RE59/RE59L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization RE59/RE59LE30FA.DAT in file (F), page 19/33

Table with columns: nuf, HHC*File, rgb*File, icr*File, hsa*File, rgh*File, LabC*File, cmyk*sep*File, rgh*File, hsa*File, LabC*File, delta. The table contains 45 rows of data for various color patches and their corresponding color values.

Mean color difference of this page:

input: rgb/cmyk -> rgbd
output: 3D-linearization to cmyk*de

TUB-test chart RE59; 1080 standard colours
colors and differences, ΔE*

http://130.149.60.45/~farbmetrik/RE59/RE59L0FA.TXT /.PS; 3D-linearization F: 3D-linearization RE59/RE59LE30FA.DAT in file (F), page 21/33

Table with 16 columns: n, HHC*File, rgb_Role, icr_File, Hsa_Rate, rgp*File, LabC*File, cmyk*_sep, Rate, delta, Hsa*File, rgp*File, LabC*File, Hsa*File, delta, and 16 numerical columns. It contains 161 rows of data for various color patches.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbdelta output: 3D-linearization to cmyk*de

RE590-7N; Page 21/33-F

TUB-test chart RE59; 1080 standard colours colors and differences, ΔE*

http://130.149.60.45/~farbmatrik/RE59/RE59L0FA.TXT /.PS; 3D-linearization F: 3D-linearization RE59/RE59LE30FA.DAT in file (F), page 23/33

Table with 32 columns: n, HHC*File, rgb*File, iet*File, hsa*File, rgb*File, LabC*File, cmyk*sep, cmyk*File, hsa*File, rgb*File, LabC*File, delta. Rows 243-323.

input: rgb/cmyk -> rgbdelta output: 3D-linearization to cmyk*de

TUB-test chart RE59; 1080 standard colours colors and differences, ΔE*

http://130.149.60.45/~farbmetrik/RE59/RE59L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization RE59/RE59LE30FA.DAT in file (F), page 26/33

Table with 30 columns: n, HHC*File, rgb*File, iet*File, Hsa*File, rgpb*File, LabCM*File, 20.0, 46.5, 25.4, cmyk*sep, File, delta. The table contains 56 rows of color calibration data.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbd
output: 3D-linearization to cmyk*de

TUB-test chart RE59; 1080 standard colours
colors and differences, ΔE*

TUB registration: 20150701-RE59/RE59L0FA.TXT /.PS application for measurement of laser printer output, separation cmyk* (CMYK)

TUB material: code=rha4ta

http://130.149.60.45/~farbmatrik/RE59/RE59L0FA.TXT /.PS; 3D-linearization F: 3D-linearization RE59/RE59LE30FA.DAT in file (F), page 27/33

Table with columns: n, H/C, F/ile, r/g/b, i/c/t, r/g/b, H/s, F/ile, L/ab, C/1, F/ile, cmyk, r/g/b, H/s, F/ile, L/ab, C/1, F/ile, Lab, C/1, F/ile, Lab, C/1, F/ile. This is a color calibration chart containing 48 rows of color patches and their corresponding colorimetric data.

TUB-test chart RE59; 1080 standard colours colors and differences, ΔE*

input: r/g/b/cmyk -> r/g/b/delta output: 3D-linearization to cmyk*delta

Mean color difference of this page:

see similar files: http://130.149.60.45/~farbmatrik/RE59/RE59.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmatrik

http://130.149.60.45/~farbmetrik/RE59/RE59L0FA.TXT /.PS; 3D-linearization F: 3D-linearization RE59/RE59LE30FA.DAT in file (F), page 28/33

Table with 20 columns: n, HHC*File, rpb*File, icr*File, Hsa*File, rpb*File, LabCM*File, LabCM*sep, cmyk*sep, rpb*File, Hsa*File, LabCM*File, LabCM*File, Mean color difference of this page: delta

TUB-test chart RE59; 1080 standard colours colors and differences, ΔE*

input: rgb/cmyk -> rgbde output: 3D-linearization to cmyk*de

http://130.149.60.45/~farbmetrik/RE59/RE59L0FA.TXT /.PS; 3D-linearization F: 3D-linearization RE59/RE59LE30FA.DAT in file (F), page 29/33

Table with 15 columns: n, HHC*File, rpb*File, icr*File, hsa*File, rpb*File, LabC*File, LabC*File, LabC*File, LabC*File, LabC*File, LabC*File, LabC*File, LabC*File, LabC*File. Rows include color names like NV_1000e, G50B_100.012ae, etc.

delta

Mean color difference of this page:

input: rgb/cmyk -> rgbdelta output: 3D-linearization to cmyk*delta

RE590-7N, Page 29/33-F

TUB-test chart RE59; 1080 standard colours colors and differences, ΔE*

http://130.149.60.45/~farbmetrik/RE59/RE59L0FA.TXT /.PS; 3D-linearization F: 3D-linearization RE59/RE59LE30FA.DAT in file (F), page 30/33

Table with columns: n, HHC*File, rpb_Rate, icr_File, hsa_File, rpb*File, LabCM*File, cmyk*sep_Rate, hsa*File, rpb*File, LabCM*File, delta. It contains 890 rows of color calibration data.

Mean color difference of this page: delta. input: rgb/cmyk -> rgbdelta output: 3D-linearization to cmyk*de



n	HC*File	rgb*File	iet*File	hsa*File	rgb*File	LabC*File	cmyp*sep*File	cmyp*sep*Rate	delta	LabC*File	rgb*File	hsa*File	LabC*File	cmyp*sep*File	cmyp*sep*Rate	delta	
1053	NW_086de	0.866	0.866	0.866	0.866	86.1	0.0	0.0	0.164	0.02	0.019	360	95.8	0.0	0.0	0.0	
1054	NW_093de	0.933	0.933	0.933	0.933	91.0	0.0	0.0	0.103	0.005	0.016	360	95.8	0.0	0.0	0.0	
1055	NW_100de	1.0	1.0	1.0	1.0	95.8	0.0	0.0	0.0	0.0	0.0	360	95.8	0.0	0.0	0.0	
1056	NW_006de	0.066	0.066	0.066	0.066	28.6	0.0	0.0	0.0	0.0	0.0	360	95.8	0.0	0.0	0.0	
1057	NW_013de	0.133	0.133	0.133	0.133	33.4	0.0	0.0	0.865	0.054	0.016	360	95.8	0.0	0.0	0.0	
1058	NW_020de	0.2	0.2	0.2	0.2	38.2	0.0	0.0	0.809	0.109	0.034	360	95.8	0.0	0.0	0.0	
1059	NW_026de	0.266	0.266	0.266	0.266	42.9	0.0	0.0	0.76	0.068	0.039	360	95.8	0.0	0.0	0.0	
1060	NW_033de	0.333	0.333	0.333	0.333	47.8	0.0	0.0	0.701	0.085	0.044	360	95.8	0.0	0.0	0.0	
1061	NW_040de	0.4	0.4	0.4	0.4	52.6	0.0	0.0	0.652	0.123	0.053	360	95.8	0.0	0.0	0.0	
1062	NW_046de	0.466	0.466	0.466	0.466	57.3	0.0	0.0	0.608	0.178	0.078	360	95.8	0.0	0.0	0.0	
1063	NW_053de	0.533	0.533	0.533	0.533	62.2	0.0	0.0	0.539	0.248	0.104	360	95.8	0.0	0.0	0.0	
1064	NW_060de	0.6	0.6	0.6	0.6	67.0	0.0	0.0	0.482	0.338	0.148	360	95.8	0.0	0.0	0.0	
1065	NW_066de	0.666	0.666	0.666	0.666	71.7	0.0	0.0	0.427	0.444	0.208	360	95.8	0.0	0.0	0.0	
1066	NW_073de	0.734	0.734	0.734	0.734	76.6	0.0	0.0	0.381	0.573	0.288	360	95.8	0.0	0.0	0.0	
1067	NW_080de	0.8	0.8	0.8	0.8	81.4	0.0	0.0	0.323	0.717	0.417	360	95.8	0.0	0.0	0.0	
1068	NW_086de	0.866	0.866	0.866	0.866	86.1	0.0	0.0	0.264	0.866	0.511	360	95.8	0.0	0.0	0.0	
1069	NW_093de	0.933	0.933	0.933	0.933	91.0	0.0	0.0	0.216	0.933	0.605	360	95.8	0.0	0.0	0.0	
1070	NW_100de	1.0	1.0	1.0	1.0	95.8	0.0	0.0	0.164	1.0	0.717	360	95.8	0.0	0.0	0.0	
1071	NW_006de	0.0	0.0	0.0	0.0	23.8	0.0	0.0	0.0	0.0	0.016	360	95.8	0.0	0.0	0.0	
1072	NW_100de	1.0	1.0	1.0	1.0	95.8	0.0	0.0	0.0	0.0	0.0	360	95.8	0.0	0.0	0.0	
1073	ROY_100_100de	1.0	1.0	1.0	1.0	26.7	62.1	25.4	0.0	0.0	0.0	375	47.5	56.0	26.7	62.1	25.4
1074	ROY_100_100de	1.0	1.0	1.0	1.0	29.1	48.4	21.6	0.0	0.0	0.0	198	34.9	-38.7	-29.1	48.4	21.6
1075	GS0B_100_100de	0.0	0.0	0.0	0.0	56.0	62.1	25.4	0.0	0.0	0.0	375	47.5	56.0	26.7	62.1	25.4
1076	Y00G_100_100de	0.0	0.0	0.0	0.0	31.1	76.8	76.9	0.0	0.0	0.0	198	34.9	-38.7	-29.1	48.4	21.6
1077	B00R_100_100de	0.0	0.0	0.0	0.0	48.6	48.7	92.3	0.0	0.0	0.0	245	53.6	-3.1	76.8	76.9	92.3
1078	B00R_100_100de	0.0	0.0	0.0	0.0	48.6	48.7	92.3	0.0	0.0	0.0	245	53.6	-3.1	76.8	76.9	92.3
1079	B50R_100_100de	0.0	0.0	0.0	0.0	21.6	49.2	69.2	0.0	0.0	0.0	198	34.9	-38.7	-29.1	48.4	21.6
1079	B50R_100_100de	1.0	1.0	1.0	1.0	38.5	46.7	54.7	0.0	0.0	0.0	305	38.5	46.7	54.7	54.7	38.6

Mean color difference of this page: