




see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59.HTM>  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE59/RE59L0FP.PDF /.PS  
application for measurement of laser printer output

TUB material: code=rh4ta



1-103030-L0 RE590-7N

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n):  $rgb + cmyk (A_j + k26_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 1$

TUB-test chart RE59; 1080 standard colours  
Test chart according to DIN 33872, 3D=1, de=0, *cmyk\**

input: *rgb/cmyk* -> *rgb/cmyk*  
output: no change






http://130.149.60.45/~farbmetrik/RE59/RE59L0FP.PDF /.PS; 3D-linearization  
F: 3D-linearization RE59/RE59LE30FP.DAT in file (F), page 2/33



see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59L0FP.PDF> / .PS  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE59/RE59L0FP.PDF /.PS  
application for measurement of laser printer output, separation *cmyn6\** (CMYK)  
TUB material: code=rh4ta



1-103130-L0 RE590-72


Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): *rgb* (A\_n), 3D = 1

TUB-test chart RE59; 1080 standard colours  
Test chart according to DIN 33872, 3D=1, de=0, *cmyn6\**

input: *rgb/cmyk* -> *rgb<sub>dd</sub>*  
output: 3D-linearization to *cmyn6\**<sub>dd</sub>


1-103130-F0





see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59L0FP.PDF> / .PS  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>


TUB registration: 20150701-RE59/RE59L0FP.PDF /.PS TUB material: code=rh4ta  
application for measurement of laser printer output, separation cmyk\* (CMYK)




1-103230-L0 RE590-72


TUB-test chart RE59; 1080 standard colours  
Test chart according to DIN 33872, 3D=1, de=0, cmyk\*

input: *rgb/cmyk* -> *rgb<sub>dd</sub>*  
output: 3D-linearization to *cmyk\*<sub>dd</sub>*





1-103230-F0





see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59.HTM>  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE59/RE59L0FP.PDF /.PS TUB material: code=rh4ta  
application for measurement of laser printer output, separation *cmyn6\** (CMYK)



1-103330-L0 RE590-72

TUB-test chart RE59; 1080 standard colours  
Test chart according to DIN 33872, 3D=1, de=0, *cmyn\**


input: *rgb/cmyk* -> *rgb<sub>dd</sub>*  
output: 3D-linearization to *cmyn\*<sub>dd</sub>*

1-103330-F0



see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59.HTM>  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE59/RE59L0FP.PDF /.PS TUB material: code=rh4ta  
application for measurement of laser printer output, separation *cmyn6\** (CMYK)



1-103430-L0 RE590-72


TUB-test chart RE59; 1080 standard colours  
Test chart according to DIN 33872, 3D=1, de=0, *cmyk\**

input: *rgb/cmyk* -> *rgb<sub>dd</sub>*  
output: 3D-linearization to *cmyk\*<sub>dd</sub>*

1-103430-F0

see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59.HTM>  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE59/RE59L0FP.PDF /.PS TUB material: code=rh4ta  
application for measurement of laser printer output, separation cmyk\* (CMYK)





1-103530-L0 RE590-72

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n); 3D = 1




TUB-test chart RE59; 1080 standard colours  
Test chart according to DIN 33872, 3D=1, de=0, cmyk\*

input: *rgb/cmyk* -> *rgb<sub>dd</sub>*  
output: 3D-linearization to *cmyk<sub>dd</sub>*\*

1-103530-F0



Data of Maximum color, M in colorimetric system Laser printer output; separation cmyk\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM;  $h_{abs} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;  
 Six hue angles of the device colours RYGBM;  $h_{ab,d} = 33.5, 100.6, 155.5, 235.2, 290.8, 348.9$ ; Six hue angles of the elementary colours RYGBM;  $h_{abs} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



**Notes to the CIE LAB chroma diagrams ( $a^*_s, b^*_s$ ), ( $a^*_d, b^*_d$ ), ( $a^*_c, b^*_c$ )**

- For the  $rgb^*_s$ -input values the CIE LAB data  $LCH^*_s$  and  $LAB^*_s$  have been calculated.
- For the calculation of the standard hue angle  $h_{abs}$  use for any device values  $rgb^*_s$  the equation:  

$$h_{abs} = \arctan \left[ \frac{r^*_s \cos(30) + g^*_s \sin(150)}{r^*_s \sin(30) + g^*_s \sin(150)} \right] + b^*_s \sin(270) \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles  $h_{abs}$  of the colours of maximum chroma use the seven hue angles of the 60 degree colours  $s$ :  $h_{abs} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$  ( $i=0,6$ ) and the equations for a 48 and 360 step elementary hue circle:  

$$h_{48abs,ij} = h_{abs,i} + j [h_{abs,i+1} - h_{abs,i}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360abs,ij} = h_{abs,i} + j [h_{abs,i+1} - h_{abs,i}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles  $h_{abs}$  of the colours of maximum chroma use the seven hue angles of the elementary colours  $e$ :  $h_{abs} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$  ( $i=0,6$ ) and the equations for a 48 and 360 step elementary hue circle:  

$$h_{48abs,ej} = h_{abs,e} + j [h_{abs,e+1} - h_{abs,e}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360abs,ej} = h_{abs,e} + j [h_{abs,e+1} - h_{abs,e}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle  $h_{abs}$  there is a well defined device hue angle  $h_{ab,d}$  see the following tables, columns 1 to 5 or 1 to 4.
- The values  $rgb^*_s$  produce the output of the device-independent elementary hues

Input:  $rgb/cmyk \rightarrow rgbdd$   
 Output: Laser printer output; separation cmyk\*, D65, page 7/36  
 Input:  $rgb/cmyk \rightarrow rgbdd$   
 Output: 3D-linearization to  $cmyk^*dd$







http://130.149.60.45/~farbmetrik/RE59/RE59L0FP.PDF /.PS; 3D-linearization  
 F: 3D-linearization RE59/RE59LE30FP.DAT in file (F), page 10/33

Data of Maximum color, M in colorimetric system Laser printer output; separation cmyk\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM;  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;  
 Six hue angles of the device colours RYGBM;  $h_{ab,d} = 33.5, 100.6, 155.5, 235.2, 290.8, 348.9$ ; Six hue angles of the elementary colours RYGBM;  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

	$R_d$	$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_d$	$rgb^*_s$	$rgb^*_e$	$LAB^*_d$	$LAB^*_s$	$LAB^*_e$	$rgb^*_d$	$rgb^*_s$	$rgb^*_e$	$LAB^*_d$	$LAB^*_s$	$LAB^*_e$	$rgb^*_d$	$rgb^*_s$	$rgb^*_e$							
33	1.0	0.0	0.0	47.5	57.2	37.8	68.6	33	1.0	0.0	0.0	1.0	0.0	0.263	47.6	56.1	26.7	62.1	25	$R_e$	1.0	0.0	0.0			
34	1.0	0.016	0.0	48.1	56.9	39.3	69.2	34	1.0	0.0	0.017	0.0	0.0	0.242	47.6	56.0	28.0	62.6	26	1.0	0.017	0.0	0.0			
35	1.0	0.033	0.0	48.7	56.6	40.8	69.8	35	1.0	0.0	0.033	0.0	0.0	0.214	47.6	56.1	29.5	63.4	27	1.0	0.033	0.0	0.0			
36	1.0	0.005	0.0	49.3	56.3	42.3	70.4	36	1.0	0.0	0.005	0.0	0.0	0.187	47.6	56.2	30.9	64.2	28	1.0	0.005	0.0	0.0			
38	1.0	0.066	0.0	49.9	55.9	43.9	71.1	38	1.0	0.007	0.0	0.0	0.067	0.0	0.159	47.7	56.3	32.4	65.0	29	1.0	0.067	0.0	0.0		
39	1.0	0.083	0.0	50.5	55.5	45.4	71.7	39	1.0	0.022	0.0	0.0	0.083	0.0	0.132	47.7	56.4	33.9	65.8	31	1.0	0.083	0.0	0.0		
40	1.0	0.1	0.0	51.0	55.0	46.9	72.3	40	1.0	0.036	0.0	0.0	0.1	0.0	0.076	47.6	56.7	35.7	67.0	32	1.0	0.1	0.0	0.0		
41	1.0	0.116	0.0	51.6	54.5	48.4	72.9	41	1.0	0.05	0.0	0.0	0.117	0.0	0.042	47.6	57.2	37.5	68.4	33	1.0	0.117	0.0	0.0		
42	1.0	0.133	0.0	52.3	53.4	49.7	73.0	42	1.0	0.065	0.0	0.0	0.133	0.0	0.013	0.0	48.0	57.0	39.0	69.1	34	1.0	0.133	0.0	0.0	
44	1.0	0.15	0.0	53.2	51.8	50.6	72.4	44	1.0	0.079	0.0	0.0	0.15	0.0	0.029	0.0	48.6	56.7	40.5	69.7	35	1.0	0.15	0.0	0.0	
45	1.0	0.166	0.0	54.0	50.2	51.5	71.9	45	1.0	0.094	0.0	0.0	0.167	0.0	0.045	0.0	49.2	56.4	41.9	70.3	36	1.0	0.167	0.0	0.0	
47	1.0	0.183	0.0	54.9	48.5	52.3	71.4	47	1.0	0.108	0.0	0.0	0.183	0.0	0.061	0.0	49.7	56.1	43.4	70.9	37	1.0	0.183	0.0	0.0	
48	1.0	0.2	0.0	55.7	46.8	53.1	70.8	48	1.0	0.122	0.0	0.0	0.2	0.0	0.077	0.0	50.3	55.7	44.8	71.5	38	1.0	0.2	0.0	0.0	
50	1.0	0.216	0.0	56.6	45.2	53.8	70.3	50	1.0	0.134	0.0	0.0	0.217	0.0	0.093	0.0	50.8	55.3	46.3	72.1	39	1.0	0.217	0.0	0.0	
51	1.0	0.233	0.0	57.4	43.5	54.5	69.7	51	1.0	0.146	0.0	0.0	0.233	0.0	0.109	0.0	51.4	54.8	47.8	72.7	41	1.0	0.233	0.0	0.0	
52	1.0	0.25	0.0	58.2	41.8	55.1	69.2	52	1.0	0.158	0.0	0.0	0.25	0.0	0.125	0.0	52.0	54.3	49.2	73.3	42	1.0	0.25	0.0	0.0	
54	1.0	0.266	0.0	59.1	40.2	56.0	69.0	54	1.0	0.17	0.0	0.0	0.267	0.0	0.138	0.0	52.6	53.0	50.0	72.9	43	1.0	0.267	0.0	0.0	
55	1.0	0.283	0.0	59.9	38.6	56.8	68.7	55	1.0	0.181	0.0	0.0	0.283	0.0	0.151	0.0	53.3	51.8	50.7	72.4	44	1.0	0.283	0.0	0.0	
57	1.0	0.3	0.0	60.8	37.1	57.5	68.5	57	1.0	0.193	0.0	0.0	0.3	0.0	0.164	0.0	54.0	50.5	51.4	72.0	45	1.0	0.3	0.0	0.0	
58	1.0	0.316	0.0	61.6	35.5	58.2	68.2	58	1.0	0.205	0.0	0.0	0.317	0.0	0.177	0.0	54.6	49.2	52.1	71.6	46	1.0	0.317	0.0	0.0	
60	1.0	0.333	0.0	62.5	33.9	58.9	68.0	60	1.0	0.217	0.0	0.0	0.333	0.0	0.19	0.0	55.3	47.9	52.7	71.2	47	1.0	0.333	0.0	0.0	
61	1.0	0.35	0.0	63.3	32.2	59.5	67.7	61	1.0	0.228	0.0	0.0	0.35	0.0	0.203	0.0	55.9	46.5	53.3	70.8	48	1.0	0.35	0.0	0.0	
63	1.0	0.366	0.0	64.2	30.6	60.1	67.5	63	1.0	0.24	0.0	0.0	0.367	0.0	0.216	0.0	56.6	45.2	53.9	70.3	49	1.0	0.367	0.0	0.0	
64	1.0	0.383	0.0	65.0	29.1	60.8	67.4	64	1.0	0.252	0.0	0.0	0.383	0.0	0.23	0.0	57.3	43.9	54.4	69.9	51	1.0	0.383	0.0	0.0	
65	1.0	0.4	0.0	65.8	27.8	61.7	67.7	65	1.0	0.263	0.0	0.0	0.4	0.0	0.243	0.0	57.9	42.6	54.9	69.5	52	1.0	0.4	0.0	0.0	
67	1.0	0.416	0.0	66.6	26.4	62.5	67.9	67	1.0	0.275	0.0	0.0	0.417	0.0	0.256	0.0	58.6	41.3	55.5	69.2	53	1.0	0.417	0.0	0.0	
68	1.0	0.433	0.0	67.3	25.0	63.3	68.1	68	1.0	0.286	0.0	0.0	0.433	0.0	0.268	0.0	59.2	40.1	56.1	69.0	54	1.0	0.433	0.0	0.0	
69	1.0	0.45	0.0	68.1	23.6	64.1	68.3	69	1.0	0.298	0.0	0.0	0.45	0.0	0.281	0.0	59.9	38.9	56.7	68.8	55	1.0	0.45	0.0	0.0	
71	1.0	0.466	0.0	68.9	22.1	64.8	68.5	71	1.0	0.309	0.0	0.0	0.467	0.0	0.294	0.0	60.5	37.7	57.3	68.6	56	1.0	0.467	0.0	0.0	
72	1.0	0.483	0.0	69.7	20.7	65.6	68.8	72	1.0	0.321	0.0	0.0	0.483	0.0	0.307	0.0	61.2	36.5	57.9	68.4	57	1.0	0.483	0.0	0.0	
73	1.0	0.5	0.0	70.5	19.2	66.2	69.0	73	1.0	0.332	0.0	0.0	0.5	0.0	0.32	0.0	61.8	35.2	58.4	68.2	58	1.0	0.5	0.0	0.0	
74	1.0	0.516	0.0	71.0	18.2	66.9	69.3	74	1.0	0.344	0.0	0.0	0.517	0.0	0.332	0.0	62.5	34.0	58.9	68.0	60	1.0	0.517	0.0	0.0	
75	1.0	0.533	0.0	71.6	17.2	67.5	69.7	75	1.0	0.355	0.0	0.0	0.533	0.0	0.345	0.0	63.1	32.8	59.4	67.8	61	1.0	0.533	0.0	0.0	
76	1.0	0.55	0.0	72.2	16.2	68.1	70.0	76	1.0	0.367	0.0	0.0	0.55	0.0	0.358	0.0	63.8	31.5	59.9	67.6	62	1.0	0.55	0.0	0.0	
77	1.0	0.566	0.0	72.8	15.1	68.7	70.4	77	1.0	0.378	0.0	0.0	0.567	0.0	0.371	0.0	64.4	30.3	60.3	67.4	63	1.0	0.567	0.0	0.0	
78	1.0	0.583	0.0	73.4	14.1	69.3	70.7	78	1.0	0.391	0.0	0.0	0.583	0.0	0.384	0.0	65.1	29.1	60.9	67.5	64	1.0	0.583	0.0	0.0	
79	1.0	0.6	0.0	74.0	13.0	69.9	71.1	79	1.0	0.403	0.0	0.0	0.6	0.0	0.398	0.0	65.7	28.0	61.6	67.7	65	1.0	0.6	0.0	0.0	
80	1.0	0.616	0.0	74.6	12.0	70.4	71.4	80	1.0	0.416	0.0	0.0	0.617	0.0	0.412	0.0	66.4	26.9	62.3	67.9	66	1.0	0.617	0.0	0.0	
81	1.0	0.633	0.0	75.4	10.6	71.2	72.0	81	1.0	0.428	0.0	0.0	0.633	0.0	0.425	0.0	67.0	25.7	63.0	68.0	67	1.0	0.633	0.0	0.0	
82	1.0	0.65	0.0	76.5	8.9	72.1	72.7	82	1.0	0.44	0.0	0.0	0.65	0.0	0.439	0.0	67.7	24.5	63.7	68.2	68	1.0	0.65	0.0	0.0	
84	1.0	0.666	0.0	77.5	7.2	73.0	73.4	84	1.0	0.453	0.0	0.0	0.667	0.0	0.453	0.0	68.3	23.4	64.3	68.4	70	1.0	0.667	0.0	0.0	
85	1.0	0.683	0.0	78.6	5.4	73.9	74.1	85	1.0	0.465	0.0	0.0	0.683	0.0	0.467	0.0	69.0	22.2	64.9	68.6	71	1.0	0.683	0.0	0.0	
87	1.0	0.7	0.0	79.7	3.6	74.7	74.8	87	1.0	0.477	0.0	0.0	0.7	0.0	0.481	0.0	69.6	20.9	65.5	68.8	72	1.0	0.7	0.0	0.0	
88	1.0	0.716	0.0	80.8	1.7	75.5	75.5	88	1.0	0.49	0.0	0.0	0.717	0.0	0.494	0.0	70.2	19.7	66.1	68.9	73	1.0	0.717	0.0	0.0	
-269	1.0	0.733	0.0	81.8	-0.1	76.3	76.3	-269	1.0	0.503	0.0	0.0	0.733	0.0	0.512	0.0	70.9	18.5	66.7	69.3	74	1.0	0.733	0.0	0.0	
-268	1.0	0.75	0.0	82.9	-2.0	76.9	77.0	-268	$R_d$	1.0	0.521	0.0	0.0	0.75	0.0	0.532	0.0	71.6	17.3	67.5	69.7	75	1.0	0.75	0.0	0.0

I-103930-L0 RE590-72 LAB\*lab, YN=0%, XY Znw=3.9, 4.1, 84.7, 89.6, 93.9, LAB\*mw=23.9, 0.0, 0.0, 95.8, 0.0, 0.0  
 Output: Laser printer output; separation cmyk\*, D65, page 10/65  
 input: rgb/cmyk -> rgbd  
 output: 3D-linearization to cmyk\*dd

http://130.149.60.45/~farbmetrik/RE59/RE59L0FP.PDF /.PS; 3D-linearization  
 F: 3D-linearization RE59/RE59LE30FP.DAT in file (F), page 1/33

Data of Maximum color, M in colorimetric system Laser printer output; separation cmyk\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM;  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;  
 Six hue angles of the device colours RYGBM;  $h_{ab,d} = 33.5, 100.6, 155.5, 225.2, 290.8, 348.9$ ; Six hue angles of the elementary colours RYGBM;  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{ds}$	$rgb^*_{ds}$	$rgb^*_{ds}$	$LAB^*_{dsx361MI}$ (x=LabCh)	$LAB^*_{dsx361MI}$ (x=LabCh)	$rgb^*_{ds}$	$rgb^*_{ds}$	$rgb^*_{ds}$	$LAB^*_{dex361MI}$ (x=LabCh)	$LAB^*_{dex361MI}$ (x=LabCh)	$rgb^*_{ds}$	$rgb^*_{ds}$	$rgb^*_{ds}$																			
-268	75	75	1.0	0.75	0.0	82.9	-2.0	76.9	71.0	-2.68	$R_d$	1.0	0.521	0.0	71.3	18.0	67.1	69.5	75	1.0	0.75	0.0	1.0	0.532	0.0	71.6	17.3	67.5	69.7	75	1.0	0.75	0.0	
92	76	76	1.0	0.766	0.0	83.5	-2.9	76.8	76.9	92	1.0	0.539	0.0	71.9	16.9	67.8	69.8	76	1.0	0.767	0.0	1.0	0.552	0.0	72.3	16.1	68.2	70.1	76	1.0	0.767	0.0		
92	77	77	1.0	0.783	0.0	84.2	-3.9	76.7	76.8	92	1.0	0.557	0.0	72.5	15.8	68.4	70.2	77	1.0	0.783	0.0	1.0	0.572	0.0	73.0	14.9	69.0	70.5	77	1.0	0.783	0.0		
93	78	78	1.0	0.8	0.0	84.8	-4.8	76.5	76.7	93	1.0	0.575	0.0	73.1	14.7	69.1	70.6	78	1.0	0.8	0.0	1.0	0.592	0.0	73.7	13.6	69.7	71.0	78	1.0	0.8	0.0		
94	79	80	1.0	0.816	0.0	85.4	-5.8	76.4	76.6	94	1.0	0.593	0.0	73.8	13.5	69.7	71.0	79	1.0	0.817	0.0	1.0	0.612	0.0	74.4	12.3	70.3	71.4	80	1.0	0.817	0.0		
95	80	81	1.0	0.833	0.0	86.0	-6.7	76.2	76.5	95	1.0	0.611	0.0	74.4	13.4	70.3	71.4	80	1.0	0.833	0.0	1.0	0.629	0.0	75.2	11.0	71.0	71.9	81	1.0	0.833	0.0		
95	81	82	1.0	0.85	0.0	86.6	-7.6	76.0	76.4	95	1.0	0.627	0.0	75.1	11.2	70.9	71.8	81	1.0	0.85	0.0	1.0	0.642	0.0	76.0	9.7	71.8	72.4	82	1.0	0.85	0.0		
96	82	83	1.0	0.866	0.0	87.3	-8.6	75.8	76.3	96	1.0	0.639	0.0	75.8	10.1	71.6	72.3	82	1.0	0.867	0.0	1.0	0.655	0.0	76.9	8.4	72.5	73.0	83	1.0	0.867	0.0		
97	83	84	1.0	0.883	0.0	87.8	-9.4	76.3	76.9	97	1.0	0.651	0.0	76.6	8.9	72.2	72.8	83	1.0	0.883	0.0	1.0	0.668	0.0	77.7	7.0	73.2	73.5	84	1.0	0.883	0.0		
97	84	85	1.0	0.9	0.0	88.4	-10.3	77.6	78.2	97	1.0	0.662	0.0	77.3	7.7	72.9	73.3	84	1.0	0.9	0.0	1.0	0.681	0.0	78.5	5.6	73.9	74.1	85	1.0	0.9	0.0		
98	85	86	1.0	0.916	0.0	88.9	-11.2	78.8	79.6	98	1.0	0.674	0.0	78.1	6.4	73.5	73.8	85	1.0	0.917	0.0	1.0	0.694	0.0	79.4	4.2	74.5	74.6	86	1.0	0.917	0.0		
98	86	87	1.0	0.933	0.0	89.4	-12.0	80.0	80.9	98	1.0	0.686	0.0	78.8	5.2	74.1	74.3	86	1.0	0.933	0.0	1.0	0.707	0.0	80.2	2.8	75.1	75.2	87	1.0	0.933	0.0		
99	87	88	1.0	0.95	0.0	89.9	-12.9	81.1	82.2	99	1.0	0.697	0.0	79.6	3.9	74.7	74.8	87	1.0	0.95	0.0	1.0	0.72	0.0	81.1	1.4	75.7	75.7	88	1.0	0.95	0.0		
99	88	90	1.0	0.966	0.0	90.5	-13.9	82.3	83.5	99	1.0	0.709	0.0	80.3	2.6	75.2	75.3	88	1.0	0.967	0.0	1.0	0.733	0.0	81.9	0.0	76.3	76.3	90	1.0	0.967	0.0		
100	89	91	1.0	0.983	0.0	91.0	-14.8	83.5	84.8	100	1.0	0.721	0.0	81.1	1.3	75.8	75.8	89	1.0	0.983	0.0	1.0	0.746	0.0	82.7	-1.5	76.8	76.9	91	1.0	0.983	0.0		
100	90	92	1.0	1.0	0.0	91.5	-15.8	84.6	86.1	100	1.0	0.732	0.0	81.8	0.0	76.3	76.3	90	1.0	1.0	0.0	1.0	0.769	0.0	83.7	-3.0	76.8	76.9	92	1.0	1.0	0.0		
100	91	93	0.983	1.0	0.0	91.7	-16.1	85.3	86.8	100	1.0	0.744	0.0	82.6	-1.2	76.7	76.8	91	0.983	1.0	0.0	1.0	0.796	0.0	84.7	-4.6	76.6	76.8	93	0.983	1.0	0.0		
100	92	94	0.966	1.0	0.0	91.9	-16.4	85.9	87.5	100	1.0	0.761	0.0	83.4	-2.6	76.9	77.0	92	0.967	1.0	0.0	1.0	0.823	0.0	85.7	-6.1	76.4	76.6	94	0.967	1.0	0.0		
100	93	95	0.95	1.0	0.0	92.0	-16.7	86.5	88.2	100	1.0	0.785	0.0	84.3	-3.9	76.7	76.8	93	0.95	1.0	0.0	1.0	0.851	0.0	86.7	-7.6	76.1	76.5	95	0.95	1.0	0.0		
101	94	96	0.933	1.0	0.0	92.2	-17.0	87.2	88.8	101	1.0	0.808	0.0	85.1	-5.2	76.5	76.7	94	0.933	1.0	0.0	1.0	0.879	0.0	87.8	-9.2	76.1	76.7	96	0.933	1.0	0.0		
101	95	98	0.916	1.0	0.0	92.4	-17.3	87.8	89.5	101	1.0	0.832	0.0	86.0	-6.6	76.3	76.6	95	0.917	1.0	0.0	1.0	0.918	0.0	89.0	-11.2	78.9	79.7	98	0.917	1.0	0.0		
101	96	99	0.9	1.0	0.0	92.5	-17.6	88.4	90.2	101	1.0	0.855	0.0	86.9	-7.9	76.0	76.4	96	0.9	1.0	0.0	1.0	0.957	0.0	90.2	-13.3	81.7	82.8	99	0.9	1.0	0.0		
101	97	100	0.883	1.0	0.0	92.7	-18.0	89.1	90.9	101	1.0	0.88	0.0	87.8	-9.3	76.2	76.7	97	0.883	1.0	0.0	1.0	0.996	0.0	91.5	-15.5	84.4	85.8	100	0.883	1.0	0.0		
101	98	101	0.866	1.0	0.0	92.6	-18.3	89.2	91.0	101	1.0	0.914	0.0	88.8	-10.9	78.6	79.4	98	0.867	1.0	0.0	1.0	0.867	1.0	0.0	92.6	-18.3	89.2	91.1	101	0.867	1.0	0.0	
101	99	102	0.85	1.0	0.0	92.2	-18.8	88.7	90.7	101	1.0	0.947	0.0	89.9	-12.7	81.0	82.0	99	0.85	1.0	0.0	1.0	0.808	1.0	0.0	91.4	-19.8	87.6	89.9	102	0.85	1.0	0.0	
102	100	103	0.833	1.0	0.0	91.9	-19.2	88.3	90.3	102	1.0	0.98	0.0	91.0	-14.6	83.3	84.6	100	0.833	1.0	0.0	1.0	0.737	1.0	0.0	90.1	-21.3	86.0	88.6	103	0.833	1.0	0.0	
102	101	105	0.816	1.0	0.0	91.5	-19.6	87.8	90.0	102	1.0	0.943	1.0	0.0	92.2	-16.8	86.9	88.5	101	0.817	1.0	0.0	1.0	0.757	1.0	0.0	89.0	-22.7	84.2	87.2	105	0.817	1.0	0.0
102	102	106	0.8	1.0	0.0	91.1	-20.1	87.4	89.7	102	1.0	0.849	1.0	0.0	92.2	-18.8	88.7	90.7	102	0.8	1.0	0.0	1.0	0.724	1.0	0.0	88.0	-24.0	82.3	85.8	106	0.8	1.0	0.0
103	103	107	0.783	1.0	0.0	90.8	-20.5	86.9	89.3	103	1.0	0.798	1.0	0.0	91.2	-20.1	87.4	89.7	103	0.783	1.0	0.0	1.0	0.71	1.0	0.0	86.9	-25.2	80.5	84.3	107	0.783	1.0	0.0
103	104	108	0.766	1.0	0.0	90.4	-20.9	86.5	89.0	103	1.0	0.749	1.0	0.0	90.1	-21.3	86.0	88.6	104	0.767	1.0	0.0	1.0	0.697	1.0	0.0	85.8	-26.4	78.6	82.9	108	0.767	1.0	0.0
103	105	109	0.75	1.0	0.0	90.1	-21.3	86.0	88.6	103	1.0	0.738	1.0	0.0	89.2	-22.5	84.4	87.4	105	0.75	1.0	0.0	1.0	0.684	1.0	0.0	84.7	-27.5	76.7	81.5	109	0.75	1.0	0.0
105	106	110	0.733	1.0	0.0	88.7	-23.1	83.7	86.8	105	1.0	0.727	1.0	0.0	88.2	-23.6	82.8	86.1	106	0.733	1.0	0.0	1.0	0.671	1.0	0.0	83.7	-28.5	74.8	80.0	110	0.733	1.0	0.0
106	107	112	0.716	1.0	0.0	87.3	-24.7	81.3	85.0	106	1.0	0.716	1.0	0.0	87.3	-24.7	81.2	84.9	107	0.717	1.0	0.0	1.0	0.658	1.0	0.0	82.6	-29.5	72.8	78.6	112	0.717	1.0	0.0
108	108	113	0.7	1.0	0.0	86.0	-26.2	78.9	83.2	108	1.0	0.704	1.0	0.0	86.4	-25.8	79.6	83.7	108	0.7	1.0	0.0	1.0	0.645	1.0	0.0	81.5	-30.4	70.9	77.2	113	0.7	1.0	0.0
109	109	114	0.683	1.0	0.0	84.6	-27.6	76.5	81.3	109	1.0	0.693	1.0	0.0	85.5	-26.7	78.0	82.5	109	0.683	1.0	0.0	1.0	0.632	1.0	0.0	80.4	-31.3	69.0	75.7	114	0.683	1.0	0.0
111	110	115	0.666	1.0	0.0	83.3	-28.9	74.1	79.5	111	1.0	0.682	1.0	0.0	84.5	-27.7	76.3	81.2	110	0.667	1.0	0.0	1.0	0.619	1.0	0.0	79.5	-32.2	67.4	74.7	115	0.667	1.0	0.0
112	111	116	0.65	1.0	0.0	81.9	-30.1	71.6	77.7	112	1.0	0.657	1.0	0.0	83.6	-28.6	74.7	80.0	111	0.65	1.0	0.0	1.0	0.607	1.0	0.0	78.6	-33.3	66.2	74.2	116	0.65	1.0	0.0
114	112	117	0.633	1.0	0.0	80.5	-31.2	69.2	75.9	114	1.0	0.659	1.0	0.0	82.7	-29.4	73.0	78.8	112	0.633	1.0	0.0	1.0	0.595	1.0	0.0	77.8	-34.4	65.0	73.6	117	0.633	1.0	0.0
115	113	119	0.616	1.0	0.0	79.3	-32.5	67.1	74.6	115	1.0	0.648	1.0	0.0	81.8	-30.2	71.4	77.5	113	0.617	1.0	0.0	1.0	0.584	1.0	0.0	77.0	-35.4	63.8	73.0	119	0.617	1.0	0.0
117	114	120	0.6	1.0	0.0	78.1	-34.0	65.4	73.8	117	1.0	0.637	1.0	0.0	80.9	-30.9	69.7	76.3	114	0.6	1.0	0.0	1.0	0.572</										









http://130.149.60.45/~farbmetrik/RE59/RE59L0FP.PDF /.PS; 3D-linearization  
 F: 3D-linearization RE59/RE59LE30FP.DAT in file (F), page 16/33

Data of Maximum color, M in colorimetric system Laser printer output; separation cmyk\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>d</sub>; h<sub>abs,d</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
 Six hue angles of the device colours RYGBM<sub>d</sub>; h<sub>abs,d</sub> = 33.5, 100.6, 155.5, 225.2, 290.8, 348.9; Six hue angles of the elementary colours RYGBM<sub>e</sub>; h<sub>abs,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>abs,d</sub>	h <sub>abs,s</sub>	h <sub>abs,e</sub>	rgb <sup>36</sup> *_dd361M	LAB <sup>36</sup> *_dcs361M (x=LabCh)	rgb <sup>36</sup> *_dcs361M	LAB <sup>36</sup> *_dcs361M (x=LabCh)	rgb <sup>36</sup> *_dd361M	LAB <sup>36</sup> *_dex361M	rgb <sup>36</sup> *_dex361M	LAB <sup>36</sup> *_dex361M (x=LabCh)	rgb <sup>36</sup> *_dd361M	rgb <sup>36</sup> *_dcs361M	rgb <sup>36</sup> *_dex361M	rgb <sup>36</sup> *_dd361M																		
324	300	300	0.5	0.0	1.0	37.2	43.1	-30.8	53.0	324	0.136	0.0	1.0	31.6	24.3	-41.9	48.5	300	0.5	0.0	1.0	0.139	0.0	1.0	31.5	24.4	-41.9	48.6	300	0.5	0.0	1.0
325	301	301	0.516	0.0	1.0	37.4	43.8	-30.4	53.4	325	0.151	0.0	1.0	31.5	25.1	-41.6	48.7	301	0.517	0.0	1.0	0.153	0.0	1.0	31.5	25.2	-41.6	48.7	301	0.517	0.0	1.0
326	302	302	0.533	0.0	1.0	37.7	44.5	-29.9	53.7	326	0.165	0.0	1.0	31.4	25.9	-41.3	48.9	302	0.533	0.0	1.0	0.166	0.0	1.0	31.4	26.0	-41.3	48.9	302	0.533	0.0	1.0
326	303	303	0.55	0.0	1.0	37.9	45.3	-29.5	54.0	326	0.18	0.0	1.0	31.4	26.7	-41.0	49.0	303	0.55	0.0	1.0	0.18	0.0	1.0	31.4	26.7	-41.0	49.0	303	0.55	0.0	1.0
327	304	304	0.566	0.0	1.0	38.2	46.0	-29.0	54.4	327	0.194	0.0	1.0	31.3	27.5	-40.7	49.2	304	0.567	0.0	1.0	0.194	0.0	1.0	31.3	27.5	-40.7	49.2	303	0.567	0.0	1.0
328	305	305	0.583	0.0	1.0	38.4	46.7	-28.5	54.7	328	0.209	0.0	1.0	31.2	28.3	-40.3	49.4	304	0.583	0.0	1.0	0.208	0.0	1.0	31.2	28.3	-40.4	49.4	304	0.583	0.0	1.0
329	306	305	0.6	0.0	1.0	38.7	47.4	-28.0	55.1	329	0.224	0.0	1.0	31.1	29.1	-40.0	49.5	306	0.6	0.0	1.0	0.222	0.0	1.0	31.2	29.0	-40.0	49.5	305	0.6	0.0	1.0
330	307	306	0.616	0.0	1.0	38.9	48.1	-27.5	55.4	330	0.238	0.0	1.0	31.1	29.9	-39.6	49.7	307	0.617	0.0	1.0	0.235	0.0	1.0	31.1	29.8	-39.7	49.7	306	0.617	0.0	1.0
331	308	307	0.633	0.0	1.0	39.2	48.9	-26.9	55.8	331	0.252	0.0	1.0	31.1	30.7	-39.2	49.9	308	0.633	0.0	1.0	0.249	0.0	1.0	31.0	30.5	-39.3	49.8	307	0.633	0.0	1.0
332	309	308	0.65	0.0	1.0	39.6	49.8	-26.2	56.3	332	0.265	0.0	1.0	31.4	31.5	-38.8	50.1	309	0.65	0.0	1.0	0.261	0.0	1.0	31.3	31.3	-39.0	50.0	308	0.65	0.0	1.0
333	310	309	0.666	0.0	1.0	40.0	50.7	-25.4	56.8	333	0.278	0.0	1.0	31.8	32.3	-38.4	50.3	310	0.667	0.0	1.0	0.274	0.0	1.0	31.6	32.1	-38.6	50.2	309	0.667	0.0	1.0
334	311	310	0.683	0.0	1.0	40.4	51.6	-24.7	57.2	334	0.291	0.0	1.0	32.1	33.1	-38.0	50.5	311	0.683	0.0	1.0	0.286	0.0	1.0	32.0	32.8	-38.2	50.4	310	0.683	0.0	1.0
335	312	311	0.7	0.0	1.0	40.7	52.5	-23.9	57.7	335	0.304	0.0	1.0	32.4	33.9	-37.6	50.7	312	0.7	0.0	1.0	0.298	0.0	1.0	32.3	33.6	-37.8	50.6	311	0.7	0.0	1.0
336	313	312	0.716	0.0	1.0	41.1	53.4	-23.1	58.2	336	0.317	0.0	1.0	32.8	34.7	-37.2	50.9	313	0.717	0.0	1.0	0.31	0.0	1.0	32.6	34.3	-37.4	50.8	312	0.717	0.0	1.0
337	314	313	0.733	0.0	1.0	41.5	54.3	-22.3	58.7	337	0.33	0.0	1.0	33.1	35.5	-36.7	51.1	314	0.733	0.0	1.0	0.325	0.0	1.0	32.9	35.1	-37.0	51.0	313	0.733	0.0	1.0
338	315	314	0.75	0.0	1.0	41.8	55.1	-21.4	59.1	338	0.343	0.0	1.0	33.4	36.3	-36.2	51.4	315	0.75	0.0	1.0	0.335	0.0	1.0	33.2	35.8	-36.5	51.2	314	0.75	0.0	1.0
339	316	315	0.766	0.0	1.0	42.4	55.8	-20.9	59.6	339	0.356	0.0	1.0	33.8	37.1	-35.7	51.6	316	0.767	0.0	1.0	0.347	0.0	1.0	33.5	36.6	-36.0	51.4	315	0.767	0.0	1.0
340	317	316	0.783	0.0	1.0	42.9	56.5	-20.4	60.1	340	0.368	0.0	1.0	34.1	37.9	-35.2	51.8	317	0.783	0.0	1.0	0.359	0.0	1.0	33.9	37.3	-35.6	51.6	316	0.783	0.0	1.0
340	318	317	0.8	0.0	1.0	43.4	57.2	-19.8	60.5	340	0.384	0.0	1.0	34.5	38.6	-34.7	52.0	318	0.8	0.0	1.0	0.371	0.0	1.0	34.2	38.0	-35.1	51.8	317	0.8	0.0	1.0
341	319	318	0.816	0.0	1.0	43.9	57.8	-19.3	61.0	341	0.402	0.0	1.0	34.9	39.3	-34.1	52.1	319	0.817	0.0	1.0	0.387	0.0	1.0	34.6	38.8	-34.6	52.0	318	0.817	0.0	1.0
342	320	319	0.833	0.0	1.0	44.4	58.5	-18.7	61.4	342	0.42	0.0	1.0	35.3	40.1	-33.5	52.3	320	0.833	0.0	1.0	0.404	0.0	1.0	35.0	39.4	-34.0	52.2	319	0.833	0.0	1.0
342	321	320	0.85	0.0	1.0	44.9	59.1	-18.2	61.9	342	0.438	0.0	1.0	35.8	40.8	-32.9	52.5	321	0.85	0.0	1.0	0.421	0.0	1.0	35.4	40.1	-33.5	52.3	320	0.85	0.0	1.0
343	322	321	0.866	0.0	1.0	45.4	59.8	-17.6	62.3	343	0.456	0.0	1.0	36.2	41.5	-32.3	52.7	322	0.867	0.0	1.0	0.439	0.0	1.0	35.8	40.8	-32.9	52.5	321	0.867	0.0	1.0
344	323	322	0.883	0.0	1.0	45.8	60.5	-17.0	62.8	344	0.474	0.0	1.0	36.6	42.2	-31.7	52.8	323	0.883	0.0	1.0	0.456	0.0	1.0	36.2	41.5	-32.3	52.6	321	0.883	0.0	1.0
344	324	323	0.9	0.0	1.0	46.1	61.2	-16.4	63.4	344	0.492	0.0	1.0	37.1	42.9	-31.1	53.0	324	0.9	0.0	1.0	0.473	0.0	1.0	36.6	42.1	-31.7	52.8	322	0.9	0.0	1.0
345	325	324	0.916	0.0	1.0	46.5	61.9	-15.9	63.9	345	0.512	0.0	1.0	37.4	43.7	-30.5	53.3	325	0.917	0.0	1.0	0.49	0.0	1.0	37.0	42.8	-31.1	53.0	323	0.917	0.0	1.0
346	326	324	0.933	0.0	1.0	46.8	62.6	-15.3	64.5	346	0.532	0.0	1.0	37.7	44.5	-29.9	53.7	326	0.933	0.0	1.0	0.508	0.0	1.0	37.4	43.5	-30.6	53.2	324	0.933	0.0	1.0
346	327	325	0.95	0.0	1.0	47.1	63.3	-14.6	65.0	346	0.552	0.0	1.0	38.0	45.4	-29.4	54.1	327	0.95	0.0	1.0	0.527	0.0	1.0	37.6	44.3	-30.1	53.6	325	0.95	0.0	1.0
347	328	326	0.966	0.0	1.0	47.5	64.0	-14.0	65.5	347	0.572	0.0	1.0	38.3	46.2	-28.8	54.5	328	0.967	0.0	1.0	0.546	0.0	1.0	37.9	45.1	-29.5	54.0	326	0.967	0.0	1.0
348	329	327	0.983	0.0	1.0	47.8	64.7	-13.4	66.1	348	0.592	0.0	1.0	38.6	47.1	-28.2	54.9	329	0.983	0.0	1.0	0.565	0.0	1.0	38.2	46.0	-29.0	54.4	327	0.983	0.0	1.0
348	330	328	1.0	0.0	1.0	48.1	65.4	-12.7	66.6	348	0.612	0.0	1.0	38.9	47.9	-27.6	55.4	330	1.0	0.0	1.0	0.584	0.0	1.0	38.5	46.8	-28.4	54.8	328	1.0	0.0	1.0
349	331	329	1.0	0.0	0.983	48.3	65.5	-12.5	66.7	349	0.631	0.0	1.0	39.2	48.8	-26.9	55.8	331	1.0	0.0	0.983	0.603	0.0	1.0	38.8	47.6	-27.9	55.2	329	1.0	0.0	0.983
349	332	330	1.0	0.0	0.966	48.5	65.6	-12.2	66.7	349	0.646	0.0	1.0	39.6	49.6	-26.3	56.2	332	1.0	0.0	0.967	0.623	0.0	1.0	39.1	48.4	-27.3	55.6	330	1.0	0.0	0.967
349	333	331	1.0	0.0	0.95	48.7	65.7	-11.9	66.8	349	0.662	0.0	1.0	39.9	50.5	-25.6	56.7	333	1.0	0.0	0.95	0.638	0.0	1.0	39.4	49.2	-26.7	56.0	331	1.0	0.0	0.95
349	334	332	1.0	0.0	0.933	48.9	65.8	-11.7	66.8	349	0.677	0.0	1.0	40.3	51.3	-24.9	57.1	334	1.0	0.0	0.933	0.652	0.0	1.0	39.7	50.0	-26.0	56.4	332	1.0	0.0	0.933
350	335	333	1.0	0.0	0.916	49.0	65.9	-11.4	66.9	350	0.692	0.0	1.0	40.6	52.1	-24.2	57.5	335	1.0	0.0	0.917	0.667	0.0	1.0	40.0	50.8	-25.4	56.8	333	1.0	0.0	0.917
350	336	334	1.0	0.0	0.9	49.2	66.0	-11.1	66.9	350	0.708	0.0	1.0	41.0	53.0	-23.5	58.0	336	1.0	0.0	0.9	0.681	0.0	1.0	40.4	51.6	-24.7	57.2	334	1.0	0.0	0.9
350	337	335	1.0	0.0	0.883	49.4	66.1	-10.9	67.0	350	0.723	0.0	1.0	41.3	53.8	-22.7	58.4	337	1.0	0.0	0.883	0.696	0.0	1.0	40.7	52.3	-24.0	57.6	335	1.0	0.0	0.883
350	338	336	1.0	0.0	0.866	49.5	66.0	-10.4	66.9	350	0.738	0.0	1.0	41.6	54.6	-22.0	58.9	338	1.0	0.0	0.867	0.711	0.0	1.0	41.0	53.1	-23.3	58.1	336	1.0	0.0	0.867
351	339	337	1.0	0.0	0.85	49.4	65.8	-9.9	66.6	351	0.756	0.0	1.0	42.1	55.4	-21.2	59.4	339	1.0	0.0	0.85	0.725	0.0	1.0	41.3	53.9	-22.6	58.5	337			







h <sub>ab,s</sub>	h <sub>ab,l</sub>	h <sub>ab,e</sub>	rgb <sup>36</sup> *_dd361M	LAB <sup>36</sup> *_d361M (x=LabCh)	rgb <sup>36</sup> *_ds361M	LAB <sup>36</sup> *_ds361M (x=LabCh)	rgb <sup>36</sup> *_dd361M	LAB <sup>36</sup> *_de361M	rgb <sup>36</sup> *_dd361M	rgb <sup>36</sup> *_ds361M	LAB <sup>36</sup> *_de361M (x=LabCh)	rgb <sup>36</sup> *_dd361M	rgb <sup>36</sup> *_ds361M	rgb <sup>36</sup> *_de361M																						
354	345	342	1.0	0.0	0.75	49.3	64.5	-6.5	64.8	354	0.902	0.0	1.0	46.2	61.3	-16.3	63.5	345	1.0	0.0	0.75	0.848	0.0	1.0	44.9	59.1	-18.2	61.9	342	1.0	0.0	0.75				
355	346	343	1.0	0.0	0.733	49.1	64.2	-5.3	64.4	355	0.926	0.0	1.0	46.7	62.4	-15.5	64.3	346	1.0	0.0	0.733	0.871	0.0	1.0	45.6	60.0	-17.4	62.5	343	1.0	0.0	0.733				
356	347	344	1.0	0.0	0.716	48.9	63.9	-4.1	64.0	356	0.951	0.0	1.0	47.2	63.4	-14.5	65.1	347	1.0	0.0	0.717	0.895	0.0	1.0	46.1	61.0	-16.6	63.2	344	1.0	0.0	0.717				
357	348	345	1.0	0.0	0.7	48.7	63.5	-2.9	63.6	357	0.976	0.0	1.0	47.7	64.5	-13.6	65.9	348	1.0	0.0	0.7	0.918	0.0	1.0	46.5	62.0	-15.7	64.0	345	1.0	0.0	0.7				
358	349	346	1.0	0.0	0.683	48.6	63.2	-1.8	63.2	358	1.0	0.0	0.996	48.2	65.4	-12.6	66.7	349	1.0	0.0	0.683	0.942	0.0	1.0	47.0	63.0	-14.9	64.8	346	1.0	0.0	0.683				
359	350	347	1.0	0.0	0.666	48.4	62.8	-0.6	62.8	359	1.0	0.0	0.927	49.0	65.9	-11.5	66.9	350	1.0	0.0	0.667	0.966	0.0	1.0	47.5	64.0	-14.0	65.5	347	1.0	0.0	0.667				
360	351	348	1.0	0.0	0.65	48.2	62.4	0.4	62.4	360	1.0	0.0	0.866	49.5	66.1	-10.4	66.9	351	1.0	0.0	0.65	0.989	0.0	1.0	48.0	65.0	-13.1	66.3	348	1.0	0.0	0.65				
361	352	349	1.0	0.0	0.633	48.0	62.0	1.5	62.0	361	1.0	0.0	0.83	49.5	65.6	-9.1	66.3	352	1.0	0.0	0.633	1.0	0.0	0.633	1.0	0.0	0.964	48.6	65.6	-12.1	66.8	349	1.0	0.0	0.633	
362	353	350	1.0	0.0	0.616	47.9	61.6	2.7	61.7	362	1.0	0.0	0.794	49.4	65.2	-7.9	65.6	353	1.0	0.0	0.617	1.0	0.0	0.617	1.0	0.0	0.899	49.3	66.0	-11.1	67.0	350	1.0	0.0	0.617	
363	354	351	1.0	0.0	0.6	47.9	61.3	3.8	61.4	363	1.0	0.0	0.757	49.3	64.7	-6.7	65.0	354	1.0	0.0	0.6	0.583	1.0	0.0	0.583	1.0	0.0	0.851	49.4	65.5	-9.9	66.7	351	1.0	0.0	0.6
364	355	352	1.0	0.0	0.583	47.9	60.9	4.9	61.1	364	1.0	0.0	0.737	49.2	64.3	-5.5	64.6	355	1.0	0.0	0.583	1.0	0.0	0.583	1.0	0.0	0.828	49.5	65.9	-8.7	66.1	352	1.0	0.0	0.583	
365	356	353	1.0	0.0	0.566	47.9	60.6	6.0	60.9	365	1.0	0.0	0.721	49.0	64.0	-4.4	64.2	356	1.0	0.0	0.567	1.0	0.0	0.567	1.0	0.0	0.785	49.4	65.0	-7.6	65.5	353	1.0	0.0	0.567	
366	357	354	1.0	0.0	0.55	47.8	60.2	7.1	60.6	366	1.0	0.0	0.705	48.9	63.7	-3.2	63.8	357	1.0	0.0	0.55	1.0	0.0	0.55	1.0	0.0	0.75	49.3	64.6	-6.5	64.9	354	1.0	0.0	0.55	
367	358	355	1.0	0.0	0.533	47.8	59.8	8.2	60.4	367	1.0	0.0	0.689	48.7	63.4	-2.1	63.4	358	1.0	0.0	0.533	1.0	0.0	0.533	1.0	0.0	0.735	49.2	64.3	-5.4	64.5	355	1.0	0.0	0.533	
368	359	356	1.0	0.0	0.516	47.8	59.4	9.3	60.1	368	1.0	0.0	0.673	48.5	63.0	-1.0	63.0	359	1.0	0.0	0.517	1.0	0.0	0.517	1.0	0.0	0.72	49.0	64.0	-4.3	64.1	356	1.0	0.0	0.517	
370	360	352	1.0	0.0	0.5	47.8	58.9	10.4	59.9	370	1.0	0.0	0.657	48.3	62.6	0.0	62.6	360	1.0	0.0	0.5	1.0	0.0	0.5	1.0	0.0	0.828	49.5	65.6	-9.0	66.2	352	1.0	0.0	0.5	
371	361	353	1.0	0.0	0.483	47.7	58.7	11.6	59.9	371	1.0	0.0	0.641	48.2	62.2	1.1	62.2	361	1.0	0.0	0.483	1.0	0.0	0.483	1.0	0.0	0.787	49.4	65.1	-7.7	65.5	353	1.0	0.0	0.483	
372	362	354	1.0	0.0	0.466	47.7	58.5	12.8	59.9	372	1.0	0.0	0.625	48.0	61.8	2.2	61.8	362	1.0	0.0	0.467	1.0	0.0	0.467	1.0	0.0	0.749	49.3	64.5	-6.4	64.8	354	1.0	0.0	0.467	
373	363	355	1.0	0.0	0.45	47.6	58.3	14.0	59.9	373	1.0	0.0	0.609	48.0	61.5	3.2	61.6	363	1.0	0.0	0.45	1.0	0.0	0.45	1.0	0.0	0.731	49.1	64.2	-5.1	64.4	355	1.0	0.0	0.45	
374	364	356	1.0	0.0	0.433	47.5	58.0	15.2	60.0	374	1.0	0.0	0.594	48.0	61.2	4.3	61.4	364	1.0	0.0	0.433	1.0	0.0	0.433	1.0	0.0	0.713	48.9	63.9	-3.8	64.0	356	1.0	0.0	0.433	
375	365	357	1.0	0.0	0.416	47.5	57.7	16.5	60.0	375	1.0	0.0	0.578	47.9	60.9	5.3	61.1	365	1.0	0.0	0.417	1.0	0.0	0.417	1.0	0.0	0.695	48.7	63.5	-2.5	63.5	357	1.0	0.0	0.417	
377	366	358	1.0	0.0	0.4	47.4	57.3	17.7	60.0	377	1.0	0.0	0.562	47.9	60.5	6.4	60.9	366	1.0	0.0	0.4	1.0	0.0	0.4	1.0	0.0	0.677	48.6	63.1	-1.3	63.1	358	1.0	0.0	0.4	
378	367	359	1.0	0.0	0.383	47.4	57.0	18.9	60.0	378	1.0	0.0	0.547	47.9	60.2	7.4	60.6	367	1.0	0.0	0.383	1.0	0.0	0.383	1.0	0.0	0.659	48.4	62.7	-0.1	62.7	359	1.0	0.0	0.383	
379	368	360	1.0	0.0	0.366	47.4	56.8	20.0	60.2	379	1.0	0.0	0.531	47.9	59.8	8.4	60.4	368	1.0	0.0	0.367	1.0	0.0	0.367	1.0	0.0	0.641	48.2	62.2	1.1	62.2	360	1.0	0.0	0.367	
380	369	362	1.0	0.0	0.35	47.4	56.7	21.1	60.5	380	1.0	0.0	0.516	47.8	59.4	9.4	60.2	369	1.0	0.0	0.35	1.0	0.0	0.35	1.0	0.0	0.624	48.0	61.8	2.3	61.8	362	1.0	0.0	0.35	
381	370	363	1.0	0.0	0.333	47.4	56.6	22.1	60.8	381	1.0	0.0	0.5	47.8	59.0	10.4	59.9	370	1.0	0.0	0.333	1.0	0.0	0.333	1.0	0.0	0.606	48.0	61.5	3.4	61.5	363	1.0	0.0	0.333	
382	371	364	1.0	0.0	0.316	47.4	56.5	23.2	61.1	382	1.0	0.0	0.486	47.8	58.8	11.4	59.9	371	1.0	0.0	0.317	1.0	0.0	0.317	1.0	0.0	0.589	47.9	61.1	4.6	61.3	364	1.0	0.0	0.317	
383	372	365	1.0	0.0	0.3	47.5	56.4	24.3	61.4	383	1.0	0.0	0.472	47.7	58.6	12.5	60.0	372	1.0	0.0	0.3	1.0	0.0	0.3	1.0	0.0	0.571	47.9	60.7	5.8	61.0	365	1.0	0.0	0.3	
384	373	366	1.0	0.0	0.283	47.5	56.2	25.4	61.7	384	1.0	0.0	0.458	47.7	58.4	13.5	60.0	373	1.0	0.0	0.283	1.0	0.0	0.283	1.0	0.0	0.554	47.9	60.3	6.9	60.7	366	1.0	0.0	0.283	
385	374	367	1.0	0.0	0.266	47.5	56.1	26.5	62.0	385	1.0	0.0	0.444	47.6	58.2	14.5	60.0	374	1.0	0.0	0.267	1.0	0.0	0.267	1.0	0.0	0.537	47.9	59.9	8.1	60.5	367	1.0	0.0	0.267	
386	375	368	1.0	0.0	0.25	47.5	55.9	27.5	62.3	386	1.0	0.0	0.43	47.6	58.0	15.5	60.0	375	1.0	0.0	0.25	1.0	0.0	0.25	1.0	0.0	0.519	47.8	59.5	9.2	60.2	368	1.0	0.0	0.25	
387	376	369	1.0	0.0	0.233	47.5	56.0	28.4	62.8	387	1.0	0.0	0.416	47.5	57.7	16.5	60.0	376	1.0	0.0	0.233	1.0	0.0	0.233	1.0	0.0	0.502	47.8	59.1	10.3	59.9	369	1.0	0.0	0.233	
388	377	370	1.0	0.0	0.216	47.6	56.1	29.3	63.3	388	1.0	0.0	0.402	47.5	57.4	17.6	60.1	377	1.0	0.0	0.217	1.0	0.0	0.217	1.0	0.0	0.486	47.8	58.8	11.4	59.9	370	1.0	0.0	0.217	
388	378	372	1.0	0.0	0.2	47.6	56.1	30.2	63.8	388	1.0	0.0	0.388	47.5	57.1	18.6	60.1	378	1.0	0.0	0.2	1.0	0.0	0.2	1.0	0.0	0.471	47.7	58.6	12.6	60.0	372	1.0	0.0	0.2	
388	379	373	1.0	0.0	0.183	47.6	56.2	31.1	64.2	388	1.0	0.0	0.374	47.4	56.8	19.6	60.1	379	1.0	0.0	0.183	1.0	0.0	0.183	1.0	0.0	0.455	47.7	58.4	13.7	60.0	373	1.0	0.0	0.183	
389	380	374	1.0	0.0	0.166	47.6	56.3	32.0	64.7	389	1.0	0.0	0.357	47.4	56.8	20.7	60.4	380	1.0	0.0	0.167	1.0	0.0	0.167	1.0	0.0	0.439	47.6	58.1	14.9	60.0	374	1.0	0.0	0.167	
390	381	375	1.0	0.0	0.15	47.6	56.3	32.9	65.2	390	1.0	0.0	0.34	47.5	56.7	21.8	60.7	381	1.0	0.0	0.15	1.0	0.0	0.15	1.0	0.0	0.424	47.6	57.9	16.0	60.0	375	1.0	0.0	0.15	
390	382	376	1.0	0.0	0.133	47.6	56.3	33.8	65.7	390	1.0	0.0	0.323	47.5	56.6	22.9	61.0	382	1.0	0.0	0.133	1.0	0.0	0.133	1.0	0.0	0.408	47.5	57.6	17.1	60.0	376	1.0	0.0	0.133	
391	383	377	1.0	0.0	0.116	47.6	56.4	34.5	66.1	391	1.0	0.0	0.306	47.5	56.5	24.0	61.4	383	1.0	0.0	0.117	1.0	0.0	0.117	1											

http://130.149.60.45/~farbmetrik/RE59/RE59L0FP.PDF /.PS; 3D-linearization F: 3D-linearization RE59/RE59LE30FP.DAT in file (F), page 18/33

Table with columns: nrf, HHC\*Fid, rpb\_Fid, icr\_Fid, hsa\_Fid, rpb\*Fid, LabC\*Fid, cmyk\*\_sep,Fid, hsa\*Fid, rpb\*Fid, LabC\*Fid, delta. Rows list various color patches and their corresponding colorimetric data.

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk\*dd

Mean color difference of this page:



http://130.149.60.45/~farbmetrik/RE59/RE59L0FP.PDF /.PS; 3D-linearization F: 3D-linearization RE59/RE59LE30FP.DAT in file (F), page 19/33

Table with columns: nufj, HHC\*Fid, rpb\_Fid, icr\_Fid, hsa\_Fid, rpb\*Fid, LabC\*Fid, cmyk\*\_sep,Fid, cmyk\*\_sep,Lab, rpb\*Ydd, rpb\*Ydd, LabC\*Ydd, LabC\*Ydd, delta. The table contains 45 rows of color calibration data.

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmyk\*dd

TUB-test chart RE59; 1080 standard colours colors and differences, ΔE\*<sub>a</sub>



Table with 16 columns: n, HHC\*Fid, rpb\_Fid, icr\_Fid, hsa\_Fid, rpb\*Fid, LabC\*Fid, cmyk\*\_sep,Fid, rpb\*Fid, hsa\*Fid, LabC\*Fid, delta, LabC\*Fid, rpb\*Fid, hsa\*Fid, LabC\*Fid. Rows 81-161.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk\*dd

TUB-test chart RE59; 1080 standard colours colors and differences, ΔE\*<sub>ab</sub>

Table with 24 columns: n, HHC\*Fid, rpb\*Fid, icr\*Fid, hsa\*Fid, rpb\*Fid, LabCH\*Fid, cmyk\*sep,Fid, rpb\*Fid, hsa\*Fid, LabCH\*Fid, delta, and 12 columns of numerical data.

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk\*dd

TUB-test chart RE59; 1080 standard colours colors and differences, AE\*  
RE59-7N; Pg. 22/33-F

http://130.149.60.45/~farbmetrik/RE59/RE59L0FP.PDF /.PS; 3D-linearization F: 3D-linearization RE59/RE59LE30FP.DAT in file (F), page 23/33

Table with 32 columns: n, HHC\*Fid, rpb\_Fid, icr\_Fid, hsa\_Fid, rpb\*Fid, LabCM\*Fid, LabCM\*Sep.Fid, cmyk\*Sep.Fid, rpb\*Fid, hsa\*Fid, LabCM\*Fid, LabCM\*Fid, delta. Rows 243-523.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk\*dd

TUB-test chart RE59; 1080 standard colours colors and differences, AE\*  
RE59-TN; Page 23/33-F





http://130.149.60.45/~farbmetrik/RE59/RE59L0FP.PDF /.PS; 3D-linearization F: 3D-linearization RE59/RE59LE30FP.DAT in file (F), page 25/33

Table with 10 columns: n, HHC\*Fid, rpb\*Fid, icr\*Fid, hsa\*Fid, rpb\*Fid, LabCH\*Fid, cmyk\*sep\*Fid, rpb\*Fid, LabCH\*Fid, delta. Rows 405-485.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk\*dd

TUB-test chart RE59; 1080 standard colours colors and differences, AE\*%

RE590-TN; Page 25/33-F

http://130.149.60.45/~farbmetrik/RE59/RE59L0FP.PDF /.PS; 3D-linearization F: 3D-linearization RE59/RE59LE30FP.DAT in file (F), page 26/33

Table with 15 columns: n, HHC\*Fid, rpb\_Fid, icr\_Fid, hsa\_Fid, rpb\*Fid, LabCh\*Fid, cmyk\*\_sep\_Fid, rpb\*Fid, hsa\*Fid, LabCh\*Fid, rpb\*Fid, hsa\*Fid, LabCh\*Fid, delta. Rows include color names like R00Y, R35Y, B00C, etc.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk\*dd

TUB-test chart RE59; 1080 standard colours colors and differences, AE\*:

RE590-TN; Page 26/33-F

I-1032530-F0

http://130.149.60.45/~farbmetrik/RE59/RE59L0FP.PDF /.PS; 3D-linearization F: 3D-linearization RE59/RE59LE30FP.DAT in file (F), page 27/33

Table with 15 columns: n, HHC\*Fid, rpb\_Fid, icr\_Fid, hsa\_Fid, rpb\*Fid, LabCM\*Fid, cmyk\*\_sep\_Fid, rpb\*Fid, hsa\*Fid, rpb\*\*Fid, LabCM\*\*Fid, delta. Rows 567-647.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk\*\*d

TUB-test chart RE59; 1080 standard colours colors and differences, AE\*:

http://130.149.60.45/~farbmetrik/RE59/RE59L0FP.PDF /.PS; 3D-linearization F: 3D-linearization RE59/RE59LE30FP.DAT in file (F), page 28/33

Table with 15 columns: n, HHC\*Fid, rpb\*Fid, icr\*Fid, Hrs\*Fid, rpb\*Fid, LabC\*Fid, LabCH\*Fid, cmyk\*sep,Fid, rpb\*Fid, Hrs\*Fid, rpb\*Fid, LabC\*Fid, LabCH\*Fid, delta. Rows include color names like R001, R002, etc.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmyk\*dd

TUB-test chart RE59; 1080 standard colours colors and differences, ΔE\*

RE590-TN, Page 28/33-F

I-1032730-F0

I-1032730-F0

http://130.149.60.45/~farbmetrik/RE59/RE59L0FP.PDF /.PS; 3D-linearization F: 3D-linearization RE59/RE59LE30FP.DAT in file (F), page 29/33

see similar files: http://130.149.60.45/~farbmetrik/RE59/RE59.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik





Table with 15 columns: n, HHC\*Fid, rpb\_Fid, icr\_Fid, hsa\_Fid, rpb\*Fid, LabC\*Fid, cmyk\*\_sep,Fid, rpb\*Val, hsa\*Val, LabC\*Val, LabC\*Fid, rpb\*Val, hsa\*Val, LabC\*Val. Rows include color names like NV\_100, G50B\_100, etc.

Mean color difference of this page: delta

TUB-test chart RE59; 1080 standard colours colors and differences, ΔE\* input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk\*dd

RE590-7N; Page 29/33-F

I-1032830-F0





http://130.149.60.45/~farbmetrik/RE59/RE59L0FP.PDF /.PS; 3D-linearization F: 3D-linearization RE59/RE59LE30FP.DAT in file (F), page 31/33

Table with 15 columns: n, HHC\*Fid, rpb\_Fid, icr\_Fid, hsa\_Fid, rpb\*Fid, LabCM\*Fid, cmyk\*\_sep,Fid, rpb\*Yld, hsa\*Yld, LabCM\*Yld, delta. Rows 891-971.

Mean color difference of this page:

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk\*dd

RE590-TN, Page 31/33-F

TUB-test chart RE59; 1080 standard colours colors and differences, ΔE\*


I-103300-F0

I-103300-F0












see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59.HTM>  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE59/RE59L0FP.PDF /.PS  
application for measurement of laser printer output

TUB material: code=rh4ta



1-113030-L0 RE590-7N

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n):  $rgb + cmy0$  (A\_j + k26\_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 1




TUB-test chart RE59; 1080 standard colours  
Test chart according to DIN 33872, 3D=1, de=1, *cmyk*\*

input: *rgb/cmyk* -> *rgb/cmyk*  
output: no change



see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59L0FP.PDF> / .PS  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE59/RE59L0FP.PDF /.PS  
application for measurement of laser printer output, separation *cmyn6\** (CMYK)  
TUB material: code=rh4ta



1-113130-L0 RE590-73



Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): *rgb* (A\_n), 3D = 1

TUB-test chart RE59; 1080 standard colours  
Test chart according to DIN 33872, 3D=1, *de*=1, *cmk\**

input: *rgb/cmyk* -> *rgb<sub>de</sub>*  
output: 3D-linearization to *cmk\*<sub>de</sub>*


1-113130-F0





see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59L0FP.PDF> / .PS  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



TUB registration: 20150701-RE59/RE59L0FP.PDF /.PS TUB material: code=rh4ta  
application for measurement of laser printer output, separation  $cm\dot{y}n6^*$  (CMYK)




1-113230-L0 RE590-73


TUB-test chart RE59; 1080 standard colours  
Test chart according to DIN 33872, 3D=1, de=1,  $cm\dot{y}k^*$

input:  $rgb/cmyk \rightarrow rgb_{de}$   
output: 3D-linearization to  $cm\dot{y}k^*_{de}$






1=113230-F0





see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59.HTM>  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE59/RE59L0FP.PDF /.PS TUB material: code=rh4ta  
application for measurement of laser printer output, separation  $cm\dot{y}n^6^*$  (CMYK)




1-113330-L0 RE590-73

TUB-test chart RE59; 1080 standard colours  
Test chart according to DIN 33872, 3D=1,  $de=1$ ,  $cm\dot{y}k^*$

input:  $rgb/cmyk \rightarrow rgb_{de}$   
output: 3D-linearization to  $cm\dot{y}k^*_{de}$


1-113330-F0





see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59L0FP.PDF> / .PS  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE59/RE59L0FP.PDF /.PS TUB material: code=rh4ta  
application for measurement of laser printer output, separation *cmyn6\** (CMYK)



1-113430-L0 RE590-73

TUB-test chart RE59; 1080 standard colours  
Test chart according to DIN 33872, 3D=1, de=1, *cmyk\**


input: *rgb/cmyk* -> *rgb<sub>de</sub>*  
output: 3D-linearization to *cmyk\*<sub>de</sub>*

1-113430-F0



see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59.HTM>  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE59/RE59L0FP.PDF /.PS  
application for measurement of laser printer output, separation  $cm\dot{y}n_6^*$  (CMYK)  
TUB material: code=rh4ta





1-113530-L0 RE590-73

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n); 3D = 1




TUB-test chart RE59; 1080 standard colours  
Test chart according to DIN 33872, 3D=1,  $de=1$ ,  $cm\dot{y}k^*$

input:  $rgb/cmyk \rightarrow rgb_{de}$   
output: 3D-linearization to  $cm\dot{y}k^*_{de}$

1-113530-F0



Data of Maximum color, M in colorimetric system Laser printer output; separation cmyk\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM;  $h_{abs,d} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;  
 Six hue angles of the device colours RYGBM;  $h_{ab,d} = 33.5, 100.6, 155.5, 235.2, 290.8, 348.9$ ; Six hue angles of the elementary colours RYGBM;  $h_{abs,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



**Notes to the CIELAB chroma diagrams ( $a^*_s, b^*_s$ ), ( $a^*_d, b^*_d$ ), ( $a^*_e, b^*_e$ )**

- For the  $rgb^*_s$ -input values the CIELAB data  $LCH^*_s$  and  $LAB^*_s$  have been calculated.
- For the calculation of the standard hue angle  $h_{abs}$  use for any device values  $rgb^*_s$  the equation:  

$$h_{abs} = \arctan \left[ \frac{r^*_s \cos(30) + g^*_s \sin(150)}{r^*_s \sin(30) + g^*_s \sin(150)} \right] + b^*_s \sin(270) \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles  $h_{abs}$  of the colours of maximum chroma use the seven hue angles of the 60 degree colours  $s$ :  $h_{abs} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$  ( $i=0,6$ ) and the equations for a 48 and 360 step hue circle:  

$$h_{48abs,ij} = h_{abs,i} + j [h_{abs,i+1} - h_{abs,i}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360abs,ij} = h_{abs,i} + j [h_{abs,i+1} - h_{abs,i}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles  $h_{abs}$  of the colours of maximum chroma use the seven hue angles of the elementary colours  $e$ :  $h_{abs} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$  ( $i=0,6$ ) and the equations for a 48 and 360 step elementary hue circle:  

$$h_{48abs,ej} = h_{abs,e} + j [h_{abs,e+1} - h_{abs,e}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360abs,ej} = h_{abs,e} + j [h_{abs,e+1} - h_{abs,e}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle  $h_{abs}$  there is a well defined device hue angle  $h_{ab}$  see the following tables, columns 1 to 4.
- The values  $rgb^*_s$  produce the output of the device-independent elementary hues



http://130.149.60.45/~farbmetrik/RE59/RE59L0FP.PDF /.PS; 3D-linearization F: 3D-linearization RE59/RE59LE30FP.DAT in file (F), page 8/33

Data of Maximum color, M in colorimetric system Laser printer output; separation cmyk\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h\_ab,d65 = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with columns: h\_ab,d, h\_ab,s, h\_ab,e, LAB\* d64M, LAB\* d65, LAB\* d66, LAB\* d67, LAB\* d68, LAB\* d69, LAB\* d70, LAB\* d71, LAB\* d72, LAB\* d73, LAB\* d74, LAB\* d75, LAB\* d76, LAB\* d77, LAB\* d78, LAB\* d79, LAB\* d80, LAB\* d81, LAB\* d82, LAB\* d83, LAB\* d84, LAB\* d85, LAB\* d86, LAB\* d87, LAB\* d88, LAB\* d89, LAB\* d90, LAB\* d91, LAB\* d92, LAB\* d93, LAB\* d94, LAB\* d95, LAB\* d96, LAB\* d97, LAB\* d98, LAB\* d99, LAB\* d100. Rows contain numerical data for each color and hue angle.

input: rgb/cmyk -> rgbde output: 3D-linearization to cmyk\*de



http://130.149.60.45/~farbmetrik/RE59/RE59L0FP.PDF /.PS; 3D-linearization  
F: 3D-linearization RE59/RE59LE30FP.DAT in file (F), page 10/33

Data of Maximum color, M in colorimetric system Laser printer output; separation cmyk\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM;  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;

Six hue angles of the device colours RYGBM;  $h_{ab,d} = 33.5, 100.6, 155.5, 225.2, 290.8, 348.9$ ; Six hue angles of the element colours RYGBM;  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_d$	$rgb^*_s$	$rgb^*_e$	$LAB^*_d$	$LAB^*_s$	$LAB^*_e$	$rgb^*_d$	$rgb^*_s$	$rgb^*_e$	$LAB^*_d$	$LAB^*_s$	$LAB^*_e$	$rgb^*_d$	$rgb^*_s$	$rgb^*_e$																		
33	30	25	1.0	0.0	0.0	47.5	57.2	37.8	68.6	33	$R_d$	$rgb^*_d$	$rgb^*_s$	$rgb^*_e$	$LAB^*_d$	$LAB^*_s$	$LAB^*_e$	$rgb^*_d$	$rgb^*_s$	$rgb^*_e$	$LAB^*_d$	$LAB^*_s$	$LAB^*_e$	$rgb^*_d$	$rgb^*_s$	$rgb^*_e$									
34	31	26	1.0	0.016	0.0	48.1	56.9	39.3	69.2	34	1.0	0.0	0.133	47.7	56.4	33.9	65.8	31	1.0	0.0	0.0	0.0	0.0	0.0	0.242	47.6	56.0	28.0	62.6	26	1.0	0.017	0.0		
35	32	27	1.0	0.033	0.0	48.7	56.6	40.8	69.8	35	1.0	0.0	0.085	47.7	56.7	35.4	66.8	32	1.0	0.0	0.033	0.0	0.0	0.0	0.0	0.214	47.6	56.1	29.5	63.4	27	1.0	0.033	0.0	
36	33	28	1.0	0.005	0.0	49.3	56.3	42.3	70.4	36	1.0	0.0	0.028	47.6	57.1	37.0	68.0	33	1.0	0.0	0.005	0.0	0.0	0.0	0.0	0.187	47.6	56.2	30.9	64.2	28	1.0	0.005	0.0	
38	34	29	1.0	0.066	0.0	49.9	55.9	43.9	71.1	38	1.0	0.007	0.0	47.8	57.1	38.5	68.9	34	1.0	0.0	0.066	0.0	0.0	0.0	0.0	0.159	47.7	56.3	32.4	65.0	29	1.0	0.066	0.0	
39	35	31	1.0	0.083	0.0	50.5	55.5	45.4	71.7	39	1.0	0.022	0.0	48.4	56.9	39.8	69.4	35	1.0	0.0	0.083	0.0	0.0	0.0	0.0	0.132	47.7	56.4	33.9	65.8	31	1.0	0.083	0.0	
40	36	32	1.0	0.1	0.0	51.0	55.0	46.9	72.3	40	1.0	0.036	0.0	48.9	56.6	41.1	70.0	36	1.0	0.1	0.0	0.0	0.0	0.0	0.0	0.076	47.6	56.7	35.7	67.0	32	1.0	0.1	0.0	
41	37	33	1.0	0.116	0.0	51.6	54.5	48.4	72.9	41	1.0	0.05	0.0	49.4	56.3	42.4	70.5	37	1.0	0.116	0.0	0.0	0.0	0.0	0.0	0.012	47.6	57.2	37.5	68.4	33	1.0	0.116	0.0	
42	38	34	1.0	0.133	0.0	52.3	53.4	49.7	73.0	42	1.0	0.065	0.0	49.9	56.0	43.7	71.0	38	1.0	0.133	0.0	0.0	0.0	0.0	0.0	0.013	0.0	48.0	57.0	39.0	69.1	34	1.0	0.133	0.0
44	39	35	1.0	0.15	0.0	53.2	51.8	50.6	72.4	44	1.0	0.079	0.0	50.4	55.6	45.0	71.6	39	1.0	0.15	0.0	0.0	0.0	0.0	0.0	0.029	0.0	48.6	56.7	40.5	69.7	35	1.0	0.15	0.0
45	40	36	1.0	0.166	0.0	54.0	50.2	51.5	71.9	45	1.0	0.094	0.0	50.9	55.2	46.4	72.1	40	1.0	0.166	0.0	0.0	0.0	0.0	0.0	0.045	0.0	49.2	56.4	41.9	70.3	36	1.0	0.166	0.0
47	41	37	1.0	0.183	0.0	54.9	48.5	52.3	71.4	47	1.0	0.108	0.0	51.4	54.8	47.7	72.7	41	1.0	0.183	0.0	0.0	0.0	0.0	0.0	0.061	0.0	49.7	56.1	43.4	70.9	37	1.0	0.183	0.0
48	42	38	1.0	0.2	0.0	55.7	46.8	53.1	70.8	48	1.0	0.122	0.0	51.9	54.4	49.0	73.2	42	1.0	0.2	0.0	0.0	0.0	0.0	0.0	0.077	0.0	50.3	55.7	44.8	71.5	38	1.0	0.2	0.0
50	43	39	1.0	0.216	0.0	56.6	45.2	53.8	70.3	50	1.0	0.134	0.0	52.5	53.4	49.8	73.0	43	1.0	0.216	0.0	0.0	0.0	0.0	0.0	0.093	0.0	50.8	55.3	46.3	72.1	39	1.0	0.216	0.0
51	44	41	1.0	0.233	0.0	57.4	43.5	54.5	69.7	51	1.0	0.146	0.0	53.0	52.2	50.4	72.6	44	1.0	0.233	0.0	0.0	0.0	0.0	0.0	0.109	0.0	51.4	54.8	47.8	72.7	41	1.0	0.233	0.0
52	45	42	1.0	0.25	0.0	58.2	41.8	55.1	69.2	52	1.0	0.158	0.0	53.6	51.1	51.1	72.2	45	1.0	0.25	0.0	0.0	0.0	0.0	0.0	0.125	0.0	52.0	54.3	49.2	73.3	42	1.0	0.25	0.0
54	46	43	1.0	0.266	0.0	59.1	40.2	56.0	69.0	54	1.0	0.17	0.0	54.2	49.9	51.7	71.8	46	1.0	0.266	0.0	0.0	0.0	0.0	0.0	0.138	0.0	52.6	53.0	50.0	72.9	43	1.0	0.266	0.0
55	47	44	1.0	0.283	0.0	59.9	38.6	56.8	68.7	55	1.0	0.181	0.0	54.8	48.7	52.3	71.5	47	1.0	0.283	0.0	0.0	0.0	0.0	0.0	0.151	0.0	53.3	51.8	50.7	72.4	44	1.0	0.283	0.0
57	48	45	1.0	0.3	0.0	60.8	37.1	57.5	68.5	57	1.0	0.193	0.0	55.4	47.6	52.8	71.1	48	1.0	0.3	0.0	0.0	0.0	0.0	0.0	0.164	0.0	54.0	50.5	51.4	72.0	45	1.0	0.3	0.0
58	49	46	1.0	0.316	0.0	61.6	35.5	58.2	68.2	58	1.0	0.205	0.0	56.0	46.4	53.4	70.7	49	1.0	0.316	0.0	0.0	0.0	0.0	0.0	0.177	0.0	54.6	49.2	52.1	71.6	46	1.0	0.316	0.0
60	50	47	1.0	0.333	0.0	62.5	33.9	58.9	68.0	60	1.0	0.217	0.0	56.6	45.2	53.9	70.3	50	1.0	0.333	0.0	0.0	0.0	0.0	0.0	0.19	0.0	55.3	47.9	52.7	71.2	47	1.0	0.333	0.0
61	51	48	1.0	0.35	0.0	63.3	32.2	59.5	67.7	61	1.0	0.228	0.0	57.2	44.0	54.4	69.9	51	1.0	0.35	0.0	0.0	0.0	0.0	0.0	0.203	0.0	55.9	46.5	53.3	70.8	48	1.0	0.35	0.0
63	52	49	1.0	0.366	0.0	64.2	30.6	60.1	67.5	63	1.0	0.24	0.0	57.8	42.8	54.8	69.6	52	1.0	0.366	0.0	0.0	0.0	0.0	0.0	0.216	0.0	56.6	45.2	53.9	70.3	49	1.0	0.366	0.0
64	53	51	1.0	0.383	0.0	65.0	29.1	60.8	67.4	64	1.0	0.252	0.0	58.4	41.7	55.3	69.2	53	1.0	0.383	0.0	0.0	0.0	0.0	0.0	0.23	0.0	57.3	43.9	54.4	69.9	51	1.0	0.383	0.0
65	54	52	1.0	0.4	0.0	65.8	27.8	61.7	67.7	65	1.0	0.263	0.0	59.0	40.6	55.9	69.1	54	1.0	0.4	0.0	0.0	0.0	0.0	0.0	0.243	0.0	57.9	42.6	54.9	69.5	52	1.0	0.4	0.0
67	55	53	1.0	0.416	0.0	66.6	26.4	62.5	67.9	67	1.0	0.275	0.0	59.6	39.5	56.4	68.9	55	1.0	0.416	0.0	0.0	0.0	0.0	0.0	0.256	0.0	58.6	41.3	55.5	69.2	53	1.0	0.416	0.0
68	56	54	1.0	0.433	0.0	67.3	25.0	63.3	68.1	68	1.0	0.286	0.0	60.1	38.4	57.0	68.7	56	1.0	0.433	0.0	0.0	0.0	0.0	0.0	0.268	0.0	59.2	40.1	56.1	69.0	54	1.0	0.433	0.0
69	57	55	1.0	0.45	0.0	68.1	23.6	64.1	68.3	69	1.0	0.298	0.0	60.7	37.3	57.5	68.5	57	1.0	0.45	0.0	0.0	0.0	0.0	0.0	0.281	0.0	59.9	38.9	56.7	68.8	55	1.0	0.45	0.0
71	58	56	1.0	0.466	0.0	68.9	22.1	64.8	68.5	71	1.0	0.309	0.0	61.3	36.2	58.0	68.4	58	1.0	0.466	0.0	0.0	0.0	0.0	0.0	0.294	0.0	60.5	37.7	57.3	68.6	56	1.0	0.466	0.0
72	59	57	1.0	0.483	0.0	69.7	20.7	65.6	68.8	72	1.0	0.321	0.0	61.9	35.1	58.5	68.2	59	1.0	0.483	0.0	0.0	0.0	0.0	0.0	0.307	0.0	61.2	36.5	57.9	68.4	57	1.0	0.483	0.0
73	60	58	1.0	0.5	0.0	70.5	19.2	66.2	69.0	73	1.0	0.332	0.0	62.5	34.0	58.9	68.0	60	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.32	0.0	61.8	35.2	58.4	68.2	58	1.0	0.5	0.0
74	61	60	1.0	0.516	0.0	71.0	18.2	66.9	69.3	74	1.0	0.344	0.0	63.1	32.9	59.3	67.8	61	1.0	0.516	0.0	0.0	0.0	0.0	0.0	0.332	0.0	62.5	34.0	58.9	68.0	60	1.0	0.516	0.0
75	62	61	1.0	0.533	0.0	71.6	17.2	67.5	69.7	75	1.0	0.355	0.0	63.6	31.8	59.8	67.7	62	1.0	0.533	0.0	0.0	0.0	0.0	0.0	0.345	0.0	63.1	32.8	59.4	67.8	61	1.0	0.533	0.0
76	63	62	1.0	0.55	0.0	72.2	16.2	68.1	70.0	76	1.0	0.367	0.0	64.2	30.6	60.1	67.5	63	1.0	0.55	0.0	0.0	0.0	0.0	0.0	0.358	0.0	63.8	31.5	59.9	67.6	62	1.0	0.55	0.0
77	64	63	1.0	0.566	0.0	72.8	15.1	68.7	70.4	77	1.0	0.378	0.0	64.8	29.6	60.6	67.4	64	1.0	0.566	0.0	0.0	0.0	0.0	0.0	0.371	0.0	64.4	30.3	60.3	67.4	63	1.0	0.566	0.0
78	65	64	1.0	0.583	0.0	73.4	14.1	69.3	70.7	78	1.0	0.391	0.0	65.4	28.6	61.3	67.6	65	1.0	0.583	0.0	0.0	0.0	0.0	0.0	0.384	0.0	65.1	29.1	60.9	67.5	64	1.0	0.583	0.0
79	66	65	1.0	0.6	0.0	74.0	13.0	69.9	71.1	79	1.0	0.403	0.0	66.0	27.6	61.9	67.8	66	1.0	0.6	0.0	0.0	0.0	0.0	0.0	0.398	0.0	65.7	28.0	61.6	67.7	65	1.0	0.6	0.0
80	67	66	1.0	0.616	0.0	74.6	12.0	70.4	71.4	80	1.0	0.416	0.0	66.6	26.5	62.5	67.9	67	1.0	0.616	0.0	0.0	0.0	0.0	0.0	0.412	0.0	66.4	26.9	62.3	67.9	66	1.0	0.616	0.0
81	68	67																																	

http://130.149.60.45/~farbmetrik/RE59/RE59L0FP.PDF /.PS; 3D-linearization  
 F: 3D-linearization RE59/RE59LE30FP.DAT in file (F), page 1/33

Data of Maximum color, M in colorimetric system Laser printer output; separation cmyk\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM;  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;  
 Six hue angles of the device colours RYGBM;  $h_{ab,d} = 33.5, 100.6, 155.5, 225.2, 290.8, 348.9$ ; Six hue angles of the elementary colours RYGBM;  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{ds}$	$rgb^*_{ds}$	$rgb^*_{ds}$	$LAB^*_{dsx361MI}$	$LAB^*_{dsx361MI}$	$LAB^*_{dsx361MI}$	$rgb^*_{ds}$	$rgb^*_{ds}$	$rgb^*_{ds}$	$LAB^*_{dex361MI}$	$LAB^*_{dex361MI}$	$LAB^*_{dex361MI}$	$rgb^*_{ds}$	$rgb^*_{ds}$	$rgb^*_{ds}$	$rgb^*_{ds}$																
-268	75	75	1.0	0.75	0.0	82.9	-2.0	76.9	71.0	-2.68	$R_d$	1.0	0.521	0.0	71.3	18.0	67.1	69.5	75	1.0	0.75	0.0	1.0	0.532	0.0	71.6	17.3	67.5	69.7	75	1.0	0.75	0.0	
92	76	76	1.0	0.766	0.0	83.5	-2.9	76.8	76.9	92	1.0	0.539	0.0	71.9	16.9	67.8	69.8	76	1.0	0.767	0.0	1.0	0.552	0.0	72.3	16.1	68.2	70.1	76	1.0	0.767	0.0		
92	77	77	1.0	0.783	0.0	84.2	-3.9	76.7	76.8	92	1.0	0.557	0.0	72.5	15.8	68.4	70.2	77	1.0	0.783	0.0	1.0	0.572	0.0	73.0	14.9	69.0	70.5	77	1.0	0.783	0.0		
93	78	78	1.0	0.8	0.0	84.8	-4.8	76.5	76.7	93	1.0	0.575	0.0	73.1	14.7	69.1	70.6	78	1.0	0.8	0.0	1.0	0.592	0.0	73.7	13.6	69.7	71.0	78	1.0	0.8	0.0		
94	79	80	1.0	0.816	0.0	85.4	-5.8	76.4	76.6	94	1.0	0.593	0.0	73.8	13.5	69.7	71.0	79	1.0	0.817	0.0	1.0	0.612	0.0	74.4	12.3	70.3	71.4	80	1.0	0.817	0.0		
95	80	81	1.0	0.833	0.0	86.0	-6.7	76.2	76.5	95	1.0	0.611	0.0	74.4	13.4	70.3	71.4	80	1.0	0.833	0.0	1.0	0.629	0.0	75.2	11.0	71.0	71.9	81	1.0	0.833	0.0		
95	81	82	1.0	0.85	0.0	86.6	-7.6	76.0	76.4	95	1.0	0.627	0.0	75.1	11.2	70.9	71.8	81	1.0	0.85	0.0	1.0	0.642	0.0	76.0	9.7	71.8	72.4	82	1.0	0.85	0.0		
96	82	83	1.0	0.866	0.0	87.3	-8.6	75.8	76.3	96	1.0	0.639	0.0	75.8	10.1	71.6	72.3	82	1.0	0.867	0.0	1.0	0.655	0.0	76.9	8.4	72.5	73.0	83	1.0	0.867	0.0		
97	83	84	1.0	0.883	0.0	87.8	-9.4	76.3	76.9	97	1.0	0.651	0.0	76.6	8.9	72.2	72.8	83	1.0	0.883	0.0	1.0	0.668	0.0	77.7	7.0	73.2	73.5	84	1.0	0.883	0.0		
97	84	85	1.0	0.9	0.0	88.4	-10.3	77.6	78.2	97	1.0	0.662	0.0	77.3	7.7	72.9	73.3	84	1.0	0.9	0.0	1.0	0.681	0.0	78.5	5.6	73.9	74.1	85	1.0	0.9	0.0		
98	85	86	1.0	0.916	0.0	88.9	-11.2	78.8	79.6	98	1.0	0.674	0.0	78.1	6.4	73.5	73.8	85	1.0	0.917	0.0	1.0	0.694	0.0	79.4	4.2	74.5	74.6	86	1.0	0.917	0.0		
98	86	87	1.0	0.933	0.0	89.4	-12.0	80.0	80.9	98	1.0	0.686	0.0	78.8	5.2	74.1	74.3	86	1.0	0.933	0.0	1.0	0.707	0.0	80.2	2.8	75.1	75.2	87	1.0	0.933	0.0		
99	87	88	1.0	0.95	0.0	89.9	-12.9	81.1	82.2	99	1.0	0.697	0.0	79.6	3.9	74.7	74.8	87	1.0	0.95	0.0	1.0	0.72	0.0	81.1	1.4	75.7	75.7	88	1.0	0.95	0.0		
99	88	90	1.0	0.966	0.0	90.5	-13.9	82.3	83.5	99	1.0	0.709	0.0	80.3	2.6	75.2	75.3	88	1.0	0.967	0.0	1.0	0.733	0.0	81.9	0.0	76.3	76.3	90	1.0	0.967	0.0		
100	89	91	1.0	0.983	0.0	91.0	-14.8	83.5	84.8	100	1.0	0.721	0.0	81.1	1.3	75.8	75.8	89	1.0	0.983	0.0	1.0	0.746	0.0	82.7	-1.5	76.8	76.9	91	1.0	0.983	0.0		
100	90	92	1.0	1.0	0.0	91.5	-15.8	84.6	86.1	100	1.0	0.732	0.0	81.8	0.0	76.3	76.3	90	1.0	1.0	0.0	1.0	0.769	0.0	83.7	-3.0	76.8	76.9	92	1.0	1.0	0.0		
100	91	93	0.983	1.0	0.0	91.7	-16.1	85.3	86.8	100	1.0	0.744	0.0	82.6	-1.2	76.7	76.8	91	0.983	1.0	0.0	1.0	0.796	0.0	84.7	-4.6	76.6	76.8	93	0.983	1.0	0.0		
100	92	94	0.966	1.0	0.0	91.9	-16.4	85.9	87.5	100	1.0	0.761	0.0	83.4	-2.6	76.9	77.0	92	0.967	1.0	0.0	1.0	0.823	0.0	85.7	-6.1	76.4	76.6	94	0.967	1.0	0.0		
100	93	95	0.95	1.0	0.0	92.0	-16.7	86.5	88.2	100	1.0	0.785	0.0	84.3	-3.9	76.7	76.8	93	0.95	1.0	0.0	1.0	0.851	0.0	86.7	-7.6	76.1	76.5	95	0.95	1.0	0.0		
101	94	96	0.933	1.0	0.0	92.2	-17.0	87.2	88.8	101	1.0	0.808	0.0	85.1	-5.2	76.5	76.7	94	0.933	1.0	0.0	1.0	0.879	0.0	87.8	-9.2	76.1	76.7	96	0.933	1.0	0.0		
101	95	98	0.916	1.0	0.0	92.4	-17.3	87.8	89.5	101	1.0	0.832	0.0	86.0	-6.6	76.3	76.6	95	0.917	1.0	0.0	1.0	0.918	0.0	89.0	-11.2	78.9	79.7	98	0.917	1.0	0.0		
101	96	99	0.9	1.0	0.0	92.5	-17.6	88.4	90.2	101	1.0	0.855	0.0	86.9	-7.9	76.0	76.4	96	0.9	1.0	0.0	1.0	0.957	0.0	90.2	-13.3	81.7	82.8	99	0.9	1.0	0.0		
101	97	100	0.883	1.0	0.0	92.7	-18.0	89.1	90.9	101	1.0	0.88	0.0	87.8	-9.3	76.2	76.7	97	0.883	1.0	0.0	1.0	0.996	0.0	91.5	-15.5	84.4	85.8	100	0.883	1.0	0.0		
101	98	101	0.866	1.0	0.0	92.6	-18.3	89.2	91.0	101	1.0	0.914	0.0	88.8	-10.9	78.6	79.4	98	0.867	1.0	0.0	1.0	0.867	1.0	0.0	92.6	-18.3	89.2	91.1	101	0.867	1.0	0.0	
101	99	102	0.85	1.0	0.0	92.2	-18.8	88.7	90.7	101	1.0	0.947	0.0	89.9	-12.7	81.0	82.0	99	0.85	1.0	0.0	1.0	0.808	1.0	0.0	91.4	-19.8	87.6	89.9	102	0.85	1.0	0.0	
102	100	103	0.833	1.0	0.0	91.9	-19.2	88.3	90.3	102	1.0	0.98	0.0	91.0	-14.6	83.3	84.6	100	0.833	1.0	0.0	1.0	0.737	1.0	0.0	90.1	-21.3	86.0	88.6	103	0.833	1.0	0.0	
102	101	105	0.816	1.0	0.0	91.5	-19.6	87.8	90.0	102	1.0	0.943	1.0	0.0	92.2	-16.8	86.9	88.5	101	0.817	1.0	0.0	1.0	0.757	1.0	0.0	90.1	-21.3	86.0	88.6	103	0.817	1.0	0.0
102	102	106	0.8	1.0	0.0	91.1	-20.1	87.4	89.7	102	1.0	0.849	1.0	0.0	92.2	-18.8	88.7	90.7	102	0.8	1.0	0.0	1.0	0.724	1.0	0.0	88.0	-24.0	82.3	85.8	106	0.8	1.0	0.0
103	103	107	0.783	1.0	0.0	90.8	-20.5	86.9	89.3	103	1.0	0.798	1.0	0.0	91.2	-20.1	87.4	89.7	103	0.783	1.0	0.0	1.0	0.71	1.0	0.0	86.9	-25.2	80.5	84.3	107	0.783	1.0	0.0
103	104	108	0.766	1.0	0.0	90.4	-20.9	86.5	89.0	103	1.0	0.749	1.0	0.0	90.1	-21.3	86.0	88.6	104	0.767	1.0	0.0	1.0	0.697	1.0	0.0	85.8	-26.4	78.6	82.9	108	0.767	1.0	0.0
103	105	109	0.75	1.0	0.0	90.1	-21.3	86.0	88.6	103	1.0	0.738	1.0	0.0	89.2	-22.5	84.4	87.4	105	0.75	1.0	0.0	1.0	0.684	1.0	0.0	84.7	-27.5	76.7	81.5	109	0.75	1.0	0.0
105	106	110	0.733	1.0	0.0	88.7	-23.1	83.7	86.8	105	1.0	0.727	1.0	0.0	88.2	-23.6	82.8	86.1	106	0.733	1.0	0.0	1.0	0.671	1.0	0.0	83.7	-28.5	74.8	80.0	110	0.733	1.0	0.0
106	107	112	0.716	1.0	0.0	87.3	-24.7	81.3	85.0	106	1.0	0.716	1.0	0.0	87.3	-24.7	81.2	84.9	107	0.717	1.0	0.0	1.0	0.658	1.0	0.0	82.6	-29.5	72.8	78.6	112	0.717	1.0	0.0
108	108	113	0.7	1.0	0.0	86.0	-26.2	78.9	83.2	108	1.0	0.704	1.0	0.0	86.4	-25.8	79.6	83.7	108	0.7	1.0	0.0	1.0	0.645	1.0	0.0	81.5	-30.4	70.9	77.2	113	0.7	1.0	0.0
109	109	114	0.683	1.0	0.0	84.6	-27.6	76.5	81.3	109	1.0	0.693	1.0	0.0	85.5	-26.7	78.0	82.5	109	0.683	1.0	0.0	1.0	0.632	1.0	0.0	80.4	-31.3	69.0	75.7	114	0.683	1.0	0.0
111	110	115	0.666	1.0	0.0	83.3	-28.9	74.1	79.5	111	1.0	0.682	1.0	0.0	84.5	-27.7	76.3	81.2	110	0.667	1.0	0.0	1.0	0.619	1.0	0.0	79.5	-32.2	67.4	74.7	115	0.667	1.0	0.0
112	111	116	0.65	1.0	0.0	81.9	-30.1	71.6	77.7	112	1.0	0.657	1.0	0.0	83.6	-28.6	74.7	80.0	111	0.65	1.0	0.0	1.0	0.607	1.0	0.0	78.6	-33.3	66.2	74.2	116	0.65	1.0	0.0
114	112	117	0.633	1.0	0.0	80.5	-31.2	69.2	75.9	114	1.0	0.659	1.0	0.0	82.7	-29.4	73.0	78.8	112	0.633	1.0	0.0	1.0	0.595	1.0	0.0	77.8	-34.4	65.0	73.6	117	0.633	1.0	0.0
115	113	119	0.616	1.0	0.0	79.3	-32.5	67.1	74.6	115	1.0	0.648	1.0	0.0	81.8	-30.2	71.4	77.5	113	0.617	1.0	0.0	1.0	0.584	1.0	0.0	77.0	-35.4	63.8	73.0	119	0.617	1.0	0.0
117	114	120	0.6	1.0	0.0	78.1	-34.0	65.4	73.8	117	1.0	0.637	1.0	0.0	80.9	-30.9																		

http://130.149.60.45/~farbmetrik/RE59/RE59L0FP.PDF /.PS; 3D-linearization  
 F: 3D-linearization RE59/RE59LE30FP.DAT in file (F), page 12/33

Data of Maximum color, M in colorimetric system Laser printer output; separation cmyk\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM;  $h_{abs,d} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;  
 Six hue angles of the device colours RYGBM;  $h_{abs,d} = 33.5, 100.6, 155.5, 235.2, 290.8, 348.9$ ; Six hue angles of the elementary colours RYGBM;  $h_{abs,d} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{ds361M}$	$LAB^*_{ds361M}(x=LabCh)$	$rgb^*_{ds361M}$	$LAB^*_{ds361M}(x=LabCh)$	$rgb^*_{ds361M}$	$LAB^*_{ds361M}(x=LabCh)$	$rgb^*_{ds361M}$	$LAB^*_{ds361M}(x=LabCh)$	$rgb^*_{ds361M}$	$LAB^*_{ds361M}(x=LabCh)$	$rgb^*_{ds361M}$	$LAB^*_{ds361M}(x=LabCh)$	$rgb^*_{ds361M}$	$LAB^*_{ds361M}(x=LabCh)$	$rgb^*_{ds361M}$	$LAB^*_{ds361M}(x=LabCh)$			
127	120	127	0.5	1.0	0.0	70.9	-41.7	54.8	68.9	127	0.5	1.0	0.0	71.0	-41.6	54.9	68.9	127	0.5	1.0	0.0
128	121	128	0.483	1.0	0.0	70.4	-42.6	53.9	68.7	128	0.483	1.0	0.0	70.3	-42.6	53.8	68.7	128	0.483	1.0	0.0
129	122	129	0.466	1.0	0.0	69.8	-43.4	53.0	68.5	129	0.462	1.0	0.0	69.6	-43.6	52.8	68.5	129	0.467	1.0	0.0
130	123	130	0.45	1.0	0.0	69.2	-44.2	52.1	68.3	130	0.442	1.0	0.0	68.9	-44.5	51.7	68.3	130	0.445	1.0	0.0
131	124	131	0.433	1.0	0.0	68.6	-45.0	51.2	68.2	131	0.422	1.0	0.0	68.3	-45.4	50.7	68.1	131	0.433	1.0	0.0
132	125	132	0.416	1.0	0.0	68.0	-45.7	50.3	68.0	132	0.403	1.0	0.0	67.6	-46.3	49.6	67.9	132	0.417	1.0	0.0
133	126	133	0.4	1.0	0.0	67.4	-46.5	49.4	67.8	133	0.383	1.0	0.0	66.9	-47.1	48.5	67.7	133	0.4	1.0	0.0
134	127	134	0.383	1.0	0.0	66.8	-47.2	48.5	67.7	134	0.366	1.0	0.0	66.2	-48.2	47.6	67.8	135	0.383	1.0	0.0
135	128	135	0.366	1.0	0.0	66.1	-48.2	47.5	67.7	135	0.352	1.0	0.0	65.5	-49.4	46.8	68.1	136	0.367	1.0	0.0
136	129	136	0.35	1.0	0.0	65.4	-49.5	46.6	68.1	136	0.337	1.0	0.0	64.8	-50.5	46.0	68.4	137	0.35	1.0	0.0
137	130	137	0.333	1.0	0.0	64.6	-50.9	45.7	68.4	137	0.323	1.0	0.0	64.1	-51.7	45.1	68.7	138	0.333	1.0	0.0
138	131	138	0.316	1.0	0.0	63.8	-52.2	44.7	68.7	138	0.308	1.0	0.0	63.4	-52.8	44.2	68.9	140	0.317	1.0	0.0
139	132	139	0.3	1.0	0.0	63.0	-53.5	43.7	69.1	140	0.294	1.0	0.0	62.7	-53.9	43.3	69.2	141	0.3	1.0	0.0
140	132	141	0.3	1.0	0.0	63.0	-53.5	43.7	69.1	140	0.294	1.0	0.0	62.7	-53.9	43.3	69.2	141	0.3	1.0	0.0
141	133	142	0.283	1.0	0.0	62.2	-54.7	42.6	69.4	142	0.279	1.0	0.0	62.0	-55.0	42.4	69.5	142	0.283	1.0	0.0
142	133	142	0.283	1.0	0.0	62.2	-54.7	42.6	69.4	142	0.279	1.0	0.0	62.0	-55.0	42.4	69.5	142	0.283	1.0	0.0
143	134	143	0.266	1.0	0.0	61.4	-56.0	41.5	69.7	143	0.265	1.0	0.0	61.3	-56.1	41.4	69.8	143	0.265	1.0	0.0
144	135	144	0.25	1.0	0.0	60.6	-57.2	40.4	70.1	144	0.25	1.0	0.0	60.6	-57.1	40.5	70.1	144	0.25	1.0	0.0
145	136	145	0.233	1.0	0.0	60.1	-57.9	39.6	70.2	145	0.235	1.0	0.0	60.0	-58.1	39.4	70.3	145	0.233	1.0	0.0
146	137	146	0.216	1.0	0.0	59.6	-58.6	38.9	70.3	146	0.224	1.0	0.0	59.3	-59.1	38.3	70.5	147	0.217	1.0	0.0
147	138	147	0.2	1.0	0.0	59.1	-59.3	38.1	70.5	147	0.21	1.0	0.0	58.6	-60.0	37.2	70.7	148	0.2	1.0	0.0
148	139	148	0.183	1.0	0.0	58.7	-59.9	37.3	70.6	148	0.183	1.0	0.0	58.0	-60.9	36.1	70.8	149	0.183	1.0	0.0
149	140	149	0.166	1.0	0.0	58.2	-60.6	36.4	70.7	148	0.167	1.0	0.0	57.3	-61.8	34.9	71.0	150	0.167	1.0	0.0
150	141	150	0.15	1.0	0.0	57.7	-61.2	35.6	70.9	149	0.15	1.0	0.0	56.6	-63.0	33.9	71.6	151	0.15	1.0	0.0
151	142	151	0.133	1.0	0.0	57.2	-61.9	34.8	71.0	150	0.133	1.0	0.0	55.9	-64.4	33.0	72.5	152	0.133	1.0	0.0
152	143	152	0.116	1.0	0.0	56.8	-62.5	34.1	71.3	151	0.117	1.0	0.0	55.2	-65.8	32.1	73.3	154	0.117	1.0	0.0
153	144	153	0.1	1.0	0.0	56.4	-63.3	33.7	71.7	151	0.1	1.0	0.0	54.5	-67.2	31.1	74.2	155	0.1	1.0	0.0
154	145	154	0.083	1.0	0.0	56.1	-64.0	33.2	72.1	152	0.083	1.0	0.0	54.0	-68.4	29.5	73.7	156	0.083	1.0	0.0
155	146	155	0.066	1.0	0.0	55.7	-64.7	32.8	72.6	153	0.067	1.0	0.0	53.5	-70.2	27.8	73.8	157	0.067	1.0	0.0
156	147	156	0.049	1.0	0.0	55.4	-65.4	32.3	73.0	153	0.049	1.0	0.0	52.9	-71.9	26.1	74.9	158	0.049	1.0	0.0
157	148	157	0.033	1.0	0.0	55.0	-66.2	31.8	73.5	154	0.033	1.0	0.0	52.4	-73.6	24.4	76.0	159	0.033	1.0	0.0
158	149	158	0.016	1.0	0.0	54.7	-66.9	31.3	73.9	154	0.016	1.0	0.0	51.9	-75.3	22.8	77.2	161	0.016	1.0	0.0
159	150	159	0.0	1.0	0.0	54.3	-67.6	30.8	74.3	155	0.0	1.0	0.0	51.5	-77.0	21.1	78.5	162	0.0	1.0	0.0
160	151	160	0.0	1.0	0.0	54.0	-68.3	30.3	74.7	156	0.0	1.0	0.0	51.1	-78.7	19.4	79.8	163	0.0	1.0	0.0
161	152	161	0.0	1.0	0.0	53.7	-69.0	29.8	75.1	157	0.0	1.0	0.0	50.7	-80.4	17.7	81.1	164	0.0	1.0	0.0
162	153	162	0.0	1.0	0.0	53.4	-69.7	29.3	75.5	158	0.0	1.0	0.0	50.3	-82.1	16.0	82.4	165	0.0	1.0	0.0
163	154	163	0.0	1.0	0.0	53.1	-70.4	28.8	75.9	159	0.0	1.0	0.0	49.9	-83.8	14.3	83.7	166	0.0	1.0	0.0
164	155	164	0.0	1.0	0.0	52.8	-71.1	28.3	76.3	160	0.0	1.0	0.0	49.5	-85.5	12.6	85.0	167	0.0	1.0	0.0
165	156	165	0.0	1.0	0.0	52.5	-71.8	27.8	76.7	161	0.0	1.0	0.0	49.1	-87.2	10.9	86.3	168	0.0	1.0	0.0
166	157	166	0.0	1.0	0.0	52.2	-72.5	27.3	77.1	162	0.0	1.0	0.0	48.7	-88.9	9.2	87.6	169	0.0	1.0	0.0
167	158	167	0.0	1.0	0.0	51.9	-73.2	26.8	77.5	163	0.0	1.0	0.0	48.3	-90.6	7.5	88.9	170	0.0	1.0	0.0
168	159	168	0.0	1.0	0.0	51.6	-73.9	26.3	77.9	164	0.0	1.0	0.0	47.9	-92.3	5.8	90.2	171	0.0	1.0	0.0
169	160	169	0.0	1.0	0.0	51.3	-74.6	25.8	78.3	165	0.0	1.0	0.0	47.5	-94.0	4.1	91.5	172	0.0	1.0	0.0
170	161	170	0.0	1.0	0.0	51.0	-75.3	25.3	78.7	166	0.0	1.0	0.0	47.1	-95.7	2.4	92.8	173	0.0	1.0	0.0
171	162	171	0.0	1.0	0.0	50.7	-76.0	24.8	79.1	167	0.0	1.0	0.0	46.7	-97.4	0.7	94.1	174	0.0	1.0	0.0
172	163	172	0.0	1.0	0.0	50.4	-76.7	24.3	79.5	168	0.0	1.0	0.0	46.3	-99.1	-1.0	95.4	175	0.0	1.0	0.0
173	164	173	0.0	1.0	0.0	50.1	-77.4	23.8	79.9	169	0.0	1.0	0.0	45.9	-100.8	-2.7	96.7	176	0.0	1.0	0.0
174	165	174	0.0	1.0	0.0	49.8	-78.1	23.3	80.3	170	0.0	1.0	0.0	45.5	-102.5	-4.4	98.0	177	0.0	1.0	0.0
175	166	175	0.0	1.0	0.0	49.5	-78.8	22.8	80.7	171	0.0	1.0	0.0	45.1	-104.2	-6.1	99.3	178	0.0	1.0	0.0
176	167	176	0.0	1.0	0.0	49.2	-79.5	22.3	81.1	172	0.0	1.0	0.0	44.7	-105.9	-7.8	100.6	179	0.0	1.0	0.0
177	168	177	0.0	1.0	0.0	48.9	-80.2	21.8	81.5	173	0.0	1.0	0.0	44.3	-107.6	-9.5	101.9	180	0.0	1.0	0.0
178	169	178	0.0	1.0	0.0	48.6	-80.9	21.3	81.9	174	0.0	1.0	0.0	43.9	-109.3	-11.2	103.2	181	0.0	1.0	0.0
179	170	179	0.0	1.0	0.0	48.3	-81.6	20.8	82.3	175	0.0	1.0	0.0	43.5	-111.0	-12.9	104.5	182	0.0	1.0	0.0
180	171	180	0.0	1.0	0.0	48.0	-82.3	20.3	82.7	176	0.0	1.0	0.0	43.1	-112.7	-14.6	105.8	183	0.0	1.0	0.0
181	172	181	0.0	1.0	0.0	47.7	-83.0	19.8	83.1	177	0.0	1.0	0.0	42.7	-114.4	-16.3	107.1	184	0.0	1.0	0.0
182	173	182	0.0	1.0	0.0	47.4	-83.7	19.3	83.5	178	0.0	1.0	0.0	42.3	-116.1	-18.0	108.4	185	0.0	1.0	0.0
183	174	183	0.0	1.0	0.0	47.1	-84.4	18.8	83.9	179	0.0	1.0	0.0	41.9	-117.8	-19.7	109.7	186	0.0	1.0	0.0
184	175	184	0.0	1.0	0.0	46.8	-85.1	18.3	84.3	180	0.0	1.0	0.0	41.5	-119.5	-21.4	111.0	187	0.0	1.0	0.0
185	176	185	0.0	1.0	0.0	46.5	-85.8	17.8	84.7	181	0.0	1.0	0.0	41.1	-121.2	-23.1	112.3	188	0.0	1.0	0.0
186	177	186	0.0	1.0	0.0	46.2	-86.5	17.3	85.1	182	0.0	1.0	0.0	40.7	-122.9	-24.8	113.6	189</			

http://130.149.60.45/~farbmetrik/RE59/RE59L0FP.PDF /.PS; 3D-linearization F: 3D-linearization RE59/RE59LE30FP.DAT in file (F), page 13/33

Data of Maximum color, M in colorimetric system Laser printer output; separation cmyk\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM;  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;

Table with columns: h\_ab,d, h\_ab,s, h\_ab,e, LAB\*dd361M, LAB\*ds361M, LAB\*ds361MI, LAB\*dd361MI, LAB\*ds361M(x=LabCh), LAB\*dd361MI(x=LabCh), LAB\*de361MI, LAB\*de361MI(x=LabCh), rgb\*ds, rgb\*ds361M, rgb\*dd361MI, rgb\*dd361MI(x=LabCh), rgb\*de, rgb\*de361MI, rgb\*de361MI(x=LabCh), and C\_d. The table contains 235 rows of color data.

I=1131230-L0 RE590-73 LAB\*lab, YN=0%, XY ZnW=3.9, 4.1, 4.1, 84.7, 89.6, 93.9, LAB\*mw=23.9, 0.0, 0.0, 95.8, 0.0, 0.0

TUB-test chart RE59; 1080 standard colours 48 step hue circles; rgb-LabCh\*tables

input: rgb/cmyk -> rgbde output: 3D-linearization to cmyk\*de

Output: Laser printer output; separation cmyk\*, D65, page 13/33







http://130.149.60.45/~farbmetrik/RE59/RE59L0FP.PDF /.PS; 3D-linearization  
 F: 3D-linearization RE59/RE59LE30FP.DAT in file (F), page 16/33

Data of Maximum color, M in colorimetric system Laser printer output; separation cmyk\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>d</sub>; h<sub>abs,d</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
 Six hue angles of the device colours RYGBM<sub>d</sub>; h<sub>abs,d</sub> = 33.5, 100.6, 155.5, 225.2, 290.8, 348.9; Six hue angles of the elementary colours RYGBM<sub>d</sub>; h<sub>abs,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>abs,d</sub>	h <sub>abs,s</sub>	h <sub>abs,e</sub>	LAB* <sub>d</sub> s361M	LAB* <sub>s</sub> 361M	LAB* <sub>e</sub> 361M	LAB* <sub>d</sub> s361M (x=LabCh)	LAB* <sub>s</sub> 361M (x=LabCh)	LAB* <sub>e</sub> 361M	LAB* <sub>d</sub> s361M (x=LabCh)	LAB* <sub>s</sub> 361M (x=LabCh)	LAB* <sub>e</sub> 361M	rgb* <sub>d</sub> s361M	rgb* <sub>s</sub> 361M	rgb* <sub>e</sub> 361M	rgb* <sub>d</sub> s361M	rgb* <sub>s</sub> 361M	rgb* <sub>e</sub> 361M	rgb* <sub>d</sub> s361M	rgb* <sub>s</sub> 361M	rgb* <sub>e</sub> 361M	
324	300	300	0.5	0.0	1.0	37.2	43.1	-30.8	53.0	324	0.136	0.0	1.0	31.6	24.3	-41.9	48.5	300	0.5	0.0	1.0
325	301	301	0.516	0.0	1.0	37.4	43.8	-30.4	53.4	325	0.151	0.0	1.0	31.5	25.1	-41.6	48.7	301	0.517	0.0	1.0
326	302	302	0.533	0.0	1.0	37.7	44.5	-29.9	53.7	326	0.165	0.0	1.0	31.4	25.9	-41.3	48.9	302	0.533	0.0	1.0
326	303	303	0.55	0.0	1.0	37.9	45.3	-29.5	54.0	326	0.18	0.0	1.0	31.4	26.7	-41.0	49.0	303	0.55	0.0	1.0
327	304	304	0.566	0.0	1.0	38.2	46.0	-29.0	54.4	327	0.194	0.0	1.0	31.3	27.5	-40.7	49.2	303	0.567	0.0	1.0
328	305	305	0.583	0.0	1.0	38.4	46.7	-28.5	54.7	328	0.209	0.0	1.0	31.2	28.3	-40.4	49.4	304	0.583	0.0	1.0
329	306	305	0.6	0.0	1.0	38.7	47.4	-28.0	55.1	329	0.224	0.0	1.0	31.1	29.1	-40.0	49.5	306	0.6	0.0	1.0
330	307	306	0.616	0.0	1.0	38.9	48.1	-27.5	55.4	330	0.238	0.0	1.0	31.1	29.9	-39.6	49.7	307	0.617	0.0	1.0
331	308	307	0.633	0.0	1.0	39.2	48.9	-26.9	55.8	331	0.252	0.0	1.0	31.1	30.7	-39.2	49.9	308	0.633	0.0	1.0
332	309	308	0.65	0.0	1.0	39.6	49.8	-26.2	56.3	332	0.265	0.0	1.0	31.4	31.5	-38.8	50.1	309	0.65	0.0	1.0
333	310	309	0.666	0.0	1.0	40.0	50.7	-25.4	56.8	333	0.278	0.0	1.0	31.8	32.3	-38.4	50.3	310	0.667	0.0	1.0
334	311	310	0.683	0.0	1.0	40.4	51.6	-24.7	57.2	334	0.291	0.0	1.0	32.1	33.1	-38.0	50.5	311	0.683	0.0	1.0
335	312	311	0.7	0.0	1.0	40.7	52.5	-23.9	57.7	335	0.304	0.0	1.0	32.4	33.9	-37.6	50.7	312	0.7	0.0	1.0
336	313	312	0.716	0.0	1.0	41.1	53.4	-23.1	58.2	336	0.317	0.0	1.0	32.8	34.7	-37.2	50.9	313	0.717	0.0	1.0
337	314	313	0.733	0.0	1.0	41.5	54.3	-22.3	58.7	337	0.33	0.0	1.0	33.1	35.5	-36.7	51.1	314	0.733	0.0	1.0
338	315	314	0.75	0.0	1.0	41.8	55.1	-21.4	59.1	338	0.343	0.0	1.0	33.4	36.3	-36.2	51.4	315	0.75	0.0	1.0
339	316	315	0.766	0.0	1.0	42.4	55.8	-20.9	59.6	339	0.356	0.0	1.0	33.8	37.1	-35.7	51.6	316	0.767	0.0	1.0
340	317	316	0.783	0.0	1.0	42.9	56.5	-20.4	60.1	340	0.368	0.0	1.0	34.1	37.9	-35.2	51.8	317	0.783	0.0	1.0
340	318	317	0.8	0.0	1.0	43.4	57.2	-19.8	60.5	340	0.384	0.0	1.0	34.5	38.6	-34.7	52.0	318	0.8	0.0	1.0
341	319	318	0.816	0.0	1.0	43.9	57.8	-19.3	61.0	341	0.402	0.0	1.0	34.9	39.3	-34.1	52.1	319	0.817	0.0	1.0
342	320	319	0.833	0.0	1.0	44.4	58.5	-18.7	61.4	342	0.42	0.0	1.0	35.3	40.1	-33.5	52.3	320	0.833	0.0	1.0
342	321	320	0.85	0.0	1.0	44.9	59.1	-18.2	61.9	342	0.438	0.0	1.0	35.8	40.8	-32.9	52.5	321	0.85	0.0	1.0
343	322	321	0.866	0.0	1.0	45.4	59.8	-17.6	62.3	343	0.456	0.0	1.0	36.2	41.5	-32.3	52.7	322	0.867	0.0	1.0
344	323	322	0.883	0.0	1.0	45.8	60.5	-17.0	62.8	344	0.474	0.0	1.0	36.6	42.2	-31.7	52.8	323	0.883	0.0	1.0
344	324	322	0.9	0.0	1.0	46.1	61.2	-16.4	63.4	344	0.492	0.0	1.0	37.1	42.9	-31.1	53.0	324	0.9	0.0	1.0
345	325	323	0.916	0.0	1.0	46.5	61.9	-15.9	63.9	345	0.512	0.0	1.0	37.4	43.7	-30.5	53.3	325	0.917	0.0	1.0
346	326	324	0.933	0.0	1.0	46.8	62.6	-15.3	64.5	346	0.532	0.0	1.0	37.7	44.5	-29.9	53.7	326	0.933	0.0	1.0
346	327	325	0.95	0.0	1.0	47.1	63.3	-14.6	65.0	346	0.552	0.0	1.0	38.0	45.4	-29.4	54.1	327	0.95	0.0	1.0
347	328	326	0.966	0.0	1.0	47.5	64.0	-14.0	65.5	347	0.572	0.0	1.0	38.3	46.2	-28.8	54.5	328	0.967	0.0	1.0
348	329	327	0.983	0.0	1.0	47.8	64.7	-13.4	66.1	348	0.592	0.0	1.0	38.6	47.1	-28.2	54.9	329	0.983	0.0	1.0
348	330	328	1.0	0.0	1.0	48.1	65.4	-12.7	66.6	348	0.612	0.0	1.0	38.9	47.9	-27.6	55.4	330	1.0	0.0	1.0
349	331	329	1.0	0.0	0.983	48.3	65.5	-12.5	66.7	349	0.631	0.0	1.0	39.2	48.8	-26.9	55.8	331	1.0	0.0	0.983
349	332	330	1.0	0.0	0.966	48.5	65.6	-12.2	66.7	349	0.646	0.0	1.0	39.6	49.6	-26.3	56.2	332	1.0	0.0	0.967
349	333	331	1.0	0.0	0.95	48.7	65.7	-11.9	66.8	349	0.662	0.0	1.0	39.9	50.5	-25.6	56.7	333	1.0	0.0	0.95
349	334	332	1.0	0.0	0.933	48.9	65.8	-11.7	66.8	349	0.677	0.0	1.0	40.3	51.3	-24.9	57.1	334	1.0	0.0	0.933
350	335	333	1.0	0.0	0.916	49.0	65.9	-11.4	66.9	350	0.692	0.0	1.0	40.6	52.1	-24.2	57.5	335	1.0	0.0	0.917
350	336	334	1.0	0.0	0.9	49.2	66.0	-11.1	66.9	350	0.708	0.0	1.0	41.0	53.0	-23.5	58.0	336	1.0	0.0	0.9
350	337	335	1.0	0.0	0.883	49.4	66.1	-10.9	67.0	350	0.723	0.0	1.0	41.3	53.8	-22.7	58.4	337	1.0	0.0	0.883
350	338	336	1.0	0.0	0.866	49.5	66.0	-10.4	66.9	350	0.738	0.0	1.0	41.6	54.6	-22.0	58.9	338	1.0	0.0	0.867
351	339	337	1.0	0.0	0.85	49.4	65.8	-9.9	66.6	351	0.756	0.0	1.0	42.1	55.4	-21.2	59.4	339	1.0	0.0	0.85
351	340	338	1.0	0.0	0.833	49.4	65.6	-9.3	66.3	351	0.78	0.0	1.0	42.8	56.4	-20.4	60.0	340	1.0	0.0	0.833
352	341	339	1.0	0.0	0.816	49.4	65.4	-8.7	66.0	352	0.804	0.0	1.0	43.5	57.4	-19.7	60.7	341	1.0	0.0	0.817
352	342	339	1.0	0.0	0.8	49.4	65.2	-8.2	65.7	352	0.828	0.0	1.0	44.3	58.3	-18.9	61.3	342	1.0	0.0	0.8
353	343	340	1.0	0.0	0.783	49.3	65.0	-7.6	65.4	353	0.852	0.0	1.0	45.0	59.3	-18.0	62.0	343	1.0	0.0	0.783
353	344	341	1.0	0.0	0.766	49.3	64.7	-7.1	65.1	353	0.877	0.0	1.0	45.7	60.2	-17.2	62.7	344	1.0	0.0	0.767
354	345	342	1.0	0.0	0.75	49.3	64.5	-6.5	64.8	354	0.902	0.0	1.0	46.2	61.3	-16.3	63.5	345	1.0	0.0	0.75

Input: Laser printer output; separation cmyk\*  
 output: 3D-linearization to cmyk\*  
 LAB\*<sub>d</sub>361M, YN=0%, XY Zmw=3.9, 4.1, 84.7, 89.6, 93.9, LAB\*<sub>m</sub>w=23.9, 0.0, 0.0, 95.8, 0.0, 0.0



Table with columns: nrf, HHC\*File, rgb\*File, icr\*File, hsa\*File, rgb\*File, LabC\*File, LabC\*File, cmyk\*sep\*File, rgb\*File, hsa\*File, LabC\*File, LabC\*File, delta. The table contains 360 rows of color calibration data.

input: rgb/cmyk -> rgbde output: 3D-linearization to cmyk\*de

Mean color difference of this page: delta

http://130.149.60.45/~farbmetrik/RE59/RE59L0FP.PDF /.PS; 3D-linearization F: 3D-linearization RE59/RE59LE30FP.DAT in file (F), page 19/33

Table with columns: nuf, HHC\*File, rpb\_Rate, icr\_File, hsa\_Fate, rpb\*File, LabC\*File, cmyk\*sep\_Rate, rpb\*File, hsa\*File, LabC\*File, LabC\*File, rpb\*File, hsa\*File, LabC\*File, delta. Rows include various file names like R00Y\_100\_050e and NW\_000e.

input: rgb/cmyk -> rgbde output: 3D-linearization to cmyk\*de

Mean color difference of this page:



n	HC*File	rgb_Role	icc_File	hsa_Fate	rgb*File	LabCM*File	cmyk*_sep_Role	hsa_De	rgb*File	LabCM*File	delta
81	BOYR_012_012a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
82	BOYR_012_012b	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
83	B5K_025_025a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
84	B1K_037_037a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
85	B1K_050_050a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
86	BOYR_062_062a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
87	BOYR_075_075a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
88	BOYR_087_087a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
89	BOYR_100_100a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
90	YOOC_012_012a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
91	BOYR_025_012a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
92	BOYR_025_012b	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
93	BOYR_037_025a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
94	BOYR_050_037a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
95	BOYR_062_050a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
96	BOYR_075_062a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
97	BOYR_087_075a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
98	BOYR_100_087a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
99	YOOC_025_025a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
100	YOOC_025_012a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
101	GS5B_025_012a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
102	GS5B_037_025a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
103	GS4B_050_037a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
104	GS4B_062_050a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
105	GS4B_075_062a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
106	GS4B_087_075a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
107	GS4B_100_087a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
108	Y8BC_037_037a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
109	GS4B_037_025a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
110	GS5B_037_025a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
111	GS5B_050_037a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
112	GS5B_062_050a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
113	GS5B_075_062a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
114	GS4B_087_075a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
115	GS4B_100_087a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
116	Y76C_050_050a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
117	Y76C_087_087a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
118	GS4B_050_037a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
119	GS4B_062_050a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
120	GS4B_075_062a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
121	GS4B_087_075a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
122	GS4B_100_087a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
123	Y8BC_075_062a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
124	Y8BC_087_075a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
125	Y8BC_100_087a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
126	Y81G_062_062a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
127	GS4B_062_050a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
128	GS4B_075_062a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
129	GS4B_087_075a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
130	GS4B_100_087a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
131	GS4B_062_050a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
132	GS4B_075_062a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
133	GS4B_087_075a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
134	GS4B_100_087a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
135	Y85G_075_075a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
136	GS4B_075_062a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
137	GS4B_087_075a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
138	GS4B_100_087a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
139	GS4B_075_062a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
140	GS4B_087_075a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
141	GS4B_100_087a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
142	GS7B_087_075a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
143	Y86C_087_075a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
144	GS4B_087_075a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
145	GS4B_100_087a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
146	GS4B_087_075a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
147	GS4B_100_087a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
148	GS4B_087_075a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
149	GS4B_100_087a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
150	GS4B_087_075a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
151	GS4B_100_087a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
152	Y88C_100_100a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
153	GS4B_100_087a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
154	GS4B_087_075a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
155	GS4B_100_087a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
156	GS4B_087_075a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
157	GS4B_100_087a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
158	GS4B_087_075a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
159	GS4B_100_087a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
160	GS4B_087_075a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4
161	GS4B_100_087a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 26.8	7.0	0.468	0.339	0.872	0.924	25.4

Mean color difference of this page:

delta

input: rgb/cmyk -> rgbd  
output: 3D-linearization to cmyk\*de

RE590-7N, Page 21/33-F

TUB-test chart RE59; 1080 standard colours  
colors and differences, ΔE\*

I-1132030-F0

http://130.149.60.45/~farbmetrik/RE59/RE59L0FP.PDF /.PS; 3D-linearization F: 3D-linearization RE59/RE59LE30FP.DAT in file (F), page 22/33

Table with 24 columns: n, HHC\*File, rgb\*File, iet\*File, Hsa\*File, rgb\*File, LabC\*File, cmyk\*sep, cmyk\*File, LabC\*File, Hsa\*File, rgb\*File, LabC\*File, Hsa\*File, rgb\*File, LabC\*File, Hsa\*File, rgb\*File, LabC\*File, Hsa\*File, rgb\*File, LabC\*File, Hsa\*File, delta. Rows 162-242.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbdelta output: 3D-linearization to cmyk\*delta

Table with 32 columns: n, HHC\*File, rgb\*File, iet\*File, Hsa\*File, rgb\*File, LabC\*File, Hsa\*File, cmyk\*sep, cmyk\*File, LabC\*File, Hsa\*File, rgb\*File, LabC\*File, Hsa\*File, cmyk\*sep, cmyk\*File, LabC\*File, Hsa\*File, rgb\*File, LabC\*File, Hsa\*File, cmyk\*sep, cmyk\*File, LabC\*File, Hsa\*File, rgb\*File, LabC\*File, Hsa\*File, cmyk\*sep, cmyk\*File, LabC\*File, Hsa\*File, delta. Rows 243-323.

TUB-test chart RE59; 1080 standard colours colors and differences, ΔE\*<sub>ab</sub>

input: rgb/cmyk -> rgbde output: 3D-linearization to cmyk\*de

delta

RE59-TN; Page 23/33-F

I-113220-F0







http://130.149.60.45/~farbmetrik/RE59/RE59L0FP.PDF /.PS; 3D-linearization F: 3D-linearization RE59/RE59LE30FP.DAT in file (F), page 26/33

Table with 15 columns: n, HHC\*File, rgb\*File, iet\*File, Hsa\*File, rgb\*File, LabC\*File, 20.0, 46.5, 25.4, cmyk\*sep, Hsa\*File, rgb\*File, LabC\*File, delta. It contains a large grid of numerical data for various color patches.

Mean color difference of this page: delta

TUB-test chart RE59; 1080 standard colours colors and differences, ΔE\*

input: rgb/cmyk -> rgdb output: 3D-linearization to cmyk\*de

http://130.149.60.45/~farbmatrik/RE59/RE59L0FP.PDF /.PS; 3D-linearization F: 3D-linearization RE59/RE59LE30FP.DAT in file (F), page 27/33

Table with 15 columns: n, HHC\*File, rgb\*File, iet\*File, Hsa\*File, rgb\*File, LabCM\*File, cmyk\*sep, cmyk\*File, LabCM\*File, Hsa\*File, rgb\*File, LabCM\*File, delta. Rows 567-647.

Mean color difference of this page: 0.093

input: rgb/cmyk -> rgbdelta output: 3D-linearization to cmyk\*de

http://130.149.60.45/~farbmetrik/RE59/RE59L0FP.PDF /.PS; 3D-linearization F: 3D-linearization RE59/RE59LE30FP.DAT in file (F), page 28/33

Table with 15 columns: n, HHC\*File, rpb\*File, icr\*File, Hsa\*File, rpb\*File, LabC\*File, LabC\*File, cmyk\*sep, cmyk\*sep, rpb\*File, Hsa\*File, LabC\*File, LabC\*File, delta. Rows include color patches like R001, R002, R003, etc.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbdelta output: 3D-linearization to cmyk\*de

RE590-TN, Page 28/33-F

TUB-test chart RE59; 1080 standard colours colors and differences, ΔE\*

I-1132730-F0

http://130.149.60.45/~farbmetrik/RE59/RE59L0FP.PDF /.PS; 3D-linearization F: 3D-linearization RE59/RE59LE30FP.DAT in file (F), page 29/33

Table with 15 columns: n, HHC\*File, rpb\_Rate, icr\_File, Hsa\_File, rpb\*File, LabC\*File, LabC\*File, LabC\*File, LabC\*File, LabC\*File, LabC\*File, LabC\*File, LabC\*File, LabC\*File. Rows include color names like NV\_1000e, G50B\_100.025e, etc.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbdelta output: 3D-linearization to cmyk\*de

RE590-7N, Page 29/33-F

TUB-test chart RE59; 1080 standard colours colors and differences, ΔE\*

I-1132830-F0

http://130.149.60.45/~farbmetrik/RE59/RE59L0FP.PDF /.PS; 3D-linearization F: 3D-linearization RE59/RE59LE30FP.DAT in file (F), page 30/33

Table with 15 columns: n, HHC\*File, rpb\*File, icr\*File, hsa\*File, rpb\*File, LabC\*File, cmyk\*sep, cmyk\*sep, LabC\*File, hsa\*File, rpb\*File, LabC\*File, delta. Rows 810-890.

input: rgb/cmyk -> rgbde output: 3D-linearization to cmyk\*de I-1132930-F0 RE590-TN, Page 30/33-F

http://130.149.60.45/~farbmetrik/RE59/RE59L0FP.PDF /.PS; 3D-linearization F: 3D-linearization RE59/RE59LE30FP.DAT in file (F), page 31/33

Table with 15 columns: n, HVC\*File, rgb\*File, iet\*File, Hsv\*File, LabC\*File, LabCH\*File, cmyk\*sep\*File, Hsb\*File, rgb\*File, LabC\*File, LabCH\*File, Hsb\*File, cmyk\*sep\*File, delta. Rows include color names like NV, B50R, B50G, etc.

input: rgb/cmyk -> rgbdelta output: 3D-linearization to cmyk\*de

TUB-test chart RE59; 1080 standard colours colors and differences, ΔE\*





