





http://130.149.60.45/~farbmetrik/RE59/RE59L0NP.PDF /.PS; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/33



see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE59/RE59L0NP.PDF /.PS
application for measurement of laser printer output

TUB material: code=rh4ta



1-003030-L0 RE590-7N

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): $rgb + cmyk (A_j + k26_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 0$

TUB-test chart RE59; 1080 standard colours
Test chart according to DIN 33872, 3D=0, de=0, cmyk




input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change

http://130.149.60.45/~farbmetrik/RE59/RE59L0NP.PDF /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 2/33



see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59L0NP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE59/RE59L0NP.PDF /.PS
application for measurement of laser printer output, separation cmykn6 (CMYK)
TUB material: code=rh4ta



1-003130-L0 RE590-70 Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): $rgb(A_n, 3D=0)$

TUB-test chart RE59; 1080 standard colours
Test chart according to DIN 33872, 3D=0, de=0, cmyk


input: $rgb/cmyk \rightarrow rgb_D$
output: transfer to $cmyk_D$

1-003130-F0 C M Y O L V



TUB registration: 20150701-RE59/RE59L0NP.PDF /.PS TUB material: code=rh4ta
application for measurement of laser printer output, separation cmykn6 (CMYK)

see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



1-003230-L0 RE590-70


TUB-test chart RE59; 1080 standard colours
Test chart according to DIN 33872, 3D=0, de=0, cmyk

input: *rgb/cmyk* -> *rgb_d*
output: transfer to *cmyk_d*

1-003230-F0

TUB registration: 20150701-RE59/RE59L0NP.PDF /.PS TUB material: code=rh4ta
application for measurement of laser printer output, separation cmykn6 (CMYK)

see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>




1-003330-L0 RE590-70


TUB-test chart RE59; 1080 standard colours
Test chart according to DIN 33872, 3D=0, de=0, cmyk

input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to $cmyk_d$

1-003330-F0



see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



1-003530-L0 RE590-70

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n); 3D=0




TUB-test chart RE59; 1080 standard colours
Test chart according to DIN 33872, 3D=0, de=0, cmyk

input: $rgb/cmyk \rightarrow rgb_D$
output: transfer to $cmyk_D$

TUB registration: 20150701-RE59/RE59L0NP.PDF /.PS
application for measurement of laser printer output, separation cmyk6 (CMYK)
TUB material: code=rh4ta

http://130.149.60.45/~farbmetrik/RE59/RE59L0NP.PDF /PS; transfer output
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 7/33

Data of Maximum color, M in colorimetric system Laser printer output; separation cmyk6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{abs} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours RYGBM; $h_{ab,d} = 33.5, 100.6, 155.5, 235.2, 290.8, 348.9$; Six hue angles of the elementary colours RYGBM; $h_{abs} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



Notes to the CIELAB chroma diagrams ($a^*_d, b^*_d, a^*_e, b^*_e, a^*_s, b^*_s$), ($a^*_d, b^*_d, a^*_e, b^*_e$)

- For the rgb^*_d -input values the CIELAB data LCH^*_d and LAB^*_d have been calculated.
- For the calculation of the standard hue angle h_{abs} use for any device values rgb^*_d the equation:

$$h_{abs} = \arctan \left[\frac{r^*_d \cos(30) + g^*_d \cos(150)}{b^*_d \sin(150)} \right] + b^*_d \sin(270) \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles h_{abs} of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{abs} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48abs,ij} = h_{abs,i} + j [h_{abs,i+1} - h_{abs,i}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360abs,ij} = h_{abs,i} + j [h_{abs,i+1} - h_{abs,i}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,ej} = h_{ab,e,i} + j [h_{ab,e,i+1} - h_{ab,e,i}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,ej} = h_{ab,e,i} + j [h_{ab,e,i+1} - h_{ab,e,i}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle h_{ab} , there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
- The values rgb^*_d produce the output of the device-independent elementary hues

TUB-test chart RE59; 1080 standard colours
 48 step hue circles; $rgb-LabCh$ *tables

Output: Laser printer output; separation cmyk6*, D65, page 7/36

http://130.149.60.45/~farbmetrik/RE59/RE59L0NP.PDF / PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 8/33

Data of Maximum color, M in colorimetric system Laser printer output; separation cmyk6; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,d65 = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM; h_ab,d = 33.5, 100.6, 155.5, 225.2, 290.8, 348.9; Six hue angles of the elementary colours RYGBM; h_ab,c = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_ab,d, h_ab,s, h_ab,e, LAB* d64M, LAB* d65M, LAB* d66M, LAB* d67M, LAB* d68M, LAB* d69M, LAB* d70M, LAB* d71M, LAB* d72M, LAB* d73M, LAB* d74M, LAB* d75M, LAB* d76M, LAB* d77M, LAB* d78M, LAB* d79M, LAB* d80M, LAB* d81M, LAB* d82M, LAB* d83M, LAB* d84M, LAB* d85M, LAB* d86M, LAB* d87M, LAB* d88M, LAB* d89M, LAB* d90M, LAB* d91M, LAB* d92M, LAB* d93M, LAB* d94M, LAB* d95M, LAB* d96M, LAB* d97M, LAB* d98M, LAB* d99M, LAB* d100M. Each column contains numerical data for 100 different color patches.

Input: rgb/cmyk -> rgbd output: transfer to cmykd Output: Laser printer output; separation cmyk6; D65, page 8/36

Data of Maximum color. M in colorimetric system Laser printer output; separation cmyk6*. D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM(d): $h_{ab,d} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours RYGBM(d): $h_{ab,d} = 33.5, 100.6, 155.5, 235.2, 290.8, 348.9$; Six hue angles of the elementary colours RYGBM(c): $h_{ab,c} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	LAB* d65(M)			LAB* d65(L)			LAB* d65(S)			LAB* d65(T)			LAB* d65(B)			LAB* d65(O)		
			L*	a*	b*	L*	a*	b*	L*	a*	b*	L*	a*	b*	L*	a*	b*	L*	a*	b*
33.4	30.0	25.4	1.0	0.0	0.0	47.5	57.2	37.8	68.6	33.4	33.4	1.0	0.0	0.0	0.263	47.6	56.1	26.7	62.1	25
42.1	37.5	33.8	1.0	0.125	0.0	51.9	54.3	49.2	73.2	42.1	42.1	1.0	0.0	0.0	0.012	47.6	57.2	37.5	68.4	33
52.8	45.0	42.1	1.0	0.25	0.0	58.2	41.8	55.1	69.2	52.8	52.8	1.0	0.125	0.0	52.0	54.3	49.2	73.3	42	
63.7	52.5	50.5	1.0	0.375	0.0	64.6	29.8	60.4	67.3	63.7	63.7	1.0	0.216	0.0	56.6	45.2	53.9	70.3	49	
73.8	60.0	58.8	1.0	0.5	0.0	70.5	19.2	66.2	69.0	73.8	73.8	1.0	0.32	0.0	61.8	35.2	58.4	68.2	58	
80.7	67.5	67.2	1.0	0.625	0.0	74.9	11.4	70.7	71.6	80.7	80.7	1.0	0.412	0.0	66.4	26.9	62.3	67.9	66	
91.5	75.0	75.6	1.0	0.75	0.0	82.9	-2.0	76.9	77.0	91.5	91.5	1.0	0.532	0.0	71.6	17.3	67.5	69.7	75	
96.8	82.5	83.9	1.0	0.875	0.0	87.6	-9.0	75.7	76.3	96.8	96.8	1.0	0.655	0.0	76.9	8.4	72.5	73.0	83	
100.5	90.0	92.3	1.0	1.0	0.0	91.5	-15.8	84.6	86.1	100.5	100.5	1.0	0.769	0.0	83.7	-3.0	76.8	76.9	92	
101.4	97.5	101.0	1.0	0.875	1.0	92.8	-18.1	89.4	91.2	101.4	101.4	1.0	0.896	0.0	91.5	-15.5	84.4	85.8	100	
103.9	105.0	109.7	1.0	0.75	1.0	90.1	-21.3	86.0	88.6	103.9	103.9	1.0	0.684	1.0	0.0	84.7	-27.5	76.7	81.5	109
115.0	112.5	118.5	1.0	0.625	1.0	90.0	-31.7	67.9	75.0	115.0	115.0	1.0	0.595	1.0	0.0	77.8	-34.4	65.0	73.6	117
127.3	120.0	127.2	1.0	0.5	1.0	70.9	-41.7	54.8	68.9	127.3	127.3	1.0	0.501	1.0	0.0	71.0	-41.6	54.9	68.9	127
134.7	127.5	136.0	1.0	0.375	1.0	66.5	-47.5	48.0	67.6	134.7	134.7	1.0	0.406	1.0	0.0	66.2	-48.2	47.6	67.8	135
144.7	135.0	144.7	1.0	0.25	1.0	60.6	-57.2	40.4	70.1	144.7	144.7	1.0	0.306	1.0	0.0	60.6	-57.1	40.5	70.1	144
151.0	142.5	153.4	1.0	0.125	1.0	57.0	-62.2	34.4	71.1	151.0	151.0	1.0	0.207	1.0	0.0	55.9	-64.4	33.0	72.5	152
155.5	150.0	162.2	1.0	0.0	1.0	54.3	-67.6	30.8	74.3	155.5	155.5	1.0	0.147	1.0	0.0	53.8	-65.9	21.1	69.3	162
160.8	157.5	169.0	1.0	0.125	0.0	53.8	-66.4	23.0	70.2	160.8	160.8	1.0	0.251	0.0	53.8	-63.0	12.7	64.4	168	
168.5	165.0	175.9	1.0	0.25	0.0	53.7	-63.1	12.8	64.4	168.5	168.5	1.0	0.331	0.0	54.4	-59.3	4.2	59.5	175	
179.9	172.5	182.7	1.0	0.375	0.0	54.7	-56.8	0.0	56.8	179.9	179.9	1.0	0.405	0.0	54.8	-55.6	-2.1	55.7	182	
189.8	180.0	189.6	1.0	0.5	0.0	55.0	-51.4	-8.9	52.2	189.8	189.8	1.0	0.497	0.0	55.0	-51.5	-8.6	52.3	189	
204.4	187.5	196.4	1.0	0.625	0.0	55.2	-44.1	-20.0	48.5	204.4	204.4	1.0	0.553	0.0	55.2	-48.6	-13.9	50.7	195	
214.4	195.0	203.2	1.0	0.75	0.0	55.3	-39.5	-27.1	47.9	214.4	214.4	1.0	0.615	0.0	55.3	-44.7	-19.2	48.8	203	
221.9	202.5	210.1	1.0	0.875	0.0	54.4	-36.7	-33.0	49.4	221.9	221.9	1.0	0.69	0.0	55.3	-41.8	-23.8	48.2	209	
235.1	210.0	216.9	1.0	1.0	0.0	53.1	-30.0	-43.1	52.5	235.1	235.1	1.0	0.792	0.0	55.0	-38.6	-29.0	48.4	216	
237.9	217.5	223.8	1.0	0.875	0.0	53.1	-27.9	-44.7	52.7	237.9	237.9	1.0	0.888	0.0	54.3	-36.1	-34.1	49.8	223	
241.3	225.0	230.6	1.0	0.75	0.0	52.9	-25.9	-47.5	54.1	241.3	241.3	1.0	0.957	0.0	53.6	-32.5	-39.7	51.5	230	
247.2	232.5	237.5	1.0	0.625	0.0	50.5	-20.8	-49.5	53.7	247.2	247.2	1.0	0.916	1.0	53.1	-28.6	-44.1	52.7	237	
254.9	240.0	244.3	1.0	0.5	0.0	46.1	-13.3	-49.4	51.1	254.9	254.9	1.0	0.686	1.0	51.7	-23.3	-48.5	54.0	244	
262.6	247.5	251.2	1.0	0.375	0.0	41.4	-6.3	-49.2	49.6	262.6	262.6	1.0	0.568	1.0	48.6	-17.2	-49.5	52.6	250	
272.6	255.0	258.0	1.0	0.25	0.0	36.8	2.2	-48.5	48.6	272.6	272.6	1.0	0.449	1.0	44.2	-10.4	-49.4	50.6	258	
281.4	262.5	264.8	1.0	0.125	0.0	35.0	9.4	-46.3	47.3	281.4	281.4	1.0	0.353	1.0	40.6	-4.7	-49.2	49.5	264	
290.8	270.0	271.7	1.0	0.0	1.0	32.5	16.9	-44.6	47.7	290.8	290.8	1.0	0.261	1.0	37.3	1.5	-48.6	48.7	271	
299.2	277.5	278.8	1.0	0.125	0.0	31.6	23.6	-42.2	48.4	299.2	299.2	1.0	0.169	1.0	35.7	7.0	-47.2	47.8	278	
307.8	285.0	285.9	1.0	0.25	0.0	31.0	30.5	-39.3	49.8	307.8	307.8	1.0	0.065	1.0	33.9	13.1	-45.6	47.5	285	
317.5	292.5	293.0	1.0	0.375	0.0	34.2	38.2	-35.0	51.8	317.5	317.5	1.0	0.026	0.0	32.4	18.4	-44.1	47.9	292	
324.4	300.0	300.1	1.0	0.5	0.0	37.2	43.1	-30.8	53.0	324.4	324.4	1.0	0.139	0.0	31.5	24.4	-41.9	48.6	300	
330.6	307.5	307.2	1.0	0.625	0.0	41.9	48.4	-27.2	55.6	330.6	330.6	1.0	0.235	0.0	31.1	29.8	-39.7	49.7	306	
338.7	315.0	314.3	1.0	0.75	0.0	41.8	55.1	-21.4	59.1	338.7	338.7	1.0	0.335	0.0	33.2	35.8	-36.5	51.2	314	
343.9	322.5	321.4	1.0	0.875	0.0	45.6	60.1	-17.3	62.6	343.9	343.9	1.0	0.439	0.0	35.8	40.8	-32.9	52.5	321	
348.9	330.0	328.6	1.0	1.0	0.0	48.1	65.4	-12.7	66.6	348.9	348.9	1.0	0.549	0.0	38.5	46.8	-28.4	54.8	328	
350.7	337.5	335.7	1.0	0.875	0.0	49.5	66.1	-10.7	67.0	350.7	350.7	1.0	0.696	0.0	40.7	52.3	-24.0	57.6	335	
354.2	345.0	342.8	1.0	0.75	0.0	49.3	64.5	-6.5	64.8	354.2	354.2	1.0	0.848	0.0	44.9	59.1	-18.2	61.9	342	
361.9	352.5	349.9	1.0	0.625	0.0	47.8	61.8	2.1	61.8	361.9	361.9	1.0	0.964	0.0	48.6	65.6	-12.1	66.8	349	
370.0	360.0	357.0	1.0	0.5	0.0	47.8	58.9	10.4	59.9	370.0	370.0	1.0	0.828	0.0	49.5	65.6	-9.0	66.2	352	
378.9	367.5	364.1	1.0	0.375	0.0	47.4	56.8	19.5	60.0	378.9	378.9	1.0	0.659	0.0	48.4	62.7	-0.1	62.7	359	
386.2	375.0	371.2	1.0	0.25	0.0	47.5	55.9	27.5	62.3	386.2	386.2	1.0	0.519	0.0	47.8	59.5	9.2	60.2	368	
391.3	382.5	378.3	1.0	0.125	0.0	47.6	56.3	34.2	65.9	391.3	391.3	1.0	0.408	0.0	47.5	57.6	17.1	60.0	376	
393.4	390.0	385.4	1.0	0.0	1.0	47.5	57.2	37.8	68.6	393.4	393.4	1.0	0.263	0.0	47.6	56.1	26.7	62.1	385	

see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

http://130.149.60.45/~farbmetrik/RE59/RE59L0NP.PDF /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/33

Data of Maximum color, M in colorimetric system Laser printer output, separation cmyk6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{ds}	rgb^*_{ds}	rgb^*_{ds}	$LAB^*_{dsx361MI}$ (x=LabCh)	$LAB^*_{dsx361MI}$ (x=LabCh)	rgb^*_{ds}	rgb^*_{ds}	rgb^*_{ds}	$LAB^*_{dex361MI}$ (x=LabCh)	$LAB^*_{dex361MI}$ (x=LabCh)	rgb^*_{ds}	rgb^*_{ds}	rgb^*_{ds}							
-268	75	75	1.0	0.75	0.0	82.9	-2.0	76.9	71.0	-268	R_d	1.0	0.532	0.0	71.6	17.3	67.5	69.7	75	1.0	0.75	0.0
92	76	76	1.0	0.783	0.0	84.2	-3.9	76.7	76.8	92	1.0	0.539	0.0	71.9	16.9	67.8	69.8	76	1.0	0.767	0.0	
92	77	77	1.0	0.816	0.0	84.8	-4.8	76.5	76.7	93	1.0	0.557	0.0	72.5	15.8	68.4	70.2	77	1.0	0.783	0.0	
93	78	78	1.0	0.846	0.0	85.4	-5.8	76.4	76.6	94	1.0	0.575	0.0	73.1	14.7	69.1	70.6	78	1.0	0.8	0.0	
94	79	80	1.0	0.833	0.0	86.0	-6.7	76.2	76.5	95	1.0	0.593	0.0	73.8	13.5	69.7	71.0	79	1.0	0.817	0.0	
95	80	81	1.0	0.85	0.0	86.6	-7.6	76.0	76.4	95	1.0	0.611	0.0	74.4	12.4	70.3	71.4	80	1.0	0.833	0.0	
95	81	82	1.0	0.866	0.0	87.3	-8.6	75.8	76.3	96	1.0	0.627	0.0	75.1	11.2	70.9	71.8	81	1.0	0.85	0.0	
96	82	83	1.0	0.883	0.0	87.8	-9.4	76.3	76.9	97	1.0	0.639	0.0	75.8	10.1	71.6	72.3	82	1.0	0.867	0.0	
97	83	84	1.0	0.9	0.0	88.4	-10.3	77.6	78.2	97	1.0	0.651	0.0	76.6	8.9	72.2	72.8	83	1.0	0.883	0.0	
97	84	85	1.0	0.916	0.0	88.9	-11.2	78.8	79.6	98	1.0	0.664	0.0	77.3	7.7	72.9	73.3	84	1.0	0.9	0.0	
98	85	86	1.0	0.933	0.0	89.4	-12.0	80.0	80.9	98	1.0	0.674	0.0	78.1	6.4	73.5	73.8	85	1.0	0.917	0.0	
98	86	87	1.0	0.95	0.0	89.9	-12.9	81.1	82.2	99	1.0	0.686	0.0	78.8	5.2	74.1	74.3	86	1.0	0.933	0.0	
99	87	88	1.0	0.966	0.0	90.5	-13.9	82.3	83.5	99	1.0	0.697	0.0	79.6	3.9	74.7	74.8	87	1.0	0.95	0.0	
99	88	90	1.0	0.983	0.0	91.0	-14.8	83.6	84.8	100	1.0	0.709	0.0	80.3	2.6	75.2	75.3	88	1.0	0.967	0.0	
100	89	91	1.0	1.0	0.0	91.5	-15.8	84.6	86.1	100	1.0	0.721	0.0	81.1	1.3	75.8	75.8	89	1.0	0.983	0.0	
100	90	92	1.0	0.983	0.0	91.5	-15.8	84.6	86.1	100	1.0	0.732	0.0	81.8	0.0	76.3	76.3	90	1.0	0.983	0.0	
100	91	93	0.983	1.0	0.0	91.7	-16.1	85.3	86.8	100	1.0	0.744	0.0	82.6	-1.2	76.7	76.8	91	1.0	0.983	1.0	0.0
100	92	94	0.966	1.0	0.0	91.9	-16.4	85.9	87.5	100	1.0	0.761	0.0	83.4	-2.6	76.9	77.0	92	1.0	0.967	1.0	0.0
100	93	95	0.95	1.0	0.0	92.0	-16.7	86.5	88.2	100	1.0	0.785	0.0	84.3	-3.9	76.7	76.8	93	1.0	0.95	1.0	0.0
101	94	96	0.933	1.0	0.0	92.2	-17.0	87.2	88.8	101	1.0	0.808	0.0	85.1	-5.2	76.5	76.7	94	1.0	0.933	1.0	0.0
101	95	98	0.916	1.0	0.0	92.4	-17.3	87.8	89.5	101	1.0	0.832	0.0	86.0	-6.6	76.3	76.6	95	1.0	0.917	1.0	0.0
101	96	99	0.9	1.0	0.0	92.5	-17.6	88.4	90.2	101	1.0	0.855	0.0	86.9	-7.9	76.0	76.4	96	1.0	0.9	1.0	0.0
101	97	100	0.883	1.0	0.0	92.7	-18.0	89.1	90.9	101	1.0	0.888	0.0	87.8	-9.3	76.2	76.7	97	1.0	0.883	1.0	0.0
101	98	101	0.866	1.0	0.0	92.6	-18.3	89.2	91.0	101	1.0	0.914	0.0	88.8	-10.9	78.6	79.4	98	1.0	0.867	1.0	0.0
101	99	102	0.85	1.0	0.0	92.2	-18.8	88.7	90.7	101	1.0	0.947	0.0	89.9	-12.7	81.0	82.0	99	1.0	0.85	1.0	0.0
102	100	103	0.833	1.0	0.0	91.9	-19.2	88.3	90.3	102	1.0	0.98	0.0	91.0	-14.6	83.3	84.6	100	1.0	0.833	1.0	0.0
102	101	105	0.816	1.0	0.0	91.5	-19.6	87.8	90.0	102	1.0	0.943	0.0	92.2	-16.8	86.9	88.5	101	1.0	0.817	1.0	0.0
102	102	106	0.8	1.0	0.0	91.1	-20.1	87.4	89.7	102	1.0	0.849	0.0	92.2	-18.8	88.7	90.7	102	1.0	0.8	1.0	0.0
103	103	107	0.783	1.0	0.0	90.8	-20.5	86.9	89.3	103	1.0	0.798	0.0	91.2	-20.1	87.4	89.7	103	1.0	0.783	1.0	0.0
103	104	108	0.766	1.0	0.0	90.4	-20.9	86.5	89.0	103	1.0	0.749	0.0	90.1	-21.3	86.0	88.6	104	1.0	0.767	1.0	0.0
103	105	109	0.75	1.0	0.0	90.1	-21.3	86.0	88.6	103	1.0	0.738	0.0	89.2	-22.5	84.4	87.4	105	1.0	0.75	1.0	0.0
105	106	110	0.733	1.0	0.0	88.7	-23.1	83.7	86.8	105	1.0	0.727	0.0	88.2	-23.6	82.8	86.1	106	1.0	0.733	1.0	0.0
106	107	112	0.716	1.0	0.0	87.3	-24.7	81.3	85.0	106	1.0	0.716	0.0	87.3	-24.7	81.2	84.9	107	1.0	0.717	1.0	0.0
108	108	113	0.7	1.0	0.0	86.0	-26.2	78.9	83.2	108	1.0	0.704	0.0	86.4	-25.8	79.6	83.7	108	1.0	0.7	1.0	0.0
109	109	114	0.683	1.0	0.0	84.6	-27.6	76.5	81.3	109	1.0	0.693	0.0	85.5	-26.7	78.0	82.5	109	1.0	0.683	1.0	0.0
111	110	115	0.666	1.0	0.0	83.3	-28.9	74.1	79.5	111	1.0	0.682	0.0	84.5	-27.7	76.3	81.2	110	1.0	0.667	1.0	0.0
112	111	116	0.65	1.0	0.0	81.9	-30.1	71.6	77.7	112	1.0	0.671	0.0	83.6	-28.6	74.7	80.0	111	1.0	0.65	1.0	0.0
114	112	117	0.633	1.0	0.0	80.5	-31.2	69.2	75.9	114	1.0	0.659	0.0	82.7	-29.4	73.0	78.8	112	1.0	0.653	1.0	0.0
115	113	119	0.616	1.0	0.0	79.3	-32.5	67.1	74.6	115	1.0	0.648	0.0	81.8	-30.2	71.4	77.5	113	1.0	0.617	1.0	0.0
117	114	120	0.6	1.0	0.0	78.1	-34.0	65.4	73.8	117	1.0	0.637	0.0	80.9	-30.9	69.7	76.3	114	1.0	0.6	1.0	0.0
119	115	121	0.583	1.0	0.0	76.9	-35.5	63.7	72.9	119	1.0	0.625	0.0	79.9	-31.6	68.0	75.1	115	1.0	0.583	1.0	0.0
120	116	122	0.566	1.0	0.0	75.7	-36.9	62.0	72.1	120	1.0	0.615	0.0	79.2	-32.6	67.0	74.5	116	1.0	0.567	1.0	0.0
122	117	123	0.55	1.0	0.0	74.5	-38.2	60.2	71.3	122	1.0	0.605	0.0	78.5	-33.5	66.0	74.1	117	1.0	0.55	1.0	0.0
124	118	124	0.533	1.0	0.0	73.3	-39.4	58.4	70.5	124	1.0	0.595	0.0	77.8	-34.4	64.9	73.6	118	1.0	0.533	1.0	0.0
125	119	126	0.516	1.0	0.0	72.1	-40.6	56.6	69.7	125	1.0	0.585	0.0	77.0	-35.3	63.9	73.1	119	1.0	0.517	1.0	0.0
127	120	127	0.5	1.0	0.0	70.9	-41.7	54.8	68.9	127	1.0	0.574	0.0	76.3	-36.2	62.8	72.6	120	1.0	0.5	1.0	0.0

I-0031030-L0 RE590-70 LAB*at0, YN=0%, XY Znw=3.9, 4.1, 84.7, 89.6, 93.9, LAB*mw=23.9, 0.0, 0.0, 95.8, 0.0, 0.0

TUB-test chart RE59; 1080 standard colours
48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgbd
output: transfer to cmykd

Output: Laser printer output; separation cmyk6*, D65, page 1/63

















http://130.149.60.45/~farbmetrik/RE59/RE59L0NP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 13/33

Data of Maximum color. M in colorimetric system Laser printer output; separation cmyk6; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; h_ab,d = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with 18 columns: h_ab,d, h_ab,s, h_ab,e, LAB*dd361M, LAB*dcs361MI, LAB*ds361MI, LAB*ds361MI (x=LabCh), LAB*dd361MI, LAB*dcs361MI (x=LabCh), LAB*ds361MI (x=LabCh), LAB*ds361MI (x=LabCh), LAB*ds361MI (x=LabCh), LAB*ds361MI (x=LabCh), LAB*ds361MI (x=LabCh), LAB*ds361MI (x=LabCh), LAB*ds361MI (x=LabCh), LAB*ds361MI (x=LabCh), LAB*ds361MI (x=LabCh), LAB*ds361MI (x=LabCh), LAB*ds361MI (x=LabCh), LAB*ds361MI (x=LabCh). Rows 168-235.

input: rgb/cmyk -> rgbd output: transfer to cmykd

Output: Laser printer output; separation cmyk6; D65, page 13/63







http://130.149.60.45/~farbmetrik/RE59/RE59L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 16/33

Data of Maximum color, M in colorimetric system Laser printer output, separation cmyk6, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,d_s = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with 10 columns: h_ab,d, h_ab,s, h_ab,e, Lab* (L, a, b), Lab* (L, a, b), Lab* (L, a, b), Lab* (L, a, b), Lab* (L, a, b), Lab* (L, a, b), Lab* (L, a, b). Rows 324-354.

Input: rgb/cmyk -> rgbd output: transfer to cmykd

Output: Laser printer output, separation cmyk6, D65, page 16/33







http://130.149.60.45/~farbmetrik/RE59/RE59L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 18/33

Table with columns: nif, HHC*Fd, rgb*Fd, icr*Fd, hsa*Fd, LabCh*Fd, LabCh*Yd, LabCh*Md, DE*Fd, Hsa*Yd, Hsa*Md, rgb*Yd, rgb*Md, LabCh*Yd, LabCh*Md, LabCh*Yd, LabCh*Md. Rows represent various color patches and their measurements.

Mean color difference of this page: delta E** = 2.9

input: rgb/cmyk -> rgbd output: transfer to cmykd



http://130.149.60.45/~farbmetrik/RE59/RE59LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33

input: rgb/cmyk -> rgbd output: transfer to cmykd

Table with 80 columns (numbered 1-80) and 80 rows (numbered 1-80). Each cell contains numerical data representing color differences and registration values. The table is organized into a grid with headers for each column and row.

Mean color difference in this page: delta E* = 70.8

RE590-TN, Page 20/33-F

TUB-test chart RE59; 1080 standard colours colors and differences, AE*

http://130.149.60.45/~farbmatrik/RE59/RE59LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 21/33

Table with 16 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCH*Fd, rpb*Fd, LabCH*Fd, rpb*Fd, DF*Fd, hsa*Fd, rpb*Fd, LabCH*Fd, rpb*Fd, LabCH*Fd. Rows 81-161.

Mean color difference of this page: delta E* = 8.5

TUB-test chart RE59; 1080 standard colours colors and differences, AE*

input: rgb/cmyk -> rgbd output: transfer to cmykd

http://130.149.60.45/~farbmatrik/RE59/RE59LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 22/33

Table with 10 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabC*Fd, LabC*Fd, LabC*Fd, LabC*Fd, DFE*Fd, hsa*Fd, rpb*Fd, LabC*Fd, LabC*Fd, LabC*Fd, LabC*Fd, delta E*

input: rgb/cmyk -> rgbd output: transfer to cmykd

TUB-test chart RE59; 1080 standard colours colors and differences, AE*

http://130.149.60.45/~farbmetrik/RE59/RE59LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 23/33

Table with 24 columns: n, HHC*Fd, Hs.Fd, rpb*Fd, iet.Fd, rpb*Fd, LabCH*Fd, LabCH*Fd, rpb*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd, rpb*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd, rpb*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd, rpb*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd. Each row contains numerical data for a specific color patch.

Mean color difference of this page: delta E* = 7.7

input: rgb/cmyk -> rgbd output: transfer to cmykd

TUB-test chart RE59; 1080 standard colours colors and differences, AE*

I-003220-F0

RE590-TN; Page 23/33-F

http://130.149.60.45/~farbmetrik/RE59/RE59LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 24/33



Table with 15 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabC*Fd, LabC*Fd, rpb*Fd, rpb*Fd, LabC*Fd, LabC*Fd, DF*Fd, hsa*Fd, rpb*Fd, LabC*Fd. Rows include color names like R00Y, R00M, B00R, etc.

input: rgb/cmyk -> rgbd output: transfer to cmykd

TUB-test chart RE59; 1080 standard colours colors and differences, AE*

RE590-TN; Page 24/33-F

I-0032330-F0





http://130.149.60.45/~farbmetrik/RE59/RE59LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 25/33

Table with 11 columns: n, HHC*Fd, Rgb*Fd, Ict*Fd, Hsb*Fd, Rgb*Fd, LabCH*Fd, DF*Fd, Hsb*Fd, Rgb*Fd, LabCH*Fd. Rows 405-485.

input: rgb/cmyk -> rgbd output: transfer to cmykd

TUB-test chart RE59; 1080 standard colours colors and differences, AE*



http://130.149.60.45/~farbmetrik/RE59/RE59LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 26/33

Table with 15 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabC*Fd, LabC*Fd, rpb*Fd, LabC*Fd, DF*Fd, hsa*Fd, rpb*Fd, LabC*Fd, LabC*Fd. Rows include color names like R00Y, R01Y, etc.

input: rgb/cmyk -> rgbd output: transfer to cmykd

TUB-test chart RE59; 1080 standard colours colors and differences, AE*

RE59-TN; Page 26/33-F

Mean color difference of this page: delta E* = 6.2

http://130.149.60.45/~farbmetrik/RE59/RE59LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 27/33

Table with 15 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb**Fd, LabC*Fd, LabC**Fd, rpb**Fd, LabC**Fd, DF*Fd, hsa*Fd, rpb**Fd, LabC**Fd, LabC**Fd. Rows 567-647.

Mean color difference of this page: delta E* = 6.1

input: rgb/cmyk -> rgbd output: transfer to cmykd

RE590-TN; Page 27/33-F

TUB-test chart RE59; 1080 standard colours colors and differences, AE*

http://130.149.60.45/~farbmetrik/RE59/RE59LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 28/33

Table with 15 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, LabCH*Fd, LabCH*Pd, rpb*Pd, LabCH*Pd, LabCH*Fd, DF*Pd, hsa*Pd, rpb*Pd, LabCH*Pd, LabCH*Fd. Rows include color names like R00Y, R00M, R00C, etc.

Mean color difference of this page: delta E* = 5.3

TUB-test chart RE59; 1080 standard colours colors and differences, AE*

input: rgb/cmyk -> rgbd output: transfer to cmykd

http://130.149.60.45/~farbmetrik/RE59/RE59LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 29/33

Table with 10 columns (n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCH*Fd, LabCH*Pd, rpb*Pd, LabCH*Pd) and 100 rows of color calibration data.

Mean color difference of this page:

delta E* = 7.8

TUB-test chart RE59; 1080 standard colours colors and differences, ΔE* input: rgb/cmyk -> rgbd output: transfer to cmykd

http://130.149.60.45/~farbmatrik/RE59/RE59LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 31/33



Large table with columns n, HCC*Fd, rpb*Fd, icr*Fd, hsa*Fd, LabCH*Fd, rpb*Fd, LabCH*Fd, LabCH*Pd, rpb*Pd, LabCH*Pd, DP*Pd, hsa*Pd, rpb*Pd, LabCH*Pd. The table contains numerical data for 971 different color patches.

Mean color difference of this page: delta E* = 6.7

input: rgb/cmyk -> rgbd output: transfer to cmykd

TUB-test chart RE59; 1080 standard colours colors and differences, AE*

RE590-TN; Page 31/33-F




n	HC*Fd	rgb*Fd	icr*Fd	hsa*Fd	rgb*Fd	LabCIP*Fd	hsa*Fd	LabCIP*Fd	rgb*Fd	DF*Fd	hsa*Fd	rgb*Fd	LabCIP*Fd	hsa*Fd	rgb*Fd	LabCIP*Fd
1053	NW_0866d	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.1	266.5	0.1	266.5	0.1	95.8	0.0
1054	NW_0933d	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	-0.1	278.1	-0.1	278.1	-0.1	95.8	0.0
1055	NW_1000d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	152.8	0.0	152.8	0.0	95.8	0.0
1056	NW_0066d	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.2	48.9	0.2	48.9	0.2	95.8	0.0
1057	NW_0133d	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	-0.1	267.2	-0.1	267.2	-0.1	95.8	0.0
1058	NW_0200d	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	1.1	269.1	1.1	269.1	1.1	95.8	0.0
1059	NW_0266d	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	-0.8	274.5	-0.8	274.5	-0.8	95.8	0.0
1060	NW_0333d	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.9	273.1	0.9	273.1	0.9	95.8	0.0
1061	NW_0400d	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	-0.9	268.8	-0.9	268.8	-0.9	95.8	0.0
1062	NW_0466d	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.7	271.9	0.7	271.9	0.7	95.8	0.0
1063	NW_0533d	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	-0.4	265.0	-0.4	265.0	-0.4	95.8	0.0
1064	NW_0600d	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.0	252.2	0.0	252.2	0.0	95.8	0.0
1065	NW_0666d	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.2	289.2	0.2	289.2	0.2	95.8	0.0
1066	NW_0734d	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.0	331.9	0.0	331.9	0.0	95.8	0.0
1067	NW_0800d	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	-0.2	284.6	-0.2	284.6	-0.2	95.8	0.0
1068	NW_0866d	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.2	35.5	0.2	35.5	0.2	95.8	0.0
1069	NW_0933d	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	-0.2	234.0	-0.2	234.0	-0.2	95.8	0.0
1070	NW_1000d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	15.8	0.0	15.8	0.0	95.8	0.0
1071	NW_0066d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	45.1	0.2	45.1	0.2	95.8	0.0
1072	NW_0100d	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	-0.2	304.4	-0.2	304.4	-0.2	95.8	0.0
1073	ROY_100_100d	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38.9	0.0	38.9	0.0	95.8	0.0
1074	ROY_100_100d	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21.0	0.0	21.0	0.0	95.8	0.0
1075	GY00_100_100d	0.0	1.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	86.1	0.0	86.1	0.0	95.8	0.0
1076	Y000_100_100d	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	169.9	0.0	169.9	0.0	95.8	0.0
1077	BY00_100_100d	0.0	0.0	1.0	0.5	0.0	0.0	0.0	0.0	0.0	48.3	0.0	48.3	0.0	95.8	0.0
1078	BY00_100_100d	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	67.6	0.0	67.6	0.0	95.8	0.0
1079	BY00_100_100d	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	330	0.0	330	0.0	95.8	0.0

Mean color difference of this page: $\Delta E^* = 3.0$

input: *rgb/cmyk* -> *rgbd*
 output: transfer to *cmykd*

TUB-test chart RE59; 1080 standard colours
 colors and differences, ΔE^*




http://130.149.60.45/~farbmetrik/RE59/RE59L0NP.PDF /.PS; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/33



see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE59/RE59L0NP.PDF /.PS
application for measurement of laser printer output

TUB material: code=rh4ta



1-013030-L0 RE590-7N

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): $rgb + cmy0$ (A_j + k26_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 0

TUB-test chart RE59; 1080 standard colours
Test chart according to DIN 33872, 3D=0, de=1, cmyk




input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change

http://130.149.60.45/~farbmetrik/RE59/RE59LONP.PDF /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 2/33



see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59LONP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE59/RE59LONP.PDF /.PS
application for measurement of laser printer output, separation cmyk6 (CMYK)
TUB material: code=rh4ta



1-013130-L0 RE590-71 Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): $rgb(A_n, 3D=0)$

TUB-test chart RE59; 1080 standard colours
Test chart according to DIN 33872, 3D=0, de=1, cmyk


input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmyk_e$

1-013130-F0 C M Y O L V



see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE59/RE59L0NP.PDF /.PS TUB material: code=rh4ta
application for measurement of laser printer output, separation cmyk6 (CMYK)



1-013230-L0 RE590-71


TUB-test chart RE59; 1080 standard colours
Test chart according to DIN 33872, 3D=0, de=1, cmyk

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmyk_e$

1-013230-F0

TUB registration: 20150701-RE59/RE59L0NP.PDF /.PS TUB material: code=rh4ta
application for measurement of laser printer output, separation cmyk6 (CMYK)

see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>




1-013330-L0 RE590-71

TUB-test chart RE59; 1080 standard colours
Test chart according to DIN 33872, 3D=0, de=1, cmyk

input: *rgb/cmyk* -> *rgb_e*
output: transfer to *cmyk_e*

1-013330-F0




1-013430-L0 RE590-71

TUB-test chart RE59; 1080 standard colours
Test chart according to DIN 33872, 3D=0, de=1, cmyk

input: *rgb/cmyk* -> *rgb_e*
output: transfer to *cmyk_e*

1-013430-F0

see similar files: <http://130.149.60.45/~farbmetrik/RE59/RE59.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



TUB registration: 20150701-RE59/RE59L0NP.PDF /.PS
application for measurement of laser printer output, separation cmyk6 (CMYK)
TUB material: code=rh4ta

1-013530-L0 RE590-71 Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n); 3D=0




TUB-test chart RE59; 1080 standard colours
Test chart according to DIN 33872, 3D=0, de=1, cmyk

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmyk_e$



http://130.149.60.45/~farbmetrik/RE59/RE59L0NP.PDF /PS; transfer output
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 7/33

Data of Maximum color, M in colorimetric system Laser printer output; separation cmyk6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{abs} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours RYGBM; $h_{ab,d} = 33.5, 100.6, 155.5, 235.2, 290.8, 348.9$; Six hue angles of the elementary colours RYGBM; $h_{abs} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



Notes to the CIELAB chroma diagrams (a^*_s, b^*_s), (a^*_d, b^*_d), (a^*_e, b^*_e)

- For the rgb^*_s -input values the CIELAB data LCH^*_s and LAB^*_s have been calculated.
- For the calculation of the standard hue angle h_{abs} use for any device values rgb^*_s the equation:
 $h_{abs} = \arctan \left[r^*_s \cos(30) + g^*_s \sin(150) \right] / \left[r^*_s \sin(30) + g^*_s \sin(150) \right] + b^*_s \sin(270)$ (1)
- For the 48 or 360 equally spaced standard hue angles h_{abs} of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{abs} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:
 $h_{48abs,si} = h_{abs,si} + j [h_{abs,si+1} - h_{abs,si}] / 8$ ($i = 0, 1, \dots, 5; j = 0, 1, \dots, 7$) (2)
 $h_{360abs,sij} = h_{abs,si} + j [h_{abs,si+1} - h_{abs,si}] / 60$ ($i = 0, 1, \dots, 5; j = 0, 1, \dots, 59$) (3)
- For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{abs} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:
 $h_{48abs,eij} = h_{abs,ei} + j [h_{abs,ei+1} - h_{abs,ei}] / 8$ ($i = 0, 1, \dots, 5; j = 0, 1, \dots, 7$) (4)
 $h_{360abs,eij} = h_{abs,ei} + j [h_{abs,ei+1} - h_{abs,ei}] / 60$ ($i = 0, 1, \dots, 5; j = 0, 1, \dots, 59$) (5)
- For any elementary hue angle h_{ab} , there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
- The values rgb^*_s produce the output of the device-independent elementary hues

TUB-test chart RE59; 1080 standard colours
 48 step hue circles; $rgb-LabCh$ *tables

input: $rgb/cmyk \rightarrow rgb$
 output: transfer to $cmyk_e$

http://130.149.60.45/~farbmetrik/RE59/RE59L0NP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 8/33

Data of Maximum color, M in colorimetric system Laser printer output; separation cmykn6; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,d65 = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM; h_ab,d = 33.5, 100.6, 155.5, 225.2, 290.8, 348.9; Six hue angles of the elementary colours RYGBM; h_ab,c = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_ab,d, h_ab,s, h_ab,e, LAB* d64M, LAB* d65, LAB* d66, LAB* d67, LAB* d68, LAB* d69, LAB* d70, LAB* d71, LAB* d72, LAB* d73, LAB* d74, LAB* d75, LAB* d76, LAB* d77, LAB* d78, LAB* d79, LAB* d80, LAB* d81, LAB* d82, LAB* d83, LAB* d84, LAB* d85, LAB* d86, LAB* d87, LAB* d88, LAB* d89, LAB* d90, LAB* d91, LAB* d92, LAB* d93, LAB* d94, LAB* d95, LAB* d96, LAB* d97, LAB* d98, LAB* d99, LAB* d100. Rows contain numerical data for each color and angle.

input: rgb/cmyk -> rgbe output: transfer to cmyke

TUB-test chart RE59; 1080 standard colours 48 step hue circles; rgb-LabCh*tables

Output: Laser printer output; separation cmykn6; D65, page 8/36

http://130.149.60.45/~farbmetrik/RE59/RE59L0NP.PDF /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 9/33

Data of Maximum color, M in colorimetric system Laser printer output; separation cmyk6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM(d): h_ab,d = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

h_ab,d	h_ab,s	h_ab,e	rgb%_dd64M	LAB*_dxd64M (x=LabCh)	rgb%_dd64M	LAB*_dex36IM	LAB*_dex36IM	rgb%_dd64M	LAB*_dex36IM	LAB*_dex36IM	rgb%_dd64M								
33.4	30.0	25.4	1.0	0.0	47.5	57.2	37.8	68.6	33.4	1.0	0.0	0.263	47.6	56.1	26.7	62.1	25		
42.1	37.5	33.8	1.0	0.125	0.0	51.9	54.3	49.2	73.2	42.1	1.0	0.0	0.012	47.6	57.2	37.5	68.4	33	
52.8	45.0	42.1	1.0	0.25	0.0	58.2	41.8	55.1	69.2	52.8	1.0	0.125	0.0	52.0	54.3	49.2	73.3	42	
63.7	52.5	50.5	1.0	0.375	0.0	64.6	29.8	60.4	67.3	63.7	1.0	0.216	0.0	56.6	45.2	53.9	70.3	49	
73.8	60.0	58.8	1.0	0.5	0.0	70.5	19.2	66.2	69.0	73.8	1.0	0.32	0.0	61.8	35.2	58.4	68.2	58	
80.7	67.5	67.2	1.0	0.625	0.0	74.9	11.4	70.7	71.6	80.7	1.0	0.412	0.0	66.4	26.9	62.3	67.9	66	
91.5	75.0	75.6	1.0	0.75	0.0	82.9	-2.0	76.9	77.0	91.5	1.0	0.532	0.0	71.6	17.3	67.5	69.7	75	
96.8	82.5	83.9	1.0	0.875	0.0	87.6	-9.0	75.7	76.3	96.8	1.0	0.655	0.0	76.9	8.4	72.5	73.0	83	
100.5	90.0	92.3	1.0	1.0	0.0	91.5	-15.8	84.6	86.1	100.5	1.0	0.769	0.0	83.7	-3.0	76.8	76.9	92	
101.4	97.5	101.0	1.0	0.875	1.0	92.8	-18.1	89.4	91.2	101.4	1.0	0.896	0.0	91.5	-15.5	84.4	85.8	100	
103.9	105.0	109.7	1.0	0.75	1.0	90.1	-21.3	86.0	88.6	103.9	1.0	0.684	1.0	0.0	84.7	-27.5	76.7	81.5	109
115.0	112.5	118.5	1.0	0.625	1.0	90.0	-31.7	67.9	75.0	115.0	1.0	0.595	1.0	0.0	77.8	-34.4	65.0	73.6	117
127.3	120.0	127.2	0.5	1.0	0.0	70.9	-41.7	54.8	68.9	127.3	1.0	0.501	1.0	0.0	71.0	-41.6	54.9	68.9	127
134.7	127.5	136.0	0.375	1.0	0.0	66.5	-47.5	48.0	67.6	134.7	1.0	0.366	1.0	0.0	66.2	-48.2	47.6	67.8	135
144.7	135.0	144.7	0.25	1.0	0.0	60.6	-57.2	40.4	70.1	144.7	1.0	0.225	1.0	0.0	60.6	-57.1	40.5	70.1	144
151.0	142.5	153.4	0.125	1.0	0.0	57.0	-62.2	34.4	71.1	151.0	1.0	0.073	1.0	0.0	55.9	-64.4	33.0	72.5	152
155.5	150.0	162.2	0.0	1.0	0.0	54.3	-67.6	30.8	74.3	155.5	1.0	0.147	53.8	-65.9	21.1	69.3	162		
160.8	157.5	169.0	0.0	1.0	0.125	53.8	-66.4	23.0	70.2	160.8	1.0	0.251	53.8	-63.0	12.7	64.4	168		
168.5	165.0	175.9	0.0	1.0	0.25	53.7	-63.1	12.8	64.4	168.5	1.0	0.331	54.4	-59.3	4.2	59.5	175		
179.9	172.5	182.7	0.0	1.0	0.375	54.7	-56.8	0.0	56.8	179.9	1.0	0.405	54.8	-55.6	-2.1	55.7	182		
189.8	180.0	189.6	0.0	1.0	0.5	55.0	-51.4	-8.9	52.2	189.8	1.0	0.497	55.0	-51.5	-8.6	52.3	189		
204.4	187.5	196.4	0.0	1.0	0.625	55.3	-44.1	-20.0	48.5	204.4	1.0	0.553	55.2	-48.6	-13.9	50.7	195		
214.4	195.0	203.2	0.0	1.0	0.75	55.2	-39.5	-27.1	47.9	214.4	1.0	0.615	55.3	-44.7	-19.2	48.8	203		
221.9	202.5	210.1	0.0	1.0	0.875	54.4	-36.7	-33.0	49.4	221.9	1.0	0.69	55.3	-41.8	-23.8	48.2	209		
235.1	210.0	216.9	0.0	1.0	1.0	53.1	-30.0	-43.1	52.5	235.1	1.0	0.792	55.0	-38.6	-29.0	48.4	216		
237.9	217.5	223.8	0.0	0.875	1.0	53.1	-27.9	-44.7	52.7	237.9	1.0	0.888	54.3	-36.1	-34.1	49.8	223		
241.3	225.0	230.6	0.0	0.75	1.0	52.9	-25.9	-47.5	54.1	241.3	1.0	0.957	53.6	-32.5	-39.7	51.5	230		
247.2	232.5	237.5	0.0	0.625	1.0	50.5	-20.8	-49.5	53.7	247.2	1.0	0.916	1.0	53.1	-28.6	-44.1	52.7	237	
254.9	240.0	244.3	0.0	0.5	1.0	46.1	-13.3	-49.4	51.1	254.9	1.0	0.686	1.0	51.7	-23.3	-48.5	54.0	244	
262.6	247.5	251.2	0.0	0.375	1.0	41.4	-6.3	-49.2	49.6	262.6	1.0	0.568	1.0	48.6	-17.2	-49.5	52.6	250	
272.6	255.0	258.0	0.0	0.25	1.0	36.8	2.2	-48.5	48.6	272.6	1.0	0.449	1.0	44.2	-10.4	-49.4	50.6	258	
281.4	262.5	264.8	0.0	0.125	1.0	35.0	9.4	-46.3	47.3	281.4	1.0	0.353	1.0	40.6	-4.7	-49.2	49.5	264	
290.8	270.0	271.7	0.0	0.0	1.0	32.5	16.9	-44.6	47.7	290.8	1.0	0.261	1.0	37.3	1.5	-48.6	48.7	271	
299.2	277.5	278.8	0.125	0.0	1.0	31.6	23.6	-42.2	48.4	299.2	1.0	0.169	1.0	35.7	7.0	-47.2	47.8	278	
307.8	285.0	285.9	0.25	0.0	1.0	31.0	30.5	-39.3	49.8	307.8	1.0	0.065	1.0	33.9	13.1	-45.6	47.5	285	
317.5	292.5	293.0	0.375	0.0	1.0	34.2	38.2	-35.0	51.8	317.5	1.0	0.026	0.0	1.0	32.4	18.4	-44.1	47.9	292
324.4	300.0	300.1	0.5	0.0	1.0	37.2	43.1	-30.8	53.0	324.4	1.0	0.139	0.0	1.0	31.5	24.4	-41.9	48.6	300
330.6	307.5	307.2	0.625	0.0	1.0	39.1	48.4	-27.2	55.6	330.6	1.0	0.235	0.0	1.0	31.1	29.8	-39.7	49.7	306
338.7	315.0	314.3	0.75	0.0	1.0	41.8	55.1	-21.4	59.1	338.7	1.0	0.335	0.0	1.0	33.2	35.8	-36.5	51.2	314
343.9	322.5	321.4	0.875	0.0	1.0	45.6	60.1	-17.3	62.6	343.9	1.0	0.439	0.0	1.0	35.8	40.8	-32.9	52.5	321
348.9	330.0	328.6	1.0	0.0	1.0	48.1	65.4	-12.7	66.6	348.9	1.0	0.549	0.0	1.0	38.5	46.8	-28.4	54.8	328
350.7	337.5	335.7	1.0	0.0	0.875	49.5	66.1	-10.7	67.0	350.7	1.0	0.696	0.0	1.0	40.7	52.3	-24.0	57.6	335
354.2	345.0	342.8	1.0	0.0	0.75	49.3	64.5	-6.5	64.8	354.2	1.0	0.848	0.0	1.0	44.9	59.1	-18.2	61.9	342
361.9	352.5	349.9	1.0	0.0	0.625	48.0	61.8	2.1	61.8	361.9	1.0	0.964	48.6	65.6	-12.1	66.8	349		
370.0	360.0	357.0	1.0	0.0	0.5	47.8	58.9	10.4	59.9	370.0	1.0	0.828	49.5	65.6	-9.0	66.2	352		
378.9	367.5	364.1	1.0	0.0	0.375	47.4	56.8	19.5	60.0	378.9	1.0	0.659	48.4	62.7	-0.1	62.7	359		
386.2	375.0	371.2	1.0	0.0	0.25	47.5	55.9	27.5	62.3	386.2	1.0	0.519	47.8	59.5	9.2	60.2	368		
391.3	382.5	378.3	1.0	0.0	0.125	47.6	56.3	34.2	65.9	391.3	1.0	0.408	47.5	57.6	17.1	60.0	376		
393.4	390.0	385.4	1.0	0.0	0.0	47.5	57.2	37.8	68.6	393.4	1.0	0.263	47.6	56.1	26.7	62.1	385		

I-013830-L0 RE590-71 LAB*lab, YN=0%, XY,Znw=3.9, 4.1, 4.1, 84.7, 89.6, 93.9, LAB*nmw=23.9, 0.0, 0.0, 95.8, 0.0, 0.0

TUB-test chart RE59; 1080 standard colours
48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgbe
output: transfer to cmyke

Output: Laser printer output; separation cmyk6*, D65, page 9/36

http://130.149.60.45/~farbmetrik/RE59/RE59L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 12/33

Data of Maximum color, M in colorimetric system Laser printer output; separation cmykn6; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with 16 columns: h_ab,d, h_ab,s, h_ab,e, Lab*ds361M, Lab*ds361M, Lab*ds361M, Lab*ds361M, Lab*ds361M, Lab*ds361M, Lab*ds361M, Lab*ds361M, Lab*ds361M, Lab*ds361M, Lab*ds361M, Lab*ds361M, Lab*ds361M, Lab*ds361M, Lab*ds361M, Lab*ds361M. Rows 127-168.

Input: rgb/cmyk -> rgbe output: transfer to cmyke Output: Laser printer output; separation cmykn6; D65, page 12/33

http://130.149.60.45/~farbmetrik/RE59/RE59L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 14/33

Data of Maximum color, M in colorimetric system Laser printer output, separation cmykn6, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,d65 = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with columns: h_ab,d, h_ab,s, h_ab,e, LAB*_d361MI, LAB*_ds361MI, LAB*_s361MI, LAB*_ds361MI (x=LabCh), LAB*_s361MI (x=LabCh), LAB*_d361MI, LAB*_ds361MI (x=LabCh), LAB*_s361MI, LAB*_ds361MI, LAB*_d361MI, LAB*_ds361MI (x=LabCh), LAB*_s361MI, LAB*_ds361MI, LAB*_d361MI, LAB*_ds361MI (x=LabCh). Rows 235-272.

Input: Laser printer output, separation cmykn6, D65; output: transfer to cmyk

input: rgb/cmyk -> rgb
output: transfer to cmyk

http://130.149.60.45/~farbmetrik/RE59/RE59L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 16/33

see similar files: http://130.149.60.45/~farbmetrik/RE59/RE59.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

Table with 10 columns: h_ab,d, h_ab,s, h_ab,e, Lab*_d361M, Lab*_ds361MI, Lab*_ds361MI, Lab*_d361MI, Lab*_ds361MI, Lab*_d361MI, Lab*_ds361MI, Lab*_d361MI. Rows 324-354.

Data of Maximum color, M in colorimetric system Laser printer output, separation cmyk6, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,d,s = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM; h_ab,d = 33.5, 100.6, 155.5, 225.2, 290.8, 348.9; Six hue angles of the elementary colours RYGBM; h_ab,e = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

TUB-test chart RE59; 1080 standard colours 48 step hue circles; rgb-LabCh*tables input: rgb/cmyk -> rgb output: transfer to cmyk

Output: Laser printer output; separation cmyk6, D65, page 16/33





Table with columns: nuf, HHC*Fe, rgb*Fe, icr*Fe, hsa*Fe, LabCh*Fe, LabCh*Me, rgb*Me, DF*Fe, Hsa*Me, LabCh*Me, rgb*Me, DF*Me, Hsa*Me. Rows include color patches like 0/688 ROY_100_100k, 1/648 R25Y_100_100k, etc.

Mean color difference of this page: delta E* = 12.1

input: rgb/cmyk -> rgbe output: transfer to cmyke





Table with 80 columns (numbered 1-80) and 10 rows of color data. Columns include color names (e.g., NV, BOOR, GBSB) and numerical values for color channels (H, S, L, a, b, c, m, y, c, m, y, k) and differences (delta E*). The table is used for color calibration and registration.

http://130.149.60.45/~farbmetrik/RE59/RE59LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33

input: rgb/cmyk -> rgbe output: transfer to cmyke

Mean color difference in this page: delta E* = 15.2

RE590-TN; Page 20/33-F

TUB-test chart RE59; 1080 standard colours colors and differences, AE*

http://130.149.60.45/~farbmatrik/RE59/RE59LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 21/33

Table with 16 columns: n, HHC*Fe, rpb*Fe, icr*Fe, hsa*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, LabCH*Fe, DF*Fe, hsa*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, n. Rows 81-161.

input: rgb/cmyk -> rgbe output: transfer to cmyk

TUB-test chart RE59; 1080 standard colours colors and differences, AE*

1-1032030-F0

http://130.149.60.45/~farbmetrik/RE59/RE59LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 22/33

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, hsa*Fe, rpb*Fe, LabCH*Fe, hsa*Fe, rpb*Fe, LabCH*Fe, DF*Fe, hsa*Fe, rpb*Fe, LabCH*Fe, delta E*ab. Rows 162-242.

TUB-test chart RE59; 1080 standard colours colors and differences, ΔE* input: rgb/cmyk -> rgbe output: transfer to cmyke

http://130.149.60.45/~farbmetrik/RE59/RE59LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 23/33

input: rgb/cmyk -> rgbe output: transfer to cmyke

Table with 32 columns (n, HIC*Fe, rgp*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, DFE*Fe, Ham*Fe, LabCH*Fe, rpb*Fe, rpb*Fe, DFE*Fe, Ham*Fe, LabCH*Fe, rpb*Fe, rpb*Fe, DFE*Fe, Ham*Fe, LabCH*Fe, rpb*Fe, LabCH*Fe, rpb*Fe, DFE*Fe, Ham*Fe, LabCH*Fe, rpb*Fe, LabCH*Fe, rpb*Fe, DFE*Fe, Ham*Fe). Rows 243-323.

Mean color difference of this page: delta E* = 10.9

RE590-TN; Page 23/33-F

TUB-test chart RE59; 1080 standard colours colors and differences, AE*

I=1032230-F0

http://130.149.60.45/~farbmetrik/RE59/RE59LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 24/33

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, hsa*Fe, rpb*Fe, LabC*Fe, LabM*Fe, LabY*Fe, LabC*Fe, rpb*Fe, DF*Fe, Hsa*Fe, LabC*Fe, LabM*Fe, LabY*Fe. Rows 324-404.

Mean color difference of this page: delta E* = 10.9

TUB-test chart RE59; 1080 standard colours colors and differences, AE*

input: rgb/cmyk -> rgbe output: transfer to cmyke

http://130.149.60.45/~farbmatrik/RE59/RE59LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 25/33

Table with 15 columns: n, HHC*Fe, rgb*Fe, icr*Fe, Hs*Fe, rgb*Fe, LabC*Fe, LabM*Fe, LabY*Fe, DF*Fe, Ham*Fe, rgb*Fe, LabC*Fe, LabM*Fe, LabY*Fe. Rows 405-485.

TUB-test chart RE59; 1080 standard colours colors and differences, ΔE* input: rgb/cmyk -> rgbe output: transfer to cmyke

http://130.149.60.45/~farbmatrik/RE59/RE59LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 26/33

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, hsa*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, DF*Fe, Ham*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe. Rows 486-566.

Mean color difference of this page: delta E* = 12.4

input: rgb/cmyk -> rgbe output: transfer to cmyke

TUB-test chart RE59; 1080 standard colours colors and differences, AE*

RE590-7N; Page 26/33-F

http://130.149.60.45/~farbmetrik/RE59/RE59LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 27/33

Table with 15 columns: n, HHC*Fe, rgb*Fe, iet*Fe, Hs*Fe, rgb*Fe, LabCh*Fe, LabCh*Fe, LabCh*Fe, DF*Fe, Hs*Fe, rgb*Fe, LabCh*Fe, LabCh*Fe. Rows 567-647.

Mean color difference of this page: delta E* = 13.7

TUB-test chart RE59; 1080 standard colours colors and differences, AE*

RE590-TN; Page 27/33-F

http://130.149.60.45/~farbmetrik/RE59/RE59LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 29/33

Table with 10 columns: n, H/C*, RgB*, iCt*, iM*, LabCH*, LabCH*Fe, rGb*Fe, rM*Fe, LabCH*Fe, DF*, rGb*Fe, LabCH*Fe, rM*Fe, H/C*, RgB*, iCt*, iM*, LabCH*, LabCH*Fe, rGb*Fe, rM*Fe, H/C*, RgB*, iCt*, iM*, LabCH*, LabCH*Fe, rGb*Fe, rM*Fe. The table contains numerical data for various color patches and registration marks.

input: rgb/cmyk -> rgbe output: transfer to cmyke

TUB-test chart RE59; 1080 standard colours colors and differences, ΔE*

http://130.149.60.45/~farbmatrik/RE59/RE59LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 30/33

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, DF*Fe, Hs*Fe, LabCH*Fe, rpb*Fe, LabCH*Fe. Rows include various color and registration marks.

input: rgb/cmyk -> rgbe output: transfer to cmyke

TUB-test chart RE59; 1080 standard colours colors and differences, AE*

1-013290-F0

RE590-TN; Page 30/33-F

http://130.149.60.45/~farbmetrik/RE59/RE59LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 31/33

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, hsa*Fe, rpb*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, DF*Fe, Ham*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, and a final column with values like 0.0, 0.0, 0.0, etc. The table contains 971 rows of data.

Mean color difference of this page:

delta E* = 70.5

RE590-TN, Page 31/33-F

TUB-test chart RE59; 1080 standard colours colors and differences, ΔE*

input: rgb/cmyk -> rgbe output: transfer to cmyke


Table with 15 columns: n, HC*Fe, rpb*Fe, iet*Fe, ihs*Fe, rpb*Fe, LabC*Fe, LabM*Fe, LabY*Fe, LabC*Fe, LabM*Fe, LabY*Fe, rpb*Fe, DPF*Fe, rpb*Fe, LabC*Fe, LabM*Fe, LabY*Fe. Rows include color names like NV, NW, and numerical values.

input: rgb/cmyk -> rgbe output: transfer to cmyke

TUB-test chart RE59; 1080 standard colours colors and differences, AE*

RE590-TN, Page 32/33-F

I-0133130-F0



http://130.149.60.45/~farbmetrik/RE59/RE59L0NP.PDF /.PS; transfer output
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 33/33

n	HC*Fe	rgb*Fe	LabCH*Fe	DF*Fe	Has*Fe	rgb*Me	LabCH*Me	DF*Me	Has*Me	rgb*Me	LabCH*Me	DF*Me	Has*Me
1053	NW_086e	0.866	0.866	86.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1054	NW_093e	0.933	0.933	91.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1055	NW_100e	1.0	1.0	95.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1056	NW_006e	0.066	0.066	28.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1057	NW_013e	0.133	0.133	33.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1058	NW_020e	0.2	0.2	38.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1059	NW_026e	0.266	0.266	42.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1060	NW_033e	0.333	0.333	47.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1061	NW_040e	0.4	0.4	52.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1062	NW_046e	0.466	0.466	57.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1063	NW_053e	0.533	0.533	62.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1064	NW_059e	0.593	0.593	67.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1065	NW_066e	0.666	0.666	71.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1066	NW_073e	0.734	0.734	76.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1067	NW_080e	0.8	0.8	81.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1068	NW_086e	0.866	0.866	86.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1069	NW_093e	0.933	0.933	91.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1070	NW_100e	1.0	1.0	95.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1071	NW_006e	0.066	0.066	28.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1072	NW_010e	0.1	0.1	33.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1073	NW_015e	0.15	0.15	38.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1074	ROY_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1075	GY00_100_100e	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1076	Y000_100_100e	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1077	BY00_100_100e	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1078	BB00_100_100e	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1079	BS00_100_100e	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0

Mean color difference of this page: $\Delta E^* = 6.3$

input: rgb/cmyk -> rgbe
 output: transfer to cmyke

