


http://130.149.60.45/~farbmetrik/RE76/RE76L0FP.PDF /.PS; start output  
F: 3D-linearization RE76/RE76LE30FP.DAT in file (F), page 1/2

see similar files: <http://130.149.60.45/~farbmetrik/RE76/RE76L0FP.PDF> / .PS  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE76/RE76L0FP.PDF /.PS  
application for measurement of laser printer output  
TUB material: code=rha4ta



RE760-7N\_RGB 1-103030-L0

TUB-test chart RE76; 1080 standard colours,  $cf=0,9$   
Test chart according to DIN 33872


input: *rgb/cmyk* -> *rgb/cmyk*  
output: no change

Test chart G with 40x27=1080 colours; equidistant 9 or 16 step colour scales; Colour data in column (A-n): *rgb* (A\_j + k26\_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 1

http://130.149.60.45/~farbmetrik/RE76/RE76L0FP.PDF /.PS; 3D-linearization  
F: 3D-linearization RE76/RE76LE30FP.DAT in file (F), page 2/2

see similar files: <http://130.149.60.45/~farbmetrik/RE76/RE76L0FP.PDF> / .PS  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE76/RE76L0FP.PDF /.PS TUB material: code=rh4ta  
application for measurement of laser printer output, separation  $cm\dot{y}n^6$  (CMYK)




TUB-test chart RE76; 1080 standard colours,  $cf=0,9$   
Test chart according to DIN 33872, 3D=1,  $de=0$ ,  $cm\dot{y}k^*$

input:  $rgb/cmyk \rightarrow rgb_{dd}$   
output: 3D-linearization to  $cm\dot{y}k^*_{dd}$



see similar files: <http://130.149.60.45/~farbmetrik/RE76/RE76L0FP.PDF> / .PS  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE76/RE76L0FP.PDF /.PS  
application for measurement of laser printer output  
TUB material: code=rh4ta



RE760-7N\_RGB 1-113030-L0

TUB-test chart RE76; 1080 standard colours,  $cf=0,9$   
Test chart according to DIN 33872

input: *rgb/cmyk* -> *rgb/cmyk*  
output: no change



Test chart G with 40x27=1080 colours; equidistant 9 or 16 step colour scales; Colour data in column (A-n): *rgb* (A\_j + k26\_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 1

http://130.149.60.45/~farbmetrik/RE76/RE76L0FP.PDF /.PS; 3D-linearization  
F: 3D-linearization RE76/RE76LE30FP.DAT in file (F), page 2/2



see similar files: <http://130.149.60.45/~farbmetrik/RE76/RE76L0FP.PDF> / .PS  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE76/RE76L0FP.PDF /.PS  
application for measurement of laser printer output, separation  $cmyn^6^*$  (CMYK)  
TUB material: code=rh4ta



TUB-test chart RE76; 1080 standard colours,  $cf=0,9$   
Test chart according to DIN 33872, 3D=1,  $de=1$ ,  $cm^y^k^*$

input:  $rgb/cmyk \rightarrow rgb_{de}$   
output: 3D-linearization to  $cm^y^k^*_{de}$

