


Input and Output: Television Luminous System sRGB (TLS00a)

Data for any device (d) or elementary (e) colour:

$HIC^*_-$   
 hue text for the colours  
 of this page:  
 $H^*_-$  = R00Y\_-, R25Y\_-, ..., B75R\_-

ORS20a; adapted (a) CIELAB data



$H^*_-$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



%Gamut  
 $u^*_{rel} = 158$   
 %Regularity  
 $g^*_{H,rel} = 19$   
 $g^*_{C,rel} = 37$

sRGB (TLS00a); adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
R_-,Ma	50.5	76.9	64.5	100.4	40
Y_-,Ma	92.6	-20.7	90.7	93.0	102
G_-,Ma	83.6	-82.7	79.9	115.0	136
C_-,Ma	86.8	-46.1	-13.5	48.1	196
B_-,Ma	30.3	76.0	-103.6	128.5	306
M_-,Ma	57.3	94.3	-58.4	110.9	328
N_-,Ma	0.0	0.0	0.0	0.0	0
W_-,Ma	95.4	0.0	0.0	0.0	0
R_-,CIE	39.9	58.7	27.9	65.0	25
Y_-,CIE	81.2	-2.8	71.5	71.6	92
G_-,CIE	52.2	-42.4	13.6	44.5	162
B_-,CIE	30.5	1.4	-46.4	46.4	271



see similar files: http://130.149.60.45/~farbmetrik/RE88/RE88LONP.PDF /.PS; start output  
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20150701-RE88/RE88LONP.PDF /.PS  
 application for measurement of display output

TUB material: code=rhadata

RE880-7N\_RGB 1-003034-L0

TUB-test chart RE88; 16 step hue circle, cf=1  
 Test chart according to DIN 33872

input: rgb/cmyk -> rgb/cmyk  
 output: no change