

Entrée et sortie: Système Printer Reflective FRS06a pour la teinte CIELAB relative  $h_{ab,a,rel} = h_{ab}/360 = 353/360 = 0.98$

$H^*_ = B50R_$

Données de couleurs périphériques (d)


ou élémentaires (e):

$HIC^*_$

code de teinte pour les couleurs de cette page:

$H^*_ = B50R_$

triangle de luminosité  $T^*$



**FRS06a; données CIELAB (a) adaptées**

| nom                | $L^*=L^*_a a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |     |
|--------------------|-------------------|---------|--------------|--------------|-----|
| R <sub>-,Ma</sub>  | 32.5              | 62.3    | 46.4         | 77.7         | 36  |
| Y <sub>-,Ma</sub>  | 82.7              | -3.1    | 113.9        | 114.0        | 91  |
| G <sub>-,Ma</sub>  | 39.4              | -61.8   | 45.8         | 76.9         | 143 |
| C <sub>-,Ma</sub>  | 47.8              | -26.8   | -34.2        | 43.4         | 231 |
| B <sub>-,Ma</sub>  | 10.1              | 55.1    | -61.0        | 82.2         | 312 |
| M <sub>-,Ma</sub>  | 34.5              | 80.6    | -33.9        | 87.5         | 337 |
| N <sub>-,Ma</sub>  | 6.2               | 0.0     | 0.0          | 0.0          | 0   |
| W <sub>-,Ma</sub>  | 91.9              | 0.0     | 0.0          | 0.0          | 0   |
| R <sub>-,CIE</sub> | 39.9              | 58.7    | 27.9         | 65.0         | 25  |
| Y <sub>-,CIE</sub> | 81.2              | -2.8    | 71.5         | 71.6         | 92  |
| G <sub>-,CIE</sub> | 52.2              | -42.4   | 13.6         | 44.5         | 162 |
| B <sub>-,CIE</sub> | 30.5              | 1.4     | -46.4        | 46.4         | 271 |

Les données de couleur maximale (Ma):

$LabCh^*_{-,Ma}$ : 49 73 -9 74 353

$HIC^*_{-,Ma}$ : B50R\_100\_100\_

$rgbic^*_{-,Ma}$ :

1.0 0.0 1.0 1.0 1.0

triangle de luminosité  $T^*$

% Gamme  
 $u^*_{rel} = 114$   
 % Régularité  
 $g^*_{H,rel} = 28$   
 $g^*_{C,rel} = 38$

**ORS20a; données CIELAB (a) adaptées**

| $H^*_$        | $L^*=L^*_a a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |     |
|---------------|-------------------|---------|--------------|--------------|-----|
| R00Y_100_100_ | 48.4              | 66.1    | 40.2         | 77.3         | 31  |
| R25Y_100_100_ | 56.8              | 48.0    | 50.5         | 69.6         | 46  |
| R50Y_100_100_ | 68.6              | 25.0    | 63.9         | 68.6         | 68  |
| R75Y_100_100_ | 80.6              | 4.8     | 77.2         | 77.3         | 86  |
| Y00G_100_100_ | 90.2              | -9.6    | 88.2         | 88.7         | 96  |
| Y25G_100_100_ | 83.2              | -18.4   | 79.9         | 81.9         | 102 |
| Y50G_100_100_ | 73.3              | -31.7   | 62.7         | 70.2         | 116 |
| Y75G_100_100_ | 62.0              | -49.7   | 43.2         | 65.8         | 139 |
| G00B_100_100_ | 55.8              | -65.2   | 33.8         | 73.4         | 152 |
| G25B_100_100_ | 59.3              | -50.3   | -9.0         | 51.0         | 190 |
| G50B_100_100_ | 63.0              | -30.5   | -42.0        | 51.9         | 234 |
| G75B_100_100_ | 45.7              | -5.7    | -44.6        | 44.9         | 262 |
| B00R_100_100_ | 27.5              | 25.9    | -47.3        | 53.9         | 298 |
| B25R_100_100_ | 38.3              | 52.6    | -28.5        | 59.8         | 331 |
| B50R_100_100_ | 49.5              | 73.5    | -9.0         | 74.0         | 353 |
| B75R_100_100_ | 48.9              | 69.3    | 12.9         | 70.4         | 10  |

